Exempt Chemical Preparations List

April 2, 2026

For Application Dates Through December 31, 2025

Drug Enforcement Administration
Diversion Control Division
Drug and Chemical Evaluation Section

Supplier Name	Product Name	Form	Application Date
(AAB-MLE) American Association of Bioanalysts-Medical Laboratory Evaluation	(AAB-MLE) Chemistry	Amber vial: 5 mL	8/7/2024
(API) American Proficiency Institute	(API) Chemistry	Amber vial: 5 mL	8/7/2024
(API) American Proficiency Institute	(API) Remedial Chemistry	Amber vial: 5 mL	8/7/2024
(WSLH) Wisconsin Laboratory of Hygeine	(WSLH) Chemistry/Endocrinology/TDM	Amber vial: 5 mL	8/7/2024
(WSLH) Wisconsin Laboratory of Hygeine	(WSLH) Chemistry-Waived	Amber vial: 5 mL	8/7/2024
AAB	Basic & Comprehensive Chemistry	Amber vial: 5 mL	3/27/2017
AAB	Chemistry, Waived	Amber vial: 5 mL	3/27/2017
AAB	Fertility-Endocrinology	Amber vial: 5 mL	3/27/2017
AAB	Special Chemistry	Amber vial: 5 mL	3/27/2017
AAB	Therapeutic Drug Monitoring	Amber vial: 5 mL	3/27/2017
AAB-MLE	(AAB-MLE) Chemistry	Amber vial: 5 mL	8/25/2022
AAFP	Cholestech LD/CardioChek	Amber vial: 5 mL	3/27/2017
AAFP	MultiChem	Amber vial: 5 mL	3/27/2017
AAFP	Special Chemistry	Amber vial: 5 mL	3/27/2017
Aalto Scientific, Ltd.	Abbott FLQ TDM Base	Glass or plastic bottle or flask: 1-100 mL	4/22/2020
Aalto Scientific, Ltd.	Abbott FLQ TDM Base	Glass or plastic bottle or flask: 100-500 mL	4/22/2020
Aalto Scientific, Ltd.	Abbott FLQ TDM Base	Glass or plastic bottle or flask: 500-1000mL	4/22/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS	Kit: 4 vials, 3 mL each	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1-250 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 300 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1-250 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 1mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 1 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Level 1	Amber vial: 3 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Level 2	Amber vial: 3 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Level 3	Amber vial: 3 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Beckman AU Level 1	Glass Vial: 3 mL	4/15/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Beckman AU Level 2	Glass vial: 3 mL	4/15/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Beckman AU Level 3	Glass vial: 3 mL	4/15/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Bulk AU Level 1	Glass vial, bottle, or flask: 1-500 mL	5/8/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Bulk AU Level 2	Glass vial, bottle, or flask: 1-500 mL	5/8/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Bulk AU Level 3	Glass vial, bottle, or flask: 1-500 mL	5/8/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU	1 kit; 4 vials x 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU Level	Glass Vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU Level 1	Glass Vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU Level 3	Glass Vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS II Level 1 (3000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS II Level 2 (5000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS II Level 3 (6000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020

Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS Level 1 (3000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS Level 2 (5000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS Level 3 (6000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems	Kit: 4 vials; 3 mL each	6/10/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems	1 kit; 4 vials x 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems Level 1	Glass vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse For Roche Systems Level 1	Glass vial: 3 mL	2/23/2021
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems Level 2	Glass vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse For Roche Systems Level 2	Glass vial: 3 mL	2/23/2021
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems Level 3	Glass vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse For Roche Systems Level 3	Glass vial: 3 mL	2/23/2021
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse BULK Level 1	Glass container: 1 mL – 500 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 2	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 2	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 2	Glass bottle, flask or carboy: 2L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse BULK Level 2	Glass container: 1 mL – 500 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 3	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse BULK Level 3	Glass container: 1 mL – 500 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 4	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 2L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 3L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 3	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 3	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 4	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 4	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Level 2	Amber vial: 3 mL	11/29/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Level 3	Amber vial: 3 mL	11/29/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Level 4	Amber vial: 3 mL	11/29/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Level 2	Plastic bottle: 4 mL	9/1/2017
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Level 3	Plastic bottle: 4 mL	9/1/2017
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Level 4	Plastic bottle: 4 mL	9/1/2017
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 2	Glass bottle, flask or carboy: 2L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 2	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 2	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 3	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 4	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Level 2	Amber vial: 3 mL	9/20/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Level 3	Amber vial: 3 mL	9/20/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Level 4	Amber vial: 3 mL	9/20/2018
Aalto Scientific, Ltd.	Control FD Immunoassay	Kit: 6 vials; 3 mL each	10/22/2015
Aalto Scientific, Ltd.	Control FD TDM	Kit: 6 vials; 5 mL each	10/22/2015
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS	Kit: 6 vials, 3 mL each	6/12/2019
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Level 1	Amber vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Level 2	Amber vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Level 1 (4000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020

Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Level 2 (6000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Endocrine Program	Amber vial: 5 mL	8/23/2016
Aalto Scientific, Ltd.	Endocrine: Steroids	Amber vial: 5 mL	11/15/2018
Aalto Scientific, Ltd.	Endocrinology	Amber vial: 5 mL	8/23/2016
Aalto Scientific, Ltd.	FLQ Audit General Chemistry Control Level 1	Glass Vial: 4 mL	8/22/2019
Aalto Scientific, Ltd.	FLQ Audit General Chemistry Control Level 2	Glass Vial: 4 mL	8/22/2019
Aalto Scientific, Ltd.	FLQ Audit General Chemistry Control Level 3	Glass Vial: 4 mL	8/22/2019
Aalto Scientific, Ltd.	General Serum Chemistry	Glass vial: 5 mL	7/14/2016
Aalto Scientific, Ltd.	Immunoassay Base (Level A-E)	Glass or plastic bottle or flask: 1 mL-100 mL	4/13/2021
Aalto Scientific, Ltd.	Immunoassay Base (Level A-E)	Glass or plastic bottle or flask: 100 mL-500 mL	4/13/2021
Aalto Scientific, Ltd.	Immunoassay Base (Level A-E)	Glass or plastic bottle or flask: 500 mL-1 L	4/13/2021
Aalto Scientific, Ltd.	Immunoassay Control	Glass vial: 1 mL	7/14/2016
Aalto Scientific, Ltd.	Immunoassay Control, Level 1, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Control, Level 2, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Control, Level 3, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level A, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level B, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level C, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level D, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level E, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassy Base (Level A-E)	Glass vial, bottle, or flask: 1 mL	4/1/2021
Aalto Scientific, Ltd.	LC-MS FLQ Drugs of Abuse II Level 1	Amber vial: 3 mL	10/23/2019
Aalto Scientific, Ltd.	LC-MS FLQ Drugs of Abuse II Level 2	Amber vial: 3 mL	10/23/2019
Aalto Scientific, Ltd.	LC-MS FLQ Drugs of Abuse II Level 3	Amber vial: 3 mL	10/23/2019
Aalto Scientific, Ltd.	Linearity FD Fertility Siemens Centaur	Kit: 10 vials; 3 mL each	10/22/2015
Aalto Scientific, Ltd.	Linearity FD Fertility Siemens Centaur	Kit: 10 vials; 3 mL each	3/29/2021
Aalto Scientific, Ltd.	Linearity FD Immunoassay	Kit: 10 vials; 5 mL each	10/22/2015
Aalto Scientific, Ltd.	Linearity FD Immunoassay Abbott Architect i Series K831M-5	Kit: 10 vials; 5 mL each	11/23/2015
Aalto Scientific, Ltd.	Linearity FD Immunoassay Abbott Architect i Series K833M-5	Kit: 5 vials; 5 mL each	11/23/2015
Aalto Scientific, Ltd.	Linearity FD Immunoassay for Abbott Systems	Kit: 5 vials, 5 mL each	8/22/2024
Aalto Scientific, Ltd.	Linearity FD Immunoassay for Abbott Systems Level A	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd.	Linearity FD Immunoassay for Abbott Systems Level B	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd.	Linearity FD Immunoassay for Abbott Systems Level C	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd.	Linearity FD Immunoassay for Abbott Systems Level D	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd.	Linearity FD Immunoassay for Abbott Systems Level E	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd.	Linearity FD TDM	Kit: 5 vials; 5 mL each	10/22/2015
Aalto Scientific, Ltd.	Linearity FD TDM Siemens Centaur	Kit: 5 vials; 5 mL each	10/22/2015
Aalto Scientific, Ltd.	Linearity FD Testosterone Siemens Centaur	Kit: 5 vials; 3 mL each	9/20/2017
Aalto Scientific, Ltd.	Linearity FD Testosterone, Siemens Centaur	Kit: 5 vials; 3 mL each	12/7/2016
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Abbott Architect	Kit: 10 bottles, 3 mL each	8/13/2018
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Abbott Systems	Kit: 5 Plastic bottles; 2 mL each	10/23/2019
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Roche Systems	Kit: 10 bottles, 3 mL each	8/13/2018
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Siemens Centaur	Kit: 10 bottles, 3 mL each	8/13/2018
Aalto Scientific, Ltd.	Linearity FLQ TDM for Ortho Vitros	Kit: 5 dropper bottles; 4 mL each	3/31/2021
Aalto Scientific, Ltd.	Linearity LQ Drugs of Abuse, Level A	Amber vial: 5 mL	1/3/2017
Aalto Scientific, Ltd.	Linearity LQ Drugs of Abuse, Level B	Amber vial: 5 mL	1/3/2017
Aalto Scientific, Ltd.	Linearity LQ Drugs of Abuse, Level C	Amber vial: 5 mL	1/3/2017
Aalto Scientific, Ltd.	Linearity LQ Drugs of Abuse, Level D	Amber vial: 5 mL	1/3/2017
Aalto Scientific, Ltd.	Linearity LQ Drugs of Abuse, Level E	Amber vial: 5 mL	1/3/2017
Aalto Scientific, Ltd.	LN3 Base	Glass or plastic bottle or flask: 1-100 mL	4/22/2020
Aalto Scientific, Ltd.	LN3 Base	Glass or plastic bottle or flask: 100-500 mL	4/22/2020
Aalto Scientific, Ltd.	LN3 Base	Glass or plastic bottle or flask: 500-750 mL	4/22/2020
Aalto Scientific, Ltd.	Phenobarbital in-house Solution	Glass bottle: 100 mL	7/18/2018
Aalto Scientific, Ltd.	Phenobarbital in-house Solution 1 mg/mL	Glass bottle: 5 mL, 50 mL, 100 mL	8/22/2018
Aalto Scientific, Ltd.	Roche FLQ TDM Base	Glass or plastic bottle or flask: 1-100 mL	4/22/2020
Aalto Scientific, Ltd.	Roche FLQ TDM Base	Glass or plastic bottle or flask: 100-500 mL	4/22/2020
Aalto Scientific, Ltd.	Roche FLQ TDM Base	Glass or plastic bottle or flask: 500-1000 mL	4/22/2020
Aalto Scientific, Ltd.	TDM Base (Level A-E)	Glass vial, bottle, or flask: 1 mL-100 mL	4/1/2021
Aalto Scientific, Ltd.	TDM Base (Level A-E)	Glass vial, bottle, or flask: 100mL-500 mL	4/1/2021
Aalto Scientific, Ltd.	TDM Base (Level A-E)	Glass vial, bottle, or flask: 500 mL-1L	4/1/2021
Aalto Scientific, Ltd.	TDM Beckman AU Base (Level A-E)	Glass vial, bottle, or flask: 1 mL-100 mL	4/1/2021
Aalto Scientific, Ltd.	TDM Beckman AU Base (Level A-E)	Glass vial, bottle, or flask: 100mL-500 mL	4/1/2021
Aalto Scientific, Ltd.	TDM Beckman AU Base (Level A-E)	Glass vial, bottle, or flask: 500 mL-1L	4/1/2021
Aalto Scientific, Ltd.	Testo Serum Reference Standard A (Testo SRS A), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard B (Testo SRS B), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard C (Testo SRS C), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard D (Testo SRS D), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard E (Testo SRS E), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard F (Testo SRS F), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testosterone Stock Solution	Glass bottle: 1 mL - 100 mL	8/13/2018
Aalto Scientific, Ltd.	Therapeutic Drug Monitoring Control Level I, II, III Freeze Dried	Vial: 5 mL	4/9/1991
Aalto Scientific, Ltd.	Unassayed Chemistry Base Level 1	Glass or plastic bottle or flask: 1mL-100 mL; 100mL-500mL; 500mL-1L	3/28/2022
Aalto Scientific, Ltd.	Unassayed Chemistry Base Level 2	Glass or plastic bottle or flask: 1mL-100 mL; 100mL-500mL; 500mL-1L	3/28/2022
Aalto Scientific, Ltd.	Unassayed Chemistry Base Level 3	Glass or plastic bottle or flask: 1mL-100 mL; 100mL-500mL; 500mL-1L	3/28/2022
Abaxis North America	Abaxis Universal Final Test Pool	Amber vial: 3 mL	9/17/2018
Abaxis North America	FTP with CRP	Amber vial: 3 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 1	Amber vial: 1 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 2	Amber vial: 1 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 3	Amber vial: 1 mL	9/17/2018

Abaxis North America	VetScan Chemistry Control Level 4	Amber vial: 1 mL	9/17/2018
Abbott Laboratories	ARCHITECT 2nd Generation Testosterone Calibrators (B,C,D,E,F)	Bottle: 4 mL; Box: 6 bottles	10/14/2011
Abbott Laboratories	ARCHITECT 2nd Generation Testosterone Controls (L,M,H)	Bottle: 8 mL; Box: 3 bottles	10/14/2011
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 2K25J	Bag-in-box: 18-200 L; Flask/Carboy: 1-50 L; Bottle/Vial: 0.5 mL-1 L; Box: 1-50 bottles	10/14/2011
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 7K72J	Bottle: 5.9 mL	10/14/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 07K72-20	Bottle: 5.9 mL; Kit: 16 bottles	10/14/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 07K72-25	Bottle: 5.9 mL; Kit: 4 bottles	10/14/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 2K25-20	Bottle: 5.9 mL; Kit: 16 bottles	10/14/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 2K25-25	Bottle: 5.9 mL; Kit: 4 bottles	10/14/2011
Abbott Laboratories	Architect iPhenobarbital Calibrator B	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator C	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator D	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator E	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator F	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrators	Bottle: 5 mL Kit: 6 Bottles	7/20/2007
Abbott Laboratories	AxSYM Estradiol Buffer	Flask/Carboy: 1-50 L; Bottle/Vial: 0.5 mL-1 L; Box: 1-50 bottles	10/14/2011
Abbott Laboratories	AxSYM Estradiol Reagent Pack	Bottle: 5.5 mL, Pack: 4 bottles	10/14/2011
Abbott Laboratories	Clinical Chemistry Phenobarbital Calibrator	Kit: 8 bottles, 6 mL each	1/11/2010
Abbott Laboratories	Testosterone 2nd Generation Calibrator Bulk Solution	Flasks/Bottles: 0.1mL-50 L	6/10/2008
Abbott Laboratories	Testosterone 2nd Generation Calibrator Kit	Vial: 5 mL	6/10/2008
Abbott Laboratories	Testosterone 2nd Generation Calibrators	Bottles: 1mL-2L, Test Tubes: 0.1-50mL	4/28/2009
Abbott Laboratories	Testosterone 2nd Generation Controls	Bottles: 1mL-2L, Test Tubes: 0.1-50mL	4/28/2009
Abbott Laboratories	Testosterone 2nd Generation Controls Bulk Solution	Flasks/Bottles: 0.1mL-50 L	6/10/2008
Abbott Laboratories	Testosterone 2nd Generation Controls Kit	Vial: 10 mL	6/10/2008
Absolute Standards, Inc.	(-)-11-Nor-Δ9-THC-carboxylic acid Suitable for immunoassay (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-11-Nor-Δ9-THC-carboxylic acid Suitable for immunoassay (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-trans-Δ9-THC acid A, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-trans-Δ9-THC acid A, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ8-THC (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-Δ8-THC (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-Δ8-THC, 100 ug/mL, in Ethanol	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ8-THC, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ8-THC, 1000 ug/mL, in Ethanol	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ8-THC-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(-)-Δ9-THC – Calibration Standard (1000 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	(-)-Δ9-THC - Calibration Standard, 100 ug/mL, in Ethanol	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ9-THC – Performance Test HPLC-GC (500 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	(-)-Δ9-THC - Performance Test HPLC-GC, 100-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ9-THC (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-Δ9-THC (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-Δ9-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ9-THC, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ9-THC, 1000 ug/mL, in Ethanol	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	(-)-Δ9-THC-D3 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-Δ9-THC-D3 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(-)-Δ9-THC-D3 (1000 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	(-)-Δ9-THC-D3, 100 ug/mL, in Ethanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(-)-Δ9-THC-D3, 1000 ug/mL, in Ethanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/ -)-MDA-D5, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	(+/-) Amphetamine [(+/-)-1-Phenylpropan-2-amine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-) Amphetamine-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-11-Hydroxy-Δ9-THC-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-11-Hydroxy-Δ9-THC-D3, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-Amphetamine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-Amphetamine PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)Amphetamine-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-Amphetamine-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)-Amphetamine-D6, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	(+/-)-Amphetamine-D8, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-Amphetamine-D8, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-Amphetamine-D8, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-MDA PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)-MDA-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)-MDMA-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)-Methamphetamine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-Methamphetamine (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-Methamphetamine as free base [d-Methamphetamine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-Methamphetamine PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)Methamphetamine-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)Methamphetamine-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(+/-)-Methamphetamine-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	(+/-)-Methamphetamine-D8, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-Methamphetamine-D8, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(+/-)-Methamphetamine-D9, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	(+/-)-Methamphetamine-D9, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	(±)-11-nor-Δ9-THC carboxylic acid-D3 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-11-nor-Δ9-THC carboxylic acid-D3 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-MDA [3,4-Methylenedioxyamphetamine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-MDA 3,4-Methylenedioxyamphetamine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014

Absolute Standards, Inc.	(±)-MDA-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-MDMA [d,l-3,4-Methylenedioxymethamphetamine; Ecstasy] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-MDMA 3,4-Methylenedioxymethamphetamine(Ecstasy) (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-MDMA-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(±)-MDMA-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	(6aR,9R)-Δ10-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	(6aR,9S)-Δ10-THC, 10 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	(6aR,9S)-Δ10-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	17α-Methyltestosterone (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	17α-Methyltestosterone (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	2019x560 Mix, 1000 µg/mL, in Methanol	Glass ampoule: 1 mL	3/9/2023
Absolute Standards, Inc.	2020x112 Mix A, 100 µg/mL, in Methanol:Water [9:1]	Glass ampoule: 1 mL	3/9/2023
Absolute Standards, Inc.	3-Methylmorphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	4-Androstene-3,17-dione, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	6-Acetylcodeine, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	6-Acetylmorphine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	6-Acetylmorphine, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	6-Acetylmorphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	6-Acetylmorphine-D3 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	6-Acetylmorphine-D3, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	9(R)-Δ7-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	9(S)-Δ7-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	AB-CHMINACA, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	AB-FUBINACA, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	AB-PINACA, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	AH-7921, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	AKB48 (APINACA), 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	alpha-Pyrrolidinobutiophenone (alpha-PBP), 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Alprazolam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Alprazolam PT, 1-100 µg/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc.	Alprazolam-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Alprazolam-D5 PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc.	AM2201, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	AM2201, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Amfepramone, 100 ug/ml, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Amfepramone, 1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Amfepramone-D10, 100 ug/ml, in 1% IM HCl Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Amobarbital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Amobarbital, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Anhydroecgonine methyl ester, 100 ug/ml, in Acetonitrile	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Anhydroecgonine methyl ester-D3, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Barbital, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Benzoylecgonine PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Benzoylecgonine, 10 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Benzoylecgonine, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Benzoylecgonine, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Benzoylecgonine-D3 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Benzoylecgonine-D3, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Benzoylecgonine-D8, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Benzoylecgonine-D8, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Buprenorphine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Buprenorphine, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Buprenorphine, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Buprenorphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Butabarbital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Butabarbital, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Butalbital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Butalbital, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	CA CRM Standard Mix 1 - Acids/Acetates, 10 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	CA CRM Standard Mix 1 - Acids/Acetates, 10 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	CA CRM Standard Mix 1 - Acids/Acetates, 18 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	CA CRM Standard Mix 2 - Neutrals, 10 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	CA CRM Standard Mix 2 - Neutrals, 10 ug/mL, in Methanol	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	CA CRM Standard Mix 2 - Neutrals, 18 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Calibrator Mix, Varied ug/L, in Methanol	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	Cannabinoid Calibration Mix - Acids, 100 ug/mL, in Acetonitrile (1% DIPEA & 0.05% Ascorbic acid)	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Cannabinoid Calibration Mix - Neutrals, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Cannabis PT in Hemp Oil, Varied ug/g, in Hemp Oil:Acetone:Acetonitrile [5:4:1]	Glass ampoule: 1 g	6/21/2024
Absolute Standards, Inc.	Cannabis PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/18/2023
Absolute Standards, Inc.	Carfentanil PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Carfentanil, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Carisoprodol (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Carisoprodol (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Carisoprodol (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Carisoprodol PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Chloral hydrate (100 µg/mL) in MTBE	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chloral hydrate (1000 µg/mL in MTBE)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chloral hydrate Level 1 (5.0 µg/mL in MTBE)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chloral hydrate Level 2 (2.5 µg/mL in MTBE)	Glass ampoule: 1 mL	7/11/2014

Absolute Standards, Inc.	Chloral hydrate Level 3 (1.0 µg/mL in MTBE)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chloral hydrate Level 4 (0.5 µg/mL in MTBE)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chloral hydrate, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Chloral hydrate, 2000 ug/mL, in Acetone	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Chlordiazepoxide (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chlordiazepoxide (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Chlordiazepoxide PT, 1-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Chlordiazepoxide, 100 ug/ml, in Acetonitrile	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	cis-Tramadol HCl (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	cis-Δ9-THC, 10 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	cis-Δ9-THC, 100 ug/mL, in Acetonitrile	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	Clonazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Clonazepam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Clonazepam PT, 1-100 µg/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc.	Clonazepam-D4 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Clonazepam-D4 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Clonazepam-D4 PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc.	Cocaethylene , 100 ug/ml , in Acetonitrile	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Cocaethylene PT, 1-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Cocaethylene, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Cocaethylene-D3, 100 ug/ml, in Acetonitrile	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Cocaine (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Cocaine (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Cocaine (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Cocaine PT, 1-100 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Cocaine-D3 (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Cocaine-D3 (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Cocaine-D3 PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Cocaine-D3, 10 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Cocaine-D3, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Cocaine-D3, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Codeine [3-Methylmorphine] (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Codeine [3-Methylmorphine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Codeine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Codeine-6-β-D-glucuronide (100 µg/mL in MeOH:H2O (80:20))	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Codeine-6-β-D-glucuronide (1000 µg/mL in MeOH:H2O (80:20))	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Codeine-6-β-D-glucuronide PT, 1-1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Codeine-6-β-D-glucuronide-D3, 100 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Codeine-6-β-glucuronide, 10 ug/ml, in acetonitrile:water [1:1]	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Codeine-6-β-glucuronide, 100 ug/ml, in acetonitrile:water [1:1]	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Codeine-6-β-glucuronide, 1000 ug/ml, in acetonitrile:water [1:1]	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Codeine-D3 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Codeine-D3 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Codeine-D3 PT, 1-1000 ug/mL, in Ethanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Codeine-D3, 100 ug/ml, in Ethanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Codeine-D3, 1000 ug/mL, in Ethanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Codeine-D6, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Codeine-D6, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	CPC Custom Mix Rev. 1, Varied ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	d,l-MBDB, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	d,l-MDEA, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-MDEA, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-MDEA, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-MDMA PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	d,l-Methadone PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	d,l-Methadone, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-Methadone, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-Methadone, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-Methadone-D3 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	d,l-Methadone-D3, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-Methadone-D3, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d,l-Methadone-D3, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	DBP Mix, 100 ug/ml, in MTBE	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	DBP Mix, 100 ug/ml, in MTBE	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	d-Cathine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	d-Cathine (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Diazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Diazepam [Valium] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Diazepam PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Diazepam-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Diazepam-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Diazepam-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Dihydrocodeine, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Dihydrocodeine, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Dihydrocodeine, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Dihydrocodeine-6-β-D-glucuronide, 100 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Dihydrotestosterone, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Dimethyltryptamine, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Dimethyltryptamine, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022

Absolute Standards, Inc.	Diphenoxylate hydrochloride, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	d-Propoxyphene PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	d-Propoxyphene, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	d-Propoxyphene, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Drug Calibration Standard, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Ecgonine methyl ester, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Ecognine methyl ester, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Ecognine methyl ester, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Ecognine methyl ester, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	EPA Method 539 Mix #1, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	EPA Method 539 Mix #2, Varied ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	EPA Method 551 “Mix B”, 1000 ug/ml, in MTBE	Glass ampoule: 1 ml x 5	1/10/2022
Absolute Standards, Inc.	EPA Method 551- Disinfection By-Products Mix #2, 100 ug/ml, in MTBE	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	EPA Method 551.1- Analytes Mix #2, 100 ug/ml, in MTBE	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Estazolam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Estazolam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Estazolam PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Ethylmorphine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Ethylmorphine, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Etonitazene PT, 1-100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Etonitazene, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	exo-THC PT, Varied µg/mL in Methanol	Glass ampoule: 1 mL	12/8/2023
Absolute Standards, Inc.	exo-THC, 100 µg/mL in Methanol	Glass ampoule: 1 mL	12/8/2023
Absolute Standards, Inc.	Fenproporex, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Fenproporex, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Fenproporex-D5, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Fenproporex-D5, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Fentanyl PT, 1-100 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Fentanyl, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Fentanyl, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Fentanyl, Cocaine, & Xylazine PT, Varied µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Fentanyl-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Fentanyl-D5 PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Flunitrazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Flunitrazepam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Flunitrazepam PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Flunitrazepam-D7 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Flunitrazepam-D7 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Flunitrazepam-D7 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	FUB-144, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	FUB-AKB48 (FUB-APINACA), 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Gamma Hydroxybutyrate (GHB) PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	GHB-D6 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	GHB-D6 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Heroin (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Heroin (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Heroin PT, 1-1000 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Heroin, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Heroin, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Heroin-D9, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Heroin-D9, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Heroin-D9, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hexobarbital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Hexobarbital, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Hydrocodone (+)-bitartrate salt PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Hydrocodone (+)-bitartrate salt, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydrocodone (+)-bitartrate salt, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydrocodone PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Hydrocodone, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydrocodone, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydrocodone, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydrocodone-D3 PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Hydrocodone-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Hydromorphone PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Hydromorphone, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydromorphone, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Hydromorphone-D3 PT, 1-1000 µg/mL, in Methanol Glass ampoule	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Hydromorphone-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	ISO 17025 Calibrator - Level 0, </= 500 ng/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO 17025 Calibrator - Level 3, </= 5000 ng/ml, In Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO 17025 Calibrator - Level 4, </= 10 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO 17025 Calibrator - Level 5, </= 20 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO 17025 Calibrator • Level 1, </= 1000 ng/mL., in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO 17025 Calibrator • Level 2, </= 2500 ng/mL., in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO 17043 Internal Standard, </= 3000 ng/ml, In Methanol	Glass ampoule: 5 ml	10/21/2021
Absolute Standards, Inc.	ISO G34 Calibrator Spike High	Glass ampoule: 1 mL	8/3/2016
Absolute Standards, Inc.	ISO G34 Calibrator Spike Low	Glass ampoule: 1 mL	8/3/2016
Absolute Standards, Inc.	ISO G34 Calibrator Spike Solution	Glass ampoule: 1 mL	8/3/2016
Absolute Standards, Inc.	ISO G34 calibrator Spike Solution Rev 1, </= 50 ng/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021

Absolute Standards, Inc.	ISO G34 Control Spike High Rev-1, </= 7000 ng/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO G34 Control Spike Low Rev-1, </= 4000 ng/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	ISO G34 Internal Standard	Glass ampoule: 1 mL	8/3/2016
Absolute Standards, Inc.	Isotonitazene PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Isotonitazene, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	JWH-018, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	JWH-018-d9, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	JWH-019, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-073, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-073, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-081, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-122, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-200, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-200-d5, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	JWH-250, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Ketamine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Ketamine, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Ketamine, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Ketamine-d4, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Ketamine-D4, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	LCMS 14BDO Mix, 20 mM, in Methanol	Glass ampoule: 1 ml	5/6/2022
Absolute Standards, Inc.	LCMS 14BDO PT, Varied ug/mL, in Methanol	Glass ampoule: 1 ml	5/6/2022
Absolute Standards, Inc.	Lorazepam (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Lorazepam (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Lorazepam glucuronide, 100 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Lorazepam PT, 1-100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc.	LS 2440 Mix #1, Varied ng/mL, in Methanol	Glass ampoule: 1 ml	4/28/2022
Absolute Standards, Inc.	LS 2440 Mix #2, Varied ng/mL, in Methanol	Glass ampoule: 1 ml	4/28/2022
Absolute Standards, Inc.	LS 2440 Mix #3, Varied ng/mL, in Methanol	Glass ampoule: 1 ml	4/28/2022
Absolute Standards, Inc.	Lysergic acid diethylamide (LSD) PT, 1-50 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Lysergic acid diethylamide (LSD), 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Lysergic acid diethylamide (LSD), 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Lysergic acid diethylamide (LSD), 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Lysergic acid diethylamide (LSD), 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Lysergic acid diethylamide-D3 (LSD-D3) PT, 1-50 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Lysergic acid diethylamide-D3 (LSD-D3), 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Mazindol, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Mazindol, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Mazindol-D4, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Meperidine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Meperidine, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Meperidine, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Meperidine, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Mephedrone, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Mephedrone, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Meprobamate (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Meprobamate (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Meprobamate PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Methaqualone (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Methaqualone (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Methaqualone PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Methaqualone-D4 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Methaqualone-D4 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Methaqualone-D7 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Methcathinone (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Methcathinone (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Methcathinone PT, 1-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Methohexital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Methylphenidate PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Methylphenidate, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Metonitazene PT, 1-100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Metonitazene, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Midazolam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Midazolam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Midazolam PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Mix A, 1000 ug/ml, in MTBE	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	MMB-FUBINACA, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	MMB-FUBINACA, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Morphine PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Morphine, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Morphine, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Morphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Morphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc.	Morphine-3-β-D-glucuronide, 100 ug/mL, in Methanol:Water [1:1]	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Morphine-6-β-D-glucuronide PT, 1-1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Morphine-6-β-D-glucuronide, 100 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Morphine-6-β-D-glucuronide, 1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Morphine-6-β-D-glucuronide-D3, 100 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Morphine-D3 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024

Absolute Standards, Inc.	Morphine-D3, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Morphine-D3, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Morphine-D3, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Morphine-D6, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Nitrazepam, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Nitrazepam, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	NM2201, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Norbuprenorphine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Norbuprenorphine, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norbuprenorphine, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norbuprenorphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc.	Norbuprenorphine-D3 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Norbuprenorphine-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	10/15/2025
Absolute Standards, Inc.	Norcocaine, 100 ug/ml, in Acetonitrile	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Norcocaine, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc.	Norcocaine-D3, 100 ug/ml, in Acetonitrile	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Nordiazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Nordiazepam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Nordiazepam PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Nordiazepam-D5, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Norfentanyl PT, 1-100 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Norfentanyl, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norfentanyl, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norfentanyl, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norhydrocodone, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norhydrocodone, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Norhydrocodone, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Noroxycodone, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Noroxycodone, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Noroxycodone, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Oxazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Oxazepam (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Oxazepam PT, 1-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Oxazepam, 10 ug/ml, in acetonitrile	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxazepam, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxazepam, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxazepam, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxazepam-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Oxazepam-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Oxazepam-D5 PT, 1-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Oxazepam-D5, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Oxycodone PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Oxycodone, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxycodone, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxycodone, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Oxycodone-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxycodone-D3, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxycodone-D6 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Oxycodone-D6, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxycodone-D6, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxymorphone PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Oxymorphone, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxymorphone, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxymorphone-D3 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Oxymorphone-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Oxymorphone-D3, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Paraldehyde, 1000 ug/ml, in Water	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	PB-22, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Pentobarbital PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Pentobarbital.sodium salt (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Pentobarbital.sodium salt (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Pentobarbital-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Pentobarbital-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Pentobarbital-D5 PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Phencyclidine (PCP) PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Phencyclidine, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Phencyclidine-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Phencyclidine-D5, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Phencyclidine-D5, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Phenobarbital (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Phenobarbital (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Phenobarbital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Phentermine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Phentermine [2-Methyl-1-phenylpropan-2-amine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Phentermine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Phenylacetone, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Potency in Beverage Matrix PT, 10-1000 ug/mL, in Ethanol:Water (1:1)	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Prazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Prazepam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014

Absolute Standards, Inc.	Prazepam PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Pregabalin, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Pregabalin, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Pregabalin, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Pregabalin-d6, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Protonitazene PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Protonitazene, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Psilocin, 100 µg/mL, in Acetonitrile	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Psilocin, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Psilocin, 1000 µg/mL, in Acetonitrile	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Psilocin, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Psilocybin PT, varied ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Psilocybin, 100 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Psilocybin, 100 ug/ml, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Psilocybin, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	Psilocybin, 1000 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	R(-)-Amphetamine [l-Amphetamine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	R(-)-Amphetamine l-Amphetamine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	R(-)-Amphetamine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	R(-)-Methamphetamine [l-Methamphetamine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	R(-)-Methamphetamine hydrochloride l-Methamphetamine HCl (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	R(-)-Methamphetamine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	RCS-4, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	S(+)-Amphetamine [d-Amphetamine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	S(+)-Amphetamine HCl d-Amphetamine HCl (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	S(+)-Amphetamine PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	S(+)-Methamphetamine [d-Methamphetamine] (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	S(+)-Methamphetamine d-Methamphetamine (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	S(+)-Methamphetamine PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	SC Labs Drug Mix, Varied ug/L, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Secobarbital (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Secobarbital (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Secobarbital PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Secobarbital-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Secobarbital-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Secobarbital-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Sodium g-hydroxybutyrate (GHB) (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Sodium g-hydroxybutyrate (GHB) (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Standard 2, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Tapentadol, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tapentadol, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tapentadol, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tapentadol-D3, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tapentadol-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tapentadol-D5, 10 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tapentadol-D5, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Temazepam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Temazepam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Temazepam PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Temazepam-D5 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Temazepam-D5 (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Temazepam-D5 PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Testosterone (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Testosterone (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Testosterone (1000 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Testosterone (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Testosterone-2,3,4-13C3 (100 µg/mL in Acetonitrile)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Testosterone-2,3,4-13C3 (1000 ng/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Tetrahydrocannabivarinic acid (THCVA) PT, 10-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	THC-O-Acetate, 100 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	THC-O-acetate, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	THC-O-Acetate, 1000 ug/ml, in Methanol	Glass ampoule: 1 ml	10/21/2021
Absolute Standards, Inc.	THC-O-acetate, 1000 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	THC-O-acetate, varied ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Total THC - Calibration Mix HPLC 2, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Calibration Mix HPLC 3, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Calibration Mix HPLC 4, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Calibration Mix HPLC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Calibration Mix HPLC, 100 ug/mL, in Hemp Oil:Acetone:Acetonitrile (5:4:1)	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC – Calibration Standard GC (100 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	Total THC – Calibration Standard HPLC (100 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	Total THC - Calibration Standard HPLC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC – Performance Test GC (500 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	Total THC – Performance Test HPLC (500 µg/mL in methanol)	Glass ampule: 1 mL	11/20/2015
Absolute Standards, Inc.	Total THC - Performance Test HPLC in ACN, 10-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Performance Test HPLC in ACN, 10-1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Performance Test HPLC in Hemp Oil, 10-1000 ug/g, in Hemp Oil:Acetone:Acetonitrile (10:9:1)	Glass ampoule: 1 mL (~1 g)	6/23/2022
Absolute Standards, Inc.	Total THC - Performance Test HPLC in Hemp Oil, 10-1000 ug/g, in Hemp Oil:Acetone:Acetonitrile (5:4:1)	Glass ampoule: 1 mL (~1 g)	6/23/2022
Absolute Standards, Inc.	Total THC - Performance Test HPLC in Hemp Oil, 10-1000 ug/g, in Hemp Oil:Acetone:Ethanol (5:4:1)	Glass ampoule: 1 mL (~1 g)	6/23/2022

Absolute Standards, Inc.	Total THC - Performance Test HPLC in Olive Oil, 10-1000 ug/g, in Olive Oil:Acetone:Ethanol (5:4:1)	Glass ampoule: 1 mL (~1 g)	6/23/2022
Absolute Standards, Inc.	Total THC - Performance Test HPLC, 10-1000 ug/mL, in Acetonitrile Part # 38415	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC - Performance Test HPLC, 10-1000 ug/mL, in Acetonitrile Part # 38417	Glass ampoule: 1 ml	6/23/2022
Absolute Standards, Inc.	Total THC Calibration in Hemp Oil - Acids, 100 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	Total THC Calibration in Hemp Oil - Neutrals, 100 ug/g, in Hemp oil:Acetone:Methanol [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Tramadol (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Tramadol PT, 1-1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Tramadol, 10 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Tramadol, 100 ug/ml, in methanol	Glass ampoule: 1 ml	1/10/2022
Absolute Standards, Inc.	Triazolam (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Triazolam (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Triazolam PT, 1-100 ug/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc.	Tryptamine Mix, 100 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Tryptamine Mix, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Tryptamine Mix, 1000 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Tryptamine Mix, 1000 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Tryptamine PT, Varied µg/g, in Mushroom Matrix [Porcini Powder:Acetonitrile, 1:1]	Glass ampoule: 1 mL	3/16/2023
Absolute Standards, Inc.	Tryptamine PT, Varied µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	UR-144, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	WS Chloral hydrate, 4-30 ug/ml, in Acetone	Glass ampoule: 2 ml	10/21/2021
Absolute Standards, Inc.	WS Chloral hydrate, 4-30 ug/ml, in MTBE	Glass ampoule: 2 ml	10/21/2021
Absolute Standards, Inc.	XLR-11, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Zolpidem (100 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Zolpidem (1000 µg/mL in Methanol)	Glass ampoule: 1 mL	7/11/2014
Absolute Standards, Inc.	Zolpidem PT, 1-1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc.	Zolpidem, 10 ug/mL, in Methanol	Glass ampoule: 1 ml	6/21/2024
Absolute Standards, Inc.	Zolpidem-D6, 100 ug/mL, in Methanol	Glass ampoule: 1 ml	4/22/2022
Absolute Standards, Inc.	Zopiclone, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Zopiclone, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	2/14/2022
Absolute Standards, Inc.	Δ10-THC PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ7-THC PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ8-iso-THC, 10 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc.	Δ8-iso-THC, 100 ug/mL, in Acetonitrile	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc.	Δ8-Tetrahydrocannabivarin, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ8-Tetrahydrocannabivarin, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ9-Tetrahydrocannabiphorol PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ9-Tetrahydrocannabiphorol, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ9-Tetrahydrocannabiphorol, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJACT-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJACT-N)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJAPTT-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJAPTT-N)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJCAPTT-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJCPT-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJCPT-N)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJLR-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJLR-N)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJPT-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	directCHECK Whole Blood Control (DCJPT-N)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCGACT-1	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCGACT-2	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCGLR-1	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCGLR-2	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJACT-A	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJACT-N	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJAPTT-A	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJAPTT-N	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJCAPTT-A	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJCPT-A	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJCPT-N	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJLR-A	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJLR-N	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJPT-A	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	DirectCHECK Whole Blood Control Catalog: DCJPT-N	15 Glass ampoules: 0.5 mL each	4/1/2025
Accriva Diagnostics, Inc.	HEMOCHRON ACT Whole Blood Quality Control (QCACT)	Box: 20 vials; 2.0 mL (dried)	2/24/2017
Accriva Diagnostics, Inc.	Hemochron Enpointe PTINR	Box: 45 cuvettes; 7.5µL each	12/29/2016
Accriva Diagnostics, Inc.	Hemochron PT	Box: 45 cuvettes; 7.5µL each	5/17/2016
Accriva Diagnostics, Inc.	HEMOCHRON RxDx Whole Blood Quality Control (RQCHRT)	Box: 20 vials; 2.0 mL (dried)	2/24/2017
Accriva Diagnostics, Inc.	HEMOCHRON RxDx Whole Blood Quality Control (RQCPRT)	Box: 20 vials; 2.0 mL (dried)	2/24/2017
Accriva Diagnostics, Inc.	HepCheck Whole Blood Control (DCP214-A)	Box: 15 vials; 0.5 mL each	2/24/2017
Accriva Diagnostics, Inc.	HepCheck Whole Blood Control (DCP214-N)	Box: 15 vials; 0.5 mL each	2/24/2017
AccuStandard, Inc.	APP-9-086, a,a-Dimethylphenethylamine	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	APP-9-086-20X, a,a-Dimethylphenethylamine	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	AS-E1179, Chloral hydrate	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	CLP-HC-X1, Composite Mix #3A	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	CP-8-THC-01S, Delta-8-Tetrahydrocannabinol Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-9-THC-01S, Delta-9-Tetrahydrocannabinol (THC) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-9-THCA-A-01S, Delta-9-Tetrahydrocannabinolic acid A (THC-A) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-CANNA-MIX-01, Custom Cannabinoid Mix Standard	Amber ampule: 1 mL	9/26/2017

AccuStandard, Inc.	CP-CBC-01S, Cannabichromene (CBC) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-CBD-01S, Cannabidiol (CBD) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-CBDA-01S, Cannabidiolic Acid (CBDA) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-CBDA-01S-CN, Cannabidiolic Acid Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-CBG-01S, Cannabigerol (CBG) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-CBN-01S, Cannabinol (CBN) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	CP-THCV-01S, Tetrahydrocannabivarin (THCV) Standard	Amber ampule: 1 mL	8/14/2017
AccuStandard, Inc.	Custom Method 551 Standard, S-6861G-R8	Amber ampule: 1 mL	4/6/2015
AccuStandard, Inc.	Custom Method 551 Standard, S-6861G-R8-10X	Amber ampule: 1 mL	5/6/2013
AccuStandard, Inc.	Custom Organic Standard, S-16085A	Amber ampule: 1 mL	4/6/2015
AccuStandard, Inc.	Custom Standard, S-6861G-R10-5X	Amber ampule: 1 mL	5/27/2015
AccuStandard, Inc.	Custom Volatile Standard, S-11728-R3-0.25X	Amber ampule: 1 mL	4/6/2015
AccuStandard, Inc.	Korean Drinking Water Standard, KDWR-004	Amber ampule: 1 mL	5/6/2013
AccuStandard, Inc.	M-551.1B, Disinfectant by-products	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-551B, Disinfectant by-products	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-551B-2, Chloral hydrate	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-8015B/5031-21, Paraldehyde	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-8206B-05, Additional VOC's by Method 8206B	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-8270-02, Semi-Volatile by Capillary Column GC/MS Mix 2	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-8270-04-ASL, Method 8270B – Base/Neutrals Mix	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-8270-23-R1, Method 8270 Semi-Volatile Additions	Amber ampule: 1 mL	1/28/2013
AccuStandard, Inc.	M-E-1179-M, Chloral hydrate	Amber ampule: 1 mL	1/28/2013
Accutest/Healthmetrix	Basic Chem/Endo, BCHE/ENDO	Glass vial: 7 mL	11/11/2002
Accutest/Healthmetrix	Endocrinology, ENDO	Glass vial: 7 mL	11/11/2002
Accutest/Healthmetrix	Special Chemistry, SPCH	Glass vial: 7 mL	12/5/2002
ACON Laboratories, Inc.	10-Panel (COC/AMP/mAMP/THC/MTD/MOP/PCP/BAR/BZO/TCA), Cat. No. DOA-2104	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	10-Panel (COC/AMP/mAMP/THC/MTD/OPI/PCP/BAR/BZO/TCA), Cat. No. DOA-1104	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	10-Panel Parent Compound Test (COC/AMP/mAMP/THC/MTD/OPI/PCP/BAR/BZO/TCA), Cat. No. DOA-W1104	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (AMP/THC), Cat. No. DOA-624	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (BAR/BZO), Cat. No. DOA-724	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (COC/mAMP), Cat. No. DOA-324	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (mAMP/THC), Cat. No. DOA-424	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (MTD/OPI), Cat. No. DOA-524	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel Test Card (COC/MOP), Cat. No. DOA-224	Foil pouch: one test card; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel Test Card (COC/THC), Cat. No. DOA-124	Foil pouch: one test card; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/AMP/THC), Cat. No. DOA-734	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/mAMP/THC), Cat. No. DOA-234	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/THC/MOP), Cat. No. DOA-434	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/THC/OPI), Cat. No. DOA-134	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (mAMP/BAR/BZO), Cat. No. DOA-634	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (mAMP/COC/MOP), Cat. No. DOA-534	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (mAMP/THC/MOP), Cat. No. DOA-334	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (AMP/mAMP/MDMA/MDA), Cat. No. DOA-644	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/AMP/mAMP/THC), Cat. No. DOA-444	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/AMP/THC/MOP), Cat. No. DOA-844	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/AMP/THC/OPI), Cat. No. DOA-244	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/mAMP/THC/MOP), Cat. No. DOA-344	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/mAMP/THC/OPI), Cat. No. DOA-144	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/MTD/OPI/BZO), Cat. No. DOA-544	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (mAMP/MTD/BAR/BZO), Cat. No. DOA-744	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/mAMP/THC/MOP), Cat. No. DOA-454	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/mAMP/THC/OPI), Cat. No. DOA-254	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/MOP/MTD/BZO), Cat. No. DOA-1254	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/MTD/OPI/BZO), Cat. No. DOA-854	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/THC/MOP/PCP), Cat. No. DOA-1154	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/THC/OPI/BZO), Cat. No. DOA-754	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/THC/OPI/PCP), Cat. No. DOA-154	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/MOP/BAR), Cat. No. DOA-1054	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/MOP/BZO), Cat. No. DOA-654	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/MOP/PCP), Cat. No. DOA-554	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/OPI/BZO), Cat. No. DOA-1954	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/OPI/PCP), Cat. No. DOA-354	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel Parent Compound Test (COC/AMP/mAMP/THC/MOP), Cat. No. DOA-W454	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel Parent Compound Test (COC/AMP/mAMP/THC/OPI), Cat. No. DOA-W254	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/MTD/OPI/BZO), Cat. No. DOA-1064	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/MOP/BZO), Cat. No. DOA-564	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/OPI/BAR), Cat. No. DOA-1164	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/OPI/BZO), Cat. No. DOA-264	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/OPI/PCP), Cat. No. DOA-164	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/THC/MTD/MOP/BZO), Cat. No. DOA-664	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/THC/MTD/OPI/BZO), Cat. No. DOA-364	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/MOP/PCP/BZO), Cat. No. DOA-764	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/MTD/MOP/BZO), Cat. No. DOA-864	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/MTD/OPI/BZO), Cat. No. DOA-464	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/OPI300/BAR/BZO), Cat. No. DOA-964	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel Parent Compound Test (COC/AMP/mAMP/THC/MOP/BZO), Cat. No. DOA-W564	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel Parent Compound Test (COC/AMP/mAMP/THC/OPI/BZO), Cat. No. DOA-W264	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel Parent Compound Test (COC/AMP/THC/MTD//OPI/BZO), Cat. No. DOA-W364	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/AMP/mAMP/OPI/PCP/BAR/BZO), Cat. No. DOA-474	Foil pouch: one test panel; Box: 25 pouches	10/4/2002

ACON Laboratories, Inc.	7-Panel (COC/AMP/mAMP/THC/OPI/BAR/BZO), Cat. No. DOA-374	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/AMP/THC/OPI/PCP/BAR/BZO), Cat. No. DOA-174	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/mAMP/THC/OPI/PCP/BAR/BZO), Cat. No. DOA-274	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	8-Panel (AMP/mAMP/THC/OPI300/PCP/BAR/BZO/TCA), Cat. No. DOA-284	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	8-Panel (COC/AMP/mAMP/THC/OPI/PCP/BAR/BZO), Cat. No. DOA-184	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	8-Panel (COC/AMP/mAMP/THC/OPI300/PCP/BAR/BZO), Cat. No. DOA-384	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	9-Panel (COC/AMP/mAMP/THC/MTD/OPI/PCP/BAR/BZO), Cat. No. DOA-194	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	9-Panel (COC/AMP/mAMP/THC/OPI/PCP/BAR/BZO/TCA), Cat. No. DOA-294	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	AMP Amphetamine Test, Cat. Nos. DAM-101 (Strip), DAM-102 (Device), DAM-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	BAR Barbiturate Single Test, Cat. Nos. DBA-101 (Strip), DBA-102 (Device), DBA-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	BZO Benzodiazepine Single Test, Cat. Nos. DBZ-101 (Strip), DBZ-102 (Device), DBZ-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	COC Cocaine Single Test, Cat. Nos. DCO-101 (Strip), DCO-102 (Device), DCO-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	mAMP Methamphetamine Test, Cat. Nos. DMA-101 (Strip), DMA-102 (Device), DMA-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	MOP Opiate 300 Single Test, Cat. Nos. DMO-101 (Strip), DMO-102 (Device), DMO-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	MTD Methadone Single Test, Cat. Nos. DMT-101 (Strip), DMT-102 (Device), DMT-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	OPI Opiate Single Test, Cat. Nos. DOP-101 (Strip), DOP-102 (Device), DOP-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	PCP Phencyclidine Single Test, Cat. Nos. DPC-101 (Strip), DPC-102 (Device), DPC-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	TCA Tricyclic Single Test, Cat. Nos. DTC-101 (Strip), DTC-102 (Device), DTC-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	THC Marijuana Single Test, Cat. Nos. DTH-101 (Strip), DTH-102 (Device), DTH-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
Agilent Technologies	(-)-delta9-Tetrahydrocannabinol-D3 (delta9-THC-D3) (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/28/2018
Agilent Technologies	(±)-Cannabicyclol (CBL) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	CA/CP Required Cannabinoids Kit	Kit: 7 ampules, 1 mL each	8/1/2018
Agilent Technologies	Cannabichromene (CBC) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	Cannabichromenic Acid (CBCA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabicyclolic Acid (CBLA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabicyclolic Acid (CBLA) (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/1/2018
Agilent Technologies	Cannabicyclolic Acid (CBLA) (1 mg/mL in Methanol)	Glass ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabidiol (CBD) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	Cannabidivarin (CBDV) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	Cannabidivarinic Acid (CBDVA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabidivarinic Acid (CBDVA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabigerol (CBG) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	Cannabigerol Acid (CBGA) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	Cannabinoid Mix A	Amber ampule: 1 mL	6/1/2018
Agilent Technologies	Cannabinoid Mix B	Amber ampule: 1 mL	6/1/2018
Agilent Technologies	Cannabinoid Mix C	Amber ampule: 1 mL	8/1/2018
Agilent Technologies	Cannabinoid Potency Kit	Kit: 4 ampules, 1 mL each	8/1/2018
Agilent Technologies	Cannabinoid Standards Mix D	Amber ampule: 1 mL	8/1/2018
Agilent Technologies	Cannabinoid Sub-Mix 1 Standards Kit	Glass ampule: 1 mL	4/16/2018
Agilent Technologies	Cannabinol (CBN) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	Cannabinol-D3 (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabinolic Acid (CBNA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Custom Organic Std – 11 analytes at 250 µg/mL	Amber ampule: 1 mL	2/19/2021
Agilent Technologies	delta8-Tetrahydrocannabinol	Amber ampule: 1 mL	6/1/2018
Agilent Technologies	delta8-Tetrahydrocannabinol (delta8-THC) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/15/2018
Agilent Technologies	delta9-Tetrahydrocannabinol (delta9-THC) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/15/2018
Agilent Technologies	delta9-Tetrahydrocannabinolic acid (THCA) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/15/2018
Agilent Technologies	Delta-9-Tetrahydrocannabinolic acid (THCA-A) isomer A	Amber ampule: 1 mL	11/15/2018
Agilent Technologies	exo-Tetrahydrocannabinol (exo-THC) (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Forensic Toxicology Checkout Mix	Amber ampule: 1 mL	8/3/2012
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 1	Amber ampule: 1 mL	12/6/2012
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 10A	Amber ampule: 1 mL	4/2/2013
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 10B	Amber ampule: 1 mL	4/2/2013
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 2	Amber ampule: 1 mL	8/3/2012
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 3	Amber ampule: 1 mL	8/3/2012
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 5	Amber ampule: 1 mL	8/3/2012
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 9A	Amber ampule: 1 mL	4/2/2013
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 9B	Amber ampule: 1 mL	4/2/2013
Agilent Technologies	Forensic Toxicology Comprehensive Mix – Submix 9C	Amber ampule: 1 mL	4/2/2013
Agilent Technologies	Forensic Toxicology Forensic Mix- Submix 5	Amber ampule: 1 mL	9/10/2012
Agilent Technologies	OnSite CupKit	Kit: 50 cards	9/7/2010
Agilent Technologies	OnSite CupKit 4	Kit: 50 cards	9/7/2010
Agilent Technologies	OnSite CupKit 5	Kit: 50 cards	9/7/2010
Agilent Technologies	OnSite CupKit 501	Kit: 50 cards	9/7/2010
Agilent Technologies	OnSite CupKit M2K	Kit: 50 cards	9/7/2010
Agilent Technologies	OnSite CupKit Pro 5	Kit: 50 cards	9/7/2010
Agilent Technologies	OnSite CupKit Pro 5-AS	Kit: 50 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 3AMP	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 3MET	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 4	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 401	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 501	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 6	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcard 9	Foil pouch: 1 card; Box: 25 cards	9/7/2010
Agilent Technologies	OnTrak TesTcup 4	Kit: 25 cups	9/7/2010
Agilent Technologies	OnTrak TesTcup 5	Kit: 25 cups	9/7/2010
Agilent Technologies	OnTrak TesTcup 5 M2K	Kit: 25 cups	9/7/2010
Agilent Technologies	OnTrak TesTcup 501	Kit: 25 cups	9/7/2010

Agilent Technologies	OnTrak TesTcup II	Kit: 25 devices	9/7/2010
Agilent Technologies	OnTrak TesTcup II 5	Kit: 25 devices	9/7/2010
Agilent Technologies	OnTrak TesTcup II 501	Kit: 25 devices	9/7/2010
Agilent Technologies	OnTrak TesTcup II M2K	Kit: 25 devices	9/7/2010
Agilent Technologies	OnTrak TesTcup II Pro 5	Kit: 25 devices	9/7/2010
Agilent Technologies	OnTrak TesTstik 2 COC/THC	Kit: 50 tests	9/7/2010
Agilent Technologies	OnTrak TesTstik 3 COC/MOR/THC	Kit: 50 tests	9/7/2010
Agilent Technologies	OnTrak TesTstik COC	Kit: 50 tests	9/7/2010
Agilent Technologies	OnTrak TesTstik MOR	Kit: 50 tests	9/7/2010
Agilent Technologies	OnTrak TesTstik THC	Kit: 50 tests	9/7/2010
Agilent Technologies	QCK-914A	Kit: Glass ampule: 1 mL	2/6/2020
Agilent Technologies	QuickProbe ICO Mix	Amber ampule: 1 mL	9/5/2018
Agilent Technologies	SPEC STD LTD Opiate TOXI DISCS: 1, 2, or 3 drugs	Plastic Vial: 50 discs	9/7/2010
Agilent Technologies	SPEC STD TOXI-DISCS: 1, 2, or 3 drugs	Plastic Vial: 50 discs	9/7/2010
Agilent Technologies	Special Order Standard TOXI-LAB DISCS; 1, 2, or 3 drugs	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Procedure Standard TOXI-DISCS: Benzodiazepines: Hydrolysis Procedure	Plastic Vial: 50 discs	9/7/2010
Agilent Technologies	Special Procedure Standard TOXI-DISCS: Benzoylecgonine	Plastic Vial: 50 discs	9/7/2010
Agilent Technologies	Special Procedure Standard TOXI-DISCS: Morphine and Hydromorphone: Differentiation	Plastic Vial: 50 discs	9/7/2010
Agilent Technologies	Special Procedure Standard TOXI-DISCS: Opiate	Plastic Vial: 50 discs	9/7/2010
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Benzodiazepines: Hydrolysis Procedure	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Benzoylecgonine	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: MDMA, MDA, MDEA	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Morphine and Hydromorphone: Differentiation	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Opiate	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Sympathomimetic amines: Differentiation	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Special Standard TOXI-LAB DISCS LTD-Opiate: 1,2, or 3 drugs	Plastic Vial: 50 discs	9/30/2011
Agilent Technologies	Tetrahydrocannabivarin (THCV) (1 mg/mL in Methanol)	Amber ampule: 1 mL	6/14/2018
Agilent Technologies	TOXI-Control LTD FM	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-Control No. 19	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-Control No. 2	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-Control No. 3	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-Control No. 5	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-Control THC	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-DISCS A-1	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS A-2	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-DISCS A-3	Plastic bottle: 2 oz.	9/7/2010
Agilent Technologies	TOXI-DISCS A-4	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS B-1	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS B-2	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS B-3	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS B-4	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS LTD-HD	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS LTD-OP	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS LTD-OPI	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-DISCS THC	Plastic vial: 50 discs	9/7/2010
Agilent Technologies	TOXI-GRAMS A	Glass jar: 100 Chromatograms	9/7/2010
Agilent Technologies	TOXI-GRAMS B	Glass jar: 100 Chromatograms	9/7/2010
Agilent Technologies	TOXI-LAB Chromatograms A	Glass jar: 100 Chromatograms	9/30/2011
Agilent Technologies	TOXI-LAB Chromatograms B	Glass jar: 100 Chromatograms	9/30/2011
Agilent Technologies	TOXI-LAB CONTROL LTD FM	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB CONTROL No. 19	Plastic bottle: 2 oz	9/30/2011
Agilent Technologies	TOXI-LAB CONTROL No. 2	Plastic bottle: 2 oz.	9/30/2011
Agilent Technologies	TOXI-LAB CONTROL No. 3	Plastic bottle: 2 oz.	9/30/2011
Agilent Technologies	TOXI-LAB CONTROL No. 5	Plastic bottle: 2 oz.	9/30/2011
Agilent Technologies	TOXI-LAB CONTROL THC	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS A-1	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS A-2	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS A-3	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS A-4	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS B-1	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS B-2	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS B-3	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS B-4	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS LTD HD	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS LTD OP	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS LTD OPI	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB DISCS THC	Plastic vial: 50 discs	9/30/2011
Agilent Technologies	TOXI-LAB Proficiency Sample	Plastic bottle: 2 oz.	9/30/2011
Agilent Technologies	Veterinary Drugs Checkout Mix	Amber ampule: 1 mL	8/3/2012
Agilent Technologies	Veterinary Drugs Comprehensive Mix – Submix 6	Amber ampule: 1 mL	8/3/2012
Albany Molecular Research, Inc.	Delta-9-THC in Ethyl Alcohol, denatured	Glass vial: 2 mL	8/2/2006
Albany Molecular Research, Inc.	Trans-(-)-Cannabidiol in Ethyl Alcohol, denatured	Glass vial: 2 mL	8/2/2006
Aldrich Chemical Company	4-Androstene-3,17-dione-2,3,4-13C3, 0.1 mg/mL in 1,2-dimethoxyethane	Glass Ampule: 2 mL	9/27/2010
Aldrich Chemical Company	Dihydrotestosterone-2,3,4-13C3, 0.1 mg/mL in 1,2-dimethoxyethane	Glass Ampule: 2 mL	9/27/2010
Aldrich Chemical Company	Testosterone-2,3,4-13C3, 0.1 mg/mL in 1,2-dimethoxyethane	Glass Ampule: 2 mL	9/27/2010
Alfa Wassermann Diagnostic Technologies, LLC	T4 Antibody/Substrate Reagent	HDPE Ntrl Bottle: 12 mL	4/8/2025
Alltech Associates, Inc.	2C-C Quik-Chek, 1.0 mg/mL in Methanol	Glass ampule: 1 mL	5/14/2013
Alltech Associates, Inc.	2C-I, 1.0 mg/mL in Methanol	Glass ampule: 1 mL	5/14/2013
Alltech Associates, Inc.	2C-T-2 Quik Chek, 1.0 mg/mL	Glass ampule: 1 mL	9/26/2012

Alltech Associates, Inc.	2C-T-2, 1.0 mg/mL in Methanol	Glass ampule: 1 mL	5/14/2013
Alltech Associates, Inc.	2C-T-4 Quik-Chek, 1.0 mg/mL in Methanol	Glass ampule: 1 mL	9/12/2013
Alltech Associates, Inc.	5-MeO-DMT Quik Chek, 1.0 mg/mL	Glass ampule: 1 mL	9/26/2012
Alltech Associates, Inc.	Allobarbital Quik-Chek, 1.0 mg/mL in Methanol	Glass ampule: 1 mL	9/12/2013
Alltech Associates, Inc.	Carisoprodol Quik Chek, 1.0 mg/mL	Glass ampule: 1 mL	9/26/2012
Alltech Associates, Inc.	Tramadol Quik-Chek, 1.0 mg/mL in Methanol	Amber ampoule: 1 mL	8/19/2014
Alltech-Applied Science Laboratories	(d)-Amphetamine-d6, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(D)-Norpseudoephedrine HCl	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	(dl)-d3-9-Carboxy-11-nor-delta-9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(dl)-Methamphetamine-d9, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-11-hydroxy-delta-9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC glucuronide, 10 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC glucuronide, 50 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC, 1 mg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	2,3-MDA HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	2,3-MDMA HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	2,5-Dimethoxy-4-bromoamphetamine HBr, 1 mg/mL in Methanol	Glass ampule: 2 mL	9/25/2003
Alltech-Applied Science Laboratories	2,5-Dimethoxy-4-isopropylthiophenethylamine (2-C-T-4), 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	2C-T-7 HCl, 1 mg/mL in Methanol	Glass ampule: 2 mL	6/4/2004
Alltech-Applied Science Laboratories	4-Bromo-2,5-dimethoxyphenethylamine HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	4-Chlorotestosterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	4-Ethyl-2,5-dimethoxyphenethylamine (2C-E), 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	4-Methoxyamphetamine HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	4-Methylaminorex	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	6-Acetylcodeine	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	6-Monoacetylmorphine HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Abused Drug Mixture #1, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Alfentanil, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Allylisobutylbarbituric Acid	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Alpha-methyltryptamine, 1 mg/mL in Methanol	Glass ampule: 2 mL	6/4/2004
Alltech-Applied Science Laboratories	Alphaprodine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Alphenal	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Alprazolam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Amobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Amphetamine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Amphetamines Mixture, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Antidepressants Mix	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Aprobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Barbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Barbiturates, Mixture 4	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Benzodiazepines Mixture, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Benzoylecgonine Tetrahydrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Benzoylecgonine Tetrahydrate 7.5ug, 50ug, 250ug	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	Benzoylecgonine-d3 Quik-Chek, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	Benzphetamine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Benzylpiperazine, 1 mg/mL in Methanol	Glass ampule: 2 mL	9/25/2003
Alltech-Applied Science Laboratories	Boldenone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Bromazepam	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Buprenorphine, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Butabarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Butethal	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Cannabidiol	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Cannabinol	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Chloral Hydrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Chlordiazepoxide HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Clobazam Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Clonazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Clorazepate Dipotassium	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Clostebol	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Club Drug Mixture, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Cocaethylene	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Cocaine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Codeine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Codeine-d3, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	Cyclopentobarbital	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Delta-8-Tetrahydro-cannabinol	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Delta-8-THC Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Delta-9-Tetrahydrocannabinol	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Delta-9-THC Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Depressants, Mixture 3	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Dextropropoxyphene HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diacetylmorphine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diallybarbituric acid	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Diazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diethylpropion HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Dihydrocodeine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Dimethyltryptamine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diphenoxylate HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002

Alltech-Applied Science Laboratories	Drostanolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Drug Mix Four	Ampule: 1 mL	11/3/1986
Alltech-Applied Science Laboratories	Drug Mix One	Ampule: 1 mL	10/21/1986
Alltech-Applied Science Laboratories	Drug Mix Three	Ampule: 1 mL	11/3/1986
Alltech-Applied Science Laboratories	Drug Mix Two	Ampule: 1 mL	10/21/1986
Alltech-Applied Science Laboratories	Ecgonine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Ecgonine Methyl Ester HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Ethchlorvynol	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Ethinamate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Ethylmorphine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Fenfluramine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Fentanyl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Flunitrazepam	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Fluoxymesterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Flurazepam HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	GC/MS Benzoylecgonine Calibration Standards Kit	Kit: 3 vials	2/16/1990
Alltech-Applied Science Laboratories	GHB Quik-Chek	Glass ampule: 2 mL	5/8/2000
Alltech-Applied Science Laboratories	Glutethimide	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Halazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Hexobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Hydrocodone Bitartrate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Hydromorphone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Ketamine Quik-Chek	Glass ampule: 2 mL	5/8/2000
Alltech-Applied Science Laboratories	L-Amphetamine HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Levorphanol Tartrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	L-Methamphetamine HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Lorazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Lysergic Acid	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Lysergic Acid Diethylamide	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Lysergic Acid N-(methylpropyl) amide	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	MDA HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	MDE HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	MDMA HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Medazepam	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Meperidine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Mephobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Meprobamate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Mescaline	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Mesterolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methadone HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Methamphetamine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Methandriol	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methandrostenolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methaqualone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Metharbital	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Methcathinone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methenolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methohexital	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Methylphenidate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Methyltestosterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methyprylon	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Midazolam Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Mixture 1-Opiates	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 2-Stimulants	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 3-Depressants	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 4-Barbiturates	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 5-Kit of Representatives	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Morphine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Morphine-d3, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	N,N-diisopropyl-5-methoxytryptamine HCl, 1 mg/mL in Methanol	Glass ampule: 2 mL	6/4/2004
Alltech-Applied Science Laboratories	Nalorphine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Nandrolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	N-Ethylamphetamine	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	N-Hydroxy-MDA	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	Nitrazepam	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Norcocaine	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Norcodeine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Nordiazepam	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Norethandrolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Normeperidine HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Normorphine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Opiates Mix #2	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Opiates Mixture #3, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Opiates, Mixture 1	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Oxandrolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Oxycodone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Oxymesterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxymetholone	Ampule: 2 mL	9/26/1995

Alltech-Applied Science Laboratories	Oxymorphone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxymorphone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Paraldehyde	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Pemoline	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Pentazocine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Pentazocine HBr	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Pentobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Phencyclidine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Phen-d5-cyclidine Quik Chek, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	Phendimetrazine Bitartrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Phenmetrazine HCl	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	Phenobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Phentermine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Prazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Propylbenzoyl-ecgonine	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Psilocybin	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Psilocyn	Vial: 1 mL	11/6/1987
Alltech-Applied Science Laboratories	Secobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Sibutramine, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1A-M	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1-A-PPS	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1B-1	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1B-2	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1B-3	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2A-A	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2A-N	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2B-B	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2C-C	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Stanolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Stanolone Valerate	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Stanolzolol	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Stimulants, Mixture 2	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Talbutal	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Temazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Testosterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Thebaine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Thiamylal	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Thiopental	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Toxi Clean Test Mix	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Triazolam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Trifluoromethylphenylpiperazine HCl, 1 mg/mL in Methanol	Glass ampule: 2 mL	9/25/2003
Alltech-Applied Science Laboratories	Zaleplon, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Zolpidem, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Zopiclone, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
American Academy of Family Physicians	CH-Cholesterol	Glass vial: 7 mL	10/2/2002
American Academy of Family Physicians	Cholestech-LDX	Glass vial: 7 mL	10/2/2002
American Academy of Family Physicians	Homocysteine	Glass vial: 7 mL	12/5/2002
American Academy of Family Physicians	Multi-Chem	Glass vial: 7 mL	10/2/2002
American Academy of Family Physicians	Special Chemistry	Glass vial: 7 mL	12/5/2002
American Academy of Family Physicians	Specimen UDS-X	Glass vial: 15 mL	5/17/2004
American Association of Bioanalysts	Basic & Comprehensive Chemistry	Glass vial: 7 mL	10/2/2002
American Association of Bioanalysts	Special Chemistry	Glass vial: 7 mL	12/5/2002
American Association of Bioanalysts	Therapeutic Drug Monitoring	Glass vial: 7 mL	10/2/2002
American Association of Bioanalysts	Urine Drug Screening Survey (UDS)	Glass vial: 15 mL	10/2/2002
American Biological Technologies, Inc.	AbTrol DAU Control High	Vial: 10 mL	6/25/1997
American Biological Technologies, Inc.	AbTrol DAU Control Low	Vial: 10 mL	6/25/1997
American Biological Technologies, Inc.	Dade Urine Chemistry Control, Level I & II	Glass vial: 15 mL	4/8/1991
American Proficiency Institute	American Proficiency Institute SHBG/Testosterone	Amber bottle: 7 mL	12/5/2012
American Proficiency Institute	Chemistry	Amber vial: 5 mL	3/27/2017
American Proficiency Institute	Chemistry Proficiency/Toxicology; Chemistry	Glass vial: 7 mL	10/2/2002
American Proficiency Institute	Chemistry Proficiency/Toxicology; Cholestech Chemistry	Glass vial: 7 mL	10/2/2002
American Proficiency Institute	Chemistry Proficiency/Toxicology; Remedial Chemistry	Glass vial: 7 mL	10/2/2002
American Proficiency Institute	Immunoassay	Amber vial: 5 mL	3/27/2017
American Proficiency Institute	Immunoassay	Glass vial: 7 mL	12/5/2002
American Proficiency Institute	Remedial Chemistry	Amber vial: 5 mL	3/27/2017
American Proficiency Institute	SHBG/Testosterone	Amber vial: 2 mL	3/27/2017
American Proficiency Institute	Urine Drug Screen, UDS-0X	Glass vial: 15 mL	5/17/2004
American Proficiency Institute	Whole Blood Control for Proficiency Testing Catalog: HCA	250-750 Glass ampoules: 0.5 mL each	7/8/2025
American Proficiency Institute	Whole Blood Control for Proficiency Testing Catalog: HCP	250-750 Glass ampoules: 0.5 mL each	7/8/2025
American Proficiency Institute	Whole Blood Control for Proficiency Testing Catalog: HJP	250-750 Glass ampoules: 0.5 mL each	7/8/2025
American Proficiency Institute	Whole Blood Control for Proficiency Testing Catalog: HLR	250-750 Glass ampoules: 0.5 mL each	7/8/2025
American Proficiency Institute	Whole Blood Control for Proficiency Testing Catalog: HPL	250-750 Glass ampoules: 0.5 mL each	7/8/2025
American Proficiency Institute (API)	PCAPTT-QQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCCAPTT-AQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJACT-AQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJACT-NQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJCPT-AQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJCPT-NQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJLR-AQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013

American Proficiency Institute (API)	PCJLR-NQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJPT-AQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCJPT-NQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCPRO-AQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Proficiency Institute (API)	PCPRO-NQ	Bag: 250-750 tubes; 0.5 mL each	9/12/2013
American Radiolabeled Chemicals, Inc.	(+)-iodo-Lysergic Acid diethylamide [125I]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	(+)-Pentazocine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	(+)-Pentazocine [ring-1,3-3H]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	(±)-Ketamine [N-methyl-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	(±)-Ketamine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	1,1-Dimethyltryptamine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	1,1-Dimethyltryptamine [a,β-3H] as TFA salt	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	4-Hydroxybutyric acid, [1-14C], Na salt	Bottle: 30 mL	4/19/2000
American Radiolabeled Chemicals, Inc.	4-Hydroxybutyric Acid, [1-14C], Sodium Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	4-Hydroxybutyric acid, Na salt, [2,3-3H]	Bottle: 30 mL	4/19/2000
American Radiolabeled Chemicals, Inc.	Amobarbital (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Amobarbital, [2-14C]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, D [14C] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, D [3H] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, D [7-14C] HCl	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, D [ring-2,3,5-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, D-[ring-2,3,5-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Amphetamine, DL-[ring-2,3,5-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Amphetamine, L [14C] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, L [3H] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, L [7-14C] HCl	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, L [ring-2,3,5-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, L-[ring-2,3,5-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Androst-4-ene-3,17-dione, [1,2,6,7-3H(N)]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Androst-4-ene-3,17-dione, [1β,2β-3H(N)]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Androst-4-ene-3,17-dione, [4-14C]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Benzoylecgonine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Beta-CFT Napthalene Sulfonate	Bottle: 30 mL	7/20/2000
American Radiolabeled Chemicals, Inc.	Buprenorphine [O-methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Buprenorphine [ring-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Buprenorphine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Cocaine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Cocaine [methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Cocaine methiodide [N-methyl-3H]	Vial: 1-30 mL	12/14/2006
American Radiolabeled Chemicals, Inc.	Cocaine, [N-Methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Cocaine, levo-[benzoyl-3,4-3H(N)]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Codeine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Codeine [N-Methyl-14C]	Bottle: 30 mL	11/2/1999
American Radiolabeled Chemicals, Inc.	Codeine [N-Methyl-3H]	Bottle: 30 mL	11/2/1999
American Radiolabeled Chemicals, Inc.	Codeine, [N-methyl-14C]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Codeine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	D-Amphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Dextropropoxyphene (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Diazepam (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Diazepam, [N-Methyl-14C]	Bottle: 30 mL	10/19/2000
American Radiolabeled Chemicals, Inc.	Diazepam, [N-methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Dihydrocodeine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Dihydromorphine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Dihydromorphine, [1, 7, 8-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Dihydromorphine, [1,7,8-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone [1, 2, 4, 5, 6, 7-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone, [1,2,4,5,7-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone, [1,2-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone, [4-14C]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Diprenorphine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	DL-Amphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	D-Methamphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Ecgonine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Fentanyl (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Fentanyl [3H(G)] as TFA salt	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Fentanyl [methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Fentanyl citrate [N-methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Fludiazapam [N-methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Fludiazepam (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Flunitazepam, [N-Methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Flunitrazepam (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Flunitrazepam [methyl-3H]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Flurazepam (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Flurazepam [N-methyl-3H]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Heroin (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Heroin [methyl-14C]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Heroin [methyl-3H]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Hydrocodone (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Hydrocodone, [N-methyl-3H]	Vial: 1-30 mL	4/6/2006

American Radiolabeled Chemicals, Inc.	Hydromorphone (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Hydromorphone [N-methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Hydromorphone, [N-methyl-3H]	Vial: 1-30 mL	4/6/2006
American Radiolabeled Chemicals, Inc.	Hydroxybutyric Acid, Potassium Salt, B-[1-14C]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Ibogaine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Ibogaine [3H(G)]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	L-Amphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	L-Methamphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Lysergic Acid (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Lysergic acid diethylamide [N-methyl-3H]	Vial: 1 mL	2/23/2012
American Radiolabeled Chemicals, Inc.	Lysergic acid, diethylamide [N-methyl-3H)	Bottle: 30 mL	4/23/2001
American Radiolabeled Chemicals, Inc.	Mazindol (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Meperidine Hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Meperidine hydrochloride, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Metazocine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Metazocine [ring-1,3-3H]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Metazocine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Methamphetamine, D-[methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Methamphetamine, L-[methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Midazolam (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Midazolam [3H(G)]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Morphine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Morphine [N-methyl-14C]	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Morphine, [N-methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Morphine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	N,N,-Dimethyltryptamine, [a-3H]	Bottle: 30 mL	11/2/1999
American Radiolabeled Chemicals, Inc.	Normorphine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Noroxycodone	Vial: 1mL	11/17/2008
American Radiolabeled Chemicals, Inc.	Oripavine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Oxycodone	Vial: 1mL	11/17/2008
American Radiolabeled Chemicals, Inc.	Oxycodone [N-methyl-14C] HCl	Vial: 1-30 mL	11/17/2008
American Radiolabeled Chemicals, Inc.	Oxycodone [N-methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Oxycodone [N-methyl-3H] HCl	Vial: 1-30 mL	11/17/2008
American Radiolabeled Chemicals, Inc.	Oxycodone hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Oxycodone, [7,8-3H) hydrochloride	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Oxymorphine, [1,7,8-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Oxymorphone (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Oxymorphone, [7,8-3H]	Bottle: 30 mL	5/2/2001
American Radiolabeled Chemicals, Inc.	Phenazocine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Phencyclidine hydrochloride (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Phenylacetone (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Testosterone [1α,2α-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Testosterone [1β,2β-3H(N)]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Testosterone palmitate [4-14C]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Testosterone, [1, 2, 6, 7-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Testosterone, [4-14C]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Tetrahydrocannabidinol (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Tetrahydrocannabidiol [3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Thebaine (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-14C]	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-14C] HCl	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-3H]	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-3H] HCl	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Thebaine [O-methyl-14C] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	Thebaine [O-methyl-3H] hydrochloride	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	γ-Hydroxybutyric acid sodium salt (1 mg/mL)	Vial: 1 mL	9/8/2011
American Radiolabeled Chemicals, Inc.	γ-Hydroxybutyric acid, sodium salt, [2,3-3H]	Vial: 1-30 mL	11/17/2005
American Society for Internal Medicine	Endocrinology	Glass vial: 7 mL	12/5/2002
American Society for Internal Medicine	Endocrinology/Oncology	Glass vial: 7 mL	12/5/2002
American Society for Internal Medicine	MLE Chemistry; 200X	Glass vial: 7 mL	10/2/2002
American Society for Internal Medicine	PSA/PAP	Glass vial: 7 mL	12/5/2002
Amersham Corporation	[1(n)-3H] Codeine, No. TRK 448	Ampule: 0.002- 0.015 mg	2/26/1974
Amersham Corporation	[1(N)-3H] Hydromorphone TRQ 4729	Vial: 47.5-95 ug	7/31/1987
Amersham Corporation	[1(n)-3H]Morphine, No. TRK-447	Vial: 0.002-0.015 mg	2/26/1974
Amersham Corporation	[1,2,6,7-3H] Testosterone Cat. No. TRK.402	Vial: 6 mL	4/2/1991
Amersham Corporation	[1,7,8(n)-3H]Dihydromorphine, No. TRK-450	Vial: 0.0008-0.008 mg	2/26/1974
Amersham Corporation	[15, 16(n)-3H] Etorphine, Catalog No. TRK 476	Vial: 3.45-6.9 ug	11/19/1974
Amersham Corporation	[15,16(n)-3H] Etorphine Catalog No. TRK 476	Vial: 13.8-27.6 ug	2/17/1975
Amersham Corporation	[17 α-methyl-3H] Mibolerone Cat.No. TRK.764	Vial: 6 mL	4/2/1991
Amersham Corporation	[2(n)-3H] Lysergic Acid Diethylamide, No. TRK. 461	Vial: 0.003-0.04 mg	5/22/1974
Amersham Corporation	[2-14C] Diazepam Catalog No. CFA.591	Multidose glass vial: 56 mm x 25 mm	9/28/1977
Amersham Corporation	[3H]11-Ketotestosterone Cat. No. TRQ.5919	Vial: 5.7 mL	6/13/1991
Amersham Corporation	[4-14C] Testosterone 50 µCi, 250 µCi Cat. No. CFA.129	Vial: 6 mL	4/2/1991
Amersham Corporation	[N-methyl-3H] Diazepam Catalog Code: TRK.572	Multidose glass vial: 56 mm x 25 mm	9/28/1977
Amersham Corporation	[N-Methyl-3H]Lysergic Acid Diethylamide	Vial: 5-7 mL	10/11/1995
Amersham Corporation	5 α-dihydro[1 α, 2 α(n)-3H] Testosterone Cat. No. TRK.395	Vial: 6 mL	4/2/1991
Amersham Corporation	5 α-dihydro[1,2,4,5,6,7-3H] Testosterone Reagent 4 T/DHT RIA Kit	Vial: 1 mL	4/11/1991

Amersham Corporation	5 α-dihydro[1,2,4,5,6,7-3H]Testosterone Cat.No. TRK.443	Vial: 6 mL	4/2/1991
Amersham Corporation	Amerlite TSH Assay, Cat. Code LAN.0001, Cat. Code LAN.2001	Glass vial: 5.8 mL, 240 tests, 144 tests	5/30/1989
Amersham Corporation	Amerlite TT3 Assay: Catalog Code Lan. 0003, Lan. 1003, and Lan.2003	Kit: 144 tests, 240 tests, 480 tests	11/24/1987
Amersham Corporation	Amerlite TT4 Assay: Catalog Code Lan. 0002, Lan. 1002, Lan. 2002	Kit: 144 tests, 240 tests, 480 tests	11/24/1987
Amersham Corporation	Codeine (N-methyl-C14) Hydrochloride	Custom Preparation	3/27/1972
Amersham Corporation	Dihydrotestosterone Standard Reagnet 3 T/DHT RIA Kit	Vial: 5.5 mL	4/11/1991
Amersham Corporation	Morphine (N-methyl-C14) Hydrocloride No. CFA-363	Vial: 0.32 - 1.89 mg	3/27/1972
Amersham Corporation	Pheno [2-14C] barbital Catalog No. CFA 537	Vial: 0.39-5.85 mg	11/5/1974
Amersham Corporation	Prolactin RIA Kit, IM 1060, 1061	Kit: 50 tests, 100 tests	3/28/1980
Amersham Corporation	T-3 Uptake (MAA) Kit-IM 1020, IM 1021, IM 1024	Kit: 50 tests, 100 tests, 400 tests	2/5/1979
Amersham Corporation	Testosterone Standard Reagent 2 T/DHT RIA Kit	Vial: 5.5 mL	4/11/1991
Amersham Corporation	Testosterone/dihydrotestosterone [3H] assay system Cat. No. TRK-600	Kit: 200 assays	4/11/1991
Amersham Corporation	Testosterone-3-(0-carboxymethyl)oximino-(2-[125I] iodohistamine)10µCi, 25µCi Cat. No. IM.128	Vial: 1.2 mL	4/2/1991
Amersham Life Science	[125I] Iodo-Lysergic Acid Diethylamide	Vial: 1.2 mL	11/22/1995
Amersham Pharmacia Biotech	[O-methyl-3H] Methyl Phenidate	Vial: 500 uL	1/28/1998
ANSYS, Inc.	Proficiency Sample	Plastic bottle: 40 mL	6/22/1982
ANSYS, Inc.	Special Procedure Standard TOXI-DISC: Benzoylecgonine	Vial: 50 discs	6/3/1996
ANSYS, Inc.	Special Procedure Standard TOXI-DISC: Methadone Maintenance	Vial: 100 discs	6/3/1996
ANSYS, Inc.	Special Procedure Standard TOXI-DISC: Opiate	Vial: 50 discs	6/3/1996
ANSYS, Inc.	Special TOXI-DISCS	Plastic vial or bottle: 50 Standard discs	3/30/1977
ANSYS, Inc.	TOXI-CONTROL LTD FM	Bottle: 50 mL	6/3/1996
ANSYS, Inc.	TOXI-CONTROL THC	Plastic bottle: 50 mL	10/5/1983
ANSYS, Inc.	TOXI-CONTROLS No. 2,3,5,19	Plastic bottle: 50 mL	3/30/1977
ANSYS, Inc.	TOXI-DISC A Series	Plastic vial: 50 Standard discs	5/6/1975
ANSYS, Inc.	TOXI-DISC B Series	Plastic vial: 50 Standard discs	5/6/1975
ANSYS, Inc.	TOXI-DISCS Library II, No 3 Catalog No. 131C	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 1 Catalog No. 131A	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 10 Catalog No. 131K	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 11, Catalog No. 131L	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 12 Catalog No. 131M	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 2 Catalog No. 131B	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 5 Catalog No. 131E	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 8 Catalog No. 131H	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS LTD HD	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS LTD OP	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS LTD OPI	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS LTD Opiate Special Standard; 1,2, or 3 drugs	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS THC	Plastic vial: 50 Standard discs	10/5/1983
ANSYS, Inc.	TOXI-GRAMS	Glass jar: 50 or 100 Chromatograms	9/24/1980
API	(API) Chemistry	Amber vial: 5 mL	8/25/2022
API	(API) Remedial Chemistry	Amber vial: 5 mL	8/25/2022
Applied Biotech, Inc.	DOA Screening Control Urine, Series C	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series D	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series E	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series F	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series G	Glass vial: 1-200 mL	2/23/2004
Applied Biotech, Inc.	DOA Screening Control Urine, Series H	Glass vial: 1-200 mL	2/23/2004
Arbor Assays	Androstenedione 5-Plate Enzyme Immunoassay Kit	1 kit: 1 x 0.150 mL vial	3/29/2019
Arbor Assays	Androstenedione Enzyme Immunoassay Kit	1 kit: 1 x 0.70 mL mL	3/29/2019
Arbor Assays	Androstenedione Standard - 24 ng/mL	Vial: 0.150 mL	3/29/2019
Arbor Assays	Androstenedione Standard - 24 ng/mL	Vial: 0.70 mL	3/29/2019
Arbor Assays	Testosterone 5-pack Enzyme Immunoassay Kit (K032-H5)	Kit: 400 µL vial	10/18/2016
Arbor Assays	Testosterone Enzyme Immunoassay Kit (ISWE001)	Kit: 1 mL vial	10/18/2016
Arbor Assays	Testosterone Enzyme Immunoassay Kit (K032-H1)	Kit: 90 µL vial	10/18/2016
Arbor Assays	Testosterone Standard (1,000 ng/mL)	Plastic vial: 1 mL	10/18/2016
Arbor Assays	Testosterone Standard (200,000 pg/mL)	Plastic vial: 90 µL	10/18/2016
Arbor Assays	Testosterone Standard (200,000 pg/mL)	Plastic vial: 400 µL	10/18/2016
ARK Diagnostics, Inc.	ARK Fentanyl Control (Kit Reference Number 5031-0003-00)	Kit: 4 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK Fentanyl Control (Kit Reference Number 5052-0003-00)	Kit: 4 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK Fentanyl Cutoff Calibrator (Kit Reference Number 5031-0002-02)	Kit: 2 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK Fentanyl Cutoff Calibrator (Kit Reference Number 5052-0002-02)	Kit: 2 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK HS Benzodiazepine 100 Cutoff Calibrator	Kit: 4 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine 200 Cutoff Calibrator	Kit: 4 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine Calibrator	Kit: 5 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine Control (150/250)	Kit: 2 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine Control (75/125)	Kit: 2 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine II 100 Cutoff Calibrator (Kit Reference Number 5073-0002-02)	Kit: 2 Dropper vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc.	ARK HS Benzodiazepine II 200 Cutoff Calibrator (Kit Reference Number 5073-0002-03)	Kit: 2 Dropper vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc.	ARK HS Benzodiazepine II Calibrator (Kit Reference Number 5073-0002-00)	Kit: 5 Dropper vials, 10 mL each	12/18/2023
Ark Diagnostics, Inc.	ARK HS Benzodiazepine II Control (150/250) (Kit Reference Number 5073-0003-01)	Kit: 4 Droppers vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc.	ARK HS Benzodiazepine II Control (75/125) (Kit Reference Number 5073-0003-00)	Kit: 4 Dropper vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc.	ARK Hydrocodone Calibrator A-E (Kit Reference Number 5076-0002-00)	Kit: 5 Dropper vials, 10 mL each	7/27/2023
ARK Diagnostics, Inc.	ARK Hydrocodone Calibrator D (Cutoff) (Kit Reference Number 5076-0002-02)	Kit: 2 Dropper vials, 10 mL each	7/27/2023
ARK Diagnostics, Inc.	ARK Hydrocodone Control (Kit Reference Number 5076-0003-00)	Kit: 4 Dropper vials, 10 mL each	7/27/2023
ARK Diagnostics, Inc.	ARK Ketamine Calibrator	Kit: 5 Dropper vials, 10 mL each	6/24/2019
ARK Diagnostics, Inc.	ARK Ketamine Control	Kit: 4 Dropper vials, 10 mL each	6/24/2019
ARK Diagnostics, Inc.	ARK Ketamine Cutoff Calibrator	Kit: 2 Dropper vials, 10 mL each	6/24/2019
ARK Diagnostics, Inc.	ARK Lacosamide Calibrator (Kit Reference Number 5033-0002-00)	Kit: 5 Dropper vials, 2 mL each	4/18/2019
ARK Diagnostics, Inc.	ARK Lacosamide Control (Kit Reference Number 5033-0003-00)	Kit: 3 Dropper vials, 4 mL each	4/18/2019

ARK Diagnostics, Inc.	ARK Meperidine Calibrator (Kit Reference Number 5039-0002-00)	Kit: 4 Dropper vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Meperidine Calibrator (Kit Reference Number 5039-0005-00)	Kit: 4 Dropper vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Meperidine Control (Kit Reference Number 5039-0003-00)	Kit: 4 Dropper vials, 10 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Meperidine Control (Kit Reference Number 5039-0006-00)	Kit: 4 Dropper vials, 10 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Meperidine Cutoff Calibrator (Kit Reference Number 5039-0002-02)	Kit: 2 Dropper vials, 10 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Meperidine Cutoff Calibrator (Kit Reference Number 5039-0005-02)	Kit: 2 Dropper vials, 10 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Calibrator (Kit Reference Number 5059-0002-00)	Kit: 5 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Calibrator (Kit Reference Number 5059-0005-00)	Kit: 5 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Control (Kit Reference Number 5059-0003-00)	Kit: 6 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Control (Kit Reference Number 5059-0006-00)	Kit: 6 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin Urine Calibrator (Kit Reference Number 5035-0002-00)	Kit: 4 Dropper vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Pregabalin Urine Calibrator (Kit Reference Number 5035-0005-00)	Kit: 4 Dropper vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Pregabalin Urine Control (Kit Reference Number 5035-0003-00)	Kit: 6 Dropper vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Pregabalin Urine Control (Kit Reference Number 5035-0006-00)	Kit: 6 Droppers vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Tramadol Calibrator (Kit Reference Number 5040-0002-00)	Kit: 4 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK Tramadol Control (Kit Reference Number 5040-0003-00)	Kit: 4 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK Tramadol Cutoff Calibrator (Kit Reference Number 5040-0002-02)	Kit: 2 Dropper vials, 10 mL each	4/15/2019
ARK Diagnostics, Inc.	ARK™ Ketamine II Calibrator (Kit Reference Number 5083-0002-00)	Kit: 5 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Calibrator B (Cutoff) (Kit Reference Number 5083-0002-02)	Kit: 2 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Calibrator B (Cutoff), Forensic (Kit Reference Number 5083-0005-02)	Kit: 2 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Calibrator C (Cutoff) (Kit Reference Number 5083-0002-03)	Kit: 2 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Calibrator C (Cutoff), Forensic (Kit Reference Number 5083-0005-03)	Kit: 2 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Calibrator, Forensic (Kit Reference Number 5083-0005-00)	Kit: 5 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Control (Kit Reference Number 5083-0003-00)	Kit: 4 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Control (Kit Reference Number 5083-0003-01)	Kit: 4 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Control, Forensic (Kit Reference Number 5083-0006-00)	Kit: 4 Dropper Vials, 10 mL each	5/1/2025
ARK Diagnostics, Inc.	ARK™ Ketamine II Control, Forensic (Kit Reference Number 5083-0006-01)	Kit: 4 Dropper Vials, 10 mL each	5/1/2025
Ark Diagnostics, Inc.	ARK™ Zopiclone Calibrator (Kit Reference Number 5043-0002-00)	5 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc.	ARK™ Zopiclone Calibrator (Kit Reference Number 5043-0002-00R)	5 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc.	ARK™ Zopiclone Calibrator A-E	Kit: 5 Dropper Vials, 10 ml each	2/10/2025
ARK Diagnostics, Inc.	ARK™ Zopiclone Calibrator C (Cutoff)	Kit: 2 Dropper Vials, 10 ml each	2/10/2025
ARK Diagnostics, Inc.	ARK™ Zopiclone Calibrator C (Cutoff) (Kit Reference Number 5043-0002-02)	2 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc.	ARK™ Zopiclone Calibrator C (Cutoff) (Kit Reference Number 5043-0002-02R)	2 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc.	ARK™ Zopiclone Control	Kit: 4 Dropper Vials, 10 ml each	2/10/2025
ARK Diagnostics, Inc.	ARK™ Zopiclone Control (Kit Reference Number 5043-0003-00)	4 Dropper Vials, 10 ml each Kit: 2 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc.	ARK™ Zopiclone Control (Kit Reference Number 5043-0003-00R)	4 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc.	DRI Fentanyl II Control	Kit: 4 Dropper vials, 10 mL each	4/15/2021
ARK Diagnostics, Inc.	DRI Fentanyl II Cutoff Calibrator	Kit: 2 Dropper vials, 10 mL each	4/15/2021
Armed Forces Institute of Pathology	11-nor-9-carboxy-delta 8-THC in Ethanol Ampules	Glass ampule: 1mg/mL, 1 mL, 5 mL, 10 mL	1/25/1982
ASI Chemicals	17α-methyl Testosterone (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	17α-methyl Testosterone (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	17α-methyl Testosterone-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	17α-methyl Testosterone-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	17α-methyl Testosterone-[13C4] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	17α-methyl Testosterone-[13C4] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	1Δ Dihydrotestosterone (1Δ DHT) (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	1Δ Dihydrotestosterone (1Δ DHT) (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	1Δ Dihydrotestosterone (1Δ DHT) -[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	1Δ Dihydrotestosterone (1Δ DHT) -[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5-Androsten-3ß,17ß-diol (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5-Androsten-3ß,17ß-diol (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5-Androsten-3ß,17ß-diol-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5-Androsten-3ß,17ß-diol-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5-Androsten-3ß,17ß-diol-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5-Androsten-3ß,17ß-diol-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3,17-dione (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3,17-dione (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3,17-dione-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3,17-dione-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3,17-dione-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3,17-dione-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-[13C3] (1 mg/mL acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-17-sulfate (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-17-sulfate (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-17-sulfate-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-17-sulfate-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-17-sulfate-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-17-sulfate-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-3-sulfate (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-3-sulfate (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-3-sulfate-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-3-sulfate-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022

ASI Chemicals	5α-Androstan-3ß,17ß-diol-3-sulfate-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3ß,17ß-diol-3-sulfate-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3α,17ß-diol (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3α,17ß-diol (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3α,17ß-diol-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3α,17ß-diol-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3α,17ß-diol-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	5α-Androstan-3α,17ß-diol-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone-[13C5] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone-[13C5] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone-[2H5] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Allopregnanolone-[2H5] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3 ,17-dione-[13C3] (1 mg/mL acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3 ,17-dione-[13C3] (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3 ,17-dione-[13C3] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3 ,17-dione-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3 ,17-dione-[13C3] (50 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3 ,17-dione-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3, 17-dione (1 mg/mL acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3, 17-dione (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3, 17-dione (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3, 17-dione (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3, 17-dione (50 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Androst-4-ene-3, 17-dione (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone sulfate (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone sulfate (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone sulfate (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone sulfate-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone sulfate-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone-[13C3] (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldenone-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldione (1 ,4-Androstadiene-3, 17-dione) (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldione (1 ,4-Androstadiene-3, 17-dione) (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldione (1 ,4-Androstadiene-3, 17-dione) -[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Boldione (1 ,4-Androstadiene-3, 17-dione) -[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone (1 mg/mL acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone (50 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone- [2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	1/28/2023
ASI Chemicals	Dihydrotestosterone-[13C3, 2H3] (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone-[13C3] (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Dihydrotestosterone-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Methandriol (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Methandriol (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Methandriol-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Methandriol-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Methandriol-[13C4] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Methandriol-[13C4] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone (1 mg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone (1 mg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone (50 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone- [2H3] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	1/28/2023
ASI Chemicals	Testosterone- [2H5] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	1/28/2023
ASI Chemicals	Testosterone-[13C3, 2H3] (1 mg/mL acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3, 2H3] (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3, 2H3] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3, 2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3, 2H3] (50 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3, 2H3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3] (1 mg/mL methanol)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3] (100 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022

ASI Chemicals	Testosterone-[13C3] (50 µg/mL in acetonitrile)	Glass ampule: 1 mL	5/3/2022
ASI Chemicals	Testosterone-[13C3] (50 µg/mL in methanol)	Glass ampule: 1 mL	5/3/2022
Atotech USA Inc.	Mark 90 M-904-C	Polyethylene containers: 5, 55 gals	12/11/1995
Atotech USA Inc.	Mark 90 M-906-C	Polyethylene containers: 5, 55 gals	12/11/1995
Audit MicroControls, Inc.	Control FD Assayed Chemistry Level 1	Glass Vial: 5.0 mL	5/12/2025
Audit MicroControls, Inc.	Control FD Assayed Chemistry Level 1	Kit: 10 glass vials, 5 mL each	5/12/2025
Audit MicroControls, Inc.	Control FD Assayed Chemistry Level 2	Glass Vial: 5.0 mL	5/12/2025
Audit MicroControls, Inc.	Control FD Assayed Chemistry Level 2	Kit: 10 glass vials, 5 mL each	5/12/2025
Audit MicroControls, Inc.	Control FD Assayed Chemistry Level 3	Glass Vial: 5.0 mL	5/12/2025
Audit MicroControls, Inc.	Control FD Assayed Chemistry Level 3	Kit: 10 glass vials, 5 mL each	5/12/2025
Audit MicroControls, Inc.	Control FD Immunoassay	Kit: 6 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc.	Control FD Immunoassay Level 1	2 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc.	Control FD Immunoassay Level 2	2 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc.	Control FD Immunoassay Level 3	2 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 1	Kit: 10 bottles, 4 mL each	3/30/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 1	Kit: 5 bottles, 4 mL each	3/30/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 1	Plastic bottle: 4mL	3/30/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 2	Kit: 10 bottles, 4 mL each	5/4/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 2	Kit: 5 bottles, 4 mL each	5/4/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 2	Plastic bottle: 4mL	5/4/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 3	Kit: 10 bottles, 4 mL each	5/4/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 3	Kit: 5 bottles, 4 mL each	5/4/2022
Audit MicroControls, Inc.	Control FLQ Unassayed Chemistry, Level 3	Plastic bottle: 4mL	5/4/2022
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica	Kit: 10 vials; 3 mL each	10/11/2024
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica, Set 2 Level A	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica, Set 2 Level B	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica, Set 2 Level C	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica, Set 2 Level D	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica, Set 2 Level E	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica/Centaur	Kit: 5 vials; 3 mL each	4/29/2021
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica/Centaur, Set 2 Level A	Glass vial: 3 mL	4/29/2021
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica/Centaur, Set 2 Level B	Glass vial: 3 mL	4/29/2021
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica/Centaur, Set 2 Level C	Glass vial: 3 mL	4/29/2021
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica/Centaur, Set 2 Level D	Glass vial: 3 mL	4/29/2021
Audit MicroControls, Inc.	Linearity FD Fertility Siemens Atellica/Centaur, Set 2 Level E	Glass vial: 3 mL	4/29/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay	Kit: 10 vials; 5 mL each	8/23/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Abbott Systems	Kit: 10 vials; 5 mL each	7/19/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Abbott Systems Level A	Glass vial: 5 mL	7/19/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Abbott Systems Level B	Glass vial: 5 mL	7/19/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Abbott Systems Level C	Glass vial: 5 mL	7/19/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Abbott Systems Level D	Glass vial: 5 mL	7/19/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Abbott Systems Level E	Glass vial: 5 mL	7/19/2021
Audit MicroControls, Inc.	Linearity FD Immunoassay for Ortho Vitros Kit	Kit: 5 vials, 5 mL each	9/8/2025
Audit MicroControls, Inc.	Linearity FD Immunoassay for Ortho Vitros Set 1 Level A	Vial: 5 mL	9/8/2025
Audit MicroControls, Inc.	Linearity FD Immunoassay for Ortho Vitros Set 1 Level B	Vial: 5 mL	9/8/2025
Audit MicroControls, Inc.	Linearity FD Immunoassay for Ortho Vitros Set 1 Level C	Vial: 5 mL	9/8/2025
Audit MicroControls, Inc.	Linearity FD Immunoassay for Ortho Vitros Set 1 Level D	Vial: 5 mL	9/8/2025
Audit MicroControls, Inc.	Linearity FD Immunoassay for Ortho Vitros Set 1 Level E	Vial: 5 mL	9/8/2025
Audit MicroControls, Inc.	Linearity FD TDM	Kit: 5 vials, 5 mL each	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level A	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level B	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level C	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level D	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level E	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Siemens Atellica/Centaur	Kit: 5 vials; 3 mL each	4/27/2021
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica	Kit: 10 vials, 2 mL each	10/9/2023
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica Set 2 Level A	Vial: 2 mL	10/9/2023
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica Set 2 Level B	Vial: 2 mL	10/9/2023
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica Set 2 Level C	Vial: 2 mL	10/9/2023
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica Set 2 Level D	Vial: 2 mL	10/9/2023
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica Set 2 Level E	Vial: 2 mL	10/9/2023
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica/Centaur	Kit: 10 vials; 2 mL each	8/18/2021
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica/Centaur, Set 2 Level A	Glass vial: 2 mL	8/18/2021
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica/Centaur, Set 2 Level B	Glass vial: 2 mL	8/18/2021
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica/Centaur, Set 2 Level C	Glass vial: 2 mL	8/18/2021
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica/Centaur, Set 2 Level D	Glass vial: 2 mL	8/18/2021
Audit MicroControls, Inc.	Linearity FLQ Fertility Siemens Atellica/Centaur, Set 2 Level E	Glass vial: 2 mL	8/18/2021
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems	Kit: 5 vials x 4 mL each	5/20/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level A	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level B	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level C	Plastic bottle: 4 mL	8/16/2019

Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level C	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level D	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level E	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Abbott Systems Level E	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU	Kit: 5 vials x 4 mL each	5/20/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU	Kit: 5 vials, 4 mL each	12/18/2023
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level A	1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level A	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level B	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level B	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level C	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level C	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level D	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level D	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level E	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level E	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Beckman AU Level E	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems	Kit: 5 vials x 4 mL each	5/20/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level A	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022

Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level B	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level C	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level D	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level E	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Roche Systems Level E	1 vial x 4 mL 1 vial x 4 mL 1 vial x 4 mL	5/31/2022
Audit MicroControls, Inc.	Linearity FLQ TDM for Siemens Centaur Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Siemens Centaur Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Siemens Centaur Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Siemens Centaur Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Siemens Centaur Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls, Inc.	Linearity FLQ TDM for Siemens Centaur Level E	Plastic bottle: 4 mL	8/16/2019
Bayer Corporation	AACC Tox	Glass vial: 30 mL	1/20/1986
Bayer Corporation	ACS Estradiol Component Sets	Kits: 3 Vials; 18 vials	1/31/1994
Bayer Corporation	ACS Estradiol Component Sets Releasing Reagent	Bottle: 30 mL	1/31/1994
Bayer Corporation	ACS Estradiol-6 Antibody Reagent	Bottle: 3 mL	11/20/1995
Bayer Corporation	ACS Estradiol-6 II Antibody Reagent	Bottle: 3 mL	11/7/1996
Bayer Corporation	ACS Estradiol-6 II Component Sets	Set: 50, 300 tests	11/7/1996
Bayer Corporation	ACS Ferritin Lite Reagent	Vial: 7 mL; Kit: 50, 300, 3000 Tests	4/15/1991
Bayer Corporation	ACS Ferritin Solid Phase	Vial: 26mL; Kit: 50 Tests, 300 Tests	4/15/1991
Bayer Corporation	ACS FrT4 Component Set	Kit: 50 Tests (2 bottles); 300 Tests (12 bottles)	4/18/1996
Bayer Corporation	ACS FrT4 Component Set	Kit: 3000 Tests (120 bottles)	5/16/1996
Bayer Corporation	ACS FrT4 Lite Reagent	Bottle: 5 mL	4/18/1996
Bayer Corporation	ACS FrT4 Solid Phase	Bottle: 22.5 mL	4/18/1996
Bayer Corporation	ACS FT4	Kit: 50 Test, 300 Test	3/26/1991
Bayer Corporation	ACS FT4 Lite Reagent	Vial: 7 mL	3/26/1991
Bayer Corporation	ACS FT4 Solid Phase	Vial: 26 mL	3/26/1991
Bayer Corporation	ACS HCG Solid Phase	Vial: 26 mL; Kit: 50 Tests, 300 Tests	4/18/1991
Bayer Corporation	ACS Magnetic Check	Plastic vial: 26 mL	6/18/1991
Bayer Corporation	ACS Magnetic Check II	Plastic vial: 26 mL	6/18/1991
Bayer Corporation	ACS Multical E Pack (Low & High Calibrator)	Kits: 4 Vials; 12 vials	1/31/1994
Bayer Corporation	ACS Multical High Calibrator	Vial: 10 mL	1/31/1994
Bayer Corporation	ACS Multical Low Calibrator	Vial: 10 mL	1/31/1994
Bayer Corporation	ACS Next Generation Ferritin Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Ferritin Readypack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation Ferritin Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation FrT4 Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation FrT4 Readypack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation FrT4 Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Releasing Agent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T3 Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T3 Readypack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation T3 Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T4 Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T4 Readypack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation T4 Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Testosterone Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Testosterone Readypack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Performance Verification Test Kit	Kit: 6 Vials	6/18/1991
Bayer Corporation	ACS Phenobarbital High Calibrator	Bottle: 5 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Lite Reagent	Bottle: 10 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Low Calibrator	Bottle: 5 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Master Curve Material	Bottle: 5 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Master Curve Material Set	Set: 6 bottles	5/8/1995
Bayer Corporation	ACS T3 Kit	Kit: 50, 300, 3000 Tests	7/22/1991
Bayer Corporation	ACS T3 Lite Reagent	Plastic vial: 7 mL	7/22/1991
Bayer Corporation	ACS T3 Solid Phase	Plastic vial: 26 mL	7/22/1991
Bayer Corporation	ACS T4	Kit: 50 Test, 300 Test	3/26/1991
Bayer Corporation	ACS T4 Lite Reagent	Vial: 7 mL	3/26/1991
Bayer Corporation	ACS T4 Solid Phase	Vial: 26 mL	3/26/1991
Bayer Corporation	ACS Testosterone Component Sets (50 Tests)	Set: 2 Bottles	3/28/1994
Bayer Corporation	ACS Testosterone Component Sets (500 Tests)	Set: 12 Bottles	3/28/1994
Bayer Corporation	ACS Testosterone Lite Reagent	Bottle: 10 mL	3/28/1994
Bayer Corporation	ACS Testosterone Releasing Agent	Bottle: 30 mL	7/20/1994
Bayer Corporation	ACS Wash Check Solid Phase	Plastic vial: 26 mL	6/18/1991
Bayer Corporation	Alkaline Hemoglobin Buffer Cat. No. 470580	Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Alkaline Hemoglobin Kit/8 Cat. No. 470678	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Alkaline Hemoglobin Kit/8, Cat. No. 470678	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	ALP Buffer Concentrate Cat. No. 470244	Plastic bottle: 175 mL	10/28/1991

Bayer Corporation	ALP Gel/12 Cat. No. 470246	2 Plates: 24 Tests	10/28/1991
Bayer Corporation	ALP Gel/8 Cat. No. 470243	2 Plates: 16 Tests	10/28/1991
Bayer Corporation	ALP Gel/8 and Buffer Cat. No. 470240	Kit: 10 Plates; Plastic bottle: 175 mL	10/28/1991
Bayer Corporation	Alp Gel/8 and Buffer Cat. No. 470240	Kit: 10 plates, Plastic bottle: 175 mL	9/20/1996
Bayer Corporation	AVDIA Centaur Phenobarbital Lite Reagent	Bulk	11/15/1999
Bayer Corporation	AVDIA Centaur Phenobarbital Readypack	Kit: 50, 250 tests	11/15/1999
Bayer Corporation	Ciba Corning ANTICONV/ASTH I, II	Kit Contains: 10 mL vial, 5 vials each level	10/22/1985
Bayer Corporation	Ciba Corning TDM I	Vial: 5 mL, 10 vials	10/22/1985
Bayer Corporation	Ciba Corning TDM I, II & III	Kit Contains: 5 vials each level	10/22/1985
Bayer Corporation	Ciba Corning TDM II	Vial: 5 mL, 10 vials	10/22/1985
Bayer Corporation	Ciba Corning TDM III	Vial: 5 mL, 10 vials	10/22/1985
Bayer Corporation	Ciba Corning TOX I,II	Kit: Contains: 10 mL vial, 5 vials each level	12/16/1985
Bayer Corporation	Ciba Corning Urine II	Vial: 30 mL	5/22/1985
Bayer Corporation	CVM Chemistry (Calibration Verification Material for Chemistry), Levels 1 thru 8	Kit: 16 Vials; 5 mL/vial	6/14/1994
Bayer Corporation	DAU I, No. 9076	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU II No. 9077	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU III, No. 9078	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU IV, No. 9079	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU V, No. 9085	Glass vial: 25 mL; Box: 10 vials	5/10/1991
Bayer Corporation	Double Four-Track Gel Cat. No. 470179	Plate: 8 Tests; Kit: 12 Plates	10/28/1991
Bayer Corporation	Double Four-Track Gel, Cat. No. 47019	Kit: 12 plates, 2 Plates: 16 tests	9/20/1996
Bayer Corporation	Estradiol Antibody Conjugate R1	Bulk	8/16/1995
Bayer Corporation	HDL Cholesterol Gel/8 and Buffer, Cat. No. 470618	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	High Resolution Protein Gel/8 Cat. NO. 470201	Kit: 12 Plates; 2 Plates: 16 Tests	10/28/1991
Bayer Corporation	High Resolution Protein Kit/8, Cat. No. 470682	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	Immophase Ferritin Controls	Glass vial: 3 mL	1/19/1987
Bayer Corporation	Immophase Ferritin Standards	Glass vial: 5 mL	9/16/1986
Bayer Corporation	Immuno-1 Setpoint TDM Calibrators Kit No. T03-2864 Component No. T13-2864(02-06)	Glass bottle: 5 mL; Kit: 5 bottles	1/3/1991
Bayer Corporation	Immunoelectrophoresis Gel/10, Cat. No. 470090	Kit: 12 plates, 2 Plates: 20 tests	9/20/1996
Bayer Corporation	Immunoelectrophoresis Kit/8, Cat. No. 470684	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	LD Isoenzyme Gel/8 and Buffer, Cat. No. 470620	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	Ligand Plus 1,2,3	Kit: 15 Bottles, 5 mL/bottle	6/17/1994
Bayer Corporation	Linearity Reference Material LNM-A, LNM-B, LNM-C	Vial: 10 mL; Kit: 2 vials	2/12/1991
Bayer Corporation	Linearity Survey LN3-A, LN3-B, LN3-C	Vial: 10 mL; Kit: 2 vials	2/12/1991
Bayer Corporation	Linearity Survey LN4-A, LN4-B, LN4-C	Vial: 25 mL; Kit: 2 vials	2/12/1991
Bayer Corporation	Lipoprotein Kit/8, Cat. No. 470694	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	LVM HI-CHEM DIL	Vial: 10 mL	6/21/1990
Bayer Corporation	LVM, Product Code - 9774	Carton: 12 vials	6/21/1990
Bayer Corporation	Magic Ferritin 2000 Standard	Plastic vial: 1 mL	1/19/1987
Bayer Corporation	Magic Ferritin Controls	Plastic vial: 5 mL	1/19/1987
Bayer Corporation	Magic Ferritin Standards	Polypropylene vial: 3 mL	9/16/1986
Bayer Corporation	Magic Ferritin Zero Standard	Plastic vial: 50 mL	1/19/1987
Bayer Corporation	Magic Lite Ferritin Bulk Lite Reageant	Plastic vial: 50 mL	2/16/1988
Bayer Corporation	Magic Lite Ferritin Bulk Solid Phase	Plastic vial: 200 mL	2/16/1988
Bayer Corporation	Magic Lite Ferritin Solid Phase	Plastic vial: 50 mL	2/16/1988
Bayer Corporation	Magic Lite FT4 Component Set	Set: 100, 400 Tests	7/6/1994
Bayer Corporation	Magic Lite FT4 Kit	Kit: 100 Tests	7/6/1994
Bayer Corporation	Magic Lite FT4 Lite Reagent	Bottle: 10 mL, 40 mL	7/6/1994
Bayer Corporation	Magic Lite FT4 Solid Phase	Bottle: 50 mL, 200 mL	7/6/1994
Bayer Corporation	Magic Lite HCG Solid Phase	Plastic vial: 50 mL, Kit: 100 tests	12/9/1988
Bayer Corporation	Magic Lite T3 Bulk Solid Phase	Plastic vial: 200 mL	2/16/1988
Bayer Corporation	Magic Lite T3 Kit	Kit: 100 Tests	6/27/1991
Bayer Corporation	Magic Lite T3 Lite Reagent	Plastic vial: 30 mL	6/27/1991
Bayer Corporation	Magic Lite T3 Solid Phase	Plastic vial: 75 mL	6/27/1991
Bayer Corporation	Magic Lite T4 Component Set	Set: 100, 400, 1200 Tests	7/6/1994
Bayer Corporation	Magic Lite T4 Kit	Kit: 100 Tests	7/6/1994
Bayer Corporation	Magic Lite T4 Solid Phase	Bottle: 25 mL, 100 mL	7/6/1994
Bayer Corporation	Magic T4 Antibody	Vial: 50 mL, 200 mL	11/1/1990
Bayer Corporation	Multi-LD Gel Cat. No. 470221	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Multi-SPE Gel Cat. No. 470252	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Multitrac ALP Gel/12 and Buffer Cat. No. 470240	Kit: 10 Plates; Plastic bottle: 175 mL	10/28/1991
Bayer Corporation	Multitrac Immunofixation Kit/12, Cat. No. 470685	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	Multitrac LD Isoenzyme Gel/12 and Buffer Cat. No. 470622	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Multitrac LD Isoenzyme Gel/16 and Buffer Cat. No. 470625	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Multitrac Lipoprotein Kit/12 Cat. No. 470695	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Multitrac Serum Protein Kit/12 Cat. No. 470697	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	QCS ABN ASY	Vial: 5 mL, Kit: 5 vials	1/21/1989
Bayer Corporation	QCS ABN ASY No. 9707/9707A	Box: 10 vials, Vial: 5 mL	12/15/1989
Bayer Corporation	QCS NOR ASY	Vial: 5 mL, Kit: 5 vials	1/21/1989
Bayer Corporation	QCS NOR ASY No. 9704/9704A	Box: 10 vials, Vial: 5 mL	12/15/1989
Bayer Corporation	Reagent A- Alt 14	Vial: 15 mL	3/24/1979
Bayer Corporation	Reagent A- Alt 7	Vial: 15 mL	3/24/1979
Bayer Corporation	Reagent A-Ammonia 10	Vial: 10 mL	3/24/1979
Bayer Corporation	Serum Protein Kit/8, Cat. No. 470696	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	Special Barbital Buffer Set, Catalog No. 470182	Vial: 3 per kit	4/17/1979
Bayer Corporation	Technicon Immuno 1 Estradiol Reagents Kit No. T01-3595-51	Kit: 1 Cassette	8/16/1995
Bayer Corporation	Technicon Immuno 1 SETpoint Testosterone Calibrators, Kit No. T03-3695-01	Amber glass bottle: 2-4 mL, Set: 6 bottles	9/26/1996
Bayer Corporation	Technicon Immuno 1 TESTpoint Ligand Controls, Kit No. T03-3393-01; Level I T13-3394-01; Level II T13-3395-01; Level III T13-3396-01	Glass vial; 5 mL; Kit: 6 vials	3/16/1992

Bayer Corporation	Technicon RA Systems Set Point	Vial: 5 mL Kit: 5 vials	7/20/1990
Bayer Corporation	Universal Buffer Cat. No. 470586	Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Universal Electrophoresis Film Agarose, Catalog No. 470100	Plates: 12 per kit	4/17/1979
Bayer Corporation	Universal Electrophoresis Film, Cat. No. 470100	Kit: 12 plates, 2 Plates: 12 tests	9/20/1996
Bayer Corporation	Universal Gel/12, Cat. No. 470554	Kit: 12 plates, 2 Plates: 24 tests	9/20/1996
Bayer Corporation	Universal Gel/16 or Multi-SPE Gel Cat. No. 470066	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Universal IEP Gel Cat. No. 470222	Kit: 12 Plates; 2 Plates: 16 Tests	10/28/1991
Bayer Corporation	Universal II Gel/12, Cat. No. 470262	Kit: 12 plates, 2 Plates: 24 tests	9/20/1996
Bayer Corporation	Universal II Gel/12, Cat. No. 470362	Kit: 12 plates, 2 Plates: 24 tests	9/20/1996
Bayer Corporation	Universal II Gel/16 Cat. No. 470268	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Universal II Gel/18, Cat. No. 470361	Kit: 12 plates, 2 Plates: 16 tests	9/20/1996
Bayer Corporation	Universal II Gel/8 Cat. No. 470261	Kit: 12 Plates; 2 Plates: 16 Tests	10/28/1991
Bayer Corporation	Universal II Gel/8 Cat. No. 470361	Kit: 12 Plates	9/22/1992
Bayer Corporation	Universal Phab Buffer Set, Cat. No. 470180	Kit: 3 vials per kit	9/20/1996
Bayer HealthCare LLC	ACS:180 PHNB`	Kit: 50 Tests	12/14/2006
Bayer HealthCare LLC	ADVIA Centaur PHNB ReadyPack	Kit: 50 Tests	12/14/2006
Beckman Coulter, Inc.	Access Testosterone Calibrators	6 vials: 2.5 mL/vial	6/30/1999
Beckman Coulter, Inc.	Access Testosterone Reagent Pack Kit	Kit: 2 Packs; 50 tests/pack	6/30/1999
Beckman Coulter, Inc.	IMMAGE Immunochemistry Systems Drug Calibrator 1	Bottle: 5.75 mL	10/23/1998
Beckman Coulter, Inc.	IMMAGE Systems Phenobarbital (PHE) Reagent	Cartridge: 2 compartments; Compartments: 8.2 mL each	10/23/1998
Beckman Coulter, Inc.	Paragon Twin IFE Gel High Urine Control I	Packet: Gel; Box: 10 packets	9/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems 10 ng/mL THC Urine Control	Bottle: 7 mL; Kit: 1 bottle	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems 20 ng/mL THC Urine Control	Bottle: 7 mL; Kit: 1 bottle	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems 40 ng/mL THC Urine Control	Bottle: 7 mL; Kit: 1 bottle	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug High Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug High Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug Low Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug Low Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	Synchron Systems Drug Calibrator I	Bottle: 5.75 mL; Kit: 6 bottles	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 High Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 High Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 Low Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 Low Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems Phenobarbital (PHE) Reagent	Cartridge: 3 compartments; Compartment: 110 mL, 18 mL, 5 mL	10/23/1998
Beckman Coulter, Inc.	Vigil TDM Control Level 1	Bottle: 5.75 mL; Kit: 3 bottles	9/15/2000
Beckman Coulter, Inc.	Vigil TDM Control Level 2	Bottle: 5.75 mL; Kit: 3 bottles	9/15/2000
Beckman Coulter, Inc.	Vigil TDM Control Level 3	Bottle: 5.75 mL; Kit: 3 bottles	9/15/2000
Beckman Instruments, Inc.	ARRAY 360 System: Drug Calibrator	Bottle: 3 mL	3/13/1995
Beckman Instruments, Inc.	ARRAY 360 System: Drug Control Kit	Bottle: 1 mL	3/13/1995
Beckman Instruments, Inc.	Beckman Buffer B-2	Packet: 18.16 g.	4/24/1971
Beckman Instruments, Inc.	Beckman ICS Drug Calibrators A, B, C, D, and E.	Vials: 5 mL	10/29/1980
Beckman Instruments, Inc.	Beckman ICS Drug Control Sera	Kit containing: 6-1 mL bottles.	11/11/1980
Beckman Instruments, Inc.	Beckman ICS Phenobarbital Conjugate	Vial: 5 mL	10/29/1980
Beckman Instruments, Inc.	Beckman LD Buffer	Bottle: 14.3 grams	7/31/1986
Beckman Instruments, Inc.	Glutethimide	Plastic micro-tube: 2 mL	10/21/1997
Beckman Instruments, Inc.	IFE Gel	Foil Pack: 1 Gel; Box: 10 Gels	1/22/1996
Beckman Instruments, Inc.	LD Gel	Foil Pack: 1 Gel; Box: 10 Gels	1/22/1996
Beckman Instruments, Inc.	Paragon Electrophoresis System: Alkaline Phosphatase Isoenzyme Electrophoresis (Isopal) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: High Resolution Electrophoresis (HRE) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: Immunoelectrophoresis (IEP) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: Immunofixation Electrophoresis (IFE) Kit	Plastic Tray: 3.5 mL	7/31/1986
Beckman Instruments, Inc.	Paragon Electrophoresis System: Lactate Dehydrogenase Isoenzyme Electrophoresis (LD) Kit	Plastic Tray: 3.5 mL	7/31/1986
Beckman Instruments, Inc.	Paragon Electrophoresis System: Lipoprotein Electrophoresis (LIPO) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: Protein Electrophoresis (SPE-II) Kit	Plastic Tray: 3.5 mL	7/31/1986
Beckman Instruments, Inc.	Paragon Electrophoresis System: Serum Protein Electrophoresis (SPE) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	SPE Gel	Foil Pack: 1 Gel; Box: 10 Gels	1/22/1996
Beckman Instruments, Inc.	SYNCHRON Control: Multilevel Comprehensive Chemistry Control Serum Levels I, II, III	Plastic bottle: 20 mL; Kit: 6 bottles	5/13/1991
Beckman Instruments, Inc.	Synchron CX Systems: Cocaine Metabolite Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Amphetamines Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Barbiturates Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Benzodiazepine Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Cannabinoid 50ng and Cannabinoid 100ng Reagent Kits	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Opiate Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Phencyclidine Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX THC Urine 20 ng/mL, 75 ng/mL, 125 ng/mL Controls	Bottle: 5 mL	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX THC Urine 50ng/mL,100ng/mL,200ng/mL Calibrators	Bottle: 5 mL	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: Methadone Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Triad LINK Comprehensive Custom Unassayed Chemistry Control Serum Levels I, II, III	Plastic bottle: 20 mL; Box: 20 Bottles	5/13/1991
Beckman Instruments, Inc.	Triad NYSPATH Comprehensive Custom Unassayed Chemistry Control Serum Levels I, II, III	Plastic bottle: 20 mL; Box 20 Bottles	5/13/1991
Beckman Instruments, Inc.	Vigil PRx Multilevel Protein/Drug Control Serum Levels I, II, III	Plastic bottle: 10 mL; Kit: 6 Bottles	5/13/1991
Biochemical Diagnostics, Inc.	(DL) Methadone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	(DL)-9-Carboxy-11-nor-Delta-9-THC	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	(DL)-9-Carboxy-11-nor-Delta-9-THC	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	(DL)-Methadone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	1-[2-(4-Morpholinyl)ethyl]-3-(1-Naphthoyl)indole (JWH200) BULK SOLUTION	Glass/Plastic Container: 1 mL- 1 L	4/11/2011
Biochemical Diagnostics, Inc.	11-Hydroxy-Delta-9 THC	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	1-Butyl-3-(1-Naphthoyl)indole (JWH073) BULK SOLUTION	Glass/Plastic Container: 1 mL- 1 L	4/11/2011
Biochemical Diagnostics, Inc.	1-Pentyl-3-(1-Naphthoyl)indole (JWH018) BULK SOLUTION	Glass/Plastic Container: 1 mL- 1 L	4/11/2011
Biochemical Diagnostics, Inc.	5-(1,1-Dimethylheptyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol (CP-47,497) BULK SOLUTION	Glass/Plastic Container: 1 mL- 1 L	4/11/2011

Biochemical Diagnostics, Inc.	5-(1,1-Dimethylloctyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol (CP-47,497-C8 Homologue) BULK SOLUTION	Glass/Plastic Container: 1 mL- 1 L	4/11/2011
Biochemical Diagnostics, Inc.	Acetorphine	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Alpha-methadol	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	Alprazolam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Alprazolam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Amobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Amobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Amphetamine (D-Amphetamine)	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Aprobarbital	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Benzoylecgonine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Benzoylecgonine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Bromazepam Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	Buprenorphine Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	Buprenorphine-Glucuronide	Bottle: 1-1000 mL	7/10/2005
Biochemical Diagnostics, Inc.	Butabarbital	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Butalbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Butalbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Butorphanol Bulk Solution	Glass/Plastic bottlel: 1-1000 mL	8/2/2007
Biochemical Diagnostics, Inc.	Chlordiazepoxide	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Chlordiazepoxide	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Clobazam Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	Clonazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Cocaethylene	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Cocaine	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Codeine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Codeine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	D-Amphetamine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Detectabuse Custom Control Urine, Butalbital	Glass vial: 1-200 mL	8/17/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Control Urine, Cocaine and Cocaethylene	Glass vial: 1-200 mL	8/17/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine & Norbuprenorphine	Glass vial: 1 mL - 2 L	2/9/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MEDTOX 2000 Positive	Glass vial: 1 ml - 2 L	2/14/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Varian 6 Panel	Glass vial: 1 mL - 2 L	2/9/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Varian Multi-Clinical 3	Glass vial: 1 mL - 2 L	3/7/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Hair, H1	Glass vial: 1mL- 2L	11/8/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Hair, H2	Glass vial: 1mL- 2L	11/8/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Hair, H3	Glass vial: 1mL- 2L	11/8/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Hair, H4	Glass vial: 1mL- 2L	11/8/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid	Glass vial: 1-200 mL	8/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF10	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF11	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF12	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF13	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF14	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF15	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF16	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF17	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF18	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF19	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF2	Glass vial: 1 mL - 2 L	6/10/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF20	Glass vials: 1 mL- 200 mL	6/7/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF21	Glass vials: 1 mL- 200 mL	6/7/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF23	Glass vials: 1 mL- 200 mL	8/14/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF24	Glass vials: 1 mL- 200 mL	1/24/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF26	Glass vials: 1 mL- 100 mL	7/8/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF27	Glass vials: 1 mL - 100 mL	8/20/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF3	Glass vial: 1 mL - 2 L	6/10/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF4	Glass vials: 1 mL- 200 mL	3/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF5	Glass vials: 1 mL- 200 mL	3/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF6	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF8	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid, OF9	Glass vials: 1 mL- 200 mL	3/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Plasma	Glass vial: 1-200 mL	8/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Plasma, OPIATE MIX	Glass vial: 1 mL - 2 L	12/19/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Plasma, P1	Glass vials: 1 mL- 200 mL	4/10/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #13	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #14	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #15	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #16	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #17	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #18	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #19	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #9	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine MC191	Glass vials: 1 mL- 200 mL	6/19/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine MC194	Glass vials: 1 mL- 200 mL	6/28/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine MC195	Glass vials: 1 mL- 200 mL	7/11/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Series V-H with Ethanol	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, 11-Nor-delta-9-THC-COOH	Glass vial: 1 mL - 2 L	8/22/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, 6-Monoacetylmorphine (6-MAM)	Glass vial: 1-2000 mL	7/20/2007

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #13	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #14	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #15	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #16	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #17	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #18	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #19	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #9	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #1	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #3	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #4	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #7	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, AD Cutoff +25%	Glass vial: 1 mL - 2 L	11/6/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Alprazolam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Amobarbital	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, BARB-XTC-DARVON-MTQ	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, BENZO, BARB & OXY, Cutoff	Glass vial: 1 mL - 2 L	6/21/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine	Glass vial: 1-200 mL	12/10/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine Control	Glass vial: 1-200 mL	9/3/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine Mix	Glass vial: 1 mL - 2 L	11/26/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine Mix	Glass vial: 1 mL - 2 L	10/23/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, BENZO-HYC-OXYCO	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Bromazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine Glucuronide	Glass vial: 1-200 mL	8/4/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine Glucuronide, EDDP, Ketamine & MDMA	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Butabarbital	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Chlordiazepoxide	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Clobazam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Clonazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Cocaethylene	Glass vial: 1mL-2L	10/3/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Current Series w/ LSD 1/3 Cutoff	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, CUSTOM GC/MS	Glass vial: 1-200 mL	7/19/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, DHHS Amphetamine Control	Glass vial: 1-200 mL	2/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, DHHS GC/MS	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Dihydrocodeine	Glass vial: 1mL-2L	10/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, DOA Control with MDMA & Oxycodone	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Drugcheck Positive Australian Cutoff	Glass vial: 1mL-2L	10/3/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Estazolam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Flurazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS 3X Cutoff	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS LOW CONTROL	Glass vial: 1-200 mL	3/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS LOW CONTROL	Glass vial: 1-200 mL	4/19/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Multi-Constituent	Glass vial: 1-200 mL	10/15/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Multi-Constituent	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Subthreshold Low Control N16-L	Glass vial: 1 mL - 2 L	7/17/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Subthreshold Low Control N19-L	Glass vial: 1 mL - 2 L	6/28/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS-H CUTOFF +25% with MDMA	Glass vial: 1 mL - 2 L	10/19/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS-H CUTOFF with MDMA 500 ng/mL & MDA 500 ng/mL	Glass vial: 1 mL - 2 L	3/28/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GCMS Cutoff +25% with MDMA, MDA, EDDP, Cotinine, Nitrazepam	Glass vial: 1 mL - 2 L	6/28/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GCMS High	Glass vial: 1 mL - 2 L	11/30/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Hydromorphone & Hydrocodone	Glass vial: 1mL-2L	10/12/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Immunoassay	Glass vial: 1-200 mL	12/10/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Immunoassay Multi-Constituent	Glass vial: 1-200 mL	4/8/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, INTEGRA DAU	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Jant Multi-Constituent	Glass vial: 1-200 mL	10/13/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Ketamine	Glass vial: 1 mL - 2 L	12/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC1	Glass vial: 1-2000 mL	1/30/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC10	Glass vial: 1mL-2L	5/15/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC100	Glass vial: 1mL- 2L	10/18/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC101	Glass vial: 1mL- 2L	10/18/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC102	Glass vial: 1mL- 2L	11/5/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC103	Glass vial: 1mL- 2L	11/9/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC104	Glass vial: 1mL- 2L	11/22/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC105	Glass vial: 1mL- 2L	11/22/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC106	Glass vial: 1mL- 2L	12/9/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC107-110	Glass vial: 1mL- 2L	12/15/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC11	Glass vial: 1mL-2L	5/28/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC111	Glass vial: 1mL- 2L	12/29/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC112-113	Glass vial: 1mL- 2L	1/25/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC114	Glass vial: 1mL- 2L	2/4/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC115-117	Glass vial: 1mL- 2L	2/22/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC118	Glass vial: 1mL- 2L	3/1/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC119	Glass vial: 1mL- 2L	3/4/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC12	Glass vial: 1mL-2L	7/7/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC120-121	Glass vial: 1mL- 2L	3/4/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC122	Glass vial: 1mL- 2L	3/23/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC123	Glass vial: 1mL- 2L	4/7/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC124	Glass vial: 1mL- 2L	4/12/2011

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC125	Glass vial: 1mL- 2L	4/19/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC126	Glass vial: 1mL- 2L	4/26/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC127	Glass vial: 1mL- 2L	6/14/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC128	Glass vial: 1mL- 2L	6/20/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC129	Glass vial: 1mL- 2L	6/20/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC13	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC130	Glass vial: 1mL- 2L	6/23/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC131	Glass vial: 1mL- 2L	6/23/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC132	Glass vial: 1mL- 2L	7/6/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC133	Glass vial: 1mL- 2L	7/6/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC134	Glass vials: 1 mL- 200 mL	7/8/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC135	Glass vials: 1 mL- 200 mL	7/13/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC136	Glass vials: 1 mL- 200 mL	7/21/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC137	Glass vials: 1 mL- 200 mL	8/15/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC138	Glass vials: 1 mL- 200 mL	8/25/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC139	Glass vials: 1 mL- 200 mL	9/20/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC14	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC140	Glass vials: 1 mL- 200 mL	9/20/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC141	Glass vials: 1 mL- 200 mL	10/7/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC143	Glass vials: 1 mL- 200 mL	1/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC144	Glass vials: 1 mL- 200 mL	2/2/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC145	Glass vials: 1 mL- 200 mL	2/2/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC146	Glass vials: 1 mL- 200 mL	2/2/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC147	Glass vials: 1 mL- 200 mL	2/2/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC148	Glass vials: 1 mL- 200 mL	2/2/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC149	Glass vials: 1 mL- 200 mL	3/5/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC15	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC150	Glass vials: 1 mL- 200 mL	3/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC151	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC152	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC153	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC154	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC155	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC156	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC157	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC158	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC159	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC16	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC160	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC161	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC162	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC163	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC164	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC165	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC166	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC167	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC168	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC169	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC17	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC170	Glass vials: 1 mL- 200 mL	3/19/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC171	Glass vials: 1 mL- 200 mL	5/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC172	Glass vials: 1 mL- 200 mL	5/30/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC173	Glass vials: 1 mL- 200 mL	6/6/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC175	Glass vials: 1 mL- 200 mL	7/25/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC176	Glass vials: 1 mL- 200 mL	9/27/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC177	Glass vials: 1 mL- 200 mL	11/5/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC178	Glass vials: 1 mL- 200 mL	1/24/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC179	Glass vials: 1 mL- 200 mL	10/23/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC18	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC180	Glass vials: 1 mL- 200 mL	3/14/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC181	Glass vials: 1 mL- 200 mL	1/29/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC182	Glass vials: 1 mL- 200 mL	4/22/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC183	Glass vials: 1 mL- 200 mL	3/12/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC184	Glass vials: 1 mL- 200 mL	3/12/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC185	Glass vials: 1 mL- 200 mL	9/3/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC186	Glass vials: 1 mL- 200 mL	9/3/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC187	Glass vials: 1 mL- 200 mL	9/3/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC188	Glass vials: 1 mL- 200 mL	9/3/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC189	Glass vials: 1 mL- 200 mL	4/16/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC19	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC190	Glass vials: 1 mL- 200 mL	5/10/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC197	Glass vials: 1 mL- 200 mL	8/28/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC198	Glass vials: 1 mL- 200 mL	9/5/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC199	Glass vials: 1 mL- 200 mL	9/11/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC2	Glass vial: 1-2000 mL	2/4/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC20	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC200	Glass vials: 1 mL- 200 mL	9/17/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC202	Glass vials: 1 mL- 200 mL	10/28/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC203	Glass vials: 1 mL- 200 mL	11/21/2013

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC204	Glass vials: 1 mL- 200 mL	11/21/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC205	Glass vials: 1 mL- 200 mL	12/6/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC206	Glass vials: 1 mL- 200 mL	12/30/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC207	Glass vials: 1 mL- 20 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC208	Glass vials: 1 mL- 200 mL	1/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC209	Glass vials: 1 mL- 200 mL	1/29/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC21	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC210	Glass vials: 1 mL- 200 mL	1/29/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC211	Glass vials: 1 mL- 200 mL	1/29/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC212	Glass vials: 1 mL- 200 mL	2/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC213	Glass vials: 1 mL- 200 mL	2/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC214	Glass vials: 1 mL- 200 mL	2/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC215	Glass vials: 1 mL- 200 mL	2/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC216	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC217	Glass vial: 100 mL	10/30/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC218	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC219	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC22	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC220	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC221	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC222	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC223	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC224	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC225	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC226	Glass vials: 1 ml - 100 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC227	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC228	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC229	Glass vials: 1 mL- 200 mL	4/11/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC23	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC230	Glass vials: 1 ml - 100 mL	4/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC231	Glass vials: 1 mL- 20 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC232	Glass vials: 1 mL- 20 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC233	Glass vials: 1 mL- 25 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC234	Glass vials: 1 ml - 100 mL	4/25/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC235	Glass vials: 1 mL- 25 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC236	Glass vials: 1 mL- 20 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC237	Glass vials: 1 mL- 35 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC238	Glass vials: 1 mL- 35 mL	5/16/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC239	Glass vials: 1 mL - 100 mL	6/2/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC24	Glass vial: 1-2000 mL	7/8/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC240	Glass vials: 1 mL- 100 mL	7/8/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC241	Glass vials: 1 mL - 100 mL	8/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC242	Glass vials: 1 mL - 100 mL	8/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC243	Glass vials: 1 mL - 100 mL	8/20/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC244	Glass vials: 1 ml - 100 mL	9/9/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC245	Glass vials: 1 ml - 100 mL	9/14/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC246	Glass vials: 1 ml - 100 mL	10/29/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC247	Glass vials: 1 ml - 100 mL	12/3/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC248	Glass vials: 1 ml - 100 mL	12/5/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC249	Glass vials: 1 ml - 100 mL	1/28/2015
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC25	Glass vial: 1-2000 mL	8/11/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC252	Glass vial: 1 mL - 200 mL	7/29/2016
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC253	Glass vials: 1 ml - 200 mL	9/30/2016
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC254	Glass vial: 1 mL - 200 mL	7/29/2016
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC255	Glass vial: 1 mL - 200 mL	7/29/2016
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC256	Glass vials: 1 ml - 200 mL	12/19/2016
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC257	Glass vials: 1 ml - 200 mL	12/19/2016
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC259	Glass vials: 1 ml - 800 mL	1/16/2017
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC26	Glass vial: 1 mL - 2 L	10/3/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC262	Glass vials: 5 ml, 10 mL	3/10/2017
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC263	Glass vials: 5 ml, 10 mL	3/10/2017
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC264	Glass vials: 5 ml, 10 mL	3/10/2017
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC265	Glass vials: 20 ml, 50 mL	11/6/2017
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC266	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC267	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC268	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC269	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC27	Glass vial: 1 mL - 2 L	10/3/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC270	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC271	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC272	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC273	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC274	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC275	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC276	Glass vials: 1ml, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC277	Glass vials: 20 mL, 25 mL	8/26/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC278	Glass vials: 5 mL, 10 mL, 20 mL, 25 mL	8/26/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC279	Glass vials: 5 mL, 10 mL, 20 mL, 25 mL	8/26/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC28	Glass vial: 1 mL - 2 L	10/3/2008

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC280	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC281	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC282	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC283	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL, 60 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC284	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	3/1/2023
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC285	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	3/1/2023
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC286	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	3/1/2023
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC288	Glass vial/Plastic bottle: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	11/29/2023
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC29	Glass vial: 1 mL - 2 L	10/3/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC3	Glass vial: 1-2000 mL	2/14/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC30	Glass vial: 1 mL - 2 L	10/3/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC32	Glass vial: 1-2000 mL	10/21/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC33	Glass vial: 1-2000 mL	12/22/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC34	Glass vial: 1-2000 mL	12/22/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC35	Glass vial: 1 mL - 2 L	3/17/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC36	Glass vial: 1-2000 mL	4/2/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC37	Glass vial: 1-2000 mL	4/2/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC38	Glass vial: 1-2000 mL	4/4/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC39	Glass vial: 1-2000 mL	4/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC40	Glass vial: 1-2000 mL	4/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC41	Glass vial: 1mL-2L	4/20/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC42	Glass vial: 1mL-2L	5/8/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC43	Glass vial: 1-2000 mL	6/5/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC44	Glass vial: 1-2000 mL	6/11/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC45	Glass vial: 1-2000 mL	6/12/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC46	Glass vial: 1-2000 mL	6/16/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC47	Glass vial: 1-2000 mL	7/7/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC48	Glass vial: 1-2000 mL	7/7/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC49	Glass vial: 1-2000 mL	7/28/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC5	Glass vial: 1mL-2L	4/14/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC50	Glass vial: 1-2000 mL	9/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC51	Glass vial: 1-2000 mL	10/8/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC52	Glass vial: 1-2000 mL	10/27/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC53	Glass vial: 1-2000 mL	10/27/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC54	Glass vial: 1mL-2L	10/30/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC55	Glass vial: 1mL- 2L	12/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC56	Glass vial: 1mL- 2L	12/16/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC57	Glass vial: 1mL- 2L	1/20/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC58	Glass vial: 1mL- 2L	1/25/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC59	Glass vial: 1mL- 2L	2/23/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC6	Glass vial: 1mL-2L	4/25/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC60	Glass vial: 1mL- 2L	2/25/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC61	Glass vial: 1mL- 2L	3/2/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC62	Glass vial: 1mL- 2L	3/5/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC63	Glass vial: 1mL- 2L	3/25/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC64	Glass vial: 1mL- 2L	3/25/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC65	Glass vial: 1mL- 2L	3/25/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC66	Glass vial: 1mL- 2L	3/25/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC67	Glass vial: 1mL- 2L	4/6/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC68	Glass vial: 1mL- 2L	5/11/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC69-92	Glass vial: 1mL- 2L	5/14/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC7	Glass vial: 1mL-2L	5/2/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC8	Glass vial: 1mL-2L	5/5/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC9	Glass vial: 1mL-2L	5/5/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC93	Glass vial: 1mL- 2L	6/11/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC94	Glass vial: 1mL- 2L	7/20/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC95	Glass vial: 1mL- 2L	7/22/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC96	Glass vial: 1mL- 2L	10/6/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC97	Glass vial: 1mL- 2L	10/6/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC98	Glass vial: 1mL- 2L	10/12/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC99	Glass vial: 1mL- 2L	10/12/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MDMA and MDA	Glass vial: 1-200 mL	4/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MEDTOX SURE SCREEN	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MEDTOX SURE SCREEN POSITIVE	Glass vial: 1-200 mL	11/5/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Meperidine & Normeperidine	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, METH-COC-AMPH-THC Cutoff -50%	Glass vial: 1 mL - 2 L	11/5/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Miscellaneous #2	Glass vial: 1 mL - 2 L	10/23/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Mixed Low with Morphine	Vial: 1 mL- 2 L	9/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Mixed threshold with Morphine	Vial: 1 mL- 2 L	9/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Morphine 20,000 ng/mL & Benzoylecgonine 20,000 ng/mL	Glass vial: 1 mL - 2 L	5/18/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent	Glass vial: 1-200 mL	9/9/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MULTI-CONSTITUENT Cutoff +25%	Glass vial: 1 mL - 2 L	11/7/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent High	Glass vial: 1 mL - 2 L	10/25/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent Level 1a	Glass vial: 1 mL - 2 L	2/5/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MultiConstituent Mix	Glass vial: 1 mL - 2 L	11/16/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent Mix - 18002337	Glass vial: 1 mL - 2 L	11/30/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent, Level 1	Glass vial: 1-200 mL	1/6/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent, Level 5	Glass vial: 1-200 mL	1/6/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Nitrazepam	Glass vial: 1mL-2L	10/4/2007

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, nor-Ketamine	Glass vial: 1 mL - 2 L	12/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML BARB/OPIOID	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML Benzo/MMP	Glass vial: 1 mL - 2 L	3/1/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML Custom THC 100+25%	Glass vial: 1-200 mL	6/24/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML Narcotic Panel	Glass vial: 1 mL - 2 L	9/10/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML THC 100 +25% with d-Amphetamine	Glass vial: 1-200 mL	9/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Opiate Mix	Glass vial: 1 mL - 2 L	7/14/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OPIATE MIX	Glass vial: 1 mL - 2 L	12/21/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OXYCODONE & OXYMORPHONE	Glass vial: 1 mL - 2 L	11/14/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Oxycodone, Hydrocodone & Hydromorphone	Glass vial: 1 mL - 2 L	3/16/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Phencyclidine (PCP)	Glass vial: 1 mL - 2 L	7/6/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Propoxyphene	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Propoxyphene and MDMA	Glass vial: 1-200 mL	4/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SAMHSA PLUS	Glass vial: 1-200 mL	3/16/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SC19	Glass vials: 1 mL- 200 mL	11/21/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD1	Glass vial: 1mL-2L	4/23/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD10	Glass vials: 1 mL- 200 mL	1/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD11	Glass vials: 1 mL- 200 mL	1/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD12	Glass vials: 1 mL- 200 mL	1/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD13	Glass vials: 1 mL- 200 mL	1/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD14	Glass vials: 1 mL- 200 mL	1/12/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD15	Glass vials: 1 mL- 200 mL	2/22/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD16	Glass vials: 1 mL- 200 mL	4/26/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD17	Glass vials: 1 mL- 200 mL	8/14/2012
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD18	Glass vials: 1 mL- 2 L	4/11/2013
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD2	Glass vial: 1-2000 mL	6/11/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD20	Glass vials: 1 mL- 200 mL	1/15/2014
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD3	Glass vial: 1-2000 mL	6/12/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD4	Glass vial: 1-2000 mL	6/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD5	Glass vial: 1-2000 mL	6/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD6	Glass vial: 1-2000 mL	6/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD7	Glass vial: 1-2000 mL	6/15/2009
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD8	Glass vial: 1mL- 2L	1/27/2010
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SD9	Glass vial: 1mL- 2L	5/23/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Secobarbital	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES A	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES B	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES III with EDDP	Glass vial: 1-200 mL	6/2/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES III-H with EDDP & Nitrazepam	Glass vial: 1-200 mL	7/19/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series IV with Oxycodone	Glass vial: 1-200 mL	1/27/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with EDDP, 6MAM & Ethanol	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with Ethanol, 6MAM, EDDP, and Nortriptyline	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with MDMA	Glass vial: 1 mL - 2 L	10/16/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with Oxycodone	Glass vial: 1-200 mL	11/5/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION A	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION B	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION C	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION D	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION E	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION F	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION G	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION H	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION J	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, South Bend Mixed Low Control	Glass vial: 1 mL - 2 L	9/29/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, South Bend Mixed Threshold	Glass vial: 1 mL - 2 L	9/29/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Special GC/MS Control	Glass vial: 1-200 mL	6/16/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, State II DOA Control	Glass vial: 1 mL - 2 L	9/21/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Stat-Skreen w/Oxycodone 100 ng/mL	Glass vial: 1-200 mL	7/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Stat-Skreen w/Oxycodone 100 ng/mL and MDMA 500 ng/mL	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Stat-Skreen-H with MDMA	Glass vial: 1-200 mL	9/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, STNNX CUTOFF -25%	Glass vial: 1 mL - 2 L	10/23/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SureScreen with Oxycodone	Glass vial: 1 mL - 2 L	5/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Temazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Univ. Mo High Control	Glass vial: 1 mL - 2 L	11/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Varian 6 Panel	Glass vial: 1-200 mL	12/27/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine: Morphine, 6-MAM, Codeine, Dihydrocodeine, Methadone, EDDP	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine: Multi-Constituent Level 1	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine: Multi-Constituent Level 2	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; AMP 450 ng/mL, PCP 25 ng/mL, BZO 100 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; mAMP 375 ng/mL, PCP 6.25 ng/mL, BZO 150 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; mAMP 450 ng/mL, AMP 300 ng/mL, PCP 12.5 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; mAMP 75 ng/mL, AMP 225 ng/mL, MTD 250 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; MDMA 125 ng/mL, COC 75 ng/mL, BZO 250 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; MDMA 750 ng/mL, COC 100 ng/mL, MTD 100 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 100 ng/mL, MDMA 250 ng/mL, BZO 300 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 125 ng/mL, COC 25 ng/mL, MTD 150 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 150 ng/mL, MDMA 500 ng/mL, COC 50 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 25 ng/mL, MDMA 375 ng/mL, PCP 31.25 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 50 ng/mL, PCP 37.5 ng/mL, BZO 200 ng/mL	Glass vial: 1-200 mL	10/29/2004

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 75 ng/mL, AMP 375 ng/mL, BZO 50 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 10 ng/mL, mAMP 225 ng/mL, COC 125 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 20 ng/mL, COC 150 ng/mL, MTD 200 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 30 ng/mL, MDMA 625 ng/mL, MTD 50 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 40 ng/mL, mAMP 150 ng/mL, MTD 300 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 50 ng/mL, AMP 75 ng/mL, PCP 18.75 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 60 ng/mL, AMP 150 ng/mL, mAMP 300 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Oxycodone and MDMA Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, 11-Hydroxy-delta-9-THC	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, 11-Nor-delta-9-THC-COOH	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Alpha-Methadol	Glass vial: 1-200 mL	4/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Benzoylecgonine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Cannabidiol	Glass vial: 1-200 mL	4/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Cannabinol	Glass vial: 1-200 mL	4/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Cocaine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Codeine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, d-Amphetamine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Delta-9-THC-COOH	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, d-Methamphetamine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Ecgonine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Ethyl Morphine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Fentanyl	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Hydrocodone	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, l-Amphetamine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, MDA	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, MDEA	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, MDMA	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Methadone	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Morphine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, NON-MANDATED	Glass vial: 1-200 mL	1/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Nordiazepam	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Oxazepam	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Oxycodone	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, PCP	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Pentobarbital	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Phenobarbital	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Toxicology Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse GC/MS Liquid Control Urine	Bottle: 50 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse GC/MS Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse GC/MS-H Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series I-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series III-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series IV-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series V-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series I	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series I,II,II,IV,V	Bulk: Up to 100 L	1/2/1996
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series II	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series III	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series IV	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series V	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Stat-Skreen Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Stat-Skreen-H Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Diazepam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Diazepam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Dihydrocodeine Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	D-Methamphetamine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	D-Propoxyphene	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	D-Propoxyphene	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Estazolam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Ethylmorphine	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Fentanyl	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Flunitrazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Flurazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Gamma Hydroxybutyric Acid (GHB) Bulk Solution	Container: 1 mL-1 L	6/27/2007
Biochemical Diagnostics, Inc.	Hydrocodone Bitartrate	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Hydrocodone Bitartrate	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Hydromorphone	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Lorazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Lormetazepam Bulk Solution	Bottle: 1-1000 mL	5/22/2006
Biochemical Diagnostics, Inc.	LSD	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	LSD 25µg/mL	Vial: 1 mL	12/22/1995
Biochemical Diagnostics, Inc.	Marijuana (Cannabinol & Cannabidiol)	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	MDA	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	MDEA	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	MDMA	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002

Biochemical Diagnostics, Inc.	MEDTOX 300 POSITIVE Toxicology Urine Control	Glass vial: 1-200 mL	9/2/2005
Biochemical Diagnostics, Inc.	Meperidine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Meperidine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Meprobamate Bulk Solution	Glass/Plastic bottle: 1-1000 mL	8/2/2007
Biochemical Diagnostics, Inc.	Methamphetamine (D-Methamphetamine)	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Methaqualone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Methaqualone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Methylphenidate Bulk Solution	Glass/Plastic bottle: 1-1000 mL	9/25/2007
Biochemical Diagnostics, Inc.	Midazolam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Morphine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Morphine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Morphine-3-glucuronide	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Morphine-6-Glucuronide	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Nimetazepam Bulk Solution	Bottles: 1 mL- 1 L	1/11/2010
Biochemical Diagnostics, Inc.	Nitrazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	nor-Buprenorphine	Bottle: 1-1000 mL	7/10/2005
Biochemical Diagnostics, Inc.	Nordiazepam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Nordiazepam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Noroxymorphone Bulk Solution	Glass/Plastic bottle: 1-1000 mL	9/25/2007
Biochemical Diagnostics, Inc.	Oxazepam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Oxazepam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Oxycodone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Oxycodone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Oxymorphone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Oxymorphone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Pentobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Pentobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Phencyclidine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Phencyclidine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Phenobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Phenobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Phentermine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Phentermine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Psilocybin	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	Psilocyn	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	Salivabuse Custom Liquid Control Oral Fluid OF30	Glass vial/Plastic bottle: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	11/29/2023
Biochemical Diagnostics, Inc.	Salivabuse Custom Liquid Control Oral Fluid, OF25	Glass vials: 1 mL- 200 mL	10/23/2012
Biochemical Diagnostics, Inc.	Salivabuse Liquid Control Oral Fluid, OF28	Glass vials: 5 mL, 20 mL, 25 mL	7/28/2020
Biochemical Diagnostics, Inc.	Salivabuse Liquid Control Oral Fluid, OF29	Glass vials: 5 mL, 20 mL, 25 mL	9/24/2020
Biochemical Diagnostics, Inc.	Secobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Secobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Tapentadol Bulk Solution	Bulk container: 1 mL- 1 L	8/27/2013
Biochemical Diagnostics, Inc.	Temazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Triazolam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Triazolam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Zolpidem Bulk Solution	Glass/Plastic bottle: 1-1000 mL	8/2/2007
Biocrates Life Sciences AG	AbsoluteIDQ Stero17 Kit	Kit: 3 well plates, glass and plastic vials: 40 ng – 50.4 µg	6/15/2018
BioFocus DPI, Inc.	NIH MLSMR Project Plate - CII	Microtiter plate: 128mm x 86 mm	10/30/2007
BioFocus DPI, Inc.	NIH MLSMR Project Plate - CIII	Microtiter plate: 128mm x 86 mm	10/30/2007
BioFocus DPI, Inc.	NIH MLSMR Project Plate - CIV	Microtiter plate: 128mm x 86 mm	10/30/2007
Biolog, Inc.	FF MicroPlate Fungi Identification Test Panel	MicroPlate	2/26/2001
Biolog, Inc.	GN2 MicroPlate Gram Negative Identification Test Panel	MicroPlate	2/26/2001
Biolog, Inc.	GP2 MicroPlate Gram Positive Identification Test Panel	MicroPlate	2/26/2001
BioNetx, Inc.	VERI-CHECK Positive Control Urine	Glass vial: 1-200 mL	12/16/2003
Bionostics, Inc.	HEMOCHRON ACT Whole Blood Quality Control (QCACT)	Box: 20 vials; 2.0 mL (dried)	4/11/2014
Bionostics, Inc.	HEMOCHRON HiTTRx Whole Blood Quality Control (RQCHRT)	Box: 20 vials; 2.0 mL (dried)	4/11/2014
Bionostics, Inc.	HEMOCHRON HiTTRx Whole Blood Quality Control (RQCPRT)	Box: 20 vials; 2.0 mL (dried)	4/11/2014
Bionostics, Inc.	IN PROCESS MATERIAL DC PRO Whole Blood Control	Ampule: 0.5 mL	9/12/2013
Bionostics, Inc.	IN PROCESS MATERIAL DC Whole Blood Control	Ampule: 0.5 mL	9/12/2013
Bionostics, Inc.	IN PROCESS MATERIAL Whole Blood Control	Glass vial: 2 mL lyophilized	4/11/2014
Biopool International	Drugs of Abuse Controls GC/MS L-2, L-3 and L-4	Kit: 6 Vials	1/4/1994
Biopool International	Drugs of Abuse Controls GC/MS L-2, L-3 and L-4	Vial: 12 mL	1/4/1994
Biopool International	Drugs of Abuse Controls L-2, L-3 and L-4	Kit: 6 Vials	1/4/1994
Biopool International	Drugs of Abuse Controls L-2, L-3 and L-4	Vial: 12 mL	1/4/1994
Biopool International	SURE-Urine Drugs of Abuse Control Level 2 GC/MS, 3 GC/MS and 4 GC/MS	Vial: 15 mL	10/7/1997
Biopool International	SURE-Urine Drugs of Abuse Control Level 2, 3 and 4	Vial: 10 mL	10/7/1997
Bio-Rad Laboratories	3,4-Methylenedioxyamphetamine HCl Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxyamphetamine HCl Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxyamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxymethamphetamine HCl Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxymethamphetamine HCl Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxymethamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxy-N-ethylamphetamine HCl Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxy-N-ethylamphetamine HCl Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxy-N-ethylamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	6-Monoacetylmorphine, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	6-Monoacetylmorphine, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 50 mL	6/4/2003
Bio-Rad Laboratories	6-Monoacetylmorphine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Amobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003

Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Amphetamine HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 100 mL	6/6/2003
Bio-Rad Laboratories	Amphetamine HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 200 mL	6/9/2003
Bio-Rad Laboratories	Assayed QCS 1 No. 970200	Kit: 15 vials; Vial: 8 mL	12/28/1999
Bio-Rad Laboratories	Assayed QCS 2 No. 970500	Kit: 15 vials; Vial: 8 mL	12/28/1999
Bio-Rad Laboratories	Benzodiazepines/Tricyclic Antidepressants by HPLC	Kit: 100 tests	2/8/1990
Bio-Rad Laboratories	Benzoylecgonine Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 10 mL	6/11/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	3/12/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 10 mL	6/6/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 10 mL	6/10/2003
Bio-Rad Laboratories	Benzoylecgonine, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 10 mL	6/10/2003
Bio-Rad Laboratories	Butalbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Codeine Liquichek Urine Toxicology Control C3	Glass volumetric flask: 250 mL	12/8/2003
Bio-Rad Laboratories	Codeine Liquichek Urine Toxicology Control C4	Glass volumetric flask: 500 mL	12/8/2003
Bio-Rad Laboratories	Codeine, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Codeine, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 100 mL	3/12/2003
Bio-Rad Laboratories	Codeine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Codiene, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	CoTube Estradiol Tracer	Glass bottle: 125 mL	7/28/1993
Bio-Rad Laboratories	D-Amphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 100 mL	6/2/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	6/4/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	D-Methamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 100 mL	6/2/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	EQAS Immunoassay (Monthly) Program	Box 12 vials; 5 mL each	5/22/2013
Bio-Rad Laboratories	EQAS Therapeutic Drug Monitoring Program	Glass vial: 7 mL	4/4/2000
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Level 1	Plastic tube: 3 mL; Box: 12 tubes	12/10/2018
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Level 2	Plastic tube: 3 mL; Box: 12 tubes	12/10/2018
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Level 3	Plastic tube: 3 mL; Box: 12 tubes	12/10/2018
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Trilevel MiniPak	Box: 3 tubes, 3 mL each	12/10/2018
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Level 1	Plastic tube: 4 mL; Box: 12 tubes	9/15/2020
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Level 2	Plastic tube: 4 mL; Box: 12 tubes	9/15/2020
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Level 3	Plastic tube: 4 mL; Box: 12 tubes	9/15/2020
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Trilevel MiniPak	Box: 3 tubes, 4 mL each	9/15/2020
Bio-Rad Laboratories	Internal Standard	Amber Vial: 30 mL Flask: 200-2000 mL	2/8/1990
Bio-Rad Laboratories	Liquicheck Urine Toxicology Control Level C2 Low Opiate	Glass vials: 20 mL	1/28/2000
Bio-Rad Laboratories	Liquicheck Urine Toxicology Control Level C3 Low Opiate	Glass vials: 20 mL	1/28/2000
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Level 1	Glass vial: 2.5 mL, Box 12 vials	2/20/2013
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Level 1,2 and 3, Trilevel	Box: 12 vials, 5 mL each	11/21/2012
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Level 2	Glass vial: 2.5 mL, Box 12 vials	2/20/2013
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Level 3	Glass vial: 2.5 mL, Box 12 vials	2/20/2013
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Levels 1, 2,and 3	Amber Vial: 10 mL; Box: 12 vials	7/26/2011
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Trilevel	Amber Vial: 10 mL; Box: 12 vials	7/26/2011

Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Trilevel Minipak	Amber Vial: 5 mL; Box: 3 vials	7/26/2011
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Trilevel MiniPak	Box: 3 vials, 2.5 mL each	11/14/2012
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control, Level 1	Plastic tube: 4 mL; Box: 12 tubes	4/11/2018
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control, Level 2	Plastic tube: 4 mL; Box: 12 tubes	4/11/2018
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control, Level 3	Plastic tube: 4 mL; Box: 12 tubes	4/11/2018
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control, Trilevel MiniPak	Box: 3 tubes	4/11/2018
Bio-Rad Laboratories	Liquichek Immunoassay Premium Control Levels 1-3	Box of 6 vials, 5 mL each	9/25/2013
Bio-Rad Laboratories	Liquichek Immunoassay Premium Control Trilevel	Box of 6 vials, 5 mL each	9/25/2013
Bio-Rad Laboratories	Liquichek Immunoassay Premium Control Trilevel MiniPak	Box of 3 vials, 5 mL each	9/25/2013
Bio-Rad Laboratories	Liquichek Netherlands Unassayed Chemistry Plus Control, Levels 1	Box: 25 vials, 5 mL each	6/30/2015
Bio-Rad Laboratories	Liquichek Netherlands Unassayed Chemistry Plus Control, Levels 2	Box: 25 vials, 5 mL each	6/30/2015
Bio-Rad Laboratories	Liquichek Netherlands Unassayed Chemistry Plus Control, Levels 3	Box: 25 vials, 5 mL each	6/30/2015
Bio-Rad Laboratories	Liquichek Opiate Control Bilevel MiniPak	Box of 10 vials, 5 mL each	3/1/2010
Bio-Rad Laboratories	Liquichek Opiate Control In-Process Solutions	Glass flask: 50 mL	3/3/2010
Bio-Rad Laboratories	Liquichek Opiate Control Level 1	Glass vial: 5 mL	3/1/2010
Bio-Rad Laboratories	Liquichek Opiate Control Level 2	Glass vial: 5 mL	3/1/2010
Bio-Rad Laboratories	Liquichek Urine Toxicology Control C1	Glass vial: 20 mL; Box 10 vials	7/12/2005
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C1	Glass volumetric flask: 1.0-50 mL	7/12/2005
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C2	Glass vial: 20 mL; Box: 10 vials	12/9/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C3	Glass vial: 20 mL; Box: 10 vials	12/9/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C4	Glass vial: 20 mL; Box: 10 vials	12/9/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S1 Low Opiate	Glass vial: 10 mL	11/3/1999
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S1E Low Opiate	Glass volumetric flask: 10-100 mL (In-Process)	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S1S	Glass volumetric flask: 10-50 mL	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S2 Low Opiate	Glass vial: 10 mL	11/3/1999
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S2E Low Opiate	Glass volumetric flask: 10-100 mL (In Process)	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S2S	Glass volumetric flask: 10-50 mL	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10	Box: 10 vials, 10 mL each	2/17/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10 Low Opiate	Box: 10 vials, 10 mL each	2/19/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10 Low Opiate Minipak	Amber vial: 10 mL	2/19/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10 Minipak	Amber vial: 10 mL	2/17/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E	Glass vial: 10 mL; Box 10 vials	8/5/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E (In-Process)	Glass volumetric flask: 50-200 mL	8/13/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E Low Opiate	Glass vial: 10 mL; Box 10 vials	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1S	Glass vial: 10 mL; Box 10 vials	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20	Box: 10 vials, 10 mL each	2/19/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20 Low Opiate	Box: 10 vials, 10 mL each	2/19/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20 Low Opiate Minipak	Amber vial: 10 mL	2/19/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20 Minipak	Amber vial: 10 mL	2/19/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E	Glass vial: 10 mL; Box 10 vials	8/14/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E (In-Process)	Glass volumetric flask: 50-200 mL	8/14/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E Low Opiate	Glass vial: 10 mL; Box 10 vials	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2S	Glass vial: 10 mL; Box 10 vials	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Level C1	Glass vial: 20 mL	11/4/1999
Bio-Rad Laboratories	Liquid Assay Multiqual 1, Product Code 981600	Kit: 15 vials; Vial: 8 mL	12/21/1999
Bio-Rad Laboratories	Liquid Assay Multiqual 2, Product Code 981700	Kit: 15 vials; Vial: 8 mL	12/21/1999
Bio-Rad Laboratories	Liquid Assay Multiqual 3, Product Code 981800	Kit: 15 vials; Vial: 8 mL	12/21/1999
Bio-Rad Laboratories	Liquid Assayed Multiqual Levels 1-3	Amber Vial: 2.5 mL; Box: 12 vials	8/2/2011
Bio-Rad Laboratories	Liquid Assayed Multiqual Premium, Levels 1-3	Box: 6 vials, 5 mL each	11/21/2012
Bio-Rad Laboratories	Liquid Assayed Multiqual Premium, Trilevel Minipak	Box: 3 vials, 5 mL each	11/21/2012
Bio-Rad Laboratories	Liquid Assayed Multiqual Trilevel MiniPak	Amber Vial: 2.5 mL; Box: 3 vials	8/2/2011
Bio-Rad Laboratories	Liquid TDM 1 Cat# 925100	Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid TDM 1, 2, 3, Cat# 925000	Kit: 15 vials; Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid TDM 2 Cat# 925200	Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid TDM 3 Cat# 925300	Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid Unassayed Multiqual 1 10 mL, Cat. No. 983000	Vial: 1 mL, Package: 15 vials	12/21/1999
Bio-Rad Laboratories	Liquid Unassayed Multiqual 2 10 mL, Cat. No. 984000	Vial: 1 mL, Package: 15 vials	12/21/1999
Bio-Rad Laboratories	Liquid Unassayed Multiqual 3 10 mL, Cat. No. 985000	Vial: 1 mL, Package: 15 vials	12/21/1999
Bio-Rad Laboratories	Liquid Unassayed Multiqual Levels 1-3	Amber Vial: 2.5 mL; Box: 12 vials	8/2/2011
Bio-Rad Laboratories	Liquid Unassayed Multiqual Trilevel MiniPak	Amber Vial: 2.5 mL; Box: 3 vials	8/2/2011
Bio-Rad Laboratories	Liquidchek Qualitative Urine Toxicology Control	Glass vial: 5 mL; Package: 12 vials	3/7/2001
Bio-Rad Laboratories	Lyphocheck Urine Toxicology Control MiniPak, Cat. No. 470X	Glass vial: 25 mL	1/11/2013
Bio-Rad Laboratories	Lyphochek Assayed Chemistry Control Bilevel MiniPak	Box 2 vials; 5 mL each	9/19/2011
Bio-Rad Laboratories	Lyphochek Assayed Chemistry Control Levels 1-2	Amber Vial: 5 mL; Box: 12 vials	9/19/2011
Bio-Rad Laboratories	Lyphochek Immunoassay Plus Control Levels 1, 2, and 3	Amber Vial: 10 mL; Box: 12 vials	7/27/2011
Bio-Rad Laboratories	Lyphochek Immunoassay Plus Control Trilevel	Amber Vial: 10 mL; Box: 12 vials	7/27/2011
Bio-Rad Laboratories	Lyphochek Quantitative Urine Control Normal (1) and Abnormal (2)	Vial: 20 mL; Box: 20 vials	9/11/2000
Bio-Rad Laboratories	Lyphochek REMEDi Control Level 1	Glass vial: 10 mL	11/4/1999
Bio-Rad Laboratories	Lyphochek REMEDi Control Level 2	Glass vial: 10 mL	11/4/1999
Bio-Rad Laboratories	Lyphochek Unassayed Chemistry Control (Human) Bilevel MiniPak	Box 2 vials; 5 mL each	9/19/2011
Bio-Rad Laboratories	Lyphochek Unassayed Chemistry Control (Human) Levels 1-2	Amber Vial: 5 mL; Box: 25 vials	9/19/2011
Bio-Rad Laboratories	Lypochek Immunoassay Plus Control Trilevel Minipak	Amber Vial: 5 mL; Box: 3 vials	7/27/2011
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 200 mL	6/2/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	6/4/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 200 mL	6/6/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 200 mL	6/6/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 200 mL	6/10/2003
Bio-Rad Laboratories	Methadone HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003

Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Methadone/Methadone Metabolite Reagent Kit	400 tests	9/17/1990
Bio-Rad Laboratories	Methaqualone HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Methaqualone HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methaqualone HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Methaqualone HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 200 mL	6/6/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Morphine-3-B-D-Glucuronide, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Morphine-3-B-D-Glucuronide, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Morphine-3-β-D-glucuronide Liquichek Urine Toxicology Control C3	Glass volumetric flask: 250 mL	12/8/2003
Bio-Rad Laboratories	Morphine-3-β-D-glucuronide Liquichek Urine Toxicology Control C4	Glass volumetric flask: 500 mL	12/8/2003
Bio-Rad Laboratories	Morphine-3-β-D-Glucuronide, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Morphine-3-β-D-Glucuronide, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Nordiazepam Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Oxazepam Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Oxycodone HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 10 mL	3/17/2006
Bio-Rad Laboratories	Pentobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 1.0 mL	6/2/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	6/4/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 1.0 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Phenobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 50 mL	12/8/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Quantaphase Thyroxine RIA-125I Tracer/Dissociating Reagent	Plastic bottle: 60 mL, 260 mL	5/6/1981
Bio-Rad Laboratories	Quantaphase Thyroxine RIA-Thyroxine Immunobeads	Plastic bottle: 60 mL, 260 mL	5/6/1981
Bio-Rad Laboratories	Quantimune Barbital Buffer	Plastic bottle: 1000 mL, 250 mL, 200 mL	5/31/1978
Bio-Rad Laboratories	Quantimune Radioimmunoassay T-4 Tracer, Iodine-125	Vial: 10 mL	7/21/1976
Bio-Rad Laboratories	Quantimune T-3 RIA Barbital Buffer	Bottle: 220 mL	9/24/1982
Bio-Rad Laboratories	Quantimune T-3 RIA Test Kit	Kit: 500 tests, 100 tests	5/31/1978
Bio-Rad Laboratories	Quantimune T-4 RIA Kit	Kit: 500 tests	7/1/1977
Bio-Rad Laboratories	Quantimune T-4 RIA Test Kit	Kit: 5000 tests, 100 tests	5/31/1978

Bio-Rad Laboratories	Quantimune Thyroxine Radioimmunoassay Barbital Buffer	Plastic bottle with Screw cap: 1 liter	7/1/1977
Bio-Rad Laboratories	Quantimune Thyroxine Radioimmunoassay T-4 125I Tracer/Dissociating Agent	Glass Serum Vial: 10 mL	7/1/1977
Bio-Rad Laboratories	REMEDI DPS Check Mix	Vial: 20 mL, Flask: 1-10 L	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Internal Standard Combination	Vial: 20 mL, Flask: 250-6000 mL	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Internal Standard One	Vial: 20 mL, Flask: 250-2500 mL	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Internal Standard Two	Vial: 20 mL, Flask: 250-5000 mL	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Urine Calibrator	Vial: 20 mL, Flask: 1-10 L	9/17/1990
Bio-Rad Laboratories	Secobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 10 mL	6/11/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	3/12/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 10 mL	6/10/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Serum Calibrator 1	Amber Vial: 20 mL; Polypropylene container: 20 L	2/8/1990
Bio-Rad Laboratories	Serum Calibrator 2	Amber Vial: 20 mL; Polypropylene container: 20 L	2/8/1990
Bio-Rad Laboratories	Serum Calibrator for Benzodiazepines/Tricyclics, Contains 2	Box: 2 vials	2/8/1990
Bio-Rad Laboratories	T-4 Competitive Binding Reagent, Iodine-125	Bottle: 385 mL	7/21/1976
Bio-Rad Laboratories	Unassayed QCS 1 No. 971600, 10 mL	Kit: 15 vials; Vial: 15 mL	12/28/1999
Bio-Rad Laboratories	Unassayed QCS 2 No. 971700, 10 mL	Kit: 15 vials; Vial: 15 mL	12/28/1999
Bio-Rad Laboratories	Urine Control 2, Cat. No. 904100	Vial: 15 mL; Box: 15 vials	3/13/2000
Bio-Rad Laboratories, (Chemical Division)	Barbital Buffer	Vial: 10 mL	7/21/1976
Bio-Rad Laboratories, (Chemical Division)	Barbital Buffer Powder	Plastic bottle: 250 mL	9/9/1977
Bio-Rad Laboratories, (Chemical Division)	Barbital Buffer Powder	Plastic bottle: 250 mL	7/21/1976
Bio-Rad Laboratories, (Chemical Division)	Barbital Buffer-Dry Pack	Packages: 9.11 g., 18.21 g., 12.14 g.	5/9/1974
Bio-Rad Laboratories, (Chemical Division)	Bio-Rad Electrophoresis Buffer	Bottle: 500 mL	12/14/1972
Bio-Rad Laboratories, (Chemical Division)	Electrophoresis Buffer, Dry-Pack	Package: 6.15 g.	12/14/1972
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbital Buffer I, pH 8.6	Dry-pack: 25.6 g.	8/6/1975
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbital Buffer II, pH 8.6	Dry-pack: 15.61 g.	8/6/1975
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbital Buffer III, pH 8.6	Dry-pack: 6.82 g.	1/22/1976
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbital Buffer III-a, pH 8.8	Dry-pack: 15.07 g.	8/6/1975
Bio-Rad Laboratories, (Chemical Division)	Reagent No. 3	Bottle: 165 mL	12/14/1972
Bio-Rad Laboratories, (Clinical Division)	Benzodiazepines/Tricyclics/Plasma Catecholamines (BZ/TCA/pCats) Serum Calibrators Bulk Preparations	Polypropylene Container: 15 L - 100 L	3/28/1991
Bio-Rad Laboratories, (Clinical Division)	Plasma Catecholamines by HPLC, 100 Test	Kit: 100 Test	3/28/1991
Bio-Rad Laboratories, (Clinical Division)	Plasma Catecholamines by HPLC, Serum Calibrator Set, 1x6 vials	Vial: 20 mL; Set: 6 vials	3/28/1991
Bio-Rad Laboratories, (ECS Division)	Abbott Immunoassay-MCC (Liquid)	Vial: 10 mL; Box: 12 vials	1/22/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Liquid Assayed Chemistry Control 1	Vial: 10 mL; Box: 25 vials	1/22/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Liquid Assayed Chemistry Control 2	Vial: 10 mL; Box: 25 vials	1/22/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Lyophilized Assayed Chemistry Control 1	Vial: 10 mL; Box: 25 vials	2/9/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Lyophilized Assayed Chemistry Control 2	Vial: 10 mL; Box: 25 vials	2/9/1999
Bio-Rad Laboratories, (ECS Division)	Architect Testosterone MasterCheck (Levels 1,2 and 3)	Vial: 5 mL; Kit: 1 vial of each level	1/21/1999
Bio-Rad Laboratories, (ECS Division)	Blind Performance Specimen Set Cat. #610	Kit: 5 bottles	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Liquichek Therapeutic Drug Monitoring Control (TDM), Levels 1,2,3	Vial: 10 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Liquichek Unassayed Chemistry Control (Human) Levels 1,2	Vial: 20 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Liquichek Urine Toxicology Control Level S1	Vial: 10 mL, Box: 10 vials Box: 10 vials	7/24/1997
Bio-Rad Laboratories, (ECS Division)	Liquichek Urine Toxicology Control Level S2	Vial: 10 mL, Box: 10 vials Box: 10 vials	7/24/1997
Bio-Rad Laboratories, (ECS Division)	Liquichek Urine Toxicology Control Level S3	Vial: 10 mL, Box: 10 vials Box: 10 vials	7/24/1997
Bio-Rad Laboratories, (ECS Division)	Lyphochek Benzo/TCA Control-Set B, Levels 1 and 2	Vial: 10 mL, Box: 6 vials	1/22/1997
Bio-Rad Laboratories, (ECS Division)	Lyphochek Therapeutic Drug Monitoring Control (TDM), Levels I, II, III	Vial: 10 mL	8/20/1984
Bio-Rad Laboratories, (ECS Division)	Lyphochek Urine Toxicology Control Cat# C-470-25	Amber Vial: 50 mL	9/19/1979
Bio-Rad Laboratories, (ECS Division)	Lyphochek® Benzo/TCA Control-Set A, Levels 1 and 2	Vial: 10 mL; Box: 6 vials	1/22/1997
Bio-Rad Laboratories, (ECS Division)	Lyphochek® Fertility Control Serum (Human) Levels 1,2,3	Vial: 10 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Lyphochek® Immunoassay Control Levels I, II, III	Vial: 10 mL	9/24/1987
Bio-Rad Laboratories, (ECS Division)	Lyphochek® Unassayed Chemistry Control (Bovine) Levels I, II	Vial: 20 mL	9/24/1987
Bio-Rad Laboratories, (ECS Division)	Positive for Amphetamines	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Cocaine	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Marihuana	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Opiates	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Phencyclidine	Bottle: 90 mL	9/14/1990
Biosite Diagnostics	Alprazolam Stock Solution, 31366	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Alprazolam Threshold Control Calibrators 2-6; 31446-31450	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Amphetamine Enzyme Conjugate 31111, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Amphetamine QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Amphetamine QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Barbiturate Conjugate	Plastic bottle: 2 mL - 60 mL	11/30/1990
Biosite Diagnostics	Barbiturate Conjugate Control	Vial: 0.5, 1, 2, 5, 15, 50 mL	3/28/1994
Biosite Diagnostics	Barbiturate Derivative	Vial: 8, 16, 32 mL	11/30/1990
Biosite Diagnostics	Barbiturate Enzyme Conjugate 31110, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Barbiturate QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Barbiturate QC Control (Bulk)	Bottle: 5 L - 10 L	10/29/1991
Biosite Diagnostics	Barbiturate Threshold Control Calibrators 2-6; 31356-31360	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Benzodiazepine Controls, 1-6 31088-31093, 7-11 31098-31102, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1991
Biosite Diagnostics	Benzodiazepine QC Control 3	Vial: 5 mL	10/29/1991

Biosite Diagnostics	Benzodiazepines QC Control 1	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 1 (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 2	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 2 (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 3 (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Benzoylecgonine Conjugate	Plastic bottle: 2 mL - 60 mL	11/30/1990
Biosite Diagnostics	Benzoylecgonine Conjugate II, III, IV, & V	Vial: 1.5 mL	3/14/1991
Biosite Diagnostics	Benzoylecgonine Conjugate II, III, IV, & V Bulk	Bottle: 5, 15, 30 & 60 mL	3/14/1991
Biosite Diagnostics	Benzoylecgonine Controls, 1-5 31041-31045, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Benzoylecgonine Enzyme Conjugate 31105, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Benzoylecgonine Enzyme Conjugate II	Vial: 1.5 mL	3/14/1991
Biosite Diagnostics	Benzoylecgonine Standards, 1-6 31035-31040, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Benzoylecgonine Stock Solution	Vial: 3 mL	6/1/1995
Biosite Diagnostics	Benzoylecgonine Stock Solution, 31322	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Benzoylecgonine Stock Solution, Bulk	Bottle: 15-100 mL	6/1/1995
Biosite Diagnostics	Benzoylecgonine Threshold Control Calibrators 2-6; 31341-31345	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Biosite Drugs of Abuse Controls Level 1	Vial: 5 mL; Kit: 6 vials	10/9/2000
Biosite Diagnostics	Biosite Drugs of Abuse Controls Level 2	Vial: 5 mL; Kit: 6 vials	10/9/2000
Biosite Diagnostics	Biosite Drugs of Abuse Controls Level 3	Vial: 5 mL; Kit: 6 vials	10/9/2000
Biosite Diagnostics	BNP Reaction Mixture	Vial: 0.1-2 mL	7/30/1999
Biosite Diagnostics	Cardiac Reaction Mixture	Vial: 0.1-2 mL	7/30/1999
Biosite Diagnostics	Cocaine QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Cocaine QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Conjugate (Intermediate)	Vial: 2, 5, 15, 50, 60, 100, 250, 500, 1000, 2000 mL	3/28/1994
Biosite Diagnostics	Conjugate Beads (Bulk)	Bottle: 15, 50, 100, 250, 500, 1000, 2000 mL	11/30/1990
Biosite Diagnostics	Conjugate Beads Triage and MTD	Vial: 15, 50, 100, 250, 500, 1000, 2000 mL	3/28/1994
Biosite Diagnostics	Conjugate Beads Triage MTD	Vial: 15, 50, 100, 250, 500, 1000, 2000 mL	3/28/1994
Biosite Diagnostics	d-Amphetamine Controls, 1-5 31030-31034, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	d-Amphetamine Standards, 1-6 31024-31029, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	D-Amphetamine Stock Solution, 31323	Vial: 2 mL	5/26/1992
Biosite Diagnostics	D-Amphetamine Threshold Control Calibrator, 31376	Flask: 250 mL	5/26/1992
Biosite Diagnostics	d-Methamphetamine Controls 5-6, 31020, 31257 Bulk Formulation	Vial: 1.5 mL, 20-50 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	d-Methamphetamine Controls, 1-4 31020-31023, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	d-Methamphetamine Standards, 1-6 31014-31019, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	D-Methamphetamine Stock Solution, 31324	Vial: 2 mL	5/26/1992
Biosite Diagnostics	D-Methamphetamine Threshold Control Calibrator, 31381	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Drugs of Abuse Controls-Level 2, Positive	Pack: 6 vials; 5 mL/vial	12/14/1994
Biosite Diagnostics	Drugs of Abuse Controls-Level 3, Hi-Positive	Pack: 6 vials; 5 mL/vial	12/14/1994
Biosite Diagnostics	Estazolam Threshold Control Calibrators 2-6	Vial: 0.25-1 mL	11/9/1993
Biosite Diagnostics	Estazolam Threshold Control Calibrators 2-6 Bulk Formulation	Vial: 5-20 mL	11/9/1993
Biosite Diagnostics	Estazolam TTC Stock Solution	Vial: 1 mL	11/9/1993
Biosite Diagnostics	Fluorescent Morphine B	Vial: 0.01-1 mL	7/30/1999
Biosite Diagnostics	Fluorescent Morphine C	Vial: 0.01-1 mL	7/30/1999
Biosite Diagnostics	Flurazepam Enzyme Conjugate 31109, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Flurazepam Standards, 1-7 31081-31087, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Intervention Bead Solution	Vial: 2, 5, 15, 50, 100, 250, 500 mL	3/28/1994
Biosite Diagnostics	Intervention Conjugate	Bottle/Flask: 0.5, 1, 2, 5 L	11/9/1993
Biosite Diagnostics	Intervention TCA Beads	Bottle/Flask: 0.25 - 1 L	11/9/1993
Biosite Diagnostics	Labeled Benzoylecgonine Conjugate	Plastic bottle: 0.5, 1, 2 & 5 L	11/30/1990
Biosite Diagnostics	Labeled Conjugate Mixture 13	Vial: 2, 5, 15, 50, 100, 250, 500 mL	3/28/1994
Biosite Diagnostics	Labeled Conjugate Mixture 2	Plastic bottle:10 mL- 1 L	11/30/1990
Biosite Diagnostics	Labeled Conjugate Mixture 5	Bottle: 2, 5, 15, 50, 100, 250, 500 mL	10/29/1991
Biosite Diagnostics	Labeled Conjugate Mixture 7	Bottle: 20 L, 10 L, 5 L, 1 L	12/22/1992
Biosite Diagnostics	Labeled Conjugate Mixture 9	Plastic bottle: 0.5, 1, 2 & 5 L	11/30/1990
Biosite Diagnostics	Labeled Morphine Conjugate	Plastic bottle: 0.5, 1, 2 & 5 L	11/30/1990
Biosite Diagnostics	Labeled THC Conjugate	Plastic bottle: 10 mL - 1 L	11/30/1990
Biosite Diagnostics	Labeled THC Conjugate (Mixture 13)	Flask: 500, 250, 100, 50, 15, 5, 2 mL	3/28/1994
Biosite Diagnostics	Labeled THC Conjugate Mixture 4	Bottle: 2, 5, 15, 50, 100, 250, 500 mL	10/29/1991
Biosite Diagnostics	Labeled Triage MTD Conjugate (Bulk)	Vial: 2, 5, 15, 50, 60, 100, 250, 260, 500 mL	3/28/1994
Biosite Diagnostics	Lorazepam Enzyme Conjugate 31108, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Lorazepam Standards, 1-4 31094-31097, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Lormetazepam Stock Solution	Vial: 1 mL	11/9/1993
Biosite Diagnostics	Methadone Control	Vial: 2 mL	12/22/1992
Biosite Diagnostics	Methadone Standards 1-6	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	Methadone Stock Solution	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	Methamphetamine Enzyme Conjugate 31104, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Methamphetamine QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Methamphetamine QC Control (Bulk)	Bottle: 5 L - 10 L	10/29/1991
Biosite Diagnostics	Morphine Conjugate	Plastic bottle: 2 - 60 mL	11/30/1990
Biosite Diagnostics	Morphine Control 3	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	Morphine Controls, 1-5 31076-31080, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Morphine Enzyme Conjugate 31107, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Morphine Standard 6, 31220 Bulk Formulation	Vial: 1.5 mL, 5-20 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	Morphine Standards, 1-5 31071-31075, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Morphine Stock Solution, 31325	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Opiate QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Opiate QC Control (Bulk)	Bottle: 05.L - 10 L	10/29/1991
Biosite Diagnostics	Opiate Threshold Control Calibrators 2-6; 31346-31350	Flask: 250 mL	5/26/1992
Biosite Diagnostics	PCP QC Control	Vial: 5 mL	10/29/1991

Biosite Diagnostics	PCP QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Phencyclidine Control 7 Bulk Formulation	Vial: 5-20 mL	11/9/1993
Biosite Diagnostics	Phencyclidine Controls 5 -6, 31255-31256 Bulk Formulation	Vial: 1.5 mL, 5-20 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	Phencyclidine Controls, 1-4 31010-31013, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phencyclidine Enzyme Conjugate 31103, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phencyclidine Standard 7	Vial: 0.25-1 mL	11/9/1993
Biosite Diagnostics	Phencyclidine Standards 1-4 31006-31009, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phencyclidine Standards 5-6, 31253-31254 Bulk Formulation	Vial: 1.5 mL, 5-20 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	Phencyclidine Stock Solution, 31321	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Phencyclidine Threshold Control Calibrators 2-6; 31366-31370	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Phenobarbital Controls, 1-8 31063-31070, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phenobarbital Standards, 1-8 31055-31062, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	PPX Conjugate Bead Solution	Bottles: 0.1, 0.5, 1, 2, and 5 L	2/21/2000
Biosite Diagnostics	Propoxyphene Control 1	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	RT-5 Drugs of Abuse Control, Positive	Pack: 6 vials; 5 mL/vial	12/14/1994
Biosite Diagnostics	Secobarbital Stock Solution, 31326	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Specificity Panel #1	Kit: 5 vials	2/23/2000
Biosite Diagnostics	Specificity Panel #2	Kit: 4 bottles	2/23/2000
Biosite Diagnostics	Specificity Panel #3	Kit: 4 bottles	2/23/2000
Biosite Diagnostics	Specificity Solution 1a	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1b	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1c	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1d	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1e	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2a	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2b	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2c	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2d	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3a	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3b	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3c	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3d	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	TCA Conjugate	Bottle/Flask: 0.5, 1, 2, 5 L	11/9/1993
Biosite Diagnostics	Temazepam Stock Solution, 31337	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Temazepam Threshold Control Calibrators 2-6; 31451-31455	Flask: 250 mL	5/26/1992
Biosite Diagnostics	THC Conjugate	Plastic bottle: 2 - 60 mL	11/30/1990
Biosite Diagnostics	THC Conjugate Control	Vial: 0.5, 1, 2, 5, 15, 50 mL	3/28/1994
Biosite Diagnostics	THC Controls, 1-3 31052-31054, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	THC Enzyme Conjugate 31106, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	THC QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	THC QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	THC Standards, 1-6 31046-31051, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	THC Standards, 7-9	Vial: 0.25-1 mL	11/9/1993
Biosite Diagnostics	THC Standards, 7-9 Bulk Formulation	Vial: 5-20 mL	11/9/1993
Biosite Diagnostics	THC Threshold Control Calibrators 2-6; 31371-31375	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Threshold Control A & B	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Threshold Control A & B (Bulk)	Bottle: 1 L - 20 L	10/29/1991
Biosite Diagnostics	Threshold Control F-1	Vial: 3.5-5 mL	6/1/1995
Biosite Diagnostics	Threshold Control F-1, Bulk Solution	Bottle: 0.05-5 L	6/1/1995
Biosite Diagnostics	Threshold Controls C,D,E,F,G,H	Vial: 5 mL	11/9/1993
Biosite Diagnostics	Thresholds C,D,E,F,G,H Bulk Solution	Bottle: 1-5 L	11/9/1993
Biosite Diagnostics	Triage 6 Panel for Drugs of Abuse	Box: 10, 25 cassettes	10/5/1992
Biosite Diagnostics	Triage 7 Conjugate	Vial: 2, 5, 15, 50, 60, 100, 250, 260, 500 mL	3/28/1994
Biosite Diagnostics	Triage 8 Panel for Drugs of Abuse	Box: 3, 10, 25 Cassettes	3/28/1994
Biosite Diagnostics	Triage 8 Panel for Drugs of Abuse	Pouch: 1 Cassette	3/28/1994
Biosite Diagnostics	Triage and MTD Conjugate (Bulk)	Vial: 2, 5, 15, 50, 60, 100, 250, 260, 500 mL	3/28/1994
Biosite Diagnostics	Triage BNP Kit	Box: 1 tray; Tray: 5-25 pouched test devices	7/30/1999
Biosite Diagnostics	Triage Cardiac Panel Kit	Box: 1 tray; Tray: 5-25 pouched test devices	7/30/1999
Biosite Diagnostics	Triage DOA Demo Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Triage DOA Demo Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Triage Drug Screen Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Triage Drug Screen Control (Bulk)	Bottle: 0.5 - 20 L	10/29/1991
Biosite Diagnostics	Triage Drugs of Abuse Panel Plus PPX (Propoxyphene)	Kit: 5 to 25 devices	2/21/2000
Biosite Diagnostics	Triage Intervention Panel for Drugs of Abuse	Box: 10, 25 Pouches	11/9/1993
Biosite Diagnostics	Triage Intervention Test Device	Pouch: 1 each	11/9/1993
Biosite Diagnostics	Triage Panel for Drugs of Abuse	Box: 10, 25 cassettes	11/30/1990
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Methadone	Box: 3, 10, 25 Cassettes	3/28/1994
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Methadone Test Device	Pouch: 1 Cassette	3/28/1994
Biosite Diagnostics	Triage Panel for Drugs of Abuse Plus Tricyclic Antidepressants	Box: 10, 25 Pouches	11/9/1993
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Tricyclic Antidepressants, Cat#92000	Kit: 25 Tests	11/1/1993
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Tricyclic Antidepressants, Cat#92010	Kit: 10 Tests	11/1/1993
Biosite Diagnostics	Triage Plus PPX Conjugate Beads	Bottles: 0.1 L to 1 L	2/21/2000
Biosite Diagnostics	Triage Plus PPX Test Device	Pouch: 1	2/21/2000
Biosite Diagnostics	Triage Plus TCA Beads	Bottle/Flask: 0.25 - 1 L	11/9/1993
Biosite Diagnostics	Triage Plus TCA Test Device	Pouch: 1 each	11/9/1993
Biosite Diagnostics	Triage Test Device	Metallic Pouch: 1 each	11/30/1990
Biosite Diagnostics	Triage TOX Drug Screen Panel Device, Pouched	Device: 1	12/10/2001
Biosite Diagnostics	Triage TOX Drug Screen Panel Kit	Box: 1 tray pouched devices	12/10/2001
Biosite Diagnostics	Triage-7 Conjugate Beads	Bottle: 15, 50, 100, 250, 500, 1000, 2000 mL	12/22/1992

Biosite Diagnostics	Triage-7 Device	Pouch: 1 cassette	12/22/1992
Biosite Diagnostics	Triage-7 Panel for Drugs	Box: 10, 25 cassettes	12/22/1992
Biosite Incorporated	18X Universal TOX Spiking Solution	Vial: 1-5 mL	11/28/2005
Biosite Incorporated	20X TOX Spiking Solution	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	AMP Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	BAR Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Benzoylecgonine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	BZO Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	COC Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	d-Amphetamine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	d-Methamphetamine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	DOA Primary Control	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	DOA/TOX Challenge Sample 1	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 1, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 2	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 2, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 3	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 3	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 3, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 3, Bulk	Bottle/Flask: 10 - 1000 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 5	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 5	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 5, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 5, Bulk	Bottle/Flask: 10 - 1000 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 7	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 7	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 7, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 7, Bulk	Bottle/Flask: 10 - 1000 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 8	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 8, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 1	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 1, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 10	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 10, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 11	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 11, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 12	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 12, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 13	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 13, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 14	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 14, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 15	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 15, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 16	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 16, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 17	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 17, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 18	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 18, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 19	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 19, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 2	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 2, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 20	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 20, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 3	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 3, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 4	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 4, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 5	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 5, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 6	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 6, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 7	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 7, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 8	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 8, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 9	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 9, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Estazolam Stock Solution, 1 mg/mL	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Estazolam Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Meth Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Methadone Stock Solution, 200X	Vial: 0.1-4.0 mL	4/10/2006
Biosite Incorporated	Morphine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	MTD Spot Check Control	Vial: 1-10 mL	4/10/2006
Biosite Incorporated	OPI Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	PCP Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	PCP Stock Solution, 200X	Vial: 1-5 mL	8/20/2004

Biosite Incorporated	Pentobarbital Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	PPX Stock Solution, 5 mg/mL	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Threshold Control G	Vial: 5 mL	8/20/2004
Biosite Incorporated	Threshold Control H	Vial: 5 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control A	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control B	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control C	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control D	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS 0.5X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS 0.75X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS 1.25X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS 2.5X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS Calibrator A	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator A, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator B	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator B, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator C	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator C, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator D	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator D, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator E	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator E, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator F	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator F, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS QC Positive Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Universal 0.5X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 0.5X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 0.75X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 0.75X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 1.25X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 1.25X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 2.5X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 2.5X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	Triage BNP Device, Pouched	Pouch: 1 test device	6/17/2002
Biosite Incorporated	Triage Cardiac Panel Device, Pouched	Pouch: 1 test device	7/22/2002
Biosite Incorporated	Triage® Cardio ProfilER Device, Pouched	Pouch: 1 test device	11/25/2002
Biosite Incorporated	Triage® Cardio ProfilER Kit	Box: 1 tray; Tray: 5-25 pouched test devices	11/25/2002
Biosite Incorporated	Triage® DOA/TOX Challenge Panel, Kit	Kit: 8 vials	12/7/2004
Biosite Incorporated	Triage® Drug Evaluation Panel, Kit	Vial: 1-5 mL; Kit: 20 vials	8/20/2004
Biosite Incorporated	Triage® TOX Drug Screen Control 2	Vial: 1-5 mL; Box: 2 vials	8/20/2004
Biosite Incorporated	Triage® TOX Drug Screen Control 2	Vial: 0.1-2.0 mL	11/28/2005
Biosite Incorporated	Triage® TOX Drug Screen Control 2, Bulk	Bottle/Flask: 100 - 10,000 mL	12/15/2004
Biosite Incorporated	Triage® TOX Drug Screen Control Set	Vial: 1-5 mL; Box: 4 vials	8/20/2004
Biosite Incorporated	Triage® TOX Drug Screen Control Set, Control 2	Vial: 0.1-2.0 mL; Box: 5 vials	11/28/2005
Brazilian Society of Clinical Analysis	Level 2 Chemistry	Box: 5 flats; Flat: 100 bottles; Glass bottle: 15 mL	2/22/2005
Brookhaven National Laboratory	COC HCl Quality Control	Vial: 10 mL	11/4/2005
Brookhaven National Laboratory	MAMP HCl Quality Control	Vial: 10 mL	11/4/2005
Cambridge Isotope Laboratories, Inc.	(-) Delta-9-THC (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	(-) Delta-9-THC (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(-) Delta-9-THC (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	(-)11-nor-9-Carboxy-Delta-9-THC (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(-)11-nor-9-Carboxy-Delta-9-THC (Unlabeled) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(-)-α-Methadol HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	(-)-α-Methadol HCl, 1.0mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+) Amphetamine (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(+-) MDA-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+-) MDEA-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+-) MDMA-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+) Methamphetamine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Hydroxy-Delta-9-THC (D3, 98%) 100 µg/mL	Ampule: 2 mL	4/8/1998
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Hydroxy-Delta-9-THC (Unlabeled) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Hydroxy-Delta-THC (D3, 98%) 100 µg/mL	Ampule: 2 mL	2/11/1998
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Nor-9-Carboxy-Delta-9-THC (D3, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Amphetamine (D10, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Amphetamine (D5, 98%) 100 µg/mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Amphetamine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) BDB (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) –Cannabidiol Unlabeled 1000 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	(+/-) MBDB (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) MDEA (D6, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methadone (D3, 98%) 10 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methadone (D9, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methadone (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D14, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D5, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D8, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D9, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) N-Ethylamphetamine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997

Cambridge Isotope Laboratories, Inc.	(+/-) Propoxyphene (D11, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(+/-)-Cannabidiol (unlabeled), 1.0 mg/mL in Methanol	Glass ampule: 2 mL	6/10/2003
Cambridge Isotope Laboratories, Inc.	(±)-Cannabicyclol (CBL) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	+/- Amphetamine (ring-D5, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	11-Ketotestosterone Chemical Purity 95% (16,16,17-D3,98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	11-Nor-9-Carboxy-Delta-9-THC (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	19-Nortestosterone (16,16,17-D3,98%) 100 µg/mL in Methanol	Glass vial: 1.2 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	19-Nortestosterone Unlabeled 100 µg/mL in Methanol	Glass vial: 1.2 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	2R-Cathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	2R-Cathinone•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2R-Methcathinone HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2R-Methcathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	2S-Cathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	2S-Cathinone•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2S-Methcathinone HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2S-Methcathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	4-Androstene-3,17-dione (2,3,4-13C3,98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	4-Androstene-3,17-dione (2,3,4-13C3,98%) 1000 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	4-Androstene-3,17-dione Unlabeled 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	4-Androstene-3,17-dione Unlabeled 1000 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	4-Androstene-6B,17B-diol-3-one (CP95%) (16,16,17-D3, 98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	4-ANPP Unlabeled 100 µg/mL in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	4-Bromo-2, 5-dimethoxy-phenethylamine HCl (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 10 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 1000 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-Dimethoxy-Phenethylamine:HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	5A-Androstan-3,17-dione (Androstanedione) Unlabeled 100 µg/mL in Methanol (95% CP)	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	5A-Androstan-3A-ol-17B-diol (16,16,17-D3,98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	5A-Androstan-3A-ol-17B-diol Unlabeled 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	5A-Dihydrotestosterone (16,16,17-D3,98%) 100 µg/mL in Methanol	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	5A-Dihydrotestosterone (DHT) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	5-alpha-Dihydrotestosterone 97% CP (2,3,4-13C3,99%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	5-alpha-Dihydrotestosterone 97% CP (2,3,4-13C3,99%) 1000 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	5-alpha-Dihydrotestosterone Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	5-alpha-Dihydrotestosterone Unlabeled 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	6-Acetylcodeine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (D3, 98%) 10 µg/mL	Ampule: 2 mL	4/8/1998
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (D6, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Acryl Fentanyl HCl Unlabeled 100 µg/mL in Methanol (as free base)	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Alprazolam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Alprazolam (D5, 98%), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Alprazolam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Amine Mixture-6, 250 µg/mL each component in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Aminorex (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Amobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Androstene-3,17-dione (2,3,4-13C3, 98%) 100 µg/mL in Acetonitrile	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Androstenedione Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Anhydroecgonine methyl ester (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Anhydroecgonine, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Anhydroecgonine•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Benzodiazepine Multi-Component Mixture-8, 250 µg/mL of each in Acetonitrile	Glass ampule: 2 mL	3/22/2004
Cambridge Isotope Laboratories, Inc.	Benzoyl Ecgonine HCl (N-Methyl-D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D3, 98%) 10 µg/mL, 100 ug/5 mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D8, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D8, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine Isopropyl Ester (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Bromazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Bromazepam (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	8/23/2005
Cambridge Isotope Laboratories, Inc.	Bufotenine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Buprenorphine (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Buprenorphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Butabarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Butalbital (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Butalbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Butalbital-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Cannabichromene (CBC) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabichromenic Acid (CBCA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabicyclolic Acid (CBLA) Unlabeled 0.5 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabidiol (D3, 98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019

Cambridge Isotope Laboratories, Inc.	Cannabidiolic Acid (CBDA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabidivarin (CBDV) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabidivarinic Acid (CBDVA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabigerol (CBG) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabigerolic Acid (CBGA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabinol (D3, 98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 1.0 mg/mL in Methanol	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Cannabinol Unlabeled 1000 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabinolic Acid (CBNA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Carfentanil Oxalate (D5, 98%) 100 µg/mL in Methanol (as free base)	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Chlordiazepoxide (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	cis (+/-) 4-Methylaminorex (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Clobazam (Ring-[C]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Clobazam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Clonazepam (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Clonazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Clonazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaethylene (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaethylene (D8, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaethylene (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Cocaine (N-Methyl-D3, 98%) 100µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Cocaine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Codeine (D3, 98%) 10 µg/mL, 100 ug/5 mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Codeine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Codeine (D6, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Codeine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Codeine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Codeine H2O (N-Methyl-D3, 98%) 100µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	D-Amphetamine HCl (D6, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Delta-9- tetrahydrocannabinol (THC) Unlabeled (95% CP), 1000 µg/mL in methanol (0.1%)	Glass ampule: 1.2 mL	2/19/2021
Cambridge Isotope Laboratories, Inc.	Delta-9-Tetrahydrocannabinolic Acid A (THC-A) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Delta-9-Trans-tetrahydrocannabinol (THC) (Methyl-D3, 98%), 100 µg/mL in methanol (0.01%)	Glass ampule: 1.2 mL	2/19/2021
Cambridge Isotope Laboratories, Inc.	Diazepam (D5, 98%) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Diazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Diazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Diazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Dihydrococaine:HCl (D6, 98%); Cat. # FSD-316-100	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine HCl (D6, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine HCl (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	DL-11-NOR-9-Carboxy-Delta-9-THC (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-11-NOR-9-Carboxy-Delta-9-THC (D9, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-11-NOR-9-Carboxy-Delta-9-THC (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D11, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D6, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D6, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D8, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DLM-10401-1.2	Glass Ampule: 1.2 mL	8/1/2019
Cambridge Isotope Laboratories, Inc.	DL-MBDB (Unlabeled) 1.0mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 1 mg/mL in Acetonitrile	Ampule: 2 mL	9/21/2001
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 1 mg/mL in Methanol	Ampule: 2 mL	9/19/2001
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 100 µg/mL in Acetonitrile	Ampule: 2 mL	9/21/2001
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 100 µg/mL in Methanol	Ampule: 2 mL	9/19/2001
Cambridge Isotope Laboratories, Inc.	DL-MDA (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDA (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDEA (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDEA (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDMA (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDMA (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methadone (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methadone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (D11, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (D6, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Propoxyphene (D5, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	DL-Propoxyphene (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	D-Propoxyphene (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	D-propoxyphene, 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Ecgonine Ethyl Ester (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine HCl (D3), 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Ecgonine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000

Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (D3, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester HCl (N-Methyl-D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Ecgonine·HCl (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine·HCl (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Estazolam (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Estazolam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Exo-THC (unlabeled), 1.0 mg/mL in Methanol	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 10 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 10 µg/mL in Methanol	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 1000 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 1000 µg/mL in Methanol	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fenfluramine (D10, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Fenfluramine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Fentanyl (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Fentanyl (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Fentanyl (unlabeled); Cat. # FSU-150-1000	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Fentanyl, 100 µg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Flunitrazepam (D7, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Flunitrazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Flurazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Furanyl Fentanyl HCl (as free base) Unlabeled 100 µg/mL in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	GHB, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Glutethimide (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Heroin (D9, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Heroin (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Hexobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	HMMA (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	HU-210 (Spice Cannabinoid) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Hydrocodone (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydrocodone (D6, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Hydrocodone (D6, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Hydrocodone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydromorphone (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydromorphone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydromorphone-D6, 100 µg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	I-010 Iso-LSD, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Ibogaine (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ibogaine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	iso LSD (Unlabeled) 25 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	JWH-018 (Spice Cannabinoid) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	JWH-073 (Spice Cannabinoid) 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 1 mg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 1 mg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 100 µg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 100 µg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (unlabeled), 1.0 mg/mL in Methanol (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	LAAM HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	LAAM:HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	LABELED STEROID CAH SET S NSK-S-CAH-1	Plastic vial: 63 ng	2/7/2014
Cambridge Isotope Laboratories, Inc.	Labeled Steroid CAH Set S NSK-S-CAH-1	Glass ampule: 4 mL	7/25/2018
Cambridge Isotope Laboratories, Inc.	Labeled Steroid Mix 40X Set S NSK-S-40X	Glass vial: 1 mL	3/1/2021
Cambridge Isotope Laboratories, Inc.	Labeled Steroid Standards	Glass vial: 4 mL	5/4/2009
Cambridge Isotope Laboratories, Inc.	LAMPA (Unlabeled) 25 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Lorazepam (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Lorazepam (D4, 98%), 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Lorazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Lorazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Lorazepam-D4, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/22/2004
Cambridge Isotope Laboratories, Inc.	Lormetazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	LSD (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	LSD (D3, 98%) 25 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	LSD (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	LSD (Unlabeled) 25 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Meperidine (D4, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Meperidine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Meprobamate (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Mescaline (D9, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Mescaline (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 1.0 mg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	8/16/2005

Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl, 10 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl, 100 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl, 1000 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline-D9 HCl, 1.0 mg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline-D9 HCl, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Mescaline-D9 HCl, 100 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Methamphetamine/Cocaine/Heroin Mix, 250 µg/mL each component in Acetonitrile	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Methaqualone (D7, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Methaqualone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Methohexital (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Methohexital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Methylphenidate HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Methylphenidate HCl (unlabeled), 1.0 mg/mL in Methanol (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	Methylphenidate HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	m-Hydroxybenzoylecgonine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	m-Hydroxycocaine Unlabeled 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Midazolam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Midazolam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine (D3, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine (D3, 98%) 100 µg/m1, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Morphine (D3, 98%) 100 µg/mL	Ampule: 10 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Morphine (D6, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine (D6, 98%), 1 mg/mL	Glass ampule: 2 mL	6/27/2001
Cambridge Isotope Laboratories, Inc.	Morphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (D3, 98%) 100µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	4/2/1998
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (Unlabeled) 100µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine 6 β-D-Glucuronide (Unlabeled) 100µg/mL, 1.0mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine 6beta-D-Glucuronide, 100 µg/mL in 50:50 Methanol:Water	Glass ampule: 2 mL	8/10/2004
Cambridge Isotope Laboratories, Inc.	Morphine H2O (N-Methyl-D3, 98%), 0.1 mg/mL in Methanol	Glass ampule: 2 mL	4/19/2006
Cambridge Isotope Laboratories, Inc.	Morphine HCl 3H2O (N-Methyl-D3, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine HCl 3H2O (N-Methyl-D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine-6β-D-Glucuronide-D3, 100 µg/mL in Methanol	Glass ampule: 2 mL	3/22/2004
Cambridge Isotope Laboratories, Inc.	Morphine-D6 (100 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	N,N-Dimethyltryptamine (DMT) Unlabeled 1.0 mg/mL in Methanol	Glass vial: 1 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Nalorphine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	N-Ethylpentylone HCl Unlabeled 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Nitrazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nitrazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nitrazepam, 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Nitrazepam-D5, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Norbenzoylecgonine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Norbenzoylecgonine•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Norbuprenorphine (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Norcocaethylene HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Norcocaethylene•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Norcocaine (D3, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Norcocaine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Norcocaine HCl (D3, 98%); Cat. # FSD-315-100	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Norcodeine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nordiazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Nordiazepam (D5, 98%) 100 ug/5 mL, 1.0 mg/mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nordiazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Nordiazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	nor-LAAM HCl (Unlabeled) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Normorphine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxycodone (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxycodone (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Noroxycodone (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxycodone (unlabeled); Cat. # FSU-215-100	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 10 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 1000 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Noroxymorphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxymorphone (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 10 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 10 µg/mL in Methanol:DMSO (80:20) (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005

Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 100 µg/mL in Methanol:DMSO (80:20) (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 1000 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 1000 µg/mL in Methanol:DMSO (80:20) (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	NSK-S-C1-1	Glass Vial: 4 mL	4/30/2019
Cambridge Isotope Laboratories, Inc.	NSK-S-CAH-OP-1	Glass Vial: 4 mL	4/30/2019
Cambridge Isotope Laboratories, Inc.	NSK-S-PE3-1	Glass Vial: 4 mL	4/30/2019
Cambridge Isotope Laboratories, Inc.	NSK-S-US1-A	Glass Vial: 4 mL	9/28/2009
Cambridge Isotope Laboratories, Inc.	NSK-S-US1-B	Glass Vial: 4 mL	9/28/2009
Cambridge Isotope Laboratories, Inc.	Opiate Multi-Component Mixture-5, 250 µg/mL each component in Methanol	Glass ampule: 2 mL	6/5/2003
Cambridge Isotope Laboratories, Inc.	Oxazepam (D5, 98%) 100 µg/m1, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxazepam (D5, 98%), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/17/2005
Cambridge Isotope Laboratories, Inc.	Oxazepam (D5, 98%), 1000 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/17/2005
Cambridge Isotope Laboratories, Inc.	Oxazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Oxazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxazepam (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	3/17/2005
Cambridge Isotope Laboratories, Inc.	Oxycodone (D3, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Oxycodone (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxycodone (D6, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Oxycodone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxymorphone (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxymorphone (D3, 98%), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Oxymorphone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	para-Fluorobutyryl Fentanyl (PFBF) Unlabeled 100 µg/mL in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	PCP (D5, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	PCP (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	PCP (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	PCP (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Pentazocine HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Pentazocine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Pentobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Pentobarbital-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Phencyclidine (Phenyl-D5, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Phenobarbital (D5, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Phenobarbital (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Phenobarbital (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Phenobarbital (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Phentermine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	PMA HCl 1 mg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	PMA HCl 1 mg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	PMA HCl 100 µg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	PMA HCl 100 µg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Prazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Prazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Prazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 1 mg/mL in acetonitrile	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 1 mg/mL in methanol	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 100 µg/mL in acetonitrile	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 100 µg/mL in methanol	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Psilocin (D10, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Psilocin (D10, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Psilocin (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Psilocin (Unlabeled) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	R(-)-Amphetamine (unlabeled), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	R(-)-Methamphetamine (unlabeled), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	R(-)Methamphetamine (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	11/22/2004
Cambridge Isotope Laboratories, Inc.	Secobarbital (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Secobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Sodium Gamma-Hydroxybutyrate (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Stanozolol Unlabeled 1 mg/mL in 1,2-Dimethoxyethane	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Temazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Temazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Temazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Temazpam-D5, 1000 µg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 1 mg/mL in Dichloromethane	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 1 mg/mL in Methane	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 100 µg/mL in Dichloromethane	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 100 µg/mL in Methanol	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (16,16,17-D3,98%) 100 µg/mL in Acetonitrile	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Testosterone (16,16,17-D3,98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	Testosterone (2,2,4,6,6-D5,98%) 100 µg/mL in Methylene Chloride	Glass vial: 1.2 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	Testosterone (2,3,4-13C3, 99%) 100 µg/mL in acetonitrile	Glass ampule: 1 mL	2/19/2021
Cambridge Isotope Laboratories, Inc.	Testosterone (2,3,4-13C3,99%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	Testosterone (3,4-13C2,99%; 17-18O, 98%), 100 µg/mL in Methylene Chloride	Glass vial: 1.2 mL	1/21/2014
Cambridge Isotope Laboratories, Inc.	Testosterone (D5, 98%), 100 µg/mL in Methylene Chloride	Glass ampule: 2 mL	7/3/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (D5,98%) 100 µg/mL in Dioxane	Glass vial: 1.2 mL	2/6/2018

Cambridge Isotope Laboratories, Inc.	Testosterone Undecanoate (16,16,17-D3,98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Undecanoate (16,16,17-D3,98%) 1000 µg/mL in Methanol	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Undecanoate Unlabeled 100 µg/mL in Methanol	Glass vial: 1 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Undecanoate Unlabeled 1000 µg/mL in Methanol	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Unlabeled 100 µg/mL in Dioxane	Glass vial: 1.2 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Unlabeled 100 µg/mL in Methylene Chloride	Glass vial: 1.2 mL	2/6/2018
Cambridge Isotope Laboratories, Inc.	Testosterone Unlabeled, 100 µg/mL in Methylene Chloride	Glass ampule: 2 mL	7/3/2007
Cambridge Isotope Laboratories, Inc.	Tetrahydrocannabidivarin (THCV) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Tetrahydrocannabidivarinic Acid (THCVA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Trenbolone Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	4/27/2018
Cambridge Isotope Laboratories, Inc.	Triazolam (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Triazolam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Triazolam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	ULM-10972-1.2	Glass Ampule: 1.2 mL	8/1/2019
Cambridge Isotope Laboratories, Inc.	Valeryl Fentanyl HCl Unlabeled 100 µg/mL (as free base) in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Zolpidem (Carbonyl-1,2-13C2, 98%; Amide-15N, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Zolpidem L-(+)-hemitartrate (unlabeled), 1 mg/mL in Methanol	Glass ampule: 2 mL	6/5/2003
CAP	2024 DMPM-01	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-02	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-03	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-05	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-06	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-07	HDPE bottle: 40 mL	6/6/2023
CAP	2024 FTC-03	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-05	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-06	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-07	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-08	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-09	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-10	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-12	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-13	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-14	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-15	HDPE bottle: 20 mL	6/6/2023
CAP	2024 OFD-01	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-02	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-03	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-04	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-05	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-06	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-07	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-08	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-10	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-11	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-12	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-13	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-14	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-15	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-16	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-17	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-18	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-19	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-20	HDPE vial: 2 mL	6/6/2023
CAP	2024 T-01	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-03	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-04	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-05	HDPE bottle: 50 mL	6/6/2023
CAP	2024 T-08	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-09	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-10	HDPE bottle: 50 mL	6/6/2023
CAP	2024 T-11	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-13	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-14	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-15	HDPE bottle: 50 mL	6/6/2023
CAP	2024 THCB-01	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-02	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-03	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-04	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-05	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-06	Glass vial: 10 mL	6/6/2023
CAP	2024 UDS-01	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-02	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-03	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-04	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-05	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-06	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-07	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-08	HDPE bottle: 10 mL	6/6/2023

CAP	2024 UDS-09	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-10	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-11	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-12	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-13	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-14	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-15	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UT-01	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-02	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-03	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-04	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-05	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-06	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-07	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-08	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-09	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-10	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-11	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-12	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-13	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-14	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-15	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UTCO-01	HDPE bottle: 40 mL	6/6/2023
CAP	2024 ZE-01	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-02	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-03	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-04	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-05	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-06	Glass vial: 5 mL	6/6/2023
CAP	2024-OFD-09	HDPE vial: 2 mL	6/6/2023
CAP	CAP (BMV2)	Amber vial: 5 mL	12/5/2019
CAP	CAP (CHM)	Amber vial: 5 mL	12/5/2019
CAP	CAP (CZQ)	Amber vial: 5 mL	12/5/2019
CAP	Chemistry	Amber vial: 5 mL	3/27/2017
CAP	Quality Cross-Check	Amber vial: 5 mL	3/27/2017
CAP	Reproductive Endocrinology CVL	Amber vial: 5 mL	3/27/2017
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(-)-(S)-Cathinone (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(−)-11-hydroxy-Δ8-THC-d3 (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(−)-11-hydroxy-Δ8-THC-d3 (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(−)-11-hydroxy-Δ8-THCV (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	(−)-11-hydroxy-Δ8-THCV (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	(−)-11-hydroxy-Δ8-THCV (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	(−)-11-hydroxy-Δ8-THCV (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC, 1 mg in 200 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC, 10 mg in 2 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC, 5 mg in 1 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC, 500 µg in 100 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3, 1 mg in 1 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3, 100 µg in 100 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3, 5 mg in 5 mL methanol	Amber vial: 5 mL	1/17/2011
Cayman Chemical Company	(-)-11-nor-9-carboxy-Δ9-THC-d3, 500 µg in 500 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	(-)-CP 47,497; 10 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(-)-CP 47,497; 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(-)-CP 47,497; 5 mg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(-)-Pentazocine; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	(-)-Pentazocine; 1 mg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	(-)-Pentazocine; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	(-)-Pentazocine; 100 µg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	(+)- Propoxyphene; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(+)- Propoxyphene; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(+)- Propoxyphene; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014

Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(+)-11-nor-Δ9-THC carboxylic acid; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(+)-CP 47,497; 1 mg in 100 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(+)-CP 47,497; 10 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(+)-CP 47,497; 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(+)-CP 47,497; 5 mg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(+)-Propoxyphene CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(+)-Propoxyphene CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(+)-Propoxyphene CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(+)-Propoxyphene CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(+/-)-11-hydroxy-d8-THC (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	(+/-)-11-hydroxy-d8-THC (CRM) 1 mg/ml, 1 mL in methanol	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	(+/-)-11-hydroxy-d8-THC (CRM) 100 µg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	(+/-)-11-hydroxy-d8-THC (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	(+/-)-Cannabichromercin (CRM); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)-Cannabichromercin (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)-Cannabichromercin (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)-Cannabichromercin (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)-Cannabichromevarin (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)-Cannabichromevarin (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)-Cannabichromevarin (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	1/19/2018
Cayman Chemical Company	(+/-)Cannabicyclol (CRM); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	12/5/2017
Cayman Chemical Company	(+/-)Cannabicyclol (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	12/5/2017
Cayman Chemical Company	(+/-)Cannabicyclol (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	12/5/2017
Cayman Chemical Company	(+/-)Cannabicyclol (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	12/5/2017
Cayman Chemical Company	(+/-)cis-3-methyl Fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	(+/-)cis-3-methyl Fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/12/2017
Cayman Chemical Company	(+/-)cis-3-methyl Thiofentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	(+/-)cis-3-methyl Thiofentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	(+/-)-threo-Methylphenidate (hydrochloride); 1 mg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	(+/-)-threo-Methylphenidate (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	(±) Methcathinone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±) Methcathinone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±) Methcathinone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±) Methcathinone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)- Propoxyphene; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)- Propoxyphene; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)- Propoxyphene; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-11-nor-Δ9-THC carboxylic acid; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-3-epi CP 47,497-C8-HOMOLOG; 10 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-3-epi CP 47,497-C8-HOMOLOG; 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-3-epi CP 47,497-C8-HOMOLOG; 5 mg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-9-nor-9β-hydroxy Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	(±)-9-nor-9β-hydroxy Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	(±)-9α-hydroxy Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	(±)-9α-hydroxy Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	(±)-Cannabichromene-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	(±)-Cannabichromene-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	(±)-Cannabichromene-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	(±)-Cannabichromene-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	(±)-Cannabichromene-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	(±)-Cannabichromene-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	(±)-cis-3-methyl-Butyryl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	(±)-cis-3-methyl-Butyryl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	(±)-cis-Δ8-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(±)-cis-Δ8-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(±)-cis-Δ8-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(±)-cis-Δ8-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(±)-cis-Δ9-THC (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	(±)-cis-Δ9-THC (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	(±)-cis-Δ9-THC (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	(±)-cis-Δ9-THC (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	(±)-CP 47,497 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497; 10 mg in 1 m L methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497; 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497; 5 mg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-homolog CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497-C8-homolog CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497-C8-homolog CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014

Cayman Chemical Company	(±)-CP 47,497-C8-homolog CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG; 10 mg in 1 m L methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG; 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG; 5 mg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG-d7; 1 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG-d7; 100 µg in 100 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG-d7; 500 µg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-C8-HOMOLOG-d7;5 mg in 5 mL methanol	Amber vial: 5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-d11; 1 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-d11; 100 µg in 100 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-d11; 5 mg in 5 mL methanol	Amber vial: 5 mL	3/17/2011
Cayman Chemical Company	(±)-CP 47,497-d11; 500 µg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-epi CP 47,497; 10 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-epi CP 47,497; 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-epi CP 47,497; 5 mg in 500 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	(±)-Methadone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-Methadone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-Methadone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-Methadone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-Methadone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methadone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methadone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methadone-d3 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	(±)-Methadone-d3 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	(±)-Methadone-d3 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	(±)-Methadone-d3 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	(±)-Methadone-d9 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(±)-Methadone-d9 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(±)-Methadone-d9 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(±)-Methadone-d9 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methamphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methamphetamine-d5 (HCl) (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	(±)-Methamphetamine-d5 (HCl) (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	(±)-Methamphetamine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	(±)-Methamphetamine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	(±)-Methamphetamine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	(±)-Methamphetamine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	(±)-Methcathinone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methcathinone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Methcathinone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	(±)-Propoxyphene CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-Propoxyphene CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(±)-Propoxyphene CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	(±)-Propoxyphene CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	(6aR,9R)-11-hydroxy-Δ10-THC (exempt preparation)1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy-Δ10-THC (exempt preparation)1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy-Δ10-THC (exempt preparation)100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy-Δ10-THC (exempt preparation)100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-Delta-10-Tetrahydrocannabinol Solution 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	(6aR,9R)-delta10-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(6aR,9R)-delta10-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(6aR,9S)-delta10-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(6aR,9S)-delta10-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(9,10a)-anti-Δ6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti-Δ6a,7-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti-Δ6a,7-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti-Δ6a,7-THC (exempt preparation)1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn-Δ6a,7-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn-Δ6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn-Δ6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn-Δ6a,7-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(S)-5-fluoro ADB (CRM); 1 mg/mL in Acetonitrile	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Δ9-THC Metabolite Mixture CRM; 1 mg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC Metabolite Mixture CRM; 100 µg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC Metabolite Mixture CRM; 250 µg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC Metabolite Mixture CRM; 500 µg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC/Cannabidiol/Cannabinol Mixture CRM; 1 mg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC/Cannabidiol/Cannabinol Mixture CRM; 100 µg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC/Cannabidiol/Cannabinol Mixture CRM; 250 µg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Δ9-THC/Cannabidiol/Cannabinol Mixture CRM; 500 µg/mL each in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	1 mg/ml Chlordiazepoxide-D5 in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	10(S)-hydroxy-9(R)-Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	10(S)-hydroxy-9(R)-Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025

Cayman Chemical Company	100 µg/ml Chlordiazepoxide-D5 in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	11-hydroxy-9(R)-Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	11-hydroxy-9(R)-Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	11-hydroxy-9(S)-Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	11-hydroxy-9(S)-Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	11-hydroxy-Δ9-THC CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	11-hydroxy-Δ9-THC CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	11-hydroxy-Δ9-THC CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	11-hydroxy-Δ9-THC CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	11-hydroxy-Δ9-THC; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	11-hydroxy-Δ9-THC; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	11-hydroxy-Δ9-THC; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	11-Keto Testosterone CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	1-Testosterone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	1-Testosterone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	2,2,3,3-tetramethyl-Cyclopropyl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	2,2,3,3-tetramethyl-Cyclopropyl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	2,3-MDA-d3(HCl) (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	2,3-MDA-d3(HCl) (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxy-4-ethylamphetamine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2,5-Dimethoxyamphetamine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxyamphetamine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxyamphetamine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxyamphetamine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2,5-Dimethoxyamphetamine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2,5-Dimethoxyamphetamine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2,5-Dimethoxyamphetamine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2,5-DMA (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	2,5-DMA (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	25B-NBOMe (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	25B-NBOMe (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	25B-NBOMe (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	25B-NBOMe (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	25B-NBOMe (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25B-NBOMe (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25B-NBOMe (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25B-NBOMe CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	25B-NBOMe CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	25B-NBOMe CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	25B-NBOMe CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	25C-NBOMe (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	25C-NBOMe (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	25C-NBOMe (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	25C-NBOMe (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	25C-NBOMe (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25C-NBOMe (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25C-NBOMe (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25C-NBOMe CRM; 1 mg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	25C-NBOMe CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	25C-NBOMe CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	25C-NBOMe CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	25I-NBOMe (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	25I-NBOMe (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	25I-NBOMe (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	25I-NBOMe (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	25I-NBOMe (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25I-NBOMe (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25I-NBOMe (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	25I-NBOMe CRM; 1 mg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	25I-NBOMe CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	25I-NBOMe CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	25I-NBOMe CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	2C-B (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-B (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-B (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-B (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-B (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-B (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-B (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-C CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-C CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-C CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-C CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014

Cayman Chemical Company	2C-C; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-C; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-C; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-D CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-D CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-D CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-D CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-D; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-D; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-D; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-E (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-E (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-E (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-E (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-E (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-E (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-E (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-H CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-H CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-H CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-H CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-H; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-H; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-H; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-I (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-I (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-I (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-I (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-I (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-I (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-I (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-N CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-N CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-N CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-N CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-N; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-N; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-N; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-P CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-P CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-P CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-P CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-P; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-P; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-P; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-2 CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-T-2 CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-T-2 CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-T-2 CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-T-2; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-2; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-2; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-4 CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-T-4 CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-T-4 CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-T-4 CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-T-4; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-4; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-4; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-7 CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-T-7 CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-T-7 CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	2C-T-7 CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	2C-T-7; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-7; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2C-T-7; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	2'-fluoro ortho-Fluorofentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	2-methyl AP-237 (hydrochloride) (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	2-methyl AP-237-d7 (hydrochloride) (CRM) 100 ug/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4,5-Trimethoxyamphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDEA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	3,4-MDEA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	3,4-MDEA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014

Cayman Chemical Company	3,4-MDEA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	3,4-MDEA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDEA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDEA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDEA-d5 (HCl) (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	3,4-MDEA-d5 (HCl) (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	3,4-MDEA-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	3,4-MDEA-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	3,4-MDEA-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	3,4-MDEA-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	3,4-MDMA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	3,4-MDMA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	3,4-MDMA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	3,4-MDMA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	3,4-MDMA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDMA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDMA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	3,4-MDMA-d3 (HCl) (exempt perparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	3,4-MDMA-d3 (HCl) (exempt perparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	3,4-MDMA-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	3,4-MDMA-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	3,4-MDMA-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	3,4-MDMA-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	3,4-Methylenedioxy Pyrovalerone (hydrochloride) (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	3,4-Methylenedioxy Pyrovalerone (hydrochloride) (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	3,4-Methylenedioxy-α-Cyclohexylaminopropiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3,4-Methylenedioxy-α-Cyclohexylaminopropiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3,4-Methylenedioxy-α-propylaminobutiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3,4-Methylenedioxy-α-propylaminobutiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3′-hydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	3′-hydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	3′-hydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	3′-hydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	3-Fluoromethcathinone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	3-Fluoromethcathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	3-FMC (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	3-FMC (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	3-FMC (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	3-Methylmethcathinone (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	3-Methylmethcathinone (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	3-Methylmethcathinone-d3 (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	3-Methylmethcathinone-d3 (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	3-trifluoromethyl-N-Ethylamphetamine (hydrochloride) (exempt preparation)	Glass ampule: 0.5 mL	10/7/2021
Cayman Chemical Company	3-trifluoromethyl-N-Ethylamphetamine (hydrochloride) (exempt preparation)	Glass ampule: 1.0 mL	10/7/2021
Cayman Chemical Company	4-ANPP (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-ANPP (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-ANPP-13C6 (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-ANPP-d5 (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-ANPP-d5 (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Bromo-2,5-DMA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4'-chloro-α-Pyrrolidinovalerophenone (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-cyano CUMYL-BUTINACA (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4-fluoro MDMB-BUTINACA (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	4-fluoro MDMB-BUTINACA-d4 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	4-Fluoromethcathinone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	4-Fluoromethcathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	4-FMC (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	4-FMC (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	4-FMC (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	4-MEC (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	4-MEC (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	4-MEC (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	4-MePPP (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	4-MePPP (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	4-MePPP (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	4-methoxy DMT (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	4-methoxy DMT (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	4-methoxy DMT (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	4-methoxy DMT (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	4'-methyl Acetyl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4'-methyl Acetyl fentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4'-methyl Fentanyl (hydrochloride) (exempt preparation)	Glass ampule: 0.5 mL	10/7/2021
Cayman Chemical Company	4-methyl Fentanyl (hydrochloride) (exempt preparation)	Glass ampule: 0.5 mL	10/7/2021

Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Methyl-2,5-dimethoxyamphetamine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Methylaminorex CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	4-Methylaminorex CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	4-Methylaminorex CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	4-Methylaminorex CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	4-Methylaminorex; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Methylaminorex; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Methylaminorex; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	4-Methylethcathinone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	4-Methylethcathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	4-methyl-α-Ethylaminopentiophenone (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4'-methyl-α-Pyrrolidinohexanophenone (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	4'-Methyl-α-pyrrolidinopropiophenone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	4'-Methyl-α-pyrrolidinopropiophenone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	5-fluoro AEB (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	5-fluoro AEB (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	5-fluoro CUMYL-PINACA; 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	5-fluoro MDMB-PICA (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA-d5 (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA-d5 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA-d5 (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro MDMB-PICA-d5 (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	5-fluoro PB-22 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	5-fluoro PB-22 (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	5-fluoro PB-22 (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	5-fluoro PB-22 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	5-hydroxy DMT CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	5-hydroxy DMT CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	5-hydroxy DMT CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	5-hydroxy DMT CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	5-hydroxy DMT; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-hydroxy DMT; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-hydroxy DMT; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-Methoxy DIPT CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	5-Methoxy DIPT CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	5-Methoxy DIPT CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	5-Methoxy DIPT CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	5-Methoxy DiPT; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-Methoxy DiPT; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-Methoxy DiPT; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-methoxy DMT-d4 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	5-methoxy DMT-d4 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	5-Methoxy-DMT CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	5-Methoxy-DMT CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	5-Methoxy-DMT CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	5-Methoxy-DMT CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	5-Methoxy-DMT; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-Methoxy-DMT; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	5-Methoxy-DMT; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	6-Acetylcodeine; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	6-Acetylcodeine; 1 mg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	6-Acetylcodeine; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	6-Acetylcodeine; 100 µg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	6-Acetylmorphine (CRM) 1 mg/ml in Acetonitrile	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	6-Acetylmorphine (CRM) 100 µg/ml in Acetonitrile	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	6-Acetylmorphine-d6 (CRM) 1 mg/ml in Acetonitrile	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	6-Acetylmorphine-d6 (CRM) 100 µg/ml in Acetonitrile	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	6α-Oxymorphol (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	6α-Oxymorphol (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	6β-Naloxol (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6β-Naloxol (CRM) 1mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6β-Naloxol-d5 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6β-Naloxol-d5 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	8α,11-dihydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α,11-dihydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α,11-dihydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α,11-dihydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α,9α-epoxy Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	8α,9α-epoxy Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	8α-hydroxy-exo-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023

Cayman Chemical Company	8α-hydroxy-exo-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α-hydroxy-exo-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α-hydroxy-exo-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α-hydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α-hydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α-hydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8α-hydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β,11-dihydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β,11-dihydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β,11-dihydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β,11-dihydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β,9β-epoxy Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	8β,9β-epoxy Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	8β-hydroxy-exo-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-exo-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-exo-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-exo-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-Δ9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8β-hydroxy-Δ9-THC (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	9(R)-11-hydroxy-Δ6a,10a-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(R)-11-hydroxy-Δ6a,10a-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(R)-delta6a,10a-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(R)-delta6a,10a-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(R)-Hexahydrocannabinol (CRM)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(R)-Hexahydrocannabinol methyl ether (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(R)-Hexahydrocannabinol-d9 (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(R)-Hexahydrocannabinol-d9 (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	9(R)-Hexahydrocannabiphorol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(R)-Hexahydrocannabiphorol methyl ether (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(R)-Δ7-THC (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(R)-Δ7-THC (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(R)-Δ7-THC (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(R)-Δ7-THC (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(S)-11-hydroxy-Δ6a,10a-THC (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(S)-11-hydroxy-Δ6a,10a-THC (exempt preparation)1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(S)-delta6a,10a-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(S)-delta6a,10a-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(S)-Hexahydrocannabinol (CRM)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(S)-Hexahydrocannabinol-d9 (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(S)-Hexahydrocannabinol-d9 (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	9(S)-Hexahydrocannabiphorol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(S)-Hexahydrocannabiphorol methyl ether (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9(S)-Δ7-THC (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(S)-Δ7-THC (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(S)-Δ7-THC (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9(S)-Δ7-THC (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	9R-Hexahydrocannabinol Solution 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	9α,10α-Epoxyhexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9α,10α-Epoxyhexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	9β,10β-epoxy Hexahydrocannabinol (exempt preparation)	Glass ampule: 1.0 mL	4/29/2025
Cayman Chemical Company	9β,10β-epoxy Hexahydrocannabinol (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	AB-CHMINACA (CRM); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	AB-CHMINACA (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	AB-CHMINACA (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	AB-CHMINACA (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	AB-FUBINACA (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	AB-FUBINACA (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	AB-FUBINACA (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	AB-FUBINACA CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	4/30/2015
Cayman Chemical Company	AB-FUBINACA CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	3/21/2014
Cayman Chemical Company	AB-FUBINACA CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	AB-PINACA CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	Acetyl Fentanyl CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	Acetyl Fentanyl CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	Acrylfentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Acrylfentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	ADB-4en-PINACA (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-4en-PINACA-d4 (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-4en-PINACA-d4 (CRM) 100 ug/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-BUTINACA (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	ADB-BUTINACA (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	ADB-BUTINACA-d9 (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-FUBINACA (exempt preparation) 1.0 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	ADB-FUBINACA (exempt preparation) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	ADB-PINACA (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	ADB-PINACA (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	ADB-PINACA (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014

Cayman Chemical Company	ADB-PINACA CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	4/30/2015
Cayman Chemical Company	ADB-PINACA CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	3/21/2014
Cayman Chemical Company	ADB-PINACA CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	AH 7921 (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	4/21/2017
Cayman Chemical Company	AH 7921 (CRM); 100 µg /mL in Methanol	Glass ampule: 1 mL	4/21/2017
Cayman Chemical Company	AKB48 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	AKB48 (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	AKB48 (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	AKB48 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	AKB48 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	AKB48 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	AKB48 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Alfentanil (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	Alfentanil (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	Allopregnanolone (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Allopregnanolone (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Alprazolam (CRM) 1 mg/mL in methanol	Glass Ampule: 0.5 mL	12/9/2025
Cayman Chemical Company	Alprazolam (CRM) 500 µg/mL in methanol	Glass Ampule: 1 mL	12/9/2025
Cayman Chemical Company	Alprazolam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Alprazolam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Alprazolam-d5 (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Alprazolam-d5 (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Alprazolam-d5 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Alprazolam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Alprazolam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	AM2201 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	AM2201 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	AM2201 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	AM2201 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	AM2201; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	AM2201; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	AM2201; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	AM694 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	AM694 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	AM694 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	AM694 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	AM694; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	AM694; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	AM694; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Aminorex CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Aminorex CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Aminorex CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Aminorex CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Aminorex; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Aminorex; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Aminorex; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Amobarbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Amobarbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Amphetamine-d5 (HCl)(exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Amphetamine-d5 (HCl)(exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Amphetamine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Amphetamine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Amphetamine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Amphetamine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Androstenedione CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	6/13/2014
Cayman Chemical Company	Androstenedione CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	6/13/2014
Cayman Chemical Company	Androstenedione CRM; 100 ug/mL in Methanol	Glass ampule: 1 mL	6/13/2014
Cayman Chemical Company	Androstenedione CRM; 100 ug/mL in Methanol	Glass ampule: 1 mL	6/13/2014
Cayman Chemical Company	Anhydroecgonine methyl ester (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Anhydroecgonine methyl ester (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Barbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Barbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	BDB (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	BDB (hydrochloride) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Benzodioxole fentanyl (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Benzodioxole fentanyl (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Benzoylecgonine (CRM) 1 mg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Benzoylecgonine (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Benzoylecgonine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Benzoylecgonine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Benzoylecgonine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Benzoylecgonine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Benzoylecgonine-d3 (CRM) 1 mg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Benzoylecgonine-d3 (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Benzoylecgonine-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Benzoylecgonine-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Benzoylecgonine-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014

Cayman Chemical Company	Benzoylecgonine-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	bk-DMBDB (hydrochloride) (CRM) (1 mg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	bk-DMBDB (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	bk-MDEA (hydrochloride (CRM) (1 mg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	bk-MDEA (hydrochloride (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Boldenone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Boldenone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Brorphine (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Brorphine (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Brorphine-d7 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Brorphine-d7 (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Buprenorphine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Buprenorphine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Buprenorphine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Buprenorphine-d4 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Buprenorphine-d4 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Buprenorphine-d4 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Buprenorphine-d4 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Buprenorphine-d4 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Butabarbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Butabarbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Butalbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Butalbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Butonitazene (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Butonitazene (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Butorphanol (tartrate) (CRM) (1 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Butorphanol (tartrate) (CRM) (100 µg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	Butylone (exempt preparation); 1 mg in 1 mL	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	Butylone (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	Butylone (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	Butylone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Butylone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Butyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	Butyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/12/2017
Cayman Chemical Company	Butyryl fentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	BZP (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	BZP (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	BZP (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	BZP (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	BZP (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	BZP (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	BZP (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabichromene CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Cannabichromene CRM; 1 mg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Cannabichromene CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Cannabichromene CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Cannabicitran CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabicitran CRM; 1 mg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabicitran CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabicitran CRM; 100 µg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 500 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 500 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Cannabidiol CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Cannabidiol CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Cannabidiol CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Cannabidiol, 1 mg in 100 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	Cannabidiol, 10 mg in 1 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	Cannabidiol, 5 mg in 500 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	Cannabidiol, 50 mg in 5 mL methanol	Amber vial: 5 mL	1/17/2011
Cayman Chemical Company	Cannabidiol-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiol-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiol-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiol-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiol-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiol-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Cannabidiolic acid CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Cannabidiolic acid CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Cannabidiolic acid CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Cannabidiolic acid; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabidiolic acid; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabidiolic acid; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabidiolic acid-d3 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d3 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014

Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d9 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabidiolic acid-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabidivarin (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	11/30/2017
Cayman Chemical Company	Cannabidivarin (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	11/30/2017
Cayman Chemical Company	Cannabigerol CRM; 1 mg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Cannabigerol CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Cannabigerol CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Cannabigerol CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Cannabigerol-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabigerol-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabigerol-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabigerol-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabigerol-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabigerol-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabigerolic Acid CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	7/7/2016
Cayman Chemical Company	Cannabigerolic Acid CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	7/7/2016
Cayman Chemical Company	Cannabinodiol CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinodiol CRM; 1 mg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinodiol CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinodiol CRM; 100 µg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinoid Agonist Screening Library, 100 µL/well	96-well plate	3/17/2011
Cayman Chemical Company	Cannabinol CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Cannabinol CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Cannabinol CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Cannabinol CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Cannabinol monomethyl ether CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinol monomethyl ether CRM; 1 mg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinol monomethyl ether CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinol monomethyl ether CRM; 100 µg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Cannabinol; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabinol; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabinol; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Cannabinol-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabinol-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabinol-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabinol-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Cannabinol-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Cannabinol-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Carfentanil (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	Carfentanil (CRM); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/12/2017
Cayman Chemical Company	Carisoprodol CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Carisoprodol CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Carisoprodol CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Carisoprodol CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (1.0 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (1.0 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (2.0 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (2.0 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Carisoprodol-d7 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Carisoprodol-d7 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Carisoprodol-d7 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Carisoprodol-d7 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Carisoprodol-d7 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Carisoprodol-d7 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Chloral hydrate (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024

Cayman Chemical Company	Chloral hydrate (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Chlordiazepoxide (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide-D5 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide-D5 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	cis-Tramadol (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol-d6 (HCl) (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	cis-Tramadol-d6 (HCl) (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	cis-Tramadol-d6 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol-d6 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol-d6 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	cis-Tramadol-d6 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Clobazam (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Clobazam (CRM) 100 ug/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Clonazepam (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 0.5 mL	12/9/2025
Cayman Chemical Company	Clonazepam (CRM) 500 µg/mL in acetonitrile	Glass Ampule: 1 mL	12/9/2025
Cayman Chemical Company	Clonazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Clonazepam-d4 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Clonazepam-d4 CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Clonazepam-d4 CRM; 100 µg/mL each in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Clonazepam-d4 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Clonazolam (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonazolam (CRM) 100 µg in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonazolam-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonazolam-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonitazene (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonitazene (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Cocaethylene (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Cocaine CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	Cocaine/Heroin/Methamphetamine Mixture CRM; 1 mg/mL each in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Cocaine/Heroin/Methamphetamine Mixture CRM; 100 µg/mL each in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Cocaine/Heroin/Methamphetamine Mixture CRM; 250 µg/mL each in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Cocaine/Heroin/Methamphetamine Mixture CRM; 500 µg/mL each in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Cocaine-d3 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Cocaine-d3 (CRM) 100 µg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Codeine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Codeine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Codeine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Codeine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Codeine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Codeine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Codeine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Codeine-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	8/7/2015
Cayman Chemical Company	Codeine-d6 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Codeine-d6 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Codeine-d6 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Codeine-d6 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Codeine-d6 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Codeine-d6 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Crotonyl fentanyl (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Crotonyl fentanyl (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Custom Phytocannabinoid Mixture (CRM) - Adams Independent Testing	Glass ampule: 1.0 mL	10/7/2021
Cayman Chemical Company	Custom Phytocannabinoid Mixture (CRM) - Adams Independent Testing	Glass ampule: 1.0 mL	10/7/2021
Cayman Chemical Company	Custom Phytocannabinoid Mixture (CRM) - Adams Independent Testing	Glass ampule: 0.5 mL	10/7/2021
Cayman Chemical Company	Cyclohexyl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Cyclohexyl fentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Cyclopentyl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Cyclopropyl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Cyclopropyl fentanyl-13C6 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	D8-THCA-A (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D8-THCA-A (CRM) 100 µg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D8-THCB (CRM) 100 µg/mL, 1 mL acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCB (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCB (CRM) 1 mg/ml, 1 mL methanol	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCB (CRM) 100 µg/mL, 1 mL methanol	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCH (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D8-THCH (CRM) 1 mg/ml, 1 mL in methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D8-THCH (CRM) 100 µg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D8-THCH (CRM) 100 µg/ml, 1 mL in methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D8-THCP (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCP (CRM) 1 mg/ml, 1 mL methanol	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCP (CRM) 100 µg/mL, 1 mL acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D8-THCP (CRM) 100 µg/mL, 1 mL methanol	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	D9-THC Acetate (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/23/2021

Cayman Chemical Company	D9-THC Acetate (CRM) 1 mg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	D9-THC Acetate (CRM) 100 µg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	D9-THC Acetate (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.1 mg/mL d9-THC 0.5 mL	Glass Ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.1 mg/mL d9-THC 1 mL	Glass Ampule: 1 mL	10/26/2020
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.2 mg/mL d9-THC 0.5 mL	Glass Ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.2 mg/mL d9-THC 1 mL	Glass Ampule: 1 mL	10/26/2020
Cayman Chemical Company	D9-THCB (CRM) 100 µg/mL, 1 mL acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCB (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCB (CRM) 1 mg/ml, 1 mL methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCB (CRM) 100 µg/mL, 1 mL methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCBA-A (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCBA-A (CRM) 100 µg/mL, 1 mL acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCH (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCH (CRM) 1 mg/ml, 1 mL in methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCH (CRM) 100 µg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCH (CRM) 100 µg/ml, 1 mL in methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCHA-A (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCHA-A (CRM) 100 µg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCP (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCP (CRM) 1 mg/ml, 1 mL methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCP (CRM) 100 µg/mL, 1 mL acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCP (CRM) 100 µg/mL, 1 mL methanol	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCPA-A (CRM) 1 mg/ml, 1 mL in acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D9-THCPA-A (CRM) 100 µg/mL, 1 mL acetonitrile	Glass ampule: 1 mL	6/8/2021
Cayman Chemical Company	D-Amphetamine (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	D-Amphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	D-Amphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	D-Amphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	D-Amphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	D-Amphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	D-Amphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	D-Amphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Delorazepam (CRM) 100 µg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Delorazepam-13C-d4 (CRM) 100 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Delorazepam-d4 (CRM) 100 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Delta-8-Tetrahydrocannabinol Solution 1 mg/mL in Methanol	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Delta-9 Tetrahydrocannabivarinic Acid Solution 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Delta-9-Tetrahydrocannabinolic Acid Solution 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Delta-9-Tetrahydrocannabinon Solution 1 mg/mL in Methanol	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Desomorphine CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Desomorphine CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Desomorphine CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Desomorphine CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Desomorphine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Desomorphine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Desomorphine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Diazepam CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Diazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Diazepam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Diazepam-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Diazepam-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Diazepam-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Diazepam-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Diazepam-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Diclazepam (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-13C2-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-13C2-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diethyltryptamine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Diethyltryptamine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Diethyltryptamine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Diethyltryptamine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Diethyltryptamine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Diethyltryptamine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Diethyltryptamine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydrocodeine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Dihydrocodeine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Dihydrocodeine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Dihydrocodeine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Dihydrocodeine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydrocodeine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydrocodeine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydrocodeine-d6 (HCl) (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Dihydrocodeine-d6 (HCl) (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Dihydrocodeine-d6 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Dihydrocodeine-d6 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014

Cayman Chemical Company	Dihydrocodeine-d6 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Dihydrocodeine-d6 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Dihydrocodeine-d6 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Dihydrocodeine-d6 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Dihydrocodeine-d6 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Dihydrocodeine-d6 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Dihydromorphine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Dihydromorphine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Dihydromorphine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Dihydromorphine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Dihydromorphine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydromorphine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydromorphine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Dihydrotestosterone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	6/13/2014
Cayman Chemical Company	Dihydrotestosterone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	6/13/2014
Cayman Chemical Company	Dihydrotestosterone CRM; 100 ug/mL in Methanol	Glass ampule: 1 mL	6/13/2014
Cayman Chemical Company	Dihydrotestosterone CRM; 100 ug/mL in Methanol	Glass ampule: 1 mL	6/13/2014
Cayman Chemical Company	DL-Amphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	DL-Amphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	DL-Amphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	DL-Amphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	DL-Amphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	DL-Amphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	DL-Amphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	DL-Cathinone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	DL-Cathinone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	DL-Cathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	DL-Cathinone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	DL-Cathinone (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	DL-Cathinone (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	DL-Cathinone (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Drostanolone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Drostanolone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	DUID Blood Analysis Mixture 1 (CRM)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 1 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 2 (CRM)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 2 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (1.3 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (1.3 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (2.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (2.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (0.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (0.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (1.2 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (1.2 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 1 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 2 (CRM)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 2 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (0.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (0.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (1.2 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (1.2 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (2.4 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (2.4 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.4 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.4 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.8 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.8 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (1.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (1.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	EMB-FUBINACA (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	EMB-FUBINACA (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etizolam (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-13C2-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-13C2-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 (citrate) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etodesnitazene-d5 (citrate) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etodesnitazene-d5 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025

Cayman Chemical Company	Etodesnitazene-d5 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etonitazene (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Etonitazene (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Etonitazene-d5 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Eutylone (hydrochloride) (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Eutylone (hydrochloride) (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Eutylone-d5 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Eutylone-d5 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	exo-Tetrahydrocannabiphorol (exo-THCP) (exempt preparation) 1 mg/mL in Methanol	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	exo-Tetrahydrocannabiphorol (exo-THCP) (exempt preparation) 100 µg/mL in Methanol	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	exo-Tetrahydrocannabivarin (exempt preparation) 1 mg/mL in Methanol	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	exo-Tetrahydrocannabivarin (exempt preparation) 100 µg in Methanol	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	exo-Tetrahydrocannabivarin methyl ether (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	exo-Tetrahydrocannabivarin methyl ether (exempt preparation), 100 µg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	exo-THC (CRM) 1 mg/ml in Acetonitrile	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	exo-THC (CRM) 1 mg/ml in Methanol	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	exo-THC (CRM) 100 µg/ml in Acetonitrile	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	exo-THC (CRM) 100 µg/ml in Methanol	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	exo-THC methyl ether (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	exo-THC methyl ether (exempt preparation), 100 µg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	exo-THCP methyl ether (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	exo-THCP methyl ether (exempt preparation), 100 µg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Fenethylline (hydrochloride); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Fenethylline (hydrochloride); 1 mg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Fenethylline (hydrochloride); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Fenethylline (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Fentanyl (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Fentanyl-d3 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	FIBF (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	FIBF-d7 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Flualprazolam (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flualprazolam (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flualprazolam-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flualprazolam-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-13C2-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-13C2-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flunitazene (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Flunitazene (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Flunitrazepam (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam (CRM) 500 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam (CRM) 500 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Flunitrazepam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Flunitrazepam-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Flunitrazepam-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Flunitrazepam-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Flunitrazepam-d7 (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Flunitrazepam-d7 (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Flurazepam CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Flurazepam CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Flurazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Flurazepam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Flurazepam-d10 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Flurazepam-d10 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Flurazepam-d10 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Flurazepam-d10 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Flurazepam-d10 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Flurazepam-d10 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Furanyl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Furanyl fentanyl 3-furancarboxamide isomer (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Furanyl fentanyl 3-furancarboxamide isomer (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Furanyl fentanyl-13C6 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Furanyl fentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	GC-MS Drug Mixture 3 (100 µg/mL in Acetonitrile)	Glass ampule: 1 mL	2/13/2018
Cayman Chemical Company	GC-MS Drug Standard Mixture 1 in Acetonitrile	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	Heroin CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Heroin CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Heroin CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Heroin CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014

Cayman Chemical Company	Heroin; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Heroin; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Heroin; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Heroin-d3 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Heroin-d3 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Heroin-d3 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Heroin-d3 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Heroin-d3 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Heroin-d3 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	HU-210 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	HU-210 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	HU-210 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	HU-210 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	HU-210, 1 mg in 100 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	HU-210, 10 mg in 1 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	HU-210, 25 mg in 2.5 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	HU-210, 5 mg in 500 µL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	Hydrocodone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Hydrocodone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Hydrocodone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Hydrocodone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Hydrocodone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Hydrocodone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Hydrocodone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Hydrocodone-d6 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Hydrocodone-d6 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Hydrocodone-d6 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Hydrocodone-d6 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Hydrocodone-d6 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Hydrocodone-d6 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Hydromorphone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Hydromorphone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Hydromorphone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Hydromorphone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Hydromorphone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Hydromorphone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Hydromorphone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Hydromorphone-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Hydromorphone-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Hydromorphone-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Hydromorphone-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Hydromorphone-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Ibogaine (hydrochloride) (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ibogaine (hydrochloride) (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ibogaine (hydrochloride) (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ibogaine (hydrochloride) (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ibogaine; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Ibogaine; 1 mg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Ibogaine; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Ibogaine; 100 µg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Isobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Isobutyryl fentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	iso-LSD (exempt preparation) 25 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	iso-LSD (exempt preparation) 50 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	iso-LSD (exempt preparation) 50 µg/mL in Acetonitrile	Glass ampule: 0.5 mL	4/6/2023
Cayman Chemical Company	Isomethadone (hydrochloride); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Isomethadone (hydrochloride); 1 mg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Isomethadone (hydrochloride); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Isomethadone (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Isopregnanolone (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Isopregnanolone (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Isotonitazene (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Isotonitazene (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Isotonitazene-d7 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Isotonitazene-d7 (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	JWH 018 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 018 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 018 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 018 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 018, 10 mg in 400 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 018, 25 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 018, 5 mg in 200 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 018-d9, 1 mg in 200 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 018-d9, 10 mg in 2 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 018-d9, 5 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 018-d9, 500 µg in 100 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 019 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 019 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 019 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014

Cayman Chemical Company	JWH 019 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 019; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 019; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 019; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 073 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 073 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 073 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 073 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 073, 10 mg in 400 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 073, 25 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 073, 5 mg in 200 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 073-d7, 1 mg in 200 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 073-d7, 10 mg in 2 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 073-d7, 5 mg in 1 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 073-d7, 500 µg in 100 µL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 081 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 081 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 081 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 081 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 081; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 081; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 081; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 122 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 122 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 122 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 122 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 122; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 122; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 122; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 200 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 200 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 200 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 200 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 200, 10 mg in 1 mL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 200, 25 mg in 2.5 mL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 200, 5 mg in 500 µL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 200-d5, 1 mg in 200 µL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 200-d5, 10 mg in 2 mL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 200-d5, 5 mg in 1 mL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 200-d5, 500 µg in 100 µL acetonitrile	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	JWH 203 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 203 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 203 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 203 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 203; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 203; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 203; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 250 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 250 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 250 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 250 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 250; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 250; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 250; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 398 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 398 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 398 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	JWH 398 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	JWH 398; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 398; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	JWH 398; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Ketamine (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Ketamine (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Ketamine-d4 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ketamine-d4 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ketamine-d4 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ketamine-d4 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LAMPA (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 0.5 mL	5/9/2022
Cayman Chemical Company	LAMPA (exempt preparation) 50 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	5/9/2022
Cayman Chemical Company	L-Amphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	L-Amphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	L-Amphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	L-Amphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	L-Amphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	L-Amphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	L-Amphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Levomethorphan CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Levomethorphan CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Levomethorphan CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014

Cayman Chemical Company	Levomethorphan CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Levomethorphan; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Levomethorphan; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Levomethorphan; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Levorphanol; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Levorphanol; 1 mg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Levorphanol; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Levorphanol; 100 µg/mL in Methanol	Glass ampule: 1 mL	8/18/2017
Cayman Chemical Company	Lisdexamfetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Lisdexamfetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Lisdexamfetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Lisdexamfetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Lisdexamfetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Lisdexamfetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Lisdexamfetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Lorazepam (CRM) 1.0 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Lorazepam (CRM) 500 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Lorazepam CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Lorazepam CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Lorazepam-d4 (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Lorazepam-d4 (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Lorazepam-d4 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Lorazepam-d4 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Lorazepam-d4 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Lorazepam-d4 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Lorcaserin (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Lormetazepam (CRM) 100 ug/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Lormetazepam (CRM), 1 mg/mL in methanol	Glass ampule: 1.0 mL	9/23/2025
Cayman Chemical Company	LSB (exempt preparation) 25 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSB (exempt preparation) 25 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSB (exempt preparation) 50 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSB (exempt preparation) 50 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSD (CRM) 25 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	LSD (CRM) 50 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	LSD (D-tartrate) (solution) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	LSD (L-hemitartrate) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 0.5 mL	5/9/2022
Cayman Chemical Company	LSD (L-hemitartrate) (exempt preparation) 50 µg/ml in Methanol	Glass ampule: 1.0 mL	5/9/2022
Cayman Chemical Company	Lysergic Acid Diethylamide (LSD) (CRM) (50 µg in 0.5 mL acetonitrile)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Lysergic Acid Diethylamide (LSD) (CRM) (50 µg in 0.5 mL methanol)	Glass ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	MAB-CHMINACA (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	4/21/2017
Cayman Chemical Company	MAB-CHMINACA (CRM); 100 µg /mL in Methanol	Glass ampule: 1 mL	4/21/2017
Cayman Chemical Company	MDA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	MDA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	MDA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	MDA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	MDA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	MDA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	MDA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	MDA-d3 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	MDA-d3 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	MDA-d3 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	MDA-d3 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	MDMB-4en-PINACA (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	MDMB-4en-PINACA-d4 (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Meperidine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Meperidine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Meperidine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Meperidine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Meperidine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Meperidine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Meperidine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Meperidine-d4 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Meperidine-d4 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Meperidine-d4 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Meperidine-d4 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Meperidine-d4 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Meperidine-d4 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Mephedrone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Mephedrone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Mephedrone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Mephedrone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Mephedrone (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Mephedrone (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Mephedrone (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Meprobamate CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Meprobamate CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Meprobamate CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Meprobamate CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Meprobamate-d7 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014

Cayman Chemical Company	Meprobamate-d7 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Meprobamate-d7 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Meprobamate-d7 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Meprobamate-d7 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Meprobamate-d7 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Mescaline (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Mescaline (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Mescaline (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Mescaline (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Mescaline (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Mescaline (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Mescaline (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Mescaline-d4 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Mesterolone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Mesterolone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	meta-Fluorobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	meta-Fluorofentanyl (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	meta-Fluorofentanyl-d5 (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	meta-Fluoroisobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	meta-methyl Acetyl fentanyl (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	meta-Methylfentanyl (hydrochloride) (exempt preparation)	Glass ampule: 0.5 mL	10/7/2021
Cayman Chemical Company	meta-Methylfentanyl-d5 (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	Methadone-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Methadone-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Methaqualone (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Methaqualone (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Methiopropamine (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methoxyacetyl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Methyldienolone (CRM); 1 mg/mL in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Methyldienolone (CRM); 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Methylmethcathinone Isomer Mixture	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Methylmethcathinone Isomer Mixture	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Methylnortestosterone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Methylnortestosterone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Methylone (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Methylone (hydrochloride) CRM; 1 mg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Methylone (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Methylone (hydrochloride) CRM; 100 µg/mL in 10% H20/ACN	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Methylone (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Methylone (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Methylone (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Metodesnitazene (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metodesnitazene (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metodesnitazene-d3 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metodesnitazene-d3 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metonitazene (citrate) (exempt preparation) 1 mg/ml in Methyl Acetate	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (citrate) (exempt preparation) 100 µg/ml in Methyl Acetate	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (exempt preparation) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (hydrochloride) (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Metonitazene (hydrochloride) (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Metonitazene-d3 (citrate) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metonitazene-d3 (citrate) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metonitazene-d3 (CRM) 100 ug/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Midazolam CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Midazolam CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Midazolam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Midazolam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Midazolam-d5 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Midazolam-d5 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Midazolam-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Midazolam-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Midazolam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Midazolam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	MiPLA (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 0.5 mL	5/9/2022
Cayman Chemical Company	MiPLA (exempt preparation) 50 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	5/9/2022
Cayman Chemical Company	MMB-CHMICA (exempt preparation) 1.0 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	MMB-CHMICA (exempt preparation) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024

Cayman Chemical Company	MMB-FUBINACA (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	MMDA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	MMDA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	MMDA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	MMDA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	MMDA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	MMDA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	MMDA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Morphine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Morphine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Morphine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Morphine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Morphine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Morphine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Morphine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Morphine-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Morphine-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Morphine-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Morphine-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Morphine-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Morphine-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Morphine-N-oxide CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Morphine-N-oxide CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Morphine-N-oxide CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Morphine-N-oxide CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Morphine-N-oxide; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Morphine-N-oxide; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Morphine-N-oxide; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	MT-45 (hydrochloride) (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	MT-45 (hydrochloride) (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	MT-45-d11 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Mushroom Hydroxy-Tryptamine Mixture 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Mushroom Hydroxy-Tryptamine Mixture 250 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Mushroom Hydroxy-Tryptamine Mixture 500 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Mushroom Phosphorylated Tryptamine Mixture (CRM) 1 mg/mL in ACN:H20	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Mushroom Phosphorylated Tryptamine Mixture (CRM) 250 µg/mL in ACN:H20	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Mushroom Phosphorylated Tryptamine Mixture (CRM) 500 µg/mL in ACN:H20	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	N,N-Dimethylpentylone (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	N,N-Dimethylpentylone-d6 (hydrochloride) (CRM) 1 mg/mL in Methanol(CRM) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	11/21/2023
Cayman Chemical Company	N,N-Dimethylpentylone-d6 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1.0 mL	11/21/2023
Cayman Chemical Company	N,N-Dimethyltryptamine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N,N-Dimethyltryptamine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N,N-Dimethyltryptamine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N,N-Dimethyltryptamine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N,N-Dimethyltryptamine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N,N-Dimethyltryptamine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N,N-Dimethyltryptamine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N,N-DMA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N,N-DMA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N,N-DMA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N,N-DMA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N,N-DMA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N,N-DMA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N,N-DMA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Naphyrone (exempt preparation); 1 mg in 1 mL	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	Naphyrone (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	Naphyrone (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	Naphyrone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Naphyrone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	N-ethyl Pentylone (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N-Ethylamphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N-hydroxy MDA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N-hydroxy MDA (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N-hydroxy MDA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	N-hydroxy MDA (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	N-Hydroxy-MDA (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N-Hydroxy-MDA (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	N-Hydroxy-MDA (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Nimetazepam (CRM) (1 mg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Nimetazepam (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	N-Isopropyl butylone (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	N-Isopropyl butylone (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	N-Isopropyl butylone-d7 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025

Cayman Chemical Company	N-Isopropyl butylone-d7 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Nitrazepam CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nitrazepam CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Nitrazepam CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nitrazepam CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Nitrazepam-d4 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Nitrazepam-d4 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Nitrazepam-d5 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nitrazepam-d5 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Nitrazepam-d5 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nitrazepam-d5 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	N-methyl Tryptamine (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	N-methyl Tryptamine (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	N-methyl Tryptamine (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	N-methyl Tryptamine (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Norbuprenorphine (CRM) 1 mg/ml in Methanol	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	Norbuprenorphine (CRM) 100 µg/ml in Methanol	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	Norbuprenorphine-d3 (CRM) 1 mg/ml in Methanol	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	Norbuprenorphine-d3 (CRM) 100 µg/ml in Methanol	Glass ampule: 1 mL	5/9/2022
Cayman Chemical Company	Nordiazepam CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nordiazepam CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Nordiazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nordiazepam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Nordiazepam-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Nordiazepam-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Nordiazepam-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nordiazepam-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Nordiazepam-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Nordiazepam-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Norfentanyl (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Norfentanyl (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Norfentanyl-d5 (CRM) 1 mg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Norfentanyl-d5 (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Norhydrocodone (hydrochloride) (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Norhydrocodone (hydrochloride) (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Norhydrocodone-d3 (hydrochloride) (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Norhydrocodone-d3 100 ug/mL in methanol (hydrochloride) (CRM)	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Normeperidine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Normeperidine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Normeperidine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Normeperidine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Normeperidine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Normeperidine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Normeperidine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Normeperidine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Normeperidine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Normeperidine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Normeperidine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Normeperidine-d4 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Normeperidine-d4 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Normeperidine-d4 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Normeperidine-d4 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Normeperidine-d4 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Normeperidine-d4 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Normorphine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Normorphine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Normorphine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Normorphine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Normorphine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Normorphine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Normorphine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Noroxymorphone (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (exempt preparation) 1 mg/ml in Methanol:DMSO (80:20)	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (exempt preparation) 100 µg/ml in Methanol:DMSO (80:20)	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (hydrochloride) (CRM) 1.0 mg/mL in methanol:DMSO (80:20)	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone (hydrochloride) (CRM) 1.0 mg/mL in methanol:DMSO (80:20)	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 1.0 mg/mL in methanol:DMSO (80:20)	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 100 µg/mL in methanol:DMSO (80:20)	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	N-Pyrrolidino Etonitazene (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	N-Pyrrolidino Etonitazene (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	N-Pyrrolidino etonitazene-d5 (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	N-Pyrrolidino etonitazene-d5 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Ocfentanil (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Ocfentanil-d5 (hydrochloride); 100 µg/mL in Methanol (CRM)	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Opiate Mixture CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Opiate Mixture CRM; 100 µg/mL in Methanol	Glass ampule: 1mL	1/27/2014

Cayman Chemical Company	Opiate Mixture CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	ortho-Fluorobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	ortho-Fluorofentanyl (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	ortho-Fluorofentanyl-d5 (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	ortho-Fluoroisobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	ortho-methoxy Butyryl fentanyl (hydrochloride) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	ortho-methoxy Butyryl fentanyl (hydrochloride) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	ortho-methyl Acetyl fentanyl (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	ortho-Methylfentanyl (hydrochloride) (exempt preparation)	Glass ampule: 1.0 mL	10/7/2021
Cayman Chemical Company	ortho-Methylfentanyl-d5 (exempt preparation) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	ortho-Methylfentanyl-d5 (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Oxazepam CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	12/2/2014
Cayman Chemical Company	Oxazepam CRM; 1 mg/mL in Acetonitrile	Glass vial: 2 mL	12/2/2014
Cayman Chemical Company	Oxazepam CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxazepam CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Oxazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxazepam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Oxazepam-d5 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Oxazepam-d5 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Oxazepam-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxazepam-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Oxazepam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxazepam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Oxycodone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Oxycodone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Oxycodone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Oxycodone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Oxycodone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Oxycodone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Oxycodone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Oxycodone-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Oxycodone-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Oxycodone-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxycodone-d3 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Oxycodone-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxycodone-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Oxymetholone (exempt preparation) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Oxymetholone (exempt preparation) 1 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Oxymorphone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Oxymorphone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Oxymorphone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Oxymorphone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Oxymorphone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Oxymorphone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Oxymorphone-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Oxymorphone-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Oxymorphone-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	para-Chlorofentanyl (hydrochloride) (exempt preparation)	Glass ampule: 1.0 mL	10/7/2021
Cayman Chemical Company	para-Chloroisobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	para-Fluorobutyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	para-Fluorobutyryl fentanyl-13C6 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	para-Fluorobutyryl fentanyl-d7 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Para-Fluorofentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	Para-Fluorofentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/12/2017
Cayman Chemical Company	para-Fluorofentanyl-d5 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	para-Methoxyamphetamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	para-methoxy-Butyryl fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	para-methoxy-Butyryl fentanyl-d7 (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	para-Methoxyfentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	para-Methoxyfentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	para-methyl Acetyl fentanyl (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	Para-methylfentanyl (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	para-Methylfentanyl-d5 (hydrochloride) (exempt preparation) 100 µg/mL in methanol	Glass vial: 1.0 mL	4/18/2025
Cayman Chemical Company	PB-22 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	PB-22 (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	PB-22 (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	PB-22 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/7/2015
Cayman Chemical Company	PB-22 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	PCP-d5 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	PCP-d5 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Pentedrone (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	Pentedrone (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	Pentedrone (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014

Cayman Chemical Company	Pentedrone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Pentedrone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Pentobarbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Pentobarbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Pentobarbital CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Pentobarbital CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Pentobarbital CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Pentobarbital CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Pentobarbital; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Pentobarbital; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Pentobarbital; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Pentylone (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	Pentylone (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	Pentylone (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	Pentylone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Pentylone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	Pentylone-d3 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Pentylone-d3 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Perampanel (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Perampanel (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Phencyclidine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phencyclidine-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phenobarbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Phenobarbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Phentermine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phentermine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phentermine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phentermine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phentermine-d5 (HCl) (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Phentermine-d5 (HCl) (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Phentermine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phentermine-d5 (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phentermine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Phentermine-d5 (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Phenyl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Phenyl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Phenylacetone (exempt preparation) 1 mg/mL in Methyl Acetate	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Phenylacetone (exempt preparation) 100 µg/mL in Methyl Acetate	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Phenylacetone CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Phenylacetone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Phenylacetone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Phenylacetone CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Phenylacetone; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Phenylacetone; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Phenylacetone; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 1 mL	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 100 µg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 100 µg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 1 mg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021

Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 1 mg/mL 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 1 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 100 µg/mL 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 100 µg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 250 µg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 250 µg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 250 µg/mL 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 250 µg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 500 µg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 500 µg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 500 µg/mL 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 (CRM) 500 µg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 6 Solution 1 mg/mL in 99:1 acetonitrile/DIPEA stabilized with 0.05% ascorbic acid	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 1 mg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 1 mg/mL ea in 99:1 Acetonitrile:DIPEA (w. 0.05% Ascorbic acid)	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 1 mg/mL, 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 100 µg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 100 µg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 100 µg/mL, 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 100 µg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 250 µg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 250 µg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 250 µg/mL, 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 250 µg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 500 µg/mL ea in 99:1 Acetonitrile:DIPEA (w. 0.05% Ascorbic acid)	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 500 µg/mL, 1 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 500 µg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7(CRM) 500 µg/mL 0.5 mL in 1:99 DIPEA: acetonitrile with 0.05% ascorbic acid	Glass ampule: 0.5 mL	2/23/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7(CRM) 500 µg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	2/3/2021
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Mixture 1 (Japan Version); 100 µg/mL each in Acetonitrile	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Phytocannabinoid Mixture 1; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	6/28/2016
Cayman Chemical Company	Phytocannabinoid Mixture 10 (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10, 1 mg/mL (CRM)	Glass ampule: 0.5 mL	9/8/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10; 100 µg/mL ea in Acetonitrile	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Phytocannabinoid Mixture 10; 250 µg/mL ea in Acetonitrile	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Phytocannabinoid Mixture 10-A (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10-A (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 11 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 11, 1 mg/mL (CRM)	Glass ampule: 0.5 mL	9/8/2020
Cayman Chemical Company	Phytocannabinoid Mixture 11; 100 µg/mL ea in Acetonitrile	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Phytocannabinoid Mixture 11; 250 µg/mL ea in Acetonitrile	Glass ampule: 1 mL	3/8/2017
Cayman Chemical Company	Phytocannabinoid Mixture 15 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (1.6 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (4.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (4.0 mg/mL)	Glass ampule: 0.5 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (2.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (3.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (4.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4 (CRM); 250 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Phytocannabinoid Mixture 4 (CRM); 500 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Phytocannabinoid Mixture 4 (CRM); 750 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (2.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (3.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (4.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 5 (CRM); 250 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Phytocannabinoid Mixture 5 (CRM); 500 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Phytocannabinoid Mixture 6 (CRM); 250 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018

Cayman Chemical Company	Phytocannabinoid Mixture 6 (CRM); 500 µg/mL ea in Acetonitrile	Amber ampule: 1 mL	4/5/2018
Cayman Chemical Company	Phytocannabinoid Mixture 9; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Phytocannabinoid Mixture 9; 250 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/2/2018
Cayman Chemical Company	Phytocannabinoid Mixture California Potency (CRM) 1 mg/ml ea in Acetonitrile	Glass ampule: 0.5 mL	11/21/2023
Cayman Chemical Company	Phytocannabinoid Mixture California Potency (CRM) 500 µg/ml ea in Acetonitrile	Glass ampule: 1.0 mL	11/21/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.1 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.25 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.25 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.5 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.5 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 1 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 Solution 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 1 mg/ml ea in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 1 mg/ml ea in Methanol	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 500 µg/mL ea in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 500 µg/mL ea in Methanol	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Prazepam (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Prazepam (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Pregabalin (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Propoxyphene-d5 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Propoxyphene-d5 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Propoxyphene-d5 (hydrochloride) CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Propoxyphene-d5 (hydrochloride) CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Propoxyphene-d5 (hydrochloride) CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Propoxyphene-d5 (hydrochloride) CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Protonitazene (citrate) (CRM) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Protonitazene (citrate) (CRM) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Protonitazene (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Protonitazene (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Protonitazene (hydrochloride) (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Protonitazene-d7 (CRM) (100 µg/ml Methanol)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	Protonitazene-d7 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Protonitazene-d7 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Psilocin (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocin (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 0.5 mL	2/24/2021
Cayman Chemical Company	Psilocin CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Psilocin CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Psilocin CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Psilocin CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Psilocin; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Psilocin; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Psilocin; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Psilocin-d10 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocin-d10 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocin-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocin-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocybin (CRM) 1 mg/mL in 1:1 Acetonitrile:H2O	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocybin (CRM) 100 µg/mL in 1:1 Acetonitrile:H2O	Glass ampule: 0.5 mL	2/24/2021
Cayman Chemical Company	Psilocybin CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Psilocybin CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Psilocybin CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Psilocybin CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Psilocybin; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Psilocybin; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Psilocybin; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Psilocybin-d10 (CRM) 1 mg/mL in 1:1 Acetonitrile:H2O	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocybin-d10 (CRM) 100 µg/mL in 1:1 Acetonitrile:H2O	Glass ampule: 1.0 mL	2/24/2021
Cayman Chemical Company	Psilocybin-d4 (CRM) 1 mg/mL in 1:1 Acetonitrile:H2O	Glass ampule: 0.5 mL	2/24/2021
Cayman Chemical Company	Psilocybin-d4 (CRM) 100 µg/mL in 1:1 Acetonitrile:H2O	Glass ampule: 0.5 mL	2/24/2021
Cayman Chemical Company	PV8 (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	RCS-4 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	RCS-4 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	RCS-4 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	RCS-4 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	RCS-4; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	RCS-4; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	RCS-4; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	RCS-8 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	RCS-8 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	RCS-8 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	RCS-8 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	RCS-8; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	RCS-8; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	RCS-8; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Remfentanil (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	Remfentanil (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023

Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Secobarbital (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Secobarbital (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	7/28/2017
Cayman Chemical Company	Sufentanil (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Sufentanil (CRM) 100 µg/ml in Methanol	Glass ampule: 0.5 mL	2/21/2023
Cayman Chemical Company	Sufentanil-d5 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Sufentanil-d5 (CRM) 100 µg/ml in Methanol	Glass ampule: 0.5 mL	2/21/2023
Cayman Chemical Company	Synthetic Cannabinoid HPLC Mixture I, 1,200 µg in 1.2 mL methanol	Glass vial: 2.5 mL	3/17/2011
Cayman Chemical Company	Synthetic Cannabinoid HPLC Mixture II, 600 µg in 1 mL methanol	Glass vial: 2.5 mL	1/17/2011
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (10 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (10 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (20 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (20 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (5 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (5 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	Tapentadol (hydrochloride) CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Tapentadol (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Tapentadol (hydrochloride) CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Tapentadol (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Temazepam CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	12/2/2014
Cayman Chemical Company	Temazepam CRM; 1 mg/mL in Acetonitrile	Glass vial: 2 mL	12/2/2014
Cayman Chemical Company	Temazepam CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Temazepam CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Temazepam CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Temazepam CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Temazepam-d5 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Temazepam-d5 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Temazepam-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Temazepam-d5 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Temazepam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Temazepam-d5 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Testosterone	Vial: 3 mL	4/7/1993
Cayman Chemical Company	Testosterone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	6/13/2014
Cayman Chemical Company	Testosterone CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	6/13/2014
Cayman Chemical Company	Testosterone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	6/13/2014
Cayman Chemical Company	Testosterone CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	6/13/2014
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation)	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acid (CRM); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	4/21/2017
Cayman Chemical Company	Tetrahydrocannabivarin Acid (CRM); 100 µg /mL in Acetonitrile	Glass ampule: 1 mL	4/21/2017
Cayman Chemical Company	Tetrahydrocannabivarin CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Tetrahydrocannabivarin CRM; 1 mg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Tetrahydrocannabivarin CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Tetrahydrocannabivarin CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Tetrahydrocannabivarin Solution 1 mg/mL in Methanol	Glass ampule: 1 mL	7/1/2025
Cayman Chemical Company	Tetrahydrofuran fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	THC Isomer GC Mixture 100 µg/ml ea in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THC Isomer GC Mixture 100 µg/ml ea in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THC Isomer GC Mixture 250 µg/ml ea in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THC Isomer GC Mixture 250 µg/ml ea in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THCA-A CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	12/2/2014
Cayman Chemical Company	THCA-A CRM; 1 mg/mL in Acetonitrile	Glass vial: 2 mL	12/2/2014
Cayman Chemical Company	THCA-A CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	THCA-A CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	THCA-A CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	12/2/2014
Cayman Chemical Company	THCA-A CRM; 100 µg/mL in Acetonitrile	Glass vial: 2 mL	12/2/2014
Cayman Chemical Company	THCA-A CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	THCA-A CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	THCA-A; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	THCA-A; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	THCA-A; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	THCA-A-d3 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d3 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d3 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d3 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d3 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d3 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	THCA-A-d3 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d3 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	THCA-A-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d3 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014

Cayman Chemical Company	THCA-A-d9 (exempt preparation); 1 mg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d9 (exempt preparation); 100 µg in 1 mL Acetonitrile	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	THCA-A-d9 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	THCA-A-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Thebaine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Thebaine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Thebaine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Thebaine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Thebaine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Thebaine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Thebaine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Thiofentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	Thiofentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	THJ2201 (CRM); 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	THJ2201 (CRM); 1 mg/mL in Methanol	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	THJ2201 (CRM); 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	THJ2201 (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	8/26/2016
Cayman Chemical Company	Tilidine (hydrochloride) CRM CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Tilidine (hydrochloride) CRM CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Tilidine (hydrochloride) CRM CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Tilidine (hydrochloride) CRM CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Tilidine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Tilidine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Tilidine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	ToxBox THC/THC Metabolite Plate	48-well plate	6/28/2016
Cayman Chemical Company	Triazolam (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Triazolam (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Triazolam-13C2-d4 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Triazolam-d4 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	U-47700 (CRM) 1 mg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	U-47700 (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	U-47700-d6 (CRM) 1 mg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	U-47700-d6 (CRM) 100 µg/mL, 1 mL in methanol	Glass ampule: 1 mL	2/23/2021
Cayman Chemical Company	UR-144 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	UR-144 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	UR-144 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	UR-144 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	UR-144; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	UR-144; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	UR-144; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Valeryl fentanyl (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Valeryl fentanyl-13C6 (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	Valeryl fentanyl-d5 (CRM); 100 µg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	XLR11 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	XLR11 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	XLR11 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	XLR11 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	XLR11; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	XLR11; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	XLR11; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Zaleplon CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zaleplon CRM; 1 mg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zaleplon CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zaleplon CRM; 100 µg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zolpidem CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zolpidem CRM; 1 mg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zolpidem CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zolpidem CRM; 100 µg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zolpidem-d7 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Zolpidem-d7 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Zopiclone CRM; 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zopiclone CRM; 1 mg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zopiclone CRM; 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	Zopiclone CRM; 100 µg/mL in Methanol	Glass vial: 1 mL	2/10/2016
Cayman Chemical Company	α-Ethylaminohexanophenone (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	α-Ethyltryptamine CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	α-Ethyltryptamine CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	α-Ethyltryptamine CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	α-Ethyltryptamine CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	α-Ethyltryptamine; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	α-Ethyltryptamine; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013

Cayman Chemical Company	α-Ethyltryptamine; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	α'-hydroxy Fentanyl (exempt preparation) (100 µg/ml Methanol)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	α-methyl Acetyl fentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	α-methyl Acetyl fentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	α-methyl Fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	α-methyl Fentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	α-methyl Thiofentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	α-methyl Thiofentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	α-Methyltryptamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	α-Methyltryptamine (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	α-Methyltryptamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	α-Methyltryptamine (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	α-Methyltryptamine (hydrochloride); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	α-Methyltryptamine (hydrochloride); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	α-Methyltryptamine (hydrochloride); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	α-PBP (exempt preparation); 1 mg in 1 mL	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	α-PBP (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	α-PBP (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	α-PHP-d8 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	α-PHP-d8 (hydrochloride) 1 mg/mL in Methanol (CRM)	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	α-PVP (exempt preparation); 1 mg in 1 mL	Glass vial: 1 mL	3/17/2014
Cayman Chemical Company	α-PVP (exempt preparation); 100 µg in 100 µL Methanol	Glass vial: 100 µL	3/17/2014
Cayman Chemical Company	α-PVP (exempt preparation); 500 µg in 500 µL Methanol	Glass vial: 500 µL	3/17/2014
Cayman Chemical Company	α-Pyrrolidinohexanophenone (hydrochloride) (CRM); 1 mg/mL in Methanol	Glass ampule: 1.0 mL	4/14/2021
Cayman Chemical Company	α-Pyrrolidinoisohexanophenone 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	α-Pyrrolidinoisohexanophenone-d8 (hydrochloride) (CRM) (100 µg/ml Methanol)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	α-Pyrrolidinopentiophenone (hydrochloride) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	α-Pyrrolidinopentiophenone (hydrochloride) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	3/21/2014
Cayman Chemical Company	β-hydroxy Fentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/25/2017
Cayman Chemical Company	β-hydroxy Fentanyl (hydrochloride); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/25/2017
Cayman Chemical Company	B-Hydroxythiofentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 1 mL	10/12/2017
Cayman Chemical Company	B-Hydroxythiofentanyl (hydrochloride) (CRM); 100 µg/mL in Methanol	Glass ampule: 0.5 mL	10/12/2017
Cayman Chemical Company	β-Methyl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	β-Methyl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt) CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt) CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt) CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt) CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt); 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt); 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	γ-Hydroxybutyric acid (sodium salt); 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ10-THC Mixture (CRM) 1 mg/mL in ACN	Glass ampule: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ10-THC Mixture (CRM) 500 µg/mL ea in ACN	Glass ampule: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ8-Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ8-Tetrahydrocannabivarin Acetate (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ8-Tetrahydrocannabivarin Acetate (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ8-THC Acetate (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC Acetate (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC Acetate (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC Acetate (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC Acetate-d9 (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC Acetate-d9 (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC Acetate-d9 (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THC CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Δ8-THC CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Δ8-THC CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Δ8-THC CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Δ8-THC methyl ether (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ8-THC Propionate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THC Propionate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THC; 1 mg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ8-THC; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ8-THC; 500 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ8-THCB Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCB Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCBA-A (CRM) 1 mg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THCBA-A (CRM) 100 µg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THC-C8 (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ8-THC-C8 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ8-THC-C8 (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ8-THC-C8 (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ8-THC-C9 (CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ8-THC-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Δ8-THC-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Δ8-THC-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Δ8-THC-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Δ8-THC-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Δ8-THC-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014

Cayman Chemical Company	Δ8-THCH Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCH Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THC-methylcarbonate (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ8-THCP Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCP Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCPA-A (CRM) 1 mg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THCPA-A (CRM) 100 µg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THCP-d3 (exempt preparation) (1 mg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	Δ8-THCP-d3 (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	Δ8-THCV (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THCV (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THCV (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ8-THCV (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-Tetrahydrocannabinol CRM; 1 mg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Δ9-Tetrahydrocannabinol CRM; 1 mg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Δ9-Tetrahydrocannabinol CRM; 100 µg/mL Methanol	Glass ampule: 2 mL	5/2/2014
Cayman Chemical Company	Δ9-Tetrahydrocannabinol CRM; 100 µg/mL Methanol	Glass ampule: 1 mL	5/2/2014
Cayman Chemical Company	Δ9-THC (CRM) (5.0 mg/mL in acetonitrile)	Glass ampule: 0.5 mL	5/27/2020
Cayman Chemical Company	Δ9-THC (CRM) (5.0 mg/mL in methanol)	Glass ampule: 0.5 mL	5/27/2020
Cayman Chemical Company	Δ9-THC CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Δ9-THC CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Δ9-THC CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	1/27/2014
Cayman Chemical Company	Δ9-THC CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	1/27/2014
Cayman Chemical Company	Δ9-THC methyl ether (exempt preparation), 1 mg/ml in 99:1 CAN:DIPEA	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC methyl ether (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC methyl ether (exempt preparation), 1 mg/ml in methanol	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC methyl ether (exempt preparation), 100 µg/ml in 99:1 CAN:DIPEA	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC Propionate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THC Propionate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THC; 1 mg in 1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ9-THC; 100 µg in 0.1 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ9-THC; 500 µg in 0.5 mL Methanol	Glass vial: 3 mL	12/20/2013
Cayman Chemical Company	Δ9-THCA-B (CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ9-THCA-B (CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ9-THCA-B (CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ9-THCA-B (CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ9-THCB Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCB Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCB butanoate(CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ9-THC-C8 (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ9-THC-C8 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ9-THC-C8 (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ9-THC-C8 (exempt preparation) 100 µg/mL in Methanol	Glass ampule: 1 mL	9/17/2022
Cayman Chemical Company	Δ9-THC-C9 (CRM)	Glass ampule: 1 mL	10/1/2025
Cayman Chemical Company	Δ9-THC-d9 (exempt preparation); 1 mg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Δ9-THC-d9 (exempt preparation); 100 µg in 1 mL Methanol	Glass vial: 1 mL	9/22/2014
Cayman Chemical Company	Δ9-THC-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Δ9-THC-d9 CRM; 1 mg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Δ9-THC-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 1 mL	9/19/2014
Cayman Chemical Company	Δ9-THC-d9 CRM; 100 µg/mL in Methanol	Glass ampule: 2 mL	9/19/2014
Cayman Chemical Company	Δ9-THCH Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCH Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THC-methylcarbonate (exempt preparation), 1 mg/ml in 99:1 CAN:DIPEA	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC-methylcarbonate (exempt preparation), 1 mg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC-methylcarbonate (exempt preparation), 100 µg/ml in 99:1 CAN:DIPEA	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THC-methylcarbonate (exempt preparation), 100 µg/ml in acetonitrile	Glass vial: 1.0 mL	4/7/2025
Cayman Chemical Company	Δ9-THCO (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-THCO (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-THCO (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-THCO (CRM) 100 µg/ml in methanol	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-THCOA-A (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-THCOA-A (CRM) 100 µg/ml in acetonitrile	Glass Ampule: 1 mL	9/7/2021
Cayman Chemical Company	Δ9-THCP Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCP Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCP-d3 (exempt preparation) (1 mg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cayman Chemical Company	Δ9-THCP-d3 (exempt preparation) (100 µg/ml Acetonitrile)	Glass vial: 1.0	8/13/2025
Cedarburg Pharmaceuticals	Cis-Delta-9 tetrahydrocannabinol	Glass vial: 2 mL	2/13/2006
Cedarburg Pharmaceuticals	Delta-9 tetrahydrocannabinol	Glass vial: 2 mL	2/13/2006
Cedarburg Pharmaceuticals	Delta-9 tetrahydrocannabinol regio isomer	Glass vial: 2 mL	2/13/2006
Centre Suisse de Controle	CSCQ DOA	Plastic bottle: 500 mL	10/2/2002
Cerilliant Corporation	(-)-11-Hydroxy-delta8-THC	Amber ampule: 1 mL	4/29/2022
Cerilliant Corporation	(-)-11-Hydroxy-delta9-THC 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	3/26/1997
Cerilliant Corporation	(-)-11-nor-9-Carboxy-delta9-THC 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(-)-11-nor-9-Carboxy-delta9-THC 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	(-)-Delta 8-THC, 1.0 mg/mL	Glass ampule: 1 mL	9/12/2003
Cerilliant Corporation	(-)-Delta 8-THC, 100 µg/mL	Glass ampule: 1 mL	9/12/2003
Cerilliant Corporation	(-)-delta8-THC-D3	Glass ampule: 1 mL	1/26/2021
Cerilliant Corporation	(-)-delta-9-THC 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	(-)-delta9-THC-beta-D-glucuronide	Amber ampule: 1 mL	5/3/2022

Cerilliant Corporation	(-)-delta-9-THC-D3 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(-)-delta9-THC-O-beta-D-glucuronide, sodium salt	Glass ampule: 1.0 mL	10/11/2022
Cerilliant Corporation	(-)-exoTHC-D3 (0.1 mg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	(-)α-Methadol HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	(-)β-Acetylmethadol HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	(+)-11-Nor-9-carboxy-delta9-THC glucuronide	Glass ampule: 1 mL	2/26/2008
Cerilliant Corporation	(+)-Norpseudoephedrine Hydrochloride, 1.0 mg/mL	Glass ampule: 1 mL	9/17/2002
Cerilliant Corporation	(+)-Norpseudoephedrine Hydrochloride, 100 µg/mL	Glass ampule: 1 mL	9/17/2002
Cerilliant Corporation	(+)-Propoxyphene 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	(+)-Propoxyphene 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+)α-Methadol HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	(+)β-Acetylmethadol HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	(+/-)-11-Hydroxy-delta9-THC 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/15/1995
Cerilliant Corporation	(+/-)-11-Hydroxy-delta9-THC-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC 0.01 mg/mL	Glass ampule: 1 mL	3/2/1994
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC-D9 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/12/1991
Cerilliant Corporation	(+/-)-Amphetamine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D10 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/15/1995
Cerilliant Corporation	(+/-)-Amphetamine-D11 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	(+/-)-Amphetamine-D3 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D5 (ring label) 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D5 (side-chain label) 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-Amphetamine-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	(+/-)-Amphetamine-D8 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	(+/-)-Amphetamine-D8 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-BDB 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	(+/-)-delta8-THC	Glass ampule: 1 mL	4/16/2008
Cerilliant Corporation	(+/-)-delta9-THC	Glass ampule: 1 mL	4/16/2008
Cerilliant Corporation	(+/-)Delta9-THC-D9 1.0 mg/mL	Glass ampule: 1 mL	12/14/1998
Cerilliant Corporation	(+/-)Delta9-THC-D9 100 µg/mL	Glass ampule: 1 mL	12/14/1998
Cerilliant Corporation	(+/-)-MBDB 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	(+/-)-MBDB-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	(+/-)-MDEA 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	(+/-)-MDEA-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	(+/-)-MDEA-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	(+/-)-Methadone 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methadone-D9 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	(+/-)-Methamphetamine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methamphetamine-D11 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/16/1993
Cerilliant Corporation	(+/-)-Methamphetamine-D14 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	(+/-)-Methamphetamine-D5 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	(+/-)-Methamphetamine-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-Methamphetamine-D8 (Phenyl-D5 & N-Methyl-D3) 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/6/1993
Cerilliant Corporation	(+/-)-Methamphetamine-D8 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	(+/-)-Methamphetamine-D8 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-Methamphetamine-D9 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	(+/-)-Methcathinone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	(+/-)-Methcathinone-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	(+/-)-Methylenedioxyamphetamine [(+/-)-MDA] 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methylenedioxyamphetamine-D5 [(+/-)-MDA-D5] 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	(+/-)-Methylenedioxymethamphetamine [(+/-)-MDMA] 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methylenedioxymethamphetamine-D5 [(+/-)-MDMA-D5] 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	(+/-)-N-Ethylamphetamine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	(+/-)Propoxyphene-D11 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/8/1998
Cerilliant Corporation	(+/-)-Propoxyphene-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	(+/-)-Propoxyphene-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(±) Pentazocine-13C3 (0.1 mg/mL)	Glass ampule: 1 mL	9/22/2011
Cerilliant Corporation	(±)-11-Hydroxy-delta9-THC glucuronide (0.01 mg/mL)	Glass ampule: 1 mL	11/11/2016
Cerilliant Corporation	(±)-2,5-Dimethoxy-4-bromoamphetamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	6/21/2013
Cerilliant Corporation	(±)-2,5-Dimethoxy-4-bromoamphetamine-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	6/9/2015
Cerilliant Corporation	(±)-Amphetamine-13C6 HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	(±)-beta-Hydroxythiofentanyl -13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	(±)beta-Hydroxythiofentanyl HCl	Glass ampule: 0.5 mL	5/26/2017
Cerilliant Corporation	(±)-beta-Hydroxythiofentanyl HCl (sum of diastereomers) (0.1 mg/mL)	Glass ampule: 0.5 mL	3/7/2017
Cerilliant Corporation	(±)-Cannabicyclol (1.0 mg/mL)	Glass ampule: 1.0 mL	7/18/2016
Cerilliant Corporation	(±)-Cathinone-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	11/17/2015
Cerilliant Corporation	(±)-cis-11-Nor-9-carboxy-delta9-THC-D3 glucuronide (0.1 mg/mL)	Glass ampule: 1 mL	12/15/2011
Cerilliant Corporation	(±)-cis-3-Methylfentanyl HCl (0.05 mg/mL)	Glass ampule: 1 mL	6/21/2016
Cerilliant Corporation	(±)-cis-3-Methylfentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	7/18/2016
Cerilliant Corporation	(±)-Methamphetamine-13C6 HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	(±)-Methcathinone-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	11/19/2014
Cerilliant Corporation	(±)-Pentazocine-13C3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	5/28/2014
Cerilliant Corporation	(±)-threo-Methylphenidate-D4 HCl (0.1 mg/mL)	Glass ampule: 1 mL	2/13/2015
Cerilliant Corporation	(6aR,9R)-delta10-THC	Glass ampule: 1.0 mL	8/30/2021
Cerilliant Corporation	±-Norpseudoephedrine-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	1/7/2013

Cerilliant Corporation	10-Hydroxymorphine, 0.1 mg/mL	Glass ampule: 1 mL	1/30/2006
Cerilliant Corporation	10-Hydroxynaltrexone, 100 µg/mL	Glass ampule: 1 mL	5/10/2004
Cerilliant Corporation	10-Ketonaltrexone, 100 µg/mL	Glass ampule: 1 mL	5/10/2004
Cerilliant Corporation	10-Oxymorphine	Glass ampule: 1 mL	5/13/2010
Cerilliant Corporation	14-Hydroxycodeinone, 1.0 mg/mL	Glass ampule: 1 mL	5/24/2005
Cerilliant Corporation	14-Hydroxycodeinone, 100 µg/mL	Glass ampule: 1 mL	5/24/2005
Cerilliant Corporation	14-Hydroxymorphinone, 1.0 mg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	14-Hydroxymorphinone, 100 µg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	16β-Hydroxystanozolol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/15/1995
Cerilliant Corporation	17alpha-Methyltestosterone (1.0 mg/mL)	Glass ampule: 1 mL	4/21/2014
Cerilliant Corporation	17α-Ethyl-5β-estrane-3α,17β-diol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	17α-Methyl-5α-androstane-3α,17β-diol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	17α-Methyl-5β-androstane-3α,17β-diol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	2,2'-Bisnaltrexone, 100 ug/mL	Glass ampule: 1 mL	2/9/2004
Cerilliant Corporation	2,5-Dimethoxy-4-(n)-propylphenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	9/9/2013
Cerilliant Corporation	2,5-Dimethoxy-4-(n)-propylthiophenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	10/21/2013
Cerilliant Corporation	2,5-Dimethoxy-4-(n)-propylthiophenethylamine HCl (2C-T-7 HCl) (1 mg/mL)	Glass ampule: 1 mL	1/7/2013
Cerilliant Corporation	2,5-Dimethoxy-4-ethylphenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	9/9/2013
Cerilliant Corporation	2,5-Dimethoxy-4-ethylphenethylamine-13C,D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	4/3/2014
Cerilliant Corporation	2,5-Dimethoxy-4-ethylthiophenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	2,5-Dimethoxy-4-ethylthiophenethylamine-13C,D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	4/3/2014
Cerilliant Corporation	2,5-Dimethoxy-4-isopropylthiophenethylamine- 13C, D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	2,5-Dimethoxy-4-isopropylthiophenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	2,5-Dimethoxy-4-methylphenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	9/9/2013
Cerilliant Corporation	2,5-Dimethoxy-4-methylphenethylamine-13C,D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	4/3/2014
Cerilliant Corporation	2,5-Dimethoxy-4-nitrophenethylamine- 13C, D3 HCl (0.1 mg/mL as free base)	Glass ampule: 1 mL	6/16/2014
Cerilliant Corporation	2,5-Dimethoxy-4-nitrophenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	10/21/2013
Cerilliant Corporation	2′-Fluoro-o-fluorofentanyl 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	2′-Fluoro-o-fluorofentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	25B-NBOMe HCl (1.0 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	25B-NBOMe-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	25C-NBOMe HCl (1.0 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	25C-NBOMe-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	25I-NBOMe HCl (1.0 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	25I-NBOMe-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	2-Thiofuranyl fentanyl 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	2-Thiofuranyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	3,4-Dimethylmethcathinone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	3,4-Methylenedioxypyrovalerone HCl (1 mg/mL)	Glass ampule: 1 mL	10/6/2011
Cerilliant Corporation	3,4-Methylenedioxypyrovalerone-D8 HCl (0.1 mg/mL)	Glass ampule: 1 mL	10/6/2011
Cerilliant Corporation	3′-fluoro ortho-Fluorofentanyl HCl	Glass Ampule: 0.5 ml	8/13/2025
Cerilliant Corporation	3′-Fluorofentanyl HCl	Glass Ampule: 0.5 ml	8/13/2025
Cerilliant Corporation	3-Desmethylprodine (1 mg/mL)	Glass ampule: 1 mL	5/30/2012
Cerilliant Corporation	3-Desmethylprodine HCl (1 mg/mL)	Glass ampule: 1 mL	5/30/2012
Cerilliant Corporation	3-Fluoromethcathinone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	3'-Hydroxystanozolol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/6/1994
Cerilliant Corporation	3'-Hydroxystanozolol-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/6/1994
Cerilliant Corporation	3-Methyl fentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	4-ANPP (0.1 mg/mL)	Glass ampule: 0.5 mL	5/26/2017
Cerilliant Corporation	4-ANPP-13C6	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-ANPP-D5 (0.1 mg/mL)	Glass ampule: 0.5 mL	11/3/2017
Cerilliant Corporation	4-Bromo-2,5-dimethoxyphenethylamine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/15/1997
Cerilliant Corporation	4-Chloro-2,5-Dimethoxymethylphenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	10/21/2013
Cerilliant Corporation	4-Chlorofuranyl fentanyl HCl	Glass ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	4-Chlorofuranyl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Chloroisobutyryl fentanyl HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Chloroisobutyryl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Chloromethcathionone HCl (4-CMC HCl)	Glass ampule: 1 mL	12/17/2025
Cerilliant Corporation	4-Cl-alpha-PVP HCl	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	4-Ethylmethcathinone (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	4-Fluoroisobutyryl fentanyl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/28/2017
Cerilliant Corporation	4-Fluoroisobutyryl fentanyl-13C6	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Fluoromethcathinone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	4-Iodo-2,5-Dimethoxymethylphenethylamine HCl (1.0 mg/mL)	Glass ampule: 1 mL	10/21/2013
Cerilliant Corporation	4-Iodo-2,5-dimethoxyphenethylamine- 13C, D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2013
Cerilliant Corporation	4-Methoxyamphetamine HCl (PMA HCl); 1.0 mg/mL	Glass ampule: 1 mL	10/23/2000
Cerilliant Corporation	4-Methoxyamphetamine HCl (PMA HCl); 100 µg/mL	Glass ampule: 1 mL	10/23/2000
Cerilliant Corporation	4'-Methylacetyl fentanyl - 13C6 HCl	Glass Ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	4-Methyl-alpha-pyrrolidinobutiophenone HCl (MPBP HCl) (1.0 mg/mL)	Glass ampule: 1 mL	3/4/2021
Cerilliant Corporation	4-Methylethcathinone (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	4-Methyl-N-ethyl-pentedrone HCl	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	5 alpha-Dihydrotestosterone (DHT), 1.0 mg/mL	Glass ampule: 1 mL	4/11/2011
Cerilliant Corporation	5 Part Potency in Beverage	Glass ampule: 1.0 mL	2/22/2022
Cerilliant Corporation	5alpha-Dihydrotestosterone-D3 [16, 16, 17-D3]; 10 µg/mL	Glass ampule: 1 mL	9/28/2016
Cerilliant Corporation	5alpha-Dihydrotestosterone-D3, 0.1 mg/mL	Glass ampule: 1 mL	6/9/2011
Cerilliant Corporation	5F-AMB	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	5F-EDMB-PINACA (0.1 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	5F-EMB-PINACA	Glass ampule: 1.0 mL	11/5/2019
Cerilliant Corporation	5-Fluoro PB-22 (0.1 mg/mL)	Glass ampule: 1 mL	2/11/2014

Cerilliant Corporation	5F-MDMB-PICA (0.1 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	5F-MDMB-PINACA (0.1 mg/mL)	Glass ampule: 1 mL	5/26/2017
Cerilliant Corporation	5-MeO-DiPT (1.0 mg/mL)	Glass ampule: 1 mL	8/6/2015
Cerilliant Corporation	5-MeO-DMT (1.0 mg/mL)	Glass ampule: 1 mL	10/7/2014
Cerilliant Corporation	5-MeO-DMT-D4	Amber ampule: 1 mL	8/24/2022
Cerilliant Corporation	5α-Estran-3α-ol-17-one 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	5α-Estran-3α-ol-17-one-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	5α-Estran-3β-ol-17-one 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	5α-Estran-3β-ol-17-one-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	5β-Estran-3α-ol-17-one 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	5β-Estran-3α-ol-17-one-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	6 Part Potency in Solution (Acids)	Glass ampule: 1.0 mL	1/11/2022
Cerilliant Corporation	6-Acetylcodeine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1997
Cerilliant Corporation	6-Acetylcodeine-D3	Glass ampule: 1.0 mL	4/15/2021
Cerilliant Corporation	6-Acetylmorphine 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	6-Acetylmorphine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	6-Acetylmorphine-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/25/1994
Cerilliant Corporation	6-alpha/ beta-Hydroxyoxymorphone (1 mg/mL)	Glass ampule: 1 mL	8/1/2011
Cerilliant Corporation	6-alpha/ beta-Hydroxyoxymorphone-D3 (0.1 mg/mL)	Glass ampule: 1 mL	8/1/2011
Cerilliant Corporation	6alpha-Naloxol (1.0 mg/mL)	Glass ampule: 1 mL	3/30/2015
Cerilliant Corporation	6beta-Hydroxytestosterone-D3, 1.0 mg/mL	Glass ampule: 1 mL	7/19/2004
Cerilliant Corporation	6beta-Hydroxytestosterone-D3, 100 µg/mL	Glass ampule: 1 mL	7/19/2004
Cerilliant Corporation	6Beta-Naloxol HCl, 100 µg/mL	Glass ampule: 1 mL	4/25/2005
Cerilliant Corporation	6Beta-Naloxol-[allyl D5]-6beta-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-[allyl D5]-6beta-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-6beta-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-6beta-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	6beta-Naloxol-D5 HCl	Glass ampule: 1 mL	6/11/2009
Cerilliant Corporation	6beta-Naloxol-D5-3beta-D-glucuronide	Glass ampule: 1 mL	10/9/2006
Cerilliant Corporation	6beta-Naltrexol (1 mg/mL)	Glass ampule: 1 mL	5/6/2016
Cerilliant Corporation	6-beta-Naltrexol-3-beta-D-glucuronide (1 mg/mL)	Glass ampule: 1 mL	6/1/2015
Cerilliant Corporation	6beta-Naltrexol-3-beta-D-glucuronide, 0.1 mg/mL	Glass ampule: 1 mL	9/13/2006
Cerilliant Corporation	6Beta-Naltrexol-6-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	5/2/2005
Cerilliant Corporation	6Beta-Naltrexol-6-glucuronide, 100 µg/mL	Glass ampule: 1 mL	5/2/2005
Cerilliant Corporation	6β-Hydroxyfluoxymesterone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	6β-Hydroxyfluoxymesterone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	6β-Hydroxymethandienone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	6β-Hydroxymethandienone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	6-β-Naloxol	Glass ampule: 1 mL	7/5/2001
Cerilliant Corporation	6-β-Naloxol HCl	Glass ampule: 1 mL	9/19/2001
Cerilliant Corporation	6-β-Naloxol-D5	Glass ampule: 1 mL	7/5/2001
Cerilliant Corporation	6β-Naltrexol HCl; 1.0 mg/mL	Glass ampule: 1 mL	1/4/2001
Cerilliant Corporation	6β-Naltrexol; 1.0 mg/mL	Glass ampule: 1 mL	1/4/2001
Cerilliant Corporation	6β-Naltrexol-D3 HCl; 100 µg/mL	Glass ampule: 1 mL	1/4/2001
Cerilliant Corporation	6β-Naltrexol-D3; 100 µg/mL	Glass ampule: 1 mL	1/4/2001
Cerilliant Corporation	8 Part Potency in Solution (Neutrals)	Glass ampule: 1.0 mL	1/11/2022
Cerilliant Corporation	9(S)-delta6a,10a-THC 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	9α-Fluoro-17α-methylandrost-4-ene-3α,6β,11β,17β-tetrol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	9α-Fluoro-18-nor-17,17-dimethylandrosta-4,13-diene-11β-ol-3-one 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	AB-CHMINACA (0.1 mg/mL)	Glass ampule: 1 mL	5/26/2017
Cerilliant Corporation	AB-FUBINACA (0.1 mg/mL)	Glass ampule: 1 mL	2/11/2014
Cerilliant Corporation	AB-PINACA (0.1 mg/mL)	Glass ampule: 1 mL	8/6/2015
Cerilliant Corporation	Acetyl fentanyl (0.05 mg/mL)	Glass ampule: 1 mL	10/8/2015
Cerilliant Corporation	Acetyl fentanyl-13C6 (0.05 mg/mL)	Glass ampule: 1 mL	10/8/2015
Cerilliant Corporation	Acryl fentanyl- 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Acryl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/8/2017
Cerilliant Corporation	Acryl fentanyl-D5 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	11/3/2017
Cerilliant Corporation	ADB-FUBINACA (0.1 mg/mL)	Glass ampule: 1 mL	5/26/2017
Cerilliant Corporation	ADB-PINACA	Glass Ampule: 1 mL	7/17/2019
Cerilliant Corporation	AH-7921 HCl (1 mg/mL)	Glass ampule: 1 mL	5/20/2016
Cerilliant Corporation	AH-7921-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	5/20/2016
Cerilliant Corporation	AKB48 (0.1 mg/mL)	Glass ampule: 1 mL	5/16/2013
Cerilliant Corporation	Alfentanil hydrochloride, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Alfentanil hydrochloride, 100 µg/mL (as free base)	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	alpha-Methylfentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	3/8/2018
Cerilliant Corporation	alpha-Methylfentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	alpha-Methylfentanyl-D5 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	3/8/2018
Cerilliant Corporation	alpha-Methyltryptamine, 1.0 mg/mL	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	alpha-PVP HCl (alpha-Pyrrolidinovalerophenone HCl) (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	alpha-Pyrrolidinobutiophenone HCl (1.0 mg/mL)	Glass ampule: 1 mL	5/28/2014
Cerilliant Corporation	alpha-Pyrrolidinohexanophenone HCl (alpha-PHP HCl)	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	alpha-Pyrrolidinoisohexanophenone HCl (alpha-PiHP HCl) (1.0 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	alpha-Pyrrolidinovalerophenone-D8 HCl (0.1 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Alprazolam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/5/1990
Cerilliant Corporation	Alprazolam-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/5/1990
Cerilliant Corporation	AM 1086 Sys. Suitability Std.	Glass ampule: 1 mL	10/30/2007
Cerilliant Corporation	Amine Mix-2	Glass ampule: 1 mL	6/2/1997

Cerilliant Corporation	Amine Mixture-6	Glass ampule: 1 mL	3/4/2003
Cerilliant Corporation	Aminorex 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Amobarbital 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Amobarbital-D5 (0.1 mg/mL)	Glass ampule: 1 mL	1/7/2013
Cerilliant Corporation	Androstene-3,17-dione-2,3,4-13C3, 0.1 mg/mL	Glass ampule: 1 mL	5/12/2011
Cerilliant Corporation	Androstenedione	Glass ampule: 1 mL	8/29/2007
Cerilliant Corporation	Anhydroecgonine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	Anhydroecgonine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Anhydroecgonine methyl ester 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Anhydroecgonine-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	APINACA (0.1 mg/mL)	Glass ampule: 1 mL	10/8/2015
Cerilliant Corporation	Aprobarbital (1 mg/mL)	Glass ampule: 1 mL	8/8/2017
Cerilliant Corporation	Aprobarbital-D7 (0.1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	Barbital (1 mg/mL)	Glass ampule: 1 mL	8/8/2017
Cerilliant Corporation	Barbiturate Mix-5	Glass ampule: 1 mL	6/2/1997
Cerilliant Corporation	Base/Neutral Mixture-5	Glass ampule: 1 mL	4/23/2001
Cerilliant Corporation	Basic Drug Screen Mix A	Glass ampule: 1 mL	1/11/2010
Cerilliant Corporation	Basic Drug Screen Mix B	Glass ampule: 1 mL	1/11/2010
Cerilliant Corporation	Basic Drug Screen Mix C	Glass ampule: 1 mL	1/11/2010
Cerilliant Corporation	BDB HCl; 1.0 mg/mL	Glass ampule: 1 mL	11/9/2000
Cerilliant Corporation	BDB HCl; 100 µg/mL	Glass ampule: 1 mL	11/9/2000
Cerilliant Corporation	Benzodiazepine Mix (1 mg/mL)	Glass ampule: 1 mL	7/2/2012
Cerilliant Corporation	Benzodiazepine Mix-4	Glass ampule: 1 mL	6/2/1997
Cerilliant Corporation	Benzodiazepine Multi-Component Mixture-8	Glass ampule: 1 mL	3/18/2003
Cerilliant Corporation	Benzoyl fentanyl – 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Benzoyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Benzoylecgonine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Benzoylecgonine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Benzoylecgonine isopropyl ester 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Benzoylecgonine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Benzoylecgonine-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Benzoylecgonine-D8 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	Benzyl piperazine diHCl	Glass ampule: 1 mL	8/19/2008
Cerilliant Corporation	Benzyl piperazine-D7 diHCl	Glass ampule: 1 mL	1/22/2009
Cerilliant Corporation	Beta'-Phenyl fentanyl 13C6 HCl (0.1 mg/ml)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Beta'-Phenyl fentanyl HCl (0.1 mg/ml)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Boldenone	Glass ampule: 1 mL	8/29/2007
Cerilliant Corporation	Brivaracetam	Glass Ampule: 1 ml	8/13/2025
Cerilliant Corporation	Brivaracetam-D3 (0.1 mg/mL)	Glass ampule: 1 mL	11/30/2016
Cerilliant Corporation	Bromazepam 1.0 mg/mL, 100 µg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Bromazepam-D4 (0.1 mg/mL)	Glass ampule: 1 mL	12/23/2014
Cerilliant Corporation	Brorphine HCl	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Brorphine-D4 HCl 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/6/2023
Cerilliant Corporation	Brorphine-D7 HCl	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Bufetonine-D4	Amber ampule: 1 mL	8/24/2022
Cerilliant Corporation	Bufotenine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	Bufotenine HCl 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/29/2023
Cerilliant Corporation	Bufotenine monooxalate, 0.1 mg/mL (as the free base)	Glass ampule: 1 mL	2/23/2006
Cerilliant Corporation	Bufotenine monooxalate, 1.0 mg/mL (as the free base)	Glass ampule: 1 mL	2/23/2006
Cerilliant Corporation	Bufotenine-D4 HCl 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/29/2023
Cerilliant Corporation	Buphedrone HCl (1.0 mg/mL)	Glass ampule: 1mL	5/8/2013
Cerilliant Corporation	Buprenorphine 0.1 mg/mL	Glass ampule: 1 mL	2/1/1991
Cerilliant Corporation	Buprenorphine glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	7/9/2004
Cerilliant Corporation	Buprenorphine glucuronide, 100 µg/mL	Glass ampule: 1 mL	7/9/2004
Cerilliant Corporation	Buprenorphine N-oxide (1 mg/mL)	Glass ampule: 1 mL	11/30/2011
Cerilliant Corporation	Buprenorphine, 1.0 mg/mL	Glass ampule: 1 mL	3/28/2011
Cerilliant Corporation	Buprenorphine-3-beta-D-glucuronide (0.1 mg/mL)	Glass ampule: 1 mL	6/9/2015
Cerilliant Corporation	Buprenorphine-D4	Glass ampule: 1 mL	7/28/2009
Cerilliant Corporation	Buprenorphine-D4 0.1 mg/mL	Glass ampule: 1 mL	2/1/1991
Cerilliant Corporation	Buprenorphine-D4-3-beta-D-glucuronide (0.1 mg/mL)	Glass ampule: 1 mL	8/13/2015
Cerilliant Corporation	Buprenorphine-D9	Amber ampule: 1 mL	8/24/2022
Cerilliant Corporation	Buprenorphine-D9-3-beta-D-glucuronide, 0.1 mg/mL	Glass ampule: 1 mL	9/13/2006
Cerilliant Corporation	Butabarbital 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1997
Cerilliant Corporation	Butabarbital-D5 (0.1 mg/mL)	Glass ampule: 1 mL	8/6/2015
Cerilliant Corporation	Butalbital 1.0 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Butalbital-D5 0.1 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Butalbital-D5 1.0 mg/mL	Glass ampule: 1 mL	10/13/1999
Cerilliant Corporation	Butonitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Butonitazene-13C6 HCl 0.1 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Butorphanol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/30/1999
Cerilliant Corporation	Butorphanol Tartrate 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/30/1999
Cerilliant Corporation	Butorphanol Tartrate, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/16/2004
Cerilliant Corporation	Butorphanol Tartrate, 100 µg/mL (as free base)	Glass ampule: 1 mL	12/16/2004
Cerilliant Corporation	Butylone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Butylone-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Butyryl Fentanyl - 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Butyryl fentanyl (0.05 mg/mL)	Glass ampule: 1 mL	6/21/2016
Cerilliant Corporation	Butyryl fentanyl (0.1 mg/mL)	Glass ampule: 0.5 mL	7/18/2016
Cerilliant Corporation	Butyryl fentanyl-D5 (0.1 mg/mL)	Glass ampule: 0.5 mL	4/11/2018

Cerilliant Corporation	Camazepam (1 mg/mL)	Glass ampule: 1 mL	11/3/2017
Cerilliant Corporation	Cannabichromene [CBC] (1.0 mg/mL	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Cannabichromenic acid (CBCA) (1.0 mg/mL)	Glass ampule: 1 mL	11/30/2016
Cerilliant Corporation	Cannabicyclolic acid (CBLA) (1.0 mg/mL)	Glass ampule: 1 mL	11/30/2016
Cerilliant Corporation	Cannabicyclolic acid (CBLA) (0.5 mg/mL)	Glass ampule: 1 mL	8/8/2017
Cerilliant Corporation	Cannabidiol Mixture – 17 Components 0.25 mg/mL (each analyte) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Cannabidiol, 1.0 mg/mL	Glass ampule: 1 mL	8/8/2003
Cerilliant Corporation	Cannabidiol, 100 µg/mL	Glass ampule: 1 mL	8/8/2003
Cerilliant Corporation	Cannabidiol-D3	Glass ampule: 1 mL	8/19/2008
Cerilliant Corporation	Cannabidiolic acid [CBDA] (1.0 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Cannabidivarin [CBDV] (1.0 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Cannabidivarinic acid (1.0 mg/mL)	Glass ampule: 1 mL	9/15/2015
Cerilliant Corporation	Cannabigerol [CBG] (1.0 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Cannabigerolic acid [CBGA] (1.0 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Cannabinoid Mixture – 14 Component (0.2 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture – 6 Component (0.5 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture (Acids) – 6 Component (0.5 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture (Acids) 6 Component Solution HC	Glass Ampule: 0.5 ml	8/13/2025
Cerilliant Corporation	Cannabinoid Mixture (Neutrals) – 8 component	Glass ampule: 1 mL	11/5/2019
Cerilliant Corporation	Cannabinoid Mixture (Neutrals) – 8 Component (0.3 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture (Neutrals) 8 Component Sol HC delta8-THC: 1.0 mg/mL delta9-Tetrahydrocannabivarol (THCV): 1.0 mg/mL Other ingredients: Cannabichromene (CBC), Cannabidiol (CBD), Cannabidivarin (CBDV), Cannabigerol (CBG), Cannabinol (CBN) in solvent	Glass Ampule: 0.5 ml	8/13/2025
Cerilliant Corporation	Cannabinoid Mixture- 3 component	Glass ampule: 1 mL	3/10/2020
Cerilliant Corporation	Cannabinol, 1.0 mg/mL	Glass ampule: 1 mL	8/8/2003
Cerilliant Corporation	Cannabinol, 100 µg/mL	Glass ampule: 1 mL	8/8/2003
Cerilliant Corporation	Cannabinol-D3 (0.1 mg/mL)	Glass ampule: 1 mL	9/15/2011
Cerilliant Corporation	Cannabinolic acid (CBNA) (1 mg/mL)	Glass ampule: 1 mL	4/3/2017
Cerilliant Corporation	Carfentanil - 13C6 oxalate	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Carfentanil (0.1 mg/mL)	Glass ampule: 0.5 mL	9/28/2016
Cerilliant Corporation	Carfentanil oxalate (0.1 mg/mL)	Glass ampule: 0.5 mL	11/30/2016
Cerilliant Corporation	Carfentanil-D5 oxalate (0.1 mg/mL)	Glass ampule: 0.5 mL	11/30/2016
Cerilliant Corporation	Carisoprodol (1 mg/mL)	Glass ampule: 1 mL	12/12/2011
Cerilliant Corporation	Carisoprodol- 13C3 (0.1 mg/mL)	Glass ampule: 1 mL	6/16/2014
Cerilliant Corporation	Carisoprodol-D7 (0.1 mg/mL)	Glass ampule: 1 mL	12/12/2011
Cerilliant Corporation	Carisoprodol-D7 (1 mg/mL)	Glass ampule: 1 mL	6/22/2012
Cerilliant Corporation	Chlordiazepoxide 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	Chlordiazepoxide-D5	Glass ampule: 1 mL	4/1/2008
Cerilliant Corporation	cis-(+/-)-4-Methylaminorex 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	cis-(+/-)-4-Methylaminorex-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	cis-Tramadol HCl (1.0 mg/mL)	Glass ampule: 1 mL	7/7/2014
Cerilliant Corporation	cis-Tramadol-13C,D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	5/4/2017
Cerilliant Corporation	cis-Tramadol-13C,D3 HCl (1.0 mg/mL)	Glass ampule: 1 mL	5/4/2017
Cerilliant Corporation	Class A Mix Urinalysis Internal Standard	Glass ampule: 1 mL	5/26/2010
Cerilliant Corporation	Class B Mix Urinalysis Internal Standard	Glass ampule: 1 mL	5/26/2010
Cerilliant Corporation	Class B Mix Urinalysis Internal Standard-8 (0.002-0.2 mg/mL), Pregabalin-D6 (1.0 mg/mL), Codeine-6-beta-glucoronide (1.0 mg/mL), Desomorphine (1.0 mg/mL), Levorphanol-D3 (0.1 mg/mL)	Glass ampule: 1ml	1/22/2013
Cerilliant Corporation	Class C Mix Urinalysis Calibrator	Glass ampule: 1 mL	6/23/2011
Cerilliant Corporation	Class C Mix Urinalysis Control	Glass ampule: 1 mL	6/23/2011
Cerilliant Corporation	Class C Mix Urinalysis Internal Standard	Glass ampule: 1 mL	5/26/2010
Cerilliant Corporation	Class C Mix Urinalysis Internal Standard Fortified Morphine	Glass ampule: 1 mL	7/9/2012
Cerilliant Corporation	Class D Mix Urinalysis Internal Standard	Glass ampule: 1 mL	7/20/2010
Cerilliant Corporation	Class G Mix Urinalysis Calibrator	Glass ampule: 1 mL	1/31/2011
Cerilliant Corporation	Class G Mix Urinalysis Control	Glass ampule: 1 mL	1/31/2011
Cerilliant Corporation	Class G Mix Urinalysis Internal Standard	Glass ampule: 1 mL	7/20/2010
Cerilliant Corporation	Class J Mix Urinalysis Calibrator	Glass ampule: 1 mL	1/31/2011
Cerilliant Corporation	Class J Mix Urinalysis Control	Glass ampule: 1 mL	1/31/2011
Cerilliant Corporation	Clobazam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Clobazam-13C6 (0.1 mg/mL)	Glass ampule: 1 mL	8/9/2013
Cerilliant Corporation	Clonazepam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Clonazepam-D4 1.0 mg/mL, 100 µg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Clonazolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Clonazolam-D4 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Clorazepate- 13C6 dipotassium	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Clorazepate dipotassium (1 mg/mL)	Glass ampule: 1 mL	5/6/2016
Cerilliant Corporation	Cocaethylene 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/13/1990
Cerilliant Corporation	Cocaethylene-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/13/1990
Cerilliant Corporation	Cocaethylene-D8 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	Cocaine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Cocaine Multi-Component Mixture-4	Glass ampule: 1 mL	3/25/2009
Cerilliant Corporation	Cocaine N-oxide HCl (1 mg/mL)	Glass ampule: 1 mL	12/15/2011
Cerilliant Corporation	Cocaine N-oxide HCl (1 mg/mL)	Glass ampule: 1 mL	1/26/2012
Cerilliant Corporation	Cocaine N-oxide-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/15/2011
Cerilliant Corporation	Cocaine N-oxide-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	1/26/2012
Cerilliant Corporation	Cocaine-D3 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Codeimethine, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Codeine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	3/9/1988

Cerilliant Corporation	Codeine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Codeine-6-beta-D-glucoronide, 1.0 mg/mL	Glass ampule: 1ml	1/22/2013
Cerilliant Corporation	Codeine-6-beta-D-glucuronide	Glass ampule: 1 mL	3/12/2009
Cerilliant Corporation	Codeine-6-beta-D-glucuronide-D3 (0.1 mg/mL)	Glass ampule: 1 mL	4/3/2014
Cerilliant Corporation	Codeine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Codeine-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Codeine-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	Codeine-N-Oxide, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Codeinone, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Crotonyl Fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Crotonyl fentanyl (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	Crotonyl fentanyl HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	Cyclohexyl Fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Cyclohexyl fentanyl HCl	Glass ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	Cyclopentyl Fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Cyclopentyl fentanyl HCl (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	Cyclopropyl fentanyl - 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Cyclopropyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	2/8/2018
Cerilliant Corporation	D- & DL Methamphetamine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	D- & DL+ Amphetamine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Daily Performance Standard	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	Delorazepam (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2015
Cerilliant Corporation	Delorazepam-D4 (0.1 mg/mL)	Glass ampule: 1 mL	10/18/2017
Cerilliant Corporation	Delta8-Tetrahydrocannabinolic Acid A (delta8-THCA-A)	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Delta8-Tetrahydrocannabiphorol (delta8-THCP)	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Delta8-Tetrahydrocannabivarin (delta8-THCV)	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Delta8-Tetrahydrocannabivarin-D5 (delta8-THCV-D5)	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Delta8-THC-O-Acetate	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Delta9-Tetrahydrocannabihexol 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Delta9-Tetrahydrocannabinol (1 mg/mL)	Glass ampule: 1 mL	5/23/2018
Cerilliant Corporation	delta9-Tetrahydrocannabinolic acid A (1.0 mg/mL)	Glass vial: 1 mL	2/5/2016
Cerilliant Corporation	delta9-Tetrahydrocannabinolic acid A-D3 (THCA-A-D3)	Glass ampule: 1.0 mL	3/29/2019
Cerilliant Corporation	Delta9-Tetrahydrocannabinolic acid B (THCA-B) (1.0 mg/mL)	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	delta9-Tetrahydrocannabiphorol (THCP)	Glass Ampule: 1 mL	8/30/2021
Cerilliant Corporation	Delta9-Tetrahydrocannibibutol (delta9-THCB) 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	7/6/2023
Cerilliant Corporation	delta9-THC (racemic)	Glass ampule: 1 mL	8/20/2008
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 1, 2 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 2, 2.7 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 3, 3.4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 4, 4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	Desomorphine, 1.0 mg/mL	Glass ampule: 1ml	1/22/2013
Cerilliant Corporation	Desomorphine-D3 (0.1 mg/mL)	Glass ampule: 1 mL	7/19/2013
Cerilliant Corporation	Dexmethylphenidate HCl (1 mg/mL)	Glass ampule: 1 mL	5/23/2018
Cerilliant Corporation	Diazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Diazepam 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Diazepam-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Diazepam-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Dibutylone HCl (1 mg/mL)	Glass ampule: 1 mL	9/19/2017
Cerilliant Corporation	Dibutylone-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	8/28/2017
Cerilliant Corporation	Diclazepam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Diclazepam-D4 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Diclofenac-Na, Labetalol HCl, Alprazolam Mix	Glass ampule: 1 mL	6/23/2011
Cerilliant Corporation	Diethylpropion HCl	Glass ampule: 1 mL	7/30/2009
Cerilliant Corporation	Diethylpropion-D10 HCl	Glass ampule: 1 mL	6/15/2010
Cerilliant Corporation	Dihydrocodeine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/9/1998
Cerilliant Corporation	Dihydrocodeine-6-beta-D-glucuronide (1.0 mg/mL)	Glass ampule: 1 mL	3/16/2015
Cerilliant Corporation	Dihydrocodeine-6-beta-D-glucuronide (0.1 mg/mL)	Glass ampule: 1 mL	2/11/2014
Cerilliant Corporation	Dihydrocodeine-D6 HCl 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/14/1998
Cerilliant Corporation	Dihydrocodeine-D6 HCl 100 µg/mL (as free base)	Glass ampule: 1 mL	12/14/1998
Cerilliant Corporation	Dihydroisomorphine, 0.1 mg/mL	Glass ampule: 1 mL	11/7/2006
Cerilliant Corporation	Dihydromorphine, 1.0 mg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Dihydromorphine, 100 µg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Dihydromorphine-3-beta-D-glucuronide (1.0 mg/mL)	Glass ampule: 1 mL	2/13/2015
Cerilliant Corporation	Dihydromorphine-6-beta-D-glucuronide (0.1 mg/mL)	Glass ampule: 1 mL	2/11/2014
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 1 (20 pg/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 2 (50 pg/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 3 (100 pg/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 4 (500 pg/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 5 (1000 pg/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 6 (2500 pg/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone Calibrator Level 7 (10 ng/mL)	Cryovial: 1 mL	8/12/2016
Cerilliant Corporation	Dihydrotestosterone CRM (100 pg/mL)	Glass ampule: 1 mL	9/12/2017
Cerilliant Corporation	Dihydrotestosterone CRM (1000 pg/mL)	Glass ampule: 1 mL	9/12/2017
Cerilliant Corporation	Dihydrotestosterone CRM (10000 pg/mL)	Glass ampule: 1 mL	9/12/2017
Cerilliant Corporation	Dihydrotestosterone CRM (20 pg/mL)	Glass ampule: 1 mL	9/12/2017
Cerilliant Corporation	Dihydrotestosterone CRM (2500 pg/mL)	Glass ampule: 1 mL	9/12/2017
Cerilliant Corporation	Dihydrotestosterone CRM (50 pg/mL)	Glass ampule: 1 mL	9/12/2017
Cerilliant Corporation	Dihydrotestosterone CRM (500 pg/mL)	Glass ampule: 1 mL	9/12/2017

Cerilliant Corporation	Dimethyl Pseudomorphine, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Dimethylone HCl (1 mg/mL)	Glass ampule: 1 mL	1/15/2019
Cerilliant Corporation	Diphenoxylate HCl (1 mg/mL)	Glass ampule: 1 mL	5/20/2016
Cerilliant Corporation	Dronabinol Reference Standard (1.0 mg/mL)	Glass ampule: 1 mL	6/20/2023
Cerilliant Corporation	Drug Solution # 15	Screw-cap Vial: 50 mL	5/3/2012
Cerilliant Corporation	Ecgonine ethyl ester 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Ecgonine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	7/26/1996
Cerilliant Corporation	Ecgonine Methyl Ester 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Ecgonine Methyl Ester-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Ecgonine-D3 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	7/26/1996
Cerilliant Corporation	Estazolam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Estazolam-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/15/1995
Cerilliant Corporation	Ethylmorphine hydrochloride, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	4/14/2006
Cerilliant Corporation	Ethylmorphine, 1.0 mg/mL	Glass ampule: 1 mL	3/2/2006
Cerilliant Corporation	Ethylmorphine-D5	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Ethylone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Ethylone-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Etizolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Etizolam-D3 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Etodesnitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Etodesnitazene-D4 HCl 0.1 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	7/6/2023
Cerilliant Corporation	Etonitazene HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	Etonitazene-13C6 HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	Eutylone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Eutylone-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Exo-THC, 1.0 mg/mL	Glass ampule: 1 mL	12/8/2003
Cerilliant Corporation	Exo-THC, 100 µg/mL	Glass ampule: 1 mL	12/8/2003
Cerilliant Corporation	Fenfluramine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	3/26/1997
Cerilliant Corporation	Fenfluramine-D10 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	3/26/1997
Cerilliant Corporation	Fenproporex HCl (1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	Fenproporex-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	Fentanyl - 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Fentanyl 0.1 mg/mL	Glass ampule: 1 mL	1/2/1991
Cerilliant Corporation	Fentanyl 1.0 mg/mL	Glass ampule: 1 mL	10/19/1999
Cerilliant Corporation	Fentanyl-D5 0.1 mg/mL	Glass ampule: 1 mL	1/2/1991
Cerilliant Corporation	Flualprazolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flualprazolam-D4 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flubromazolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flubromazolam-13C2,15N 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flunitazene HCl 1.0 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Flunitazene-13C6 HCl 0.1 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Flunitrazepam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Flunitrazepam-13C6 (0.1 mg/mL)	Glass ampule: 1 mL	8/6/2015
Cerilliant Corporation	Flunitrazepam-D7 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/5/1997
Cerilliant Corporation	Fluoxymesterone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Flurazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Flurazepam-D4 (0.1 mg/mL)	Glass ampule: 1 mL	12/11/2015
Cerilliant Corporation	FUB-144 (0.1 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	FUB-APINACA	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Furanyl fentanyl (0.1 mg/mL)	Glass ampule: 0.5 mL	11/30/2016
Cerilliant Corporation	Furanyl fentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Furanyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	1/23/2017
Cerilliant Corporation	Furanyl fentanyl-D5 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	11/3/2017
Cerilliant Corporation	Gamma Hydroxybutyrate, (GHB); 1.0 mg/mL	Glass ampule: 1 mL	3/17/2000
Cerilliant Corporation	Gamma Hydroxybutyrate, (GHB); 100 µg/mL	Glass ampule: 1 mL	3/17/2000
Cerilliant Corporation	Gamma Hydroxybutyrate-D6, (GHB); 1.0 mg/mL	Glass ampule: 1 mL	3/17/2000
Cerilliant Corporation	Gamma Hydroxybutyrate-D6, (GHB); 100 µg/mL	Glass ampule: 1 mL	3/17/2000
Cerilliant Corporation	GHB Sodium Salt (1.0 mg/mL)	Glass ampule: 1 mL	4/29/2014
Cerilliant Corporation	GHB Sodium Salt-D6 (0.1 mg/mL)	Glass ampule: 1 mL	4/29/2014
Cerilliant Corporation	GHB Sodium Salt-D6 (1.0 mg/mL)	Glass ampule: 1 mL	4/29/2014
Cerilliant Corporation	Glutethimide 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	Glutethimide, 2.0 mg/mL	Glass ampule: 1 mL	5/18/2005
Cerilliant Corporation	Hemp Compliance Mix	Glass ampule: 1 mL	3/10/2020
Cerilliant Corporation	Heroin 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/23/1994
Cerilliant Corporation	Heroin HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/28/1995
Cerilliant Corporation	Heroin-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Heroin-D3 HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/28/1995
Cerilliant Corporation	Heroin-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Heroin-D6 HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/28/1995
Cerilliant Corporation	Heroin-D9 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Heroin-D9 HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/28/1995
Cerilliant Corporation	Hexobarbital 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/23/1994
Cerilliant Corporation	HMMA (4-Hydroxy-3-methoxymethamphetamine) 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	3/26/1997
Cerilliant Corporation	HU-210	Glass ampule: 1 mL	5/13/2010
Cerilliant Corporation	Hydrocodone 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Hydrocodone 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydrocodone-D3 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Hydrocodone-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydrocodone-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1997

Cerilliant Corporation	Hydromorphone 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Hydromorphone 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydromorphone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Hydromorphone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Hydromorphone-D3 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Hydromorphone-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydromorphone-D3-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Hydromorphone-D3-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Hydromorphone-D4	Glass ampule: 1 mL	9/25/2009
Cerilliant Corporation	Hydromorphone-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1997
Cerilliant Corporation	Ibogaine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	Ibogaine-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	INSTRUMENT DRUG MARKER	Foil package: 1 device	5/23/2005
Cerilliant Corporation	Interference Mix 1 (100-1000 µg/mL)	Glass ampule: 1 mL	1/29/2015
Cerilliant Corporation	Interference Mix 2 (100 µg/mL)	Glass ampule: 1 mL	1/29/2015
Cerilliant Corporation	Interference Mix 3 (50-1000 µg/mL)	Glass ampule: 1 mL	1/29/2015
Cerilliant Corporation	Interference Mix 4 (5-100 µg/mL)	Glass ampule: 1 mL	1/29/2015
Cerilliant Corporation	Interference Mix 5 (100 µg/mL)	Glass ampule: 1 mL	1/29/2015
Cerilliant Corporation	Isobutyryl Fentanyl -13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Isobutyryl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	2/8/2018
Cerilliant Corporation	Isocodeine, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Iso-LSD, 100 µg/mL	Glass ampule: 1 mL	5/9/2005
Cerilliant Corporation	iso-Lysergic Acid Diethylamide (iso-LSD) 1.0 mg/mL	Glass ampule: 1 mL	12/23/1997
Cerilliant Corporation	iso-Lysergic Acid Diethylamide (iso-LSD) 25 µg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	Isotonitazene HCl (1.0 mg/mL)	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Isotonitazene-13C6 HCl (0.1 mg/mL)	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Isotonitazene-13C6 HCl (1.0 mg/mL)	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	JWH-018, 0.1mg/mL	Glass ampule: 1 mL	12/1/2010
Cerilliant Corporation	JWH-073, 0.1mg/mL	Glass ampule: 1 mL	12/1/2010
Cerilliant Corporation	Ketamine D-4 HCl; 1.0 mg/mL	Glass ampule: 1 mL	11/1/2000
Cerilliant Corporation	Ketamine D-4 HCl; 100 µg/mL	Glass ampule: 1 mL	11/1/2000
Cerilliant Corporation	Ketamine HCl 0.1 mg/mL	Glass ampule: 1 mL	7/26/1999
Cerilliant Corporation	Ketamine HCl 1.0 mg/mL	Glass ampule: 1 mL	7/26/1999
Cerilliant Corporation	Ketamine-D4 HCl (1 mg/mL)	Glass ampule: 1 mL	4/14/2015
Cerilliant Corporation	LAAM HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	Lacosamide (1 mg/mL)	Glass ampule: 1 mL	2/27/2012
Cerilliant Corporation	Lacosamide-13C, D3 (0.1 mg/mL)	Glass ampule: 1 mL	11/14/2011
Cerilliant Corporation	Lacosamide-13C, D3 (1 mg/mL)	Glass ampule: 1 mL	5/30/2012
Cerilliant Corporation	LAMPA 1.0 mg/mL	Glass ampule: 1 mL	12/23/1997
Cerilliant Corporation	LC-ABZ & ABZ+BT Mix#2&3	Glass ampule: 1 mL	11/6/2025
Cerilliant Corporation	Levomethorphan 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Levorphanol tartrate (1 mg/mL)	Glass ampule: 1 mL	11/17/2015
Cerilliant Corporation	Levorphanol tartrate dihydrate	Glass ampule: 1 mL	7/30/2009
Cerilliant Corporation	Levorphanol-D3, 0.1 mg/mL	Glass ampule: 1ml	1/22/2013
Cerilliant Corporation	Lisdexamfetamine dimesylate (1 mg/mL)	Glass ampule: 1 mL	8/17/2011
Cerilliant Corporation	Lisdexamfetamine-D4 dimesylate (0.1 mg/mL)	Glass ampule: 1 mL	9/22/2011
Cerilliant Corporation	Loprazolam (1 mg/mL)	Glass ampule: 1 mL	11/3/2017
Cerilliant Corporation	Lorazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Lorazepam glucuronide 50 µg/mL, 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Lorazepam-D4 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Lormetazepam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Lormetazepam-13C,D3 (0.1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	Low Range QC Check Standard (QC)	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	LSD 1.0 mg/mL	Glass ampule: 1 mL	12/23/1997
Cerilliant Corporation	LSD-D3 100 µg/mL	Glass ampule: 1 mL	12/23/1997
Cerilliant Corporation	Lysergic Acid Diethylamide (LSD) 25µg/mL	Glass ampule: 1 mL	11/20/1991
Cerilliant Corporation	Lysergic Acid Diethylamide-D3 (LSD-D3) 25µg/mL	Glass ampule: 1 mL	11/20/1991
Cerilliant Corporation	Lysergic Acid N,N-Methylpropylamide (LAMPA) 25µg/mL	Glass ampule: 1 mL	11/20/1991
Cerilliant Corporation	MAB-CHMINACA (0.1 mg/mL)	Glass ampule: 1 mL	5/26/2017
Cerilliant Corporation	Mazindol (1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	Mazindol-D4 (1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	MBDB HCl; 1.0 mg/mL	Glass ampule: 1 mL	11/9/2000
Cerilliant Corporation	MBDB HCl; 100 µg/mL	Glass ampule: 1 mL	11/9/2000
Cerilliant Corporation	MBDB-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	6/16/2014
Cerilliant Corporation	MDMB-FUBINACA (0.1 mg/mL)	Glass ampule: 1 mL	3/8/2018
Cerilliant Corporation	Medazepam (1 mg/mL)	Glass ampule: 1 mL	11/3/2017
Cerilliant Corporation	Meperidine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Meperidine-D4 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Mephedrone HCl (1 mg/mL)	Glass ampule: 1 mL	10/6/2011
Cerilliant Corporation	Mephedrone-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	10/6/2011
Cerilliant Corporation	Mephobarbital (1.0 mg/mL)	Glass ampule: 1 mL	12/11/2015
Cerilliant Corporation	Mephobarbital-D3	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Meprobamate 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Meprobamate-13C3 (0.1 mg/mL)	Glass ampule: 1 mL	4/3/2014
Cerilliant Corporation	Meprobamate-D3 (0.1 mg/mL)	Glass ampule: 1 mL	7/19/2013
Cerilliant Corporation	Meprobamate-D7	Glass ampule: 1 mL	1/29/2008
Cerilliant Corporation	Meprobamate-D7	Glass ampule: 1 mL	8/19/2008
Cerilliant Corporation	Mescaline HCl; 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/7/2004
Cerilliant Corporation	Mescaline-D3 HCl 0.1 mg/ml (free base) in 1 ml solvent	Amber ampule: 1 mL	10/21/2022

Cerilliant Corporation	Mescaline-D9 HCl; 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/7/2004
Cerilliant Corporation	Mesterolone	Glass ampule: 1 mL	8/29/2007
Cerilliant Corporation	meta-Fluoro acrylfetanyl HCl	Glass Ampule: 1 ml	8/13/2025
Cerilliant Corporation	Methadone-D3 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Methadone-D3, 0.01 mg/mL	Glass ampule: 1 mL	3/2/1994
Cerilliant Corporation	Methamphetamine/Cocaine/Heroin Mix	Glass ampule: 1 mL	3/4/2003
Cerilliant Corporation	Methandienone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Methaqualone 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Methaqualone-D7 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Methenolone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Method 8270 Supplemental Stock Standard 2000 µg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Methohexital 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Methohexital-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/23/1994
Cerilliant Corporation	Methoxetamine HCl	Amber ampule: 1 mL	8/24/2022
Cerilliant Corporation	Methoxyacetyl fentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Methoxyacetyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	12/12/2017
Cerilliant Corporation	Methylone HCl (1 mg/mL)	Glass ampule: 1 mL	10/6/2011
Cerilliant Corporation	Methylone-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	10/6/2011
Cerilliant Corporation	Methylphenidate 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Methylphenidate HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Methylphenidate HCl Erythro isomer (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Methylphenidate-D9 HCl	Glass ampule: 1 mL	12/23/2013
Cerilliant Corporation	Methylphenidate-D9 HCl, 100 µg/mL (as free base)	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	Metodesnitazene HCl	Amber ampule: 1 mL	4/29/2022
Cerilliant Corporation	Metodesnitazene-D4 HCl	Amber ampule: 1 mL	4/29/2022
Cerilliant Corporation	Metonitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Metonitazene-13C6 HCl 0.1 mg/mL (as free base) in 1 mL solvent	Amber ampule: 1 mL	2/20/2024
Cerilliant Corporation	m-Hydroxybenzoylecgonine 100 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	m-Hydroxybenzoylecgonine-D3	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	m-Hydroxycocaine (1 mg/mL)	Glass ampule: 1 mL	2/16/2016
Cerilliant Corporation	Midazolam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Midazolam-D4 maleate, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/29/2005
Cerilliant Corporation	Midazolam-D4 maleate, 100 µg/mL (as free base)	Glass ampule: 1 mL	6/29/2005
Cerilliant Corporation	MMB-CHMICA (0.1 mg/mL)	Glass ampule: 1 mL	8/23/2018
Cerilliant Corporation	MMB-FUBINACA (0.1 mg/mL)	Glass ampule: 1 mL	12/12/2017
Cerilliant Corporation	Modafinil 1.0 mg/mL	Glass ampule: 1 mL	3/2/2010
Cerilliant Corporation	Modafinil-D10, 0.1mg/mL	Glass ampule: 1 mL	7/29/2010
Cerilliant Corporation	Morphine (8 µg/mL)	Glass ampule: 1 mL	7/8/2011
Cerilliant Corporation	Morphine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	3/9/1988
Cerilliant Corporation	Morphine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Morphine-3-β-D-glucuronide 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	2/1/1991
Cerilliant Corporation	Morphine-3-β-D-glucuronide-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	2/1/1991
Cerilliant Corporation	Morphine-6Beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/15/2004
Cerilliant Corporation	Morphine-6Beta-D-glucuronide-D3, 100 µg/mL	Glass ampule: 1 mL	6/15/2004
Cerilliant Corporation	Morphine-6β-D-glucuronide 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/6/1996
Cerilliant Corporation	Morphine-6β-D-glucuronide-D3, 1.0 mg/mL	Glass ampule: 1 mL	2/6/2003
Cerilliant Corporation	Morphine-6β-D-glucuronide-D3, 100 µg/mL	Glass ampule: 1 mL	2/6/2003
Cerilliant Corporation	Morphine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Morphine-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Morphine-D6 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	Morphine-N-Oxide, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Morphinone Perchlorate, 1.0 mg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Morphinone Perchlorate, 100 µg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	MT-45 diHCl (1 mg/mL)	Glass ampule: 1 mL	4/11/2018
Cerilliant Corporation	MT-45-D5 diHCl (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	Multi-component Drug Mix - 16	Glass ampule: 1 mL	8/16/2006
Cerilliant Corporation	Multi-component Drug Mix - 18	Glass ampule: 1 mL	8/16/2006
Cerilliant Corporation	Multi-Component Pain Management Mix A, B, C	Glass ampule: 1 mL	4/4/2011
Cerilliant Corporation	N,N-Dimethylpentylone HCl	Glass ampule: 1.0 mL	3/29/2019
Cerilliant Corporation	N,N-Dimethyltryptamine (1.0 mg/mL)	Glass ampule: 1 mL	10/7/2014
Cerilliant Corporation	N,N-Dimethyltryptamine-D4 (DMT-D4)	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Nabilone	Glass ampule: 1 mL	1/29/2008
Cerilliant Corporation	Nalbuphine -3-beta-D-glucuronide	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Nalbuphine-D3-3-beta-D-glucuronide	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Nalorphine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	11/15/1995
Cerilliant Corporation	Nalorphine HCl	Glass ampule: 1 mL	1/29/2008
Cerilliant Corporation	Naloxone N-oxide (0.1 mg/mL)	Glass ampule: 1 mL	5/3/2012
Cerilliant Corporation	Naloxone-3-beta-D-glucuronide (0.1 mg/mL)	Glass ampule: 1 mL	2/11/2014
Cerilliant Corporation	Naloxone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	5/2/2005
Cerilliant Corporation	Naloxone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	5/2/2005
Cerilliant Corporation	Naloxone-D5-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	4/25/2005
Cerilliant Corporation	Naloxone-D5-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	4/25/2005
Cerilliant Corporation	Naltrexone Related A Compound, 1.0 mg/mL	Glass ampule: 1 mL	7/6/2005
Cerilliant Corporation	Naltrexone Related A Compound, 100 µg/mL	Glass ampule: 1 mL	7/6/2005
Cerilliant Corporation	Naltrexone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Naltrexone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Naltrexone-D3-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Naltrexone-D3-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Nandrolone	Glass ampule: 1 mL	8/29/2007

Cerilliant Corporation	Naphyrone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Naphyrone-D5 HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	N-Ethylbuphedrone HCl	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	N-Ethylcathinone HCl (1.0 mg/mL)	Glass ampule: 1mL	5/8/2013
Cerilliant Corporation	N-ethylhexedrone HCl	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	N-Ethylpentylone HCl (1 mg/mL)	Glass ampule: 1 mL	9/12/2018
Cerilliant Corporation	N-Ethylpentylone-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	9/12/2018
Cerilliant Corporation	N-Formylcocaine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	5/23/1996
Cerilliant Corporation	Nimetazepam, 1.0 mg/mL	Glass ampule: 1 mL	5/9/2005
Cerilliant Corporation	Nimetazepam, 100 µg/mL	Glass ampule: 1 mL	5/9/2005
Cerilliant Corporation	Nimetazepam-D3 (0.1 mg/mL)	Glass ampule: 1 mL	1/15/2019
Cerilliant Corporation	NIST SRM-971 Extract	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	Nitrazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/17/1990
Cerilliant Corporation	Nitrazepam-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/17/1990
Cerilliant Corporation	NM-2201 (0.1mg/ml)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	Norbenzoylecgonine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	7/26/1996
Cerilliant Corporation	Norbuprenorphine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Norbuprenorphine glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	7/9/2004
Cerilliant Corporation	Norbuprenorphine glucuronide, 100 µg/mL	Glass ampule: 1 mL	7/9/2004
Cerilliant Corporation	Norbuprenorphine glucuronide-D3 (0.1 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Norbuprenorphine HCl, 1.0 mg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Norbuprenorphine HCl, 100 µg/mL	Glass ampule: 1 mL	6/9/2005
Cerilliant Corporation	Norbuprenorphine-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1997
Cerilliant Corporation	Norbuprenorphine-D9, 1.0 mg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Norbuprenorphine-D9, 100 µg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Norbuprenorphine-D9-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	4/25/2005
Cerilliant Corporation	Norbuprenorphine-D9-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	4/25/2005
Cerilliant Corporation	Norcocaethylene HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	7/26/1996
Cerilliant Corporation	Norcocaine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/12/1991
Cerilliant Corporation	Norcocaine HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/7/1999
Cerilliant Corporation	Norcocaine-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/8/1998
Cerilliant Corporation	Norcocaine-D3 HCl 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/7/1999
Cerilliant Corporation	Norcocaine-D8 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	Norcodeine 1.0 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Norcodeine-D3 (1 mg/mL)	Glass ampule: 1 mL	4/4/2012
Cerilliant Corporation	Nordesomorphine HCl	Glass ampule: 1.0 mL	4/22/2022
Cerilliant Corporation	Nordesomorphine-D3 (as free base) in 0.1 mL Solvent	Amber ampule: 1 mL	7/6/2023
Cerilliant Corporation	Nordiazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Nordiazepam-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Norethandrolone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	7/7/1995
Cerilliant Corporation	Norfentanyl oxalate (1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-13C6 oxalate (0.1 mg/mL)	Glass ampule: 0.5 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-13C6 oxalate (1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-D5 oxalate (1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-D5 oxalate (0.1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norhydrocodone - D3 HCl	Glass Ampule: 1 mL	7/17/2019
Cerilliant Corporation	Norhydrocodone HCl	Glass ampule: 1 mL	7/15/2008
Cerilliant Corporation	Norhydrocodone HCl-D3	Glass ampule: 1 mL	7/15/2008
Cerilliant Corporation	Norhydromorphone HCl (1 mg/mL)	Glass ampule: 1 mL	3/17/2016
Cerilliant Corporation	Norhydromorphone-D3 HCl (0.1 mg/mL)	Glass ampule: 1.0 mL	7/18/2016
Cerilliant Corporation	nor-LAAM HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/19/1997
Cerilliant Corporation	Normeperidine	Glass ampule: 1 mL	6/13/2008
Cerilliant Corporation	Normeperidine (1.0 mg/mL)	Glass ampule: 1mL	4/2/2013
Cerilliant Corporation	Normeperidine-D4	Glass ampule: 1 mL	6/13/2008
Cerilliant Corporation	Normeperidine-D4 (1 mg/mL)	Glass ampule: 1 mL	4/4/2012
Cerilliant Corporation	Normorphine 1.0 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Normorphine-D3	Glass ampule: 1.0 mL	4/15/2021
Cerilliant Corporation	Noroxycodone 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/16/1993
Cerilliant Corporation	Noroxycodone and Norhydrocodone Mix (0.5 mg/mL)	Glass ampule: 1 mL	9/15/2011
Cerilliant Corporation	Noroxycodone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/22/1998
Cerilliant Corporation	Noroxycodone-D3 HCl; 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/22/2004
Cerilliant Corporation	Noroxymorphone DCl (1,2,3,5,7,7,14,17,17-d), 0.1 mg/mL	Glass ampule: 1 mL	7/6/2006
Cerilliant Corporation	Noroxymorphone HCl; 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/1/2004
Cerilliant Corporation	Noroxymorphone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 1 mL	5/9/2005
Cerilliant Corporation	Noroxymorphone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 1 mL	5/9/2005
Cerilliant Corporation	Noroxymorphone-D3 HCl (0.1 mg/mL)	Glass ampule: 1.0 mL	7/18/2016
Cerilliant Corporation	N-piperidinyl etonitazene HCl 1.0 mg/mL (as free base) in l mL solvent	Amber ampule: 1 mL	1/15/2025
Cerilliant Corporation	N-Piperidinyl etonitazene-13C6 HCl 0.1 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	N-Pyrrolidino Etonitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Ocfentanil - 13C6 HCl (0.1 mg/ mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Ocfentanil (0.1 mg/mL)	Glass ampule: 0.5 mL	3/8/2018
Cerilliant Corporation	Ocfentanil-D5 (0.1 mg/mL)	Glass ampule: 0.5 mL	1/15/2019
Cerilliant Corporation	o-Fluorofentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	12/12/2017
Cerilliant Corporation	o-Fluorofentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	o-Hydroxycocaine (1 mg/mL)	Glass ampule: 1 mL	2/16/2016
Cerilliant Corporation	o-Methylacetyl fentanyl 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	o-Methylacetyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	O-Methylcodeine, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Opiate Internal Standard Mix-15	Glass ampule: 1 mL	8/23/2011

Cerilliant Corporation	Opiate Mix-19	Glass ampule: 10 mL	3/29/2011
Cerilliant Corporation	Opiate Mix-5	Glass ampule: 1 mL	6/2/1997
Cerilliant Corporation	Opiate Multi-Component Mixture-5	Glass ampule: 1 mL	3/18/2003
Cerilliant Corporation	Opiate Positive Control Mix-19	Glass ampule: 10 mL	3/29/2011
Cerilliant Corporation	Opiate Urine Positive Control Mix-18	Glass ampule: 10 mL	3/29/2011
Cerilliant Corporation	Oripavine 1.0 mg/mL in l mL solvent	Amber ampule: 1 mL	1/15/2025
Cerilliant Corporation	Oripavine-D3 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Oxazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Oxazepam 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Oxazepam glucuronide, 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/24/2006
Cerilliant Corporation	Oxazepam glucuronide-D5, 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	8/24/2006
Cerilliant Corporation	Oxazepam-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	10/19/1988
Cerilliant Corporation	Oxazepam-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Oxycodone 1.0 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Oxycodone-D3 (N-methyl-D3) (0.1 mg/mL)	Glass ampule: 1 mL	9/9/2013
Cerilliant Corporation	Oxycodone-D3 (N-methyl-D3) (1.0 mg/mL)	Glass ampule: 1 mL	9/9/2013
Cerilliant Corporation	Oxycodone-D3 [Non Methoxy] 0.1 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Oxycodone-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/6/1993
Cerilliant Corporation	Oxycodone-D6 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/16/1993
Cerilliant Corporation	Oxycodone-N-oxide, 1.0 mg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Oxycodone-N-oxide, 100 µg/mL	Glass ampule: 1 mL	3/8/2005
Cerilliant Corporation	Oxymesterone 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Oxymorphone 1.0 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Oxymorphone-3-beta-D-glucuronide	Glass ampule: 1 mL	6/18/2008
Cerilliant Corporation	Oxymorphone-D3	Glass ampule: 1 mL	4/29/2002
Cerilliant Corporation	Oxymorphone-D3 0.1 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Oxymorphone-D3-3-Beta-D-glucuronide	Glass ampule: 1 mL	8/19/2008
Cerilliant Corporation	Pain Management Multi-Component Opiate Mixture-13	Glass ampule: 1 mL	3/25/2009
Cerilliant Corporation	Pain Management Multi-component Opiate Mixture-13 (0.01 - 0.1 mg/mL)	Glass ampule: 1 mL	8/26/2014
Cerilliant Corporation	Para-Fluorobutyryl fentanyl - 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	para-Fluorobutyryl fentanyl (PFBF) (0.1 mg/mL)	Glass ampule: 0.5 mL	2/8/2018
Cerilliant Corporation	para-Fluorofentanyl (0.1 mg/mL)	Glass ampule: 0.5 mL	5/4/2017
Cerilliant Corporation	para-Fluorofentanyl-13C6	Glass ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	para-Fluorofentanyl-D3 (0.1 mg/mL)	Glass ampule: 0.5 mL	6/19/2018
Cerilliant Corporation	para-Fluorofentanyl-D5 (0.1 mg/mL)	Glass ampule: 0.5 mL	4/11/2018
Cerilliant Corporation	para-Methoxybutyryl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	Para-Methoxybutyryl Fentanyl HCl	Glass ampule: 0.5 mL	11/5/2019
Cerilliant Corporation	para-Methylacetyl fentanyl HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	para-Methylacetyl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	PB-22 (0.1 mg/mL)	Glass ampule: 1 mL	2/11/2014
Cerilliant Corporation	PCP	Glass ampule: 1 mL	2/5/2009
Cerilliant Corporation	PCP (Phencyclidine) 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	PCP-D5 (Phencyclidine-D5) 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Pentazocine	Glass ampule: 1 mL	12/7/2009
Cerilliant Corporation	Pentazocine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	8/21/1996
Cerilliant Corporation	Pentedrone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Pentobarbital 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/24/1990
Cerilliant Corporation	Pentobarbital-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/24/1990
Cerilliant Corporation	Pentylone HCl (1.0 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Pentylone-D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	2/25/2014
Cerilliant Corporation	Perampanel-D4 (0.1 mg/mL)	Glass ampule: 1 mL	5/26/2017
Cerilliant Corporation	Performance Solution - 12	Glass ampule: 1 mL	5/14/2008
Cerilliant Corporation	Phencyclidine (PCP) 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Phencyclidine-D5 (PCP-D5) 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Phendimetrazine tartrate (1.0 mg/mL)	Glass ampule: 1 mL	5/4/2017
Cerilliant Corporation	Phendimetrazine-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	12/12/2017
Cerilliant Corporation	Phenmetrazine HCl	Glass Ampule: 1 ml	8/13/2025
Cerilliant Corporation	Phenmetrazine HCl (1.0 mg/mL)	Glass ampule: 1 mL	5/4/2017
Cerilliant Corporation	Phenmetrazine-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	5/4/2017
Cerilliant Corporation	Phenobarbital 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	Phenobarbital-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/4/1987
Cerilliant Corporation	Phentermine 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Phentermine-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	Phentermine-D5	Glass ampule: 1 mL	6/2/2009
Cerilliant Corporation	Phentermine-D5 HCl	Glass ampule: 1 mL	1/19/2010
Cerilliant Corporation	Pholcodine (1 mg/mL)	Glass ampule: 1 mL	5/6/2016
Cerilliant Corporation	p-Hydroxycocaine (1 mg/mL)	Glass ampule: 1 mL	2/16/2016
Cerilliant Corporation	p-Hydroxycocaine HCl (1 mg/mL)	Glass ampule: 1 mL	2/8/2018
Cerilliant Corporation	PMMA HCl	Glass ampule: 1 mL	7/23/2021
Cerilliant Corporation	Prazepam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	Prazepam-D5 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/29/1993
Cerilliant Corporation	Pregabalin	Glass ampule: 1 mL	1/22/2009
Cerilliant Corporation	Pregabalin-13-C3 (0.1 mg/mL)	Glass ampule: 1 mL	9/9/2013
Cerilliant Corporation	Pregabalin-D6	Glass ampule: 1 mL	6/29/2009
Cerilliant Corporation	Pregabalin-D6, 1.0 mg/mL	Glass ampule: 1ml	1/22/2013
Cerilliant Corporation	Protonitazene HCl 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Protonitazene-13C6 HCl 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Pseudobuprenorphine dihydrochloride (1.0mg/mL)	Glass ampule: 1 mL	1/11/2012
Cerilliant Corporation	Pseudobuprenorphine, 1.0 mg/mL	Glass ampule: 1 mL	9/7/2005

Cerilliant Corporation	Pseudomorphine, 100 µg/mL	Glass ampule: 1 mL	4/12/2004
Cerilliant Corporation	Psilocin 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Psilocin-D10 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Psilocybin 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Psilocybin-D10 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1995
Cerilliant Corporation	Psilocybin-D3 (0.1 mg/mL)	Glass ampule: 1 mL	12/23/2014
Cerilliant Corporation	Pyrovalerone HCl (1 mg/mL)	Glass ampule: 1 mL	8/12/2011
Cerilliant Corporation	Quazepam 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/25/1995
Cerilliant Corporation	R(-)-Amphetamine, 1.0 mg/mL	Glass ampule: 1 mL	2/6/2003
Cerilliant Corporation	R(-)-Amphetamine, 100 µg/mL	Glass ampule: 1 mL	2/6/2003
Cerilliant Corporation	R(-)-Methamphetamine, 1.0 mg/mL	Glass ampule: 1 mL	2/6/2003
Cerilliant Corporation	R(-)-Methamphetamine, 100 µg/mL	Glass ampule: 1 mL	2/6/2003
Cerilliant Corporation	R(+)-Cathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	R(+)-Cathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	R(+)-Methcathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	R(+)-Methcathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	Remifentanil – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Remifentanil HCl (0.1 mg/mL)	Glass ampule: 1 mL	5/28/2014
Cerilliant Corporation	Retigabine (1 mg/mL)	Glass ampule: 1 mL	11/7/2012
Cerilliant Corporation	Retigabine 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/6/2023
Cerilliant Corporation	Retigabine-D4 (0.1 mg/mL)	Glass ampule: 1ml	3/22/2013
Cerilliant Corporation	S(-)-Cathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	S(-)-Cathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	S(-)-Methcathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	S(-)-Methcathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	12/22/1993
Cerilliant Corporation	S(+)-Amphetamine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	1/12/1989
Cerilliant Corporation	S(+)-Methamphetamine 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/12/1991
Cerilliant Corporation	Secobarbital 1.0 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Secobarbital-D5 (1 mg/mL)	Glass ampule: 1 mL	4/4/2012
Cerilliant Corporation	Secobarbital-D5 0.1 mg/mL	Glass ampule: 1 mL	12/2/1991
Cerilliant Corporation	Sibutramine HCl	Glass ampule: 1 mL	6/18/2008
Cerilliant Corporation	Spice Cannabinoid Mix	Glass ampule: 10 mL	3/29/2011
Cerilliant Corporation	Spice Cannabinoid Mix 2 (0.1 mg/mL)	Amber ampule: 1 mL	9/26/2012
Cerilliant Corporation	Spice Cannabinoid Mix 3 (0.1 mg/mL)	Amber ampule: 1 mL	9/26/2012
Cerilliant Corporation	Stanozolol 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/6/1994
Cerilliant Corporation	Stanozolol-D3 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	6/6/1994
Cerilliant Corporation	Sufentanil Citrate, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/14/2004
Cerilliant Corporation	Sufentanil Citrate, 100 µg/mL (as free base)	Glass ampule: 1 mL	6/14/2004
Cerilliant Corporation	Sufentanil-D5	Glass ampule: 1 mL	5/14/2009
Cerilliant Corporation	Suvorexant-D6 (0.1 mg/mL)	Glass ampule: 1 mL	8/28/2017
Cerilliant Corporation	System Negative Control	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	T-096 Extract	Glass ampule: 0.2 mL	1/4/2016
Cerilliant Corporation	T-097 Extract	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	Tapentadol HCl	Glass ampule: 1 mL	11/3/2009
Cerilliant Corporation	Tapentadol-beta-D-glucuronide, 0.1 mg/mL	Glass ampule: 1 mL	12/1/2010
Cerilliant Corporation	Tapentadol-D3 HCl (1 mg/mL)	Glass ampule: 1 mL	11/11/2016
Cerilliant Corporation	Tapentadol-D3 HCl 0.1 mg/mL	Glass ampule: 1 mL	3/8/2010
Cerilliant Corporation	Tapentadol-D3-beta-D-glucoronide 0.1 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Tapentadol-D3-beta-D-glucuronide, 0.1 mg/mL	Glass ampule: 1 mL	1/11/2011
Cerilliant Corporation	Tapentadol-O-sulfate, 0.1 mg/mL	Glass ampule: 1 mL	12/1/2010
Cerilliant Corporation	Temazepam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/17/1990
Cerilliant Corporation	Temazepam 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Temazepam glucuronide	Glass ampule: 1 mL	3/12/2009
Cerilliant Corporation	Temazepam-D5 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	9/17/1990
Cerilliant Corporation	Temazepam-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Testosterone Calibrator Level 1 (2 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 1 (2 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 10 (2000 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 10 (2000 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 2 (4 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 2 (4 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 3 (9 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 3 (9 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 4 (17.5 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 4 (17.5 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 5 (35 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 5 (35 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 6 (52.5 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 6 (52.5 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 7 (150 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 7 (150 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 8 (500 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 8 (500 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone Calibrator Level 9 (750 ng/dL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone Calibrator Level 9 (750 ng/dL)	Cryovial: 1 mL	7/29/2016
Cerilliant Corporation	Testosterone CRM in Serum (150 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (17.5 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (2 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (2,000 ng/dL)	Vial: 1 mL	3/22/2017

Cerilliant Corporation	Testosterone CRM in Serum (35 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (4 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (500 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (52.5 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (750 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone CRM in Serum (9 ng/dL)	Vial: 1 mL	3/22/2017
Cerilliant Corporation	Testosterone propionate 100 µg/mL, 1.0 mg/mL	Glass ampule: 1 mL	12/15/1997
Cerilliant Corporation	Testosterone Quality Control 1	Polypropylene bottle: 0.25 mL	9/7/2023
Cerilliant Corporation	Testosterone Quality Control 2	Polypropylene bottle: 0.25 mL	9/7/2023
Cerilliant Corporation	Testosterone Standard	Polypropylene bottle: 0.25 mL	9/7/2023
Cerilliant Corporation	Testosterone, 1.0 mg/mL	Glass ampule: 1 mL	2/23/2006
Cerilliant Corporation	Testosterone-2,3,4-13C3 (10 µg/mL)	Glass ampule: 1 mL	8/7/2014
Cerilliant Corporation	Testosterone-2,3,4-13C3, 0.1 mg/mL	Glass ampule: 1 mL	6/9/2011
Cerilliant Corporation	Testosterone-D3 (16,16, 17-D3)	Glass ampule: 1 mL	11/6/2008
Cerilliant Corporation	Tetrahydrocannabinolic acid [THCA-A] (1.0 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Tetrahydrocannabivarin [THCV] (1.0 mg/mL)	Glass vial: 1 mL	6/3/2014
Cerilliant Corporation	Tetrahydrocannabivarin-D5 (THCV-D5)	Glass ampule: 1 mL	1/26/2021
Cerilliant Corporation	Tetrahydrocannabivarinic Acid (1.0 mg/mL)	Glass vial: 1 mL	1/23/2017
Cerilliant Corporation	Tetrahydrocannabivarinic acid-D5 (THCVA-D5)	Glass ampule: 1 mL	1/26/2021
Cerilliant Corporation	Tetrahydrofuranyl fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Tetrahydrofuranyl Fentanyl HCl	Glass ampule: 0.5 mL	11/5/2019
Cerilliant Corporation	Tetramethylcyclopropyl fentanyl -13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Tetramethylcyclopropyl Fentanyl HCl	Glass ampule: 0.5 mL	11/5/2019
Cerilliant Corporation	Tetrazepam (1 mg/mL)	Glass ampule: 1 mL	1/9/2018
Cerilliant Corporation	Tetrazepam-13C2, 15N (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	THC Cannabinoids Mixture-3 (0.5 mg/mL each analyte)	Glass ampule: 1 mL	6/9/2015
Cerilliant Corporation	THC Cannabinoids Mixture-3 (1.0 mg/mL)	Glass ampule: 0.5 mL	8/13/2015
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 1, 2 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 2, 2.7 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 3, 3.4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 4, 4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THC-O-Acetate (1.0 mg/mL)	Glass ampule: 1.0 mL	1/10/2023
Cerilliant Corporation	THC-O-Acetate Solution	Glass ampule: 1 mL	7/17/2019
Cerilliant Corporation	Thebaine (1 mg/mL)	Glass ampule: 1 mL	3/17/2016
Cerilliant Corporation	Thebaine-D3 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Tilidine HCl, 1.0 mg/mL	Glass ampule: 1 mL	12/1/2010
Cerilliant Corporation	Tilidine-D6 HCl (0.1 mg/mL)	Glass ampule: 1ml	3/22/2013
Cerilliant Corporation	Tox Screen Internal Standard Mix-3	Glass ampule: 1 mL	2/1/2010
Cerilliant Corporation	Tox Screen Test Mix-9	Glass ampule: 1 mL	2/1/2010
Cerilliant Corporation	Toxicology Performance Standard (C1)	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	Toxicology Performance Standard (C2)	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	Toxicology Performance Standard (C3)	Glass ampule: 1 mL	6/5/2006
Cerilliant Corporation	Tramadol-13C, D3 HCl (0.1 mg/mL)	Glass ampule: 1 mL	7/7/2014
Cerilliant Corporation	Tramadol-13C, D3 HCl (1.0 mg/mL)	Glass ampule: 1 mL	7/7/2014
Cerilliant Corporation	Trenbolone	Glass ampule: 1 mL	8/19/2008
Cerilliant Corporation	Triazolam 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	Triazolam-D4 0.1 mg/mL, 1.0 mg/mL	Glass ampule: 1 mL	4/27/1992
Cerilliant Corporation	U-47700 (1.0 mg/mL)	Glass ampule: 1 mL	11/30/2016
Cerilliant Corporation	U-47700-13C3,15N2 U-47700-13C3,15N2	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	U-47700-D3 (0.1 mg/mL)	Glass ampule: 1 mL	1/9/2018
Cerilliant Corporation	UR-144 (0.1 mg/mL)	Glass ampule: 1 mL	5/16/2013
Cerilliant Corporation	VAC-10-1	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	VAC-10-2	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	VAC-10-3	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	VAC-10-4	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	VAC-10-5	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	VAC-10-6	Glass ampule: 0.3 mL	1/4/2016
Cerilliant Corporation	Valeryl fentanyl -13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Valeryl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	3/8/2018
Cerilliant Corporation	Valeryl fentanyl-D5 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	3/8/2018
Cerilliant Corporation	XLR-11 (0.1 mg/mL)	Glass ampule: 1 mL	5/16/2013
Cerilliant Corporation	Zaleplon	Glass ampule: 1 mL	8/19/2008
Cerilliant Corporation	Zaleplon-D4 (0.1 mg/mL)	Glass ampule: 1 mL	1/31/2013
Cerilliant Corporation	Zolpidem (1 mg/mL)	Glass ampule: 1 mL	3/17/2016
Cerilliant Corporation	Zolpidem Hemitartrate, 1.0 mg/mL (as free base)	Glass ampule: 1 mL	6/25/2003
Cerilliant Corporation	Zolpidem Hemitartrate, 100 µg/mL (as free base)	Glass ampule: 1 mL	6/25/2003
Cerilliant Corporation	Zolpidem tartrate, 0.1 mg/mL	Glass ampule: 1 mL	1/27/2009
Cerilliant Corporation	Zolpidem tartrate, 1.0 mg/mL	Glass ampule: 1 mL	1/27/2009
Cerilliant Corporation	Zolpidem-D6, 1.0 mg/mL	Glass ampule: 1 mL	1/22/2004
Cerilliant Corporation	Zolpidem-D6, 100 µg/mL	Glass ampule: 1 mL	1/22/2004
Cerilliant Corporation	Zolpidem-D7 (0.1 mg/mL)	Glass ampule: 1 mL	10/7/2011
Cerilliant Corporation	Zopiclone	Glass ampule: 1 mL	10/10/2007
Cerilliant Corporation	Zopiclone-D4	Glass ampule: 1 mL	5/9/2008
CFSAA - RTI International	12198-102-8	Glass tube: 7 ml with conventional grey closure	7/30/2025
CFSAA - RTI International	12198-102-9	Glass tube: 7 ml with conventional grey closure	7/30/2025
CFSAA - RTI International	12198-76-7	Glass vial: 7mL	6/6/2023

Chemtos, LLC	(R,S)-2,2-diphenyl-4-dimethylaminopentanenitrile (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	(S)-N,N-dimethylamphetamine HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	(S)-N,N-dimethylamphetamine-d3 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	(S)-N,N-dimethylamphetamine-d3 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	1-Benzylpiperazine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Benzylpiperazine-d7 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Benzylpiperazine-d7 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Phenylcyclohexylamine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	1-Phenylcyclohexylamine-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	2,4-DMMC HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	2,4-DMMC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	2C-C HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-C-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-C-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-E HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-E-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-E-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-H HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-H-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-H-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-I HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-I-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-I-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-N HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-N-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-N-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-P HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-P-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-P-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-2 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-2-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-2-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-4 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-4-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-4-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-7 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-7-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-7-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2-MEC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MEC-d3 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MEC-d3 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MMC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MMC-d3 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MMC-d3 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3,4,5-TMA HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA-d9 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4-Dimethyl-alpha-PVP HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3,4-Dimethyl-alpha-PVP-d8 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3,4-DMEB HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	3,4-DMMC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	3Et-Methcathinone HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3-FMC HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-FMC-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-FMC-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-MEC HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	3-MEC-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	3-MePPP HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	3-MMC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	4-Cl-PVP HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	4Et-PVP HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	4-FMC HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-FMC-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-FMC-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-Me-alpha-PiHP HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	4-MEAP HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEAP-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEAP-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEC HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEC-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEC-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-Me-iHEX HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	4-Me-PBP HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	4-MePPP HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020

Chemtos, LLC	4-Methylaminorex (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	4-Methylaminorex-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	4-Methylbuphedrone (4-Me-MABP) HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	4-Methyl-N,N-Dimethylcathinone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AB-PINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AB-PINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-ADB, 5F-MDMB-PINACA, 5F-ADB-PINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-ADB, 5F-MDMB-PINACA, 5F-ADB-PINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AMB (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AMB (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-APINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-APINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-MDMB-PICA (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	5F-PB-22 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5-MeO-DiPT HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	5-MeO-DiPT-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	5-MeO-DMT (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	5-MeO-DMT-d6 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	6-Acetylcodeine (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	6-Acetylmorphine (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	6-Acetylmorphine-d3 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	6-Acetylmorphine-d3 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	AB-CHMINACA (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	AB-PINACA (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	ADB-FUBINACA (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	ADB-FUBINACA (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AH-7921 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AH-7921-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AH-7921-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-methyltryptamine (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-methyltryptamine (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-PBP HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-PBP-d8 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-PBP-d8 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	alpha-PHP HBr (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	alpha-PiHP HCL 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	alpha-PiHP-d8 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	alpha-PiHP-d8 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	Alphaprodine HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Alphaprodine-d5 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Alphaprodine-d5 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Alprazolam (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Alprazolam-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	AM2201 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AM2201-d5 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AM-694 (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Aminorex (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Aminorex-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Amobarbital (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Amobarbital-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Amobarbital-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Amphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Amphetamine-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Amphetamine-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Anileridine HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	ANPP – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	APINACA, AKB48 (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	BK-DMBDB HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	BK-DMBDB HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	BK-DMBDB-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	BK-DMBDB-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	bk-MDDMA HCl (Dimethylone) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Bufotenine – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Bufotenine-d6 – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Buphedrone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Butalbital (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Butalbital-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Butalbital-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Butylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Butylone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Butylone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol-d9 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol-d9 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cathinone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cathinone-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cathinone-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Chlorphentermine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017

Chemtos, LLC	Chlorphentermine-d6 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Chlorphentermine-d6 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Clortermine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Clortermine-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Clortermine-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cocaine (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Cocaine-d3 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Cocaine-d3 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Codeine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Codeine-d6 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Codeine-d6 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	D-Amphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	D-Amphetamine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Desmethylprodine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Desmethylprodine-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Desomorphine – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Desomorphine-d3 – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Diazepam (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Diazepam-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Diazepam-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Diethylpropion (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Diethylpropion-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Diethylpropion-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Diethyltryptamine (DET) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Dimethyltryptamine (DMT) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Dimethyltryptamine-d3 (DMT-d3) (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Dimethyltryptamine-d3 (DMT-d3) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Dipentylone HCl (bk-DMBDP) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Diphenoxin (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Diphenoxylate HCl (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	DMC HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	DMC-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	D-Methamphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	D-Methamphetamine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	DMPVP HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	DOB HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOB HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOB-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOET HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOET-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOET-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOM HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOM-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOM-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	D-Threo-Methylphenidate (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Estazolam (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Estazolam-d5 (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Estazolam-d5 (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Ethylone (bk-MDEA) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Ethylone-d5 (bk-MDEA-d5) (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Ethylone-d5 (bk-MDEA-d5) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Eutylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Eutylone-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Eutylone-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Fenethylline HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Flunitrazepam (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Flunitrazepam-d3 (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Flunitrazepam-d3 (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	FUB-144 (FUB-UR-144) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	FUB-APINACA (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	FUB-APINACA (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Heroin (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Heroin-d9 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Heroin-d9 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Hexylone HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	Hydrocodone (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Hydrocodone-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Hydrocodone-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Hydromorphone (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Hydromorphone-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Hydromorphone-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Isomethadone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-018 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-018 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-018-d9 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-019 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-073 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	JWH-081 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-122 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020

Chemtos, LLC	JWH-122 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-122-d4 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-200 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-203 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-250 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-398 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Ketamine HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Ketamine-d4 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Ketamine-d4 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	L-Amphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Lisdexamfetamine dimesylate (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Lisdexamfetamine-d3 dimesylate (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Lisdexamfetamine-d3 dimesylate (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	L-Methamphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	L-Methamphetamine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	L-Threo-Methylphenidate (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MAB-CHMINACA (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	MDA (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MDA-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MDA-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MDEA (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MDEA-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MDEA-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	MDMA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	MDMA-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	MDMA-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	MDMB-CHMICA, MMB-CHMINACA (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	MDMB-FUBINACA (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MDMB-FUBINACA (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MDPT(tBuONE) HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	MDPV (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	MDPV-d8 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	MDPV-d8 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Mecloqualone (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mecloqualone-d4 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mecloqualone-d4 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Meperidine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Meperidine-d4 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Meperidine-d4 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Mephedrone (4-MMC) (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Mephedrone-d3 (4-MMC-d3) (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Mephedrone-d3 (4-MMC-d3) (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Mescaline HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline-d9 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline-d9 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methadone (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Methadone Intermediate (4-(Dimethylamino)-2,2-diphenylpentanenitrile) (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methadone Intermediate (4-(Dimethylamino)-2,2-diphenylpentanenitrile) (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methadone-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Methadone-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Methamphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Methamphetamine-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Methamphetamine-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Methaqualone (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methaqualone-d7 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methaqualone-d7 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methcathinone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methcathinone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methcathinone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methedrone HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Methylone (MDMC) (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Methylone-d3 (MDMC-d3) (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Methylone-d3 (MDMC-d3) (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	MMB-CHMICA, AMB-CHMICA (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	MMB-FUBINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	MMB-FUBINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Morphine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Morphine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Morphine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Morphine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Morphine-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Morphine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	MPHP HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	MT-45 diHCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MT-45-d6 diHCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MT-45-d6 diHCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Nabilone 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	Nabilone-d6 1 mL in 0.1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024

Chemtos, LLC	Nabilone-d6 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	Naphyrone HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	NEiH HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	N-Ethyl-1-phenylcyclohexylamine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	N-Ethyl-1-phenylcyclohexylamine-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	N-Ethyl-amphetamine HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	N-Ethyl-amphetamine-d5 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	N-Ethylcathinone (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	N-Ethylcathinone-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	N-Ethylcathinone-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	N-ethylhexedrone (NEH) HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	N-ethylhexedrone-d5 (NEH-d5) HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	N-Ethylpentylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	N-Ethylpentylone-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	N-Ethylpentylone-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Nimetazepam (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Nimetazepam-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Nimetazepam-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	NiPP HCl - Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	NiPP-d5 HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	NiPP-d5 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	Nitrazepam (CRM) (1 mg/mL in acetonitrile)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Nitrazepam-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Nitrazepam-d5 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	NM2201, CBL-2201 (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Norcodeine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Norcodeine-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Norcodeine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Nordazepam (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Nordazepam-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Nordazepam-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Norhydrocodone (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Norhydrocodone-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Norhydrocodone-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Normeperidine (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Normeperidine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Normeperidine-4 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Normeperidine-d4 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Nor-Mephedrone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Noroxycodone (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Noroxycodone-d3 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Noroxycodone-d3 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Noroxymorphone (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Noroxymorphone (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	NPP HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	N-Propylcathinone HCl – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Oxazepam (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Oxazepam-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Oxazepam-d5 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Oxycodone (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Oxycodone-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Oxycodone-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Oxymorphone-d3 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	PB-22 (QUPIC) (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PB-22 (QUPIC) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PCC (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	PCPy (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PCPy-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PCPy-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Pentedrone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentedrone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentedrone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentobarbital (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Pentylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentylone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentylone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	PEPAP HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PEPAP-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Phencyclidine (PCP) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Phencyclidine-d5 (PCP-d5) (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Phencyclidine-d5 (PCP-d5) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Phendimetrazine Tartrate (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Phendimetrazine-d8 (0.1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Phendimetrazine-d8 (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Phenmetrazine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Phenmetrazine-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Phenmetrazine-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Phenobarbital (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Phenobarbital-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017

Chemtos, LLC	Phenobarbital-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Phentermine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Phentermine-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Phentermine-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Phenylacetone (1 mg/mL in acetonitrile)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Piritramide (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PMA HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	PMA-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	PMA-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Prazepam (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Prazepam-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Prazepam-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Propoxyphene (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Propoxyphene-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Propoxyphene-d5 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Propylone HCl (bk-3,4-MDPA) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	PV8 (PHPP) HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	RCS-8, SR-18 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Serdexmethylphenidate – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Serdexmethylphenidate-d6 – Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Sibutramine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Sibutramine-d7 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Sibutramine-d7 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Sodium Oxybate (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Sodium Oxybate-d6 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Sodium Oxybate-d6 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	SR-19, RCS-4 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	sR-19-d3, RCS-4-d3 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	TCPy (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	TCPy-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	TCPy-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Temazepam (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Temazepam-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Temazepam-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Tenocyclidine (TCP) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Testosterone Undecanoate (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Testosterone-d8 Undecanoate (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	Thebaine (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Thebaine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Thebaine-d3 (CRM) (.01 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	THJ-2201 (AM2201) (1 mg/mL in methanol)	Amber ampule: 1 mL	3/14/2022
Chemtos, LLC	Threo-Methylphenidate-d6 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Threo-Methylphenidate-d6 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Tramadol (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Tramadol-d6 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	Tramadol-d6 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	7/19/2017
Chemtos, LLC	U-47700 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	U-47700-d6 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	U-47700-d6 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	UR-144 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	XLR11 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	XLR11 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Zolpidem (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Zolpidem-d6 (CRM) (0.1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	Zolpidem-d6 (CRM) (1 mg/mL in methanol)	Amber vial: 2 mL	5/22/2017
Chemtos, LLC	α-Ethyltryptamine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	α-Ethyltryptamine-d4 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	α-PVP (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	α-PVP-d8 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chemtos, LLC	α-PVP-d8 (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	4/27/2018
Chiron AS	(-)-trans-Δ9-THC / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(-)-trans-Δ9-THC-13C4 (pentyl-2,3,4,5-13C4) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(-)-trans-Δ9-THC-d3 (pentyl-5,5,5-d3) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(±)-MDA hydrochloride / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(±)-MDA-d5 hydrochloride (alpha-methyl-d3-ethylamine-1,2-d2) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(±)-MDMA hydrochloride / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(±)-Methadone hydrochloride / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	(±)-trans-11-Nor-9-carboxy-Δ9-THC-d3 (pentyl-5,5,5-d3) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Benzoylecgonine / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Benzoylecgonine-d3 tetrahydrate (N-methyl-d3) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Cocaine hydrochloride / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Codeine (free base) / Mathanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Dihydrocodeine-d6 hydrochloride (N-methyl-d3, methoxy-d3) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	DL-Amphetamine (free base) / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	DL-Methamphetamine hydrochloride / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Morphine monohydrate / Methanol	Glass ampule: 1 mL	11/10/2025
Chiron AS	Morphine-d3 hydrochloride (N-methyl-d3) / Methanol	Glass ampule: 1 mL	11/10/2025
ChromaDex, Inc.	(+)-Norpseudoephedrine Hydrochloride, 1.0 mg/mL	Glass ampule: 2 mL	2/10/2003
ChromaDex, Inc.	(+)-Norpseudoephedrine Hydrochloride, 100 µg/mL	Glass ampule: 2 mL	2/10/2003

Chromsystems	AED Serum calibration Standard	Box: 5 Vials, vial: 1 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	AED Serum Control, Bi-level (I - II)	Box: 10 vials, Vials: 2-5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	AED Serum Control, Level (I - III)	Box: 10 vials, Vials: 2-5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	AED Serum Control, Tri-Level (I - III)	Box: 10 vials, Vials: 2-5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	AED Trileptal, Sultiam Calibration Standard	Box: 5 vials, 1 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Alprazolam/Trazodon Serum Control, Bi-Level (I - II)	10 vials: 5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Benzodiazepines Plasma Control/HR, Level (I – II)	10 vials: 5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Benzodiazepines Serum Control, Bi-Level (I - II)	10 vials: 5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Benzodiazepines Serum Control, Level (I – II)	10 vials: 5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Clobazam/Norclobazam Serum Control, Bi-Level (I - II)	10 vials: 5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Plasma Calibration Standard, lyoph.	5 vials: 2.5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the extended HPLC analysis of Benzodiazepines in serum/plasma	Kit: 12 bottles, Bottles: 2.5-1000 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the extended HPLC analysis of Benzodiazepines in serum/plasma with Gilson ASPEC	Kit: 12 bottles, Bottles: 2.5-1000 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the fully automated HPLC analysis of Antiepileptic Drugs in serum/plasma. FAST ELUTION. Application for Gilson ASPEC	Kit: 10 bottles, Bottles: 1-1000 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the fully automated HPLC analysis of Antiepileptic Drugs in serum/plasma. HIGH ELUTION. Application for Gilson ASPEC	Kit: 10 bottles, Bottles: 1-1000 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the HPLC analysis of Antiepileptic Drug in serum/plasma FAST ELUTION	Kit: 9 bottles, Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the HPLC analysis of Antiepileptic Drug in serum/plasma HIGH RESOLUTION	Kit: 9 bottles, Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the HPLC analysis of Benzodiazepines and Tricyclic Antidepressants incl. Clozapine in serum/plasma	Kit: 12 bottles, Bottles: 2.5-1000 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Reagent kit for the HPLC analysis of Benzodiazepines and Tricyclic Antidepressants incl. Clozapine in serum/plasma with Gilson ASPEC	Kit: 11 bottles, Bottles: 2.5-1000 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Serum Calibration Standard Alprazolam/Trazodon	5 vials: 2.5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Serum Calibration Standards (BZD + TCA), lyoph.	5 vials: 2.5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Serum Calibration Standards (BZD), lyoph.	5 vials: 2.5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems	Serum Calibration Standards Clobazam/Norclobazam	5 vials: 2.5 mL; Vial: 1 mL; Bottles: 1-1000 mL	3/9/2009
Chromsystems Instruments and Chemicals GmbH	3PLUS1® Multilevel Plasma Calibrator Set (92025-XT2)	4 Vials: 1 mL each	7/8/2025
Chromsystems Instruments and Chemicals GmbH	Internal Standard Set Mass Tox® Drugs of Abuse Testing in urine (96046-RUO)	4 vials, 1 mL each Glass vial: 5 mL	8/2/2024
Chromsystems Instruments and Chemicals GmbH	MassCheck® Antiepileptic Drugs XT2 Plasma Control Set Level 1 (0250-XT2)	5 Vials: 1 mL each	7/8/2025
Chromsystems Instruments and Chemicals GmbH	MassCheck® Antiepileptic Drugs XT2 Plasma Control Set Level 2 (0251-XT2)	5 Vials: 1 mL each	7/8/2025
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Control Set Level I	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Control Set Level II	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Control Set Level III	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Hydrolysis Control Set	Vials: 1 mL x4, 4.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassTox Drugs of Abuse Testing in Urine	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassTox Drugs of Abuse Testing in Urine - 6PLUS1 ® Multilevel Urine Calibrator Set	Vials: 8 mL x1, 1 mL x7, 8.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	System Check Solution MassTox® Drugs of Abuse Testing in urine (96012-RUO)	Glass vial: 1 mL	8/2/2024
Chromsystems Instruments and Chemicals GmbH	Tuning Mix 1 MassTox® Drugs of Abuse Testing Analytes and Internal Standards (96015-RUO)	Glass vial: 1 mL	8/2/2024
Chromsystems Instruments and Chemicals GmbH	Tuning Mix 2 MassTox® Drugs of Abuse Testing Analytes and Internal Standards (96016-RUO)	Glass vial: 1 mL	8/2/2024
Chromsystems Instruments and Chemicals GmbH	Tuning Mix 3 MassTox® Drugs of Abuse Testing Analytes and Internal Standards (96017 -RUO)	Glass vial: 1 mL	8/2/2024
Clinical Diagnostic Systems, Inc.	Gemini TT4 Reagent Assembly	Kit: 100 Tests	1/11/1995
Cliniqa Corporation	Cliniqa Liquid QC TDM Control Levels 1-3	Glass vials: 5.5 mL	12/8/2010
Cliniqa Corporation	Cliniqa Liquid QC TDM Control Tri-Level	Box: 6 vials; 5.5 mL each	12/8/2010
Cliniqa Corporation	LiniCAL Calibration Verifier for Beckman Coulter AU Systems	Box: 5 vials; 3 mL each	12/8/2010
Cliniqa Corporation	LiniCAL Calibration Verifier for Beckman Coulter AU Systems Levels A-E	Glass vial: 3 mL	12/8/2010
Cliniqa Corporation	Liquid QC Immunoassay Control Levels 1-3	Box: 6 vials; 5 mL each	12/8/2010
Cliniqa Corporation	Liquid QC Immunoassay Control Tri-Level	Box: 6 vials; 5 mL each	12/8/2010
Cliniqa Corporation	Liquid QC Unassayed General Chemistry Control Levels 1-3	Box: 12 vials; 10 mL each	12/8/2010
Cliniqa Corporation	Liquid QC Unassayed General Chemistry Control Tri-Level	Box: 12 vials; 10 mL each	12/8/2010
Cliniqa Corporation	MCC Level 1, Part: 86005	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86005	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86011	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86011	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86017	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86017	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86023	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86023	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86029	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86029	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86035	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86035	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86041	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86041	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 1, Part: 86047	Vial/Bottle: 2,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86006	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86006	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86012	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86012	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86018	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86018	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86024	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86024	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86030	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86030	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86036	Vial/Bottle: 500 ml	1/12/2024

Cliniqa Corporation	MCC Level 2, Part: 86036	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86042	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86042	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 2, Part: 86048	Vial/Bottle: 2,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86007	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86007	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86013	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86013	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86019	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86019	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86025	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86025	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86031	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86031	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86037	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86037	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86043	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86043	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 3, Part: 86049	Vial/Bottle: 2,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86008	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86008	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86014	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86014	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86020	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86020	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86026	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86026	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86032	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86032	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86038	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86038	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86044	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 4, Part: 86050	Vial/Bottle: 2,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86009	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86009	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86015	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86015	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86021	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86021	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86027	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86027	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86033	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86033	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86039	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86039	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86045	Vial/Bottle: 1,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 5, Part: 86051	Vial/Bottle: 2,000 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86010	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86010	Vial/Bottle: 5 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86016	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86016	Vial/Bottle: 10 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86022	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86022	Vial/Bottle: 50 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86028	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86028	Vial/Bottle: 100 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86034	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86034	Vial/Bottle: 250 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86040	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86040	Vial/Bottle: 500 ml	1/12/2024
Cliniqa Corporation	MCC Level 6, Part: 86046	Vial/Bottle: 1,000 ml	1/12/2024
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 1	Bottle / vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 2	Bottle / vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 3	Bottle / vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 4	Bottle / vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 5	Bottle / vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 6	Bottle / vial: 5 mL to 2000 mL	1/21/2025
Cliniqa Corporation	Multi Constituent Calibrator (MCC) Master Calibrator (or other Description) Level 1	Bottle / vial: 5 mL - 2 L	4/30/2025
Cliniqa Corporation	Multi Constituent Calibrator (MCC) Master Calibrator (or other Description) Level 2	Bottle / vial: 5 mL - 2 L	4/30/2025
Cliniqa Corporation	Multi Constituent Calibrator (MCC) Master Calibrator (or other Description) Level 3	Bottle / vial: 5 mL - 2 L	4/30/2025
Cliniqa Corporation	Multi Constituent Calibrator (MCC) Master Calibrator (or other Description) Level 4	Bottle / vial: 5 mL - 2 L	4/30/2025
Cliniqa Corporation	Multi Constituent Calibrator (MCC) Master Calibrator (or other Description) Level 5	Bottle / vial: 5 mL - 2 L	4/30/2025
Cliniqa Corporation	Multi Constituent Calibrator (MCC) Master Calibrator (or other Description) Level 6	Bottle / vial: 5 mL - 2 L	4/30/2025
Cliniqa Corporation	Phenobarbital Calibrator Kit	Kit: 6 Vials, 5 ml each	8/31/2022
Cliniqa Corporation	Phenobarbital Calibrator Level 1, Part: 43822	Vial: 5 ml	8/31/2022
Cliniqa Corporation	Phenobarbital Calibrator Level 2, Part: 43823	Vial: 5 ml	8/31/2022
Cliniqa Corporation	Phenobarbital Calibrator Level 3, Part: 43824	Vial: 5 ml	8/31/2022
Cliniqa Corporation	Phenobarbital Calibrator Level 4, Part: 43824	Vial: 5 ml	8/31/2022
Cliniqa Corporation	Phenobarbital Calibrator Level 5, Part: 43825	Vial: 5 ml	8/31/2022
Cliniqa Corporation	Phenobarbital Calibrator Level 6, Part: 43826	Vial: 5 ml	8/31/2022

Cliniqa Corporation	Sentinel TDM Control Level 1, Part: 43850	Vial: 5 ml	3/24/2023
Cliniqa Corporation	TDM + MTX Control Level 1, Part: 43746	Bottle: 500 ml	4/26/2021
Cliniqa Corporation	TDM + MTX Control Level 1, Part: 83737	Vial: 5 mL	4/26/2021
Cliniqa Corporation	TDM + MTX Control Level 1, Part: 83737-M	Vial: 5 ml	1/8/2024
Cliniqa Corporation	TDM + MTX Control Level 2, Part: 43747	Bottle: 500 ml	4/26/2021
Cliniqa Corporation	TDM + MTX Control Level 2, Part: 83738	Vial: 5 mL	4/26/2021
Cliniqa Corporation	TDM + MTX Control Level 2, Part: 83738-M	Vial: 5 ml	1/8/2024
Cliniqa Corporation	TDM + MTX Control Level 3, Part: 43748	Bottle: 500 ml	4/26/2021
Cliniqa Corporation	TDM + MTX Control Level 3, Part: 83739	Vial: 5 mL	4/26/2021
Cliniqa Corporation	TDM + MTX Control Level 3, Part: 83739-M	Vial: 5 ml	1/8/2024
Cliniqa Corporation	TDM Control Level 1	Plastic bottle: 500 ml	4/15/2014
Cliniqa Corporation	TDM Control Level 1	Plastic bottle: 1 Gallon	4/15/2014
Cliniqa Corporation	TDM Control Level 1, Part: 82809-M	Bottle: 5 mL	12/15/2014
Cliniqa Corporation	TDM Control Level 2	Plastic bottle: 500 ml	4/15/2014
Cliniqa Corporation	TDM Control Level 2, Part: 43851	Vial: 5 ml	3/24/2023
Cliniqa Corporation	TDM Control Level 2, Part: 82810-M	Bottle: 5 mL	12/15/2014
Cliniqa Corporation	TDM Control Level 3	Plastic bottle: 500 ml	4/15/2014
Cliniqa Corporation	TDM Control Level 3, Part: 43852	Vial: 5 ml	3/24/2023
Cliniqa Corporation	TDM Control Level 3, Part: 82811-M	Bottle: 5 mL	12/15/2014
Cliniqa Corporation	TDM Control, Levels 1-3	Dropper bottle: 5 mL	12/4/2012
College of American Pathologists	2018 DFC-04	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 DFC-05	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 DFC-06	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 OFD-11	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2018 OFD-12	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2018 OFD-13	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2018 OFD-14	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 OFD-15	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 DFC-01	Bottle: 25 mL	10/8/2018
College of American Pathologists	2019 DFC-02	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2019 DFC-03	Bottle: 25 mL	10/8/2018
College of American Pathologists	2019 DFC-04	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2019 DFC-05	Bottle: 25 mL	10/8/2018
College of American Pathologists	2019 DFC-06	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2019 DMPM-01	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-02	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-03	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-05	Bottle: 40 mL	10/8/2018
College of American Pathologists	2019 DMPM-06	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-07	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 FTC-01	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 FTC-02	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 FTC-03	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 FTC-04	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 FTC-05	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 FTC-06	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 FTC-07	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 NOB-01	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-02	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-03	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-04	Amber vial: 15 mL	10/8/2018
College of American Pathologists	2019 NOB-05	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-06	Amber vial: 15 mL	10/8/2018
College of American Pathologists	2019 OFD-01	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-02	HDPE bottle: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-03	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-04	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-05	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-06	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-07	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-08	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-10	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-11	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-12	Amber vial: 25 mL	1/14/2019
College of American Pathologists	2019 OFD-13	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-14	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-15	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-16	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-17	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-18	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-19	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-20	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 SCDD-01	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-02	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-03	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-04	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-05	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-06	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 T-01	HDPE bottle: 20 mL	1/14/2019

College of American Pathologists	2019 T-02	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 T-03	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 T-05	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-06	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-07	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 T-08	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-10	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-11	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-12	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 T-15	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 THCB-01	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-02	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-03	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-04	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-05	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-06	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-01	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-02	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-03	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-04	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-05	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-06	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-07	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-08	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-09	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-10	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-11	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-12	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-13	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-14	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-15	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UT-01	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-02	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-03	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-04	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-05	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-06	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-07	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-08	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-09	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-11	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-12	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-13	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-14	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UTCO-01	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 ZE-01	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-02	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-03	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-04	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-05	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-06	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019-OFD-09	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2020 DFC-02	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-03	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-04	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-05	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-06	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DMPM-01	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-02	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-05	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-06	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-07	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 FTC-01	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-02	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-03	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-05	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-06	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-07	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-08	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 NOB-01	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-02	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-03	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-04	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-05	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-06	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 OFD-01	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-02	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-03	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-04	Amber Vial: 2 mL	10/23/2019

College of American Pathologists	2020 OFD-07	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-08	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-10	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-11	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-12	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-14	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-15	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-16	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-17	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-18	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-19	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-20	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 SCDD-03	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 SCDD-06	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 T-01	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-03	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-04	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 T-07	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-08	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-09	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 T-10	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-11	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-12	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 T-13	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-14	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-15	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 THCB-01	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-02	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-03	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-04	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-05	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-06	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-01	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-02	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-03	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-04	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-05	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-06	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-07	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-08	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-10	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-11	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-12	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-14	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-15	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UT-01	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-02	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-03	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-04	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-05	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-06	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-07	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-09	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-10	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-11	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-13	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-14	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-15	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UTCO-01	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 ZE-01	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-02	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-03	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-04	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-05	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-06	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020-OFD-09	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2021 DFC-01	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-02	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-04	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-05	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-06	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DMPM-01	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-02	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-03	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-05	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-06	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-07	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 OFD-01	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-02	HDPE vial: 2 mL	4/13/2020

College of American Pathologists	2021 OFD-03	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-04	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-05	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-06	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-07	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-08	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-09	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-10	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-11	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-12	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-13	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-14	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-15	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-16	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-17	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-18	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-19	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-20	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 T-01	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-02	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-03	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 T-05	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-06	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-07	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 T-09	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-12	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-13	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-14	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-15	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 THCB-01	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-02	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-03	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-04	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-05	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-06	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-01	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-02	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-03	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-04	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-05	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-06	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-07	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-08	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-09	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-10	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-11	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-12	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-13	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-14	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-15	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UT-01	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-02	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-03	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-05	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-06	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-08	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-09	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-10	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-11	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-12	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-13	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-14	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-15	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UTCO-01	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 ZE-01	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-02	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-03	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-04	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-05	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-06	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2022 DMPM-01	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 DMPM-02	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 DMPM-03	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 DMPM-05	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 DMPM-06	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 DMPM-07	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 FTC-02	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-03	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-04	HDPE bottle: 20 mL	4/19/2021

College of American Pathologists	2022 FTC-05	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-07	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-08	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-10	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-12	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-13	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 FTC-14	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 NOB-01	Amber Vial: 15 mL	8/4/2021
College of American Pathologists	2022 NOB-02	Amber Vial: 15 mL	8/4/2021
College of American Pathologists	2022 NOB-03	Amber Vial: 15 mL	8/4/2021
College of American Pathologists	2022 NOB-04	Amber Vial: 15 mL	8/4/2021
College of American Pathologists	2022 NOB-05	Amber Vial: 15 mL	8/4/2021
College of American Pathologists	2022 NOB-06	Amber Vial: 15 mL	8/4/2021
College of American Pathologists	2022 OFD-01	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-02	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-03	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-04	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-05	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-06	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-07	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-08	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-10	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-11	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-12	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-13	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-14	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-15	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-16	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-17	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-18	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-19	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 OFD-20	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	2022 SCDD-01	HDPE Bottle: 10 mL	8/4/2021
College of American Pathologists	2022 SCDD-02	HDPE Bottle: 10 mL	8/4/2021
College of American Pathologists	2022 SCDD-03	HDPE Bottle: 10 mL	8/4/2021
College of American Pathologists	2022 SCDD-04	HDPE Bottle: 10 mL	8/4/2021
College of American Pathologists	2022 SCDD-05	HDPE Bottle: 10 mL	8/4/2021
College of American Pathologists	2022 SCDD-06	HDPE Bottle: 10 mL	8/4/2021
College of American Pathologists	2022 T-03	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-04	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-05	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-07	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-08	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-09	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-12	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 T-13	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022 THCB-01	Glass vial: 10 mL	4/19/2021
College of American Pathologists	2022 THCB-02	Glass vial: 10 mL	4/19/2021
College of American Pathologists	2022 THCB-03	Glass vial: 10 mL	4/19/2021
College of American Pathologists	2022 THCB-04	Glass vial: 10 mL	4/19/2021
College of American Pathologists	2022 THCB-05	Glass vial: 10 mL	4/19/2021
College of American Pathologists	2022 THCB-06	Glass vial: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-01	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-02	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-03	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-04	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-05	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-06	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-07	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-08	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-09	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-10	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-11	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-12	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-13	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-14	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UDS-15	HDPE bottle: 10 mL	4/19/2021
College of American Pathologists	2022 UT-01	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-02	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-03	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-04	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-05	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-06	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-07	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-08	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-09	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-10	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-11	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-12	HDPE bottle: 50 mL	4/19/2021

College of American Pathologists	2022 UT-13	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-14	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UT-15	HDPE bottle: 50 mL	4/19/2021
College of American Pathologists	2022 UTCO-01	HDPE bottle: 40 mL	4/19/2021
College of American Pathologists	2022 ZE-01	Glass vial: 5 mL	4/19/2021
College of American Pathologists	2022 ZE-02	Glass vial: 5 mL	4/19/2021
College of American Pathologists	2022 ZE-03	Glass vial: 5 mL	4/19/2021
College of American Pathologists	2022 ZE-04	Glass vial: 5 mL	4/19/2021
College of American Pathologists	2022 ZE-05	Glass vial: 5 mL	4/19/2021
College of American Pathologists	2022 ZE-06	Glass vial: 5 mL	4/19/2021
College of American Pathologists	2022FTC-01	HDPE bottle: 20 mL	4/19/2021
College of American Pathologists	2022-OFD-09	HDPE vial: 2 mL	4/19/2021
College of American Pathologists	CAP Survey Reproductive Endocrinology CVL, Specimen LN8-01	Glass vial: 7 mL	3/16/2004
College of American Pathologists	CAP Survey TDM CVL, Specimen LN3-01	Glass vial: 7 mL	3/16/2004
College of American Pathologists	LN3	Glass Vial: 4 mL	2/3/2020
College of American Pathologists	PCAPTT-QQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCCAPTT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJACT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJACT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJCPT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJCPT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJLR-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJLR-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJPT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCJPT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCPRO-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	PCPRO-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: CT2	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: CT3	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: CT3Q	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: POC15	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: POC16	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: WP4	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog: WP6	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists	Whole Blood Control for Proficiency Testing Catalog:CT2Q	250-750 Glass ampoules: 0.5 mL each	7/8/2025
College of American Pathologists (CAP)	2023 NOB-01	Amber Vial: 15 mL	8/3/2022
College of American Pathologists (CAP)	2023 NOB-02	Amber Vial: 15 mL	8/3/2022
College of American Pathologists (CAP)	2023 NOB-03	Amber Vial: 15 mL	8/3/2022
College of American Pathologists (CAP)	2023 NOB-04	Amber Vial: 15 mL	8/3/2022
College of American Pathologists (CAP)	2023 NOB-05	Amber Vial: 15 mL	8/3/2022
College of American Pathologists (CAP)	2023 NOB-06	Amber Vial: 15 mL	8/3/2022
College of American Pathologists (CAP)	2023 SCDD-01	HDPE Bottle: 10 mL	8/3/2022
College of American Pathologists (CAP)	2023 SCDD-02	HDPE Bottle: 10 mL	8/3/2022
College of American Pathologists (CAP)	2023 SCDD-03	HDPE Bottle: 10 mL	8/3/2022
College of American Pathologists (CAP)	2023 SCDD-04	HDPE Bottle: 10 mL	8/3/2022
College of American Pathologists (CAP)	2023 SCDD-05	HDPE Bottle: 10 mL	8/3/2022
College of American Pathologists (CAP)	2023 SCDD-06	HDPE Bottle: 10 mL	8/3/2022
College of American Pathologists (CAP)	2024 NOB-01	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-02	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-03	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-04	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-05	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-06	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-01	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-02	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-03	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-04	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-05	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-06	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2025 NOB-01	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP)	2025 NOB-02	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP)	2025 NOB-03	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP)	2025 NOB-04	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP)	2025 NOB-05	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP)	2025 NOB-06	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP)	2025 SCDD-01	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP)	2025 SCDD-02	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP)	2025 SCDD-03	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP)	2025 SCDD-04	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP)	2025 SCDD-05	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP)	2025 SCDD-06	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP)	2026 DMPM-01	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 DMPM-02	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 DMPM-03	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 DMPM-05	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 DMPM-06	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 DMPM-07	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-03	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-04	HDPE bottle: 20 ml	7/29/2025

College of American Pathologists (CAP)	2026 FTC-06	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-07	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-08	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-10	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-11	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-12	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-13	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-14	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 FTC-15	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 NOB-01	Amber glass vial: 15 mL	7/17/2025
College of American Pathologists (CAP)	2026 NOB-02	Amber glass vial: 15 mL	7/17/2025
College of American Pathologists (CAP)	2026 NOB-03	Amber glass vial: 15 mL	7/17/2025
College of American Pathologists (CAP)	2026 NOB-04	Amber glass vial: 15 mL	7/17/2025
College of American Pathologists (CAP)	2026 NOB-05	Amber glass vial: 15 mL	7/17/2025
College of American Pathologists (CAP)	2026 NOB-06	Amber glass vial: 15 mL	7/17/2025
College of American Pathologists (CAP)	2026 OFD-01	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-02	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-03	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-04	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-05	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-06	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-07	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-08	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-09	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-10	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-11	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-12	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-13	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-14	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-15	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-16	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-17	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-18	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-19	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 OFD-20	HDPE vial: 2 ml	7/29/2025
College of American Pathologists (CAP)	2026 SCDD-01	HDPE bottle: 10 mL	7/17/2025
College of American Pathologists (CAP)	2026 SCDD-02	HDPE bottle: 10 mL	7/17/2025
College of American Pathologists (CAP)	2026 SCDD-03	HDPE bottle: 10 mL	7/17/2025
College of American Pathologists (CAP)	2026 SCDD-04	HDPE bottle: 10 mL	7/17/2025
College of American Pathologists (CAP)	2026 SCDD-06	HDPE bottle: 10 mL	7/17/2025
College of American Pathologists (CAP)	2026 T-01	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-02	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-03	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-07	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-09	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-10	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-12	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-14	HDPE bottle: 20 ml	7/29/2025
College of American Pathologists (CAP)	2026 T-15	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 THCB-01	Glass vial: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 THCB-02	Glass vial: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 THCB-03	Glass vial: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 THCB-04	Glass vial: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 THCB-05	Glass vial: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 THCB-06	Glass vial: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-01	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-02	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-03	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-04	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-05	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-06	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-07	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-08	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-09	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-10	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-11	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-12	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-13	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-14	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UDS-15	HDPE bottle: 10 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-01	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-02	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-05	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-06	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-07	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-09	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-11	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-12	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UT-13	HDPE bottle: 50 ml	7/29/2025

College of American Pathologists (CAP)	2026 UT-15	HDPE bottle: 50 ml	7/29/2025
College of American Pathologists (CAP)	2026 UTCO-01	HDPE bottle: 40 ml	7/29/2025
College of American Pathologists (CAP)	2026 ZE-01	Glass vial: 5 ml	7/29/2025
College of American Pathologists (CAP)	2026 ZE-02	Glass vial: 5 ml	7/29/2025
College of American Pathologists (CAP)	2026 ZE-03	Glass vial: 5 ml	7/29/2025
College of American Pathologists (CAP)	2026 ZE-04	Glass vial: 5 ml	7/29/2025
College of American Pathologists (CAP)	2026 ZE-05	Glass vial: 5 ml	7/29/2025
College of American Pathologists (CAP)	2026 ZE-06	Glass vial: 5 ml	7/29/2025
Consolidated Technologies, Inc.	AAB Fertility Markers	Glass vial: 7 mL; Box (flat): 200 vials; Box: 5 flats	9/11/2009
Consolidated Technologies, Inc.	CAP General Chemistry & TDM	Glass bottle: 7 mL; Box: 200 bottles	4/5/2010
Consolidated Technologies, Inc.	CAP Ligand Assay General Survey	Glass bottle: 7 mL; Box: 200 bottles	4/5/2010
Consolidated Technologies, Inc.	CAP Ligand Assay Special Survey	Glass bottle: 7 mL; Box: 200 bottles	4/5/2010
Consolidated Technologies, Inc.	CAP Reproductive Endocrinology	Glass bottle: 7 mL; Box: 200 bottles	4/5/2010
Consolidated Technologies, Inc.	CAP Urine Toxicology Survey Material	Glass bottle: 50 mL; Flat:100 bottles; Box: 5 flats	7/29/2009
Consolidated Technologies, Inc.	Chemistry / Endocrinology	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	5/19/2008
Consolidated Technologies, Inc.	Dade Moni-Trol Lyophilized Assayed Chemistry Controls (levels 1 and 2)	Glass bottle: 9 mL; Kit: 10 bottles	3/17/2006
Consolidated Technologies, Inc.	Hematology Oncology	Glass bottle: 50 mL; Flat:100 bottles; Box: 5 flats	8/28/2007
Consolidated Technologies, Inc.	Immunoassay Plus Control, Levels 1, 2 and 3	Glass bottle: 7 mL; Package: 15 bottles	9/10/2002
Consolidated Technologies, Inc.	Labtest Chemistry Control Level 1	Glass bottle: 9 mL; Flat: 200 bottles Box: 5 flats	8/13/2007
Consolidated Technologies, Inc.	Labtest Chemistry Control Level 2	Glass bottle: 9 mL; Flat: 200 bottles Box: 5 flats	8/13/2007
Consolidated Technologies, Inc.	Ligand Bulk	Bulk container: 500 mL - 700 L	11/8/2001
Consolidated Technologies, Inc.	Ligand Plus Controls, Levels 1, 2, and 3	Glass vial: 7 mL; Package: 15 vials	10/7/2003
Consolidated Technologies, Inc.	Ligand Plus Level 1	Glass vial: 7 mL; Box (flat): 140-200 vials	10/7/2003
Consolidated Technologies, Inc.	Ligand Plus Level 2	Glass vial: 7 mL; Box (flat): 140-200 vials	10/7/2003
Consolidated Technologies, Inc.	Ligand Plus Level 3	Glass vial: 7 mL; Box (flat): 140-200 vials	10/7/2003
Consolidated Technologies, Inc.	Liquid Quickcheck Low/High DAU Control Set	Glass vials: 15 mL; Set: 6 vials	9/10/2002
Consolidated Technologies, Inc.	Lyo IAC Ligand Plus, Level 1	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	2/28/2006
Consolidated Technologies, Inc.	Lyo IAC Ligand Plus, Level 2	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	2/28/2006
Consolidated Technologies, Inc.	Lyo IAC Ligand Plus, Level 3	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	2/28/2006
Consolidated Technologies, Inc.	Moni-Trol Lyophilized Assayed Chemistry Controls (levels 1 and 2)	Glass bottle: 9 mL; Kit: 10 bottles	3/17/2006
Consolidated Technologies, Inc.	Moni-Trol Lyophilized Unassayed Chemistry Controls (levels 1 and 2)	Glass bottle: 9 mL; Kit: 20 bottles	3/17/2006
Consolidated Technologies, Inc.	QuickCheck Lyophilized Chemistry Control	Glass bottle: 15 mL	2/22/2005
Consolidated Technologies, Inc.	QuickCheck Lyophilized Chemistry Control Level 1	Glass bottle: 7 mL	5/7/2004
Consolidated Technologies, Inc.	QuickCheck Lyophilized Chemistry Control Level 2	Glass bottle: 7 mL	5/7/2004
Consolidated Technologies, Inc.	Routine Chemistry	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	8/28/2007
Consolidated Technologies, Inc.	Serum Chemistry Bulk	Bulk container: 500 mL - 700 L	11/8/2001
Consolidated Technologies, Inc.	Serum Toxicology Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies, Inc.	Special Chemistry	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	8/28/2007
Consolidated Technologies, Inc.	Synthetic Urine Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies, Inc.	Tri-Level TDM Control	Glass bottle: 7 mL; Kit: 15 bottles	5/5/2004
Consolidated Technologies, Inc.	Tri-Level TDM Control Level 1	Glass bottle: 7 mL	5/5/2004
Consolidated Technologies, Inc.	Tri-Level TDM Control Level 2	Glass bottle: 7 mL	5/5/2004
Consolidated Technologies, Inc.	Tri-Level TDM Control Level 3	Glass bottle: 7 mL	5/5/2004
Consolidated Technologies, Inc.	UDS, Urine Drug Screen	Glass bottle: 500 mL	6/16/2000
Consolidated Technologies, Inc.	Urine Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies, Inc.	Urine Drug Screen	Glass bottle: 15 mL; Flat:100 bottles; Box: 5 flats	5/19/2008
Consolidated Technologies, Inc.	Urine Toxicology Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies, Inc.	Urine Toxicology Carry Over	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	8/28/2007
CPI International	(-)-Cannabidiol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-d8-Tetrahydrocannabinol (d8-THC) 100 mg/L, mL	Amber ampule: 1 mL	10/5/2020
CPI International	(-)-d8-Tetrahydrocannabinol (d8-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
CPI International	(-)-Delta 8-THC Solution, 1,000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-Delta 8-THC Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-delta 9-THC, 1000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-delta9-tetrahydrocannabinol (d9-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	4/7/2021
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 1,000 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 1,000 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(±)-Cannabichromene Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(±)-Cannabichromene Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(±)-Methadone Solution, 50 mg/L in P/T Methanol	Amber ampule: 1 mL	12/6/2018
CPI International	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Cannabidiol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabidiolic Acid (CBDA) Solution, 100 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabidiolic Acid (CBDA) Solution, 1000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabigerol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabigerol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018

CPI International	Cannabinoids Solution, 1000 mg/L, 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabinol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabinol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	cis-Testosterone Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	4/27/2019
CPI International	Custom App. IX 168 Mix Cal. Std, 1,000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
CPI International	Custom Cannabinoid Mixture, 11-0202, 250 ug/mL, 0.4 ml	Amber ampule: 0.4 mL	10/5/2021
CPI International	Custom Cannabinoid Mixture, 11-0268, 500 ug/mL, 0.4 ml	Amber ampule: 0.4 mL	10/5/2021
CPI International	Custom Hormone Mix, 9-072, 1000 mg/L, 1 mL (ISO 17025)	Amber ampule: 1 mL	2/2/2022
CPI International	Custom Semi-Volatile Mix, 18-7, 2,000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
CPI International	D9-tetrahydrocannabivarin 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
CPI International	D9-tetrahydrocannabivarin 1000 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
CPI International	D9-tetrahydrocannabivarin 1000 mg/L, 1 mL methanol	Amber ampule: 1 mL	10/5/2020
CPI International	D9-Tetrahydrocannabivarinic acid 100 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
CPI International	D9-Tetrahydrocannabivarinic acid 1000 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
CPI International	Diazepam Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
CPI International	Meprobamate solution 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	7/30/2020
CPI International	Meprobate Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
CPI International	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-Testosterone Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
CPI International	Z-116470-01 Z-116470-01 1, 2000 mg/L, 1 mL	Amber ampule: 1 mL	8/23/2023
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ9-Tetrahydrocannabinolic Acid a (THCA-A) Solution, 1000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
CPI International	Δ9-Tetrahydrocannabivarin 1,000 mg/L, 1 mL	Amber ampule: 1 mL	1/29/2021
Dade Behring Inc.	aca Urine Methadone Calibrator (Level 1 & 2)	Vial: 10 mL	9/17/1993
Dade Behring Inc.	aca Urine Methadone Calibrator (Level 1 & 2)	Vial: 10 mL	9/17/1993
Dade Behring Inc.	aca® DAU Calibrator (Levels 0, 1, and 2)	Glass vial: 15 mL, Kit: 8 vials	12/26/2002
Dade Behring Inc.	aca® DAU Calibrator (Levels 0, 1, and 2)	Glass vial: 15 mL, Kit: 8 vials	12/26/2002
Dade Behring Inc.	BK DAU DUPT Pos Cont (PCP)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK DAU DUPT Pos Cont (PCP)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	BK EII Plus Control 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 7	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 7	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 8	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 8	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII THC100 CI 75ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC100 CI 75ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC100 CII 125ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC100 CII 125ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC20 CI 15ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC20 CI 15ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC20 CII 25ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC20 CII 25ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC50 CI 37.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC50 CI 37.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002

Dade Behring Inc.	BK EII THC50 CII 62.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC50 CII 62.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk AED Cal 1	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 1	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 2	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 2	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 3	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 3	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 4	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 4	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 5	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 5	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk D-Amph Cntrl 1250 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 1250 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 225 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 225 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 375 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 375 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 625 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 625 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 750 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 750 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk DAU DADE Lvl 1 (PCP)	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	12/26/2002
Dade Behring Inc.	Bulk DAU DADE Lvl 1 (PCP)	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	12/26/2002
Dade Behring Inc.	Bulk DAU DADE Lvl 2 (PCP)	Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/26/2002
Dade Behring Inc.	Bulk DAU DADE Lvl 2 (PCP)	Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/26/2002
Dade Behring Inc.	Bulk DAU Detection Calib	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk DAU Detection Calib	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk Det Calib D-Methamph	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk Det Calib D-Methamph	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk D-Meth Cntrl 1250 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 1250 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 225 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 225 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 375 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 375 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 625 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 625 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 750 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 750 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk E2K PHNO Cal 10	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 10	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 20	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 20	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 40	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 40	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 5	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 5	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 80	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 80	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk EII Plus Control 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 7	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 7	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 8	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 8	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Set A Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set A Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set A Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set A Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set B Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set B Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set B Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk EII Set B Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk Emit Cal A Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Dade Behring Inc.	Bulk Emit Cal A Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Dade Behring Inc.	Bulk Emit Cal A Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Dade Behring Inc.	Bulk Emit Cal A Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Dade Behring Inc.	Bulk Emit Cal B Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	12/4/2002

Dade Behring Inc.	Bulk Emit Cal B Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	12/4/2002
Dade Behring Inc.	Bulk Emit Cal B Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 10-50 L	12/4/2002
Dade Behring Inc.	Bulk Emit Cal B Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 10-50 L	12/4/2002
Dade Behring Inc.	Bulk Emit LSD Cont Lvl I	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk Emit LSD Cont Lvl I	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk Emit LSD Cont Lvl II	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk Emit LSD Cont Lvl II	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 100 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 50-80 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 100 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 50-80 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 20 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 20 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 200 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-25 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 200 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-25 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 50 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-130 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 50 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-130 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph Cutoff Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph Cutoff Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/3/2007
Dade Behring Inc.	Bulk Liq Amph Cutoff Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph Cutoff Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/3/2007
Dade Behring Inc.	Bulk Liq Amph High Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph High Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/3/2007
Dade Behring Inc.	Bulk Liq Amph High Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph High Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/3/2007
Dade Behring Inc.	Bulk LSD Cal 0.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 0.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 1.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 1.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 2.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 2.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk STU Detet Cal	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk STU Detet Cal	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk THC Liq 100 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 100 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 200 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 200 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 50 Cal	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 50 Cal	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	3/12/2007
Dade Behring Inc.	Bulk Tox Serum Low Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Dade Behring Inc.	Bulk Tox Serum Low Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Dade Behring Inc.	Bulk Tox Serum Med Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Dade Behring Inc.	Bulk Tox Serum Med Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Dade Behring Inc.	Dade Barbital Pack Reagent	Plastic bottle: 1-4 L	1/19/1990
Dade Behring Inc.	Dade Barbital Pack Reagent	Plastic bottle: 1-4 L	1/19/1990
Dade Behring Inc.	Dade CA System Buffer Cat# B4265-32	Bottle: 500 mL	7/20/1995
Dade Behring Inc.	Dade CA System Buffer Cat# B4265-32	Bottle: 500 mL	7/20/1995
Dade Behring Inc.	Dade CA System Buffer Cat# B4265-34	Pack: 4 Bottles, 500 mL each	7/20/1995
Dade Behring Inc.	Dade CA System Buffer Cat# B4265-34	Pack: 4 Bottles, 500 mL each	7/20/1995
Dade Behring Inc.	Dade Fibrinogen Determination Reagents Cat# B4233-15SY	Kit: 50 tests	1/22/1999
Dade Behring Inc.	Dade Fibrinogen Determination Reagents Cat# B4233-15SY	Kit: 50 tests	1/22/1999
Dade Behring Inc.	Dade Fibrinogen Determination Reagents for Photo-Optical Instruments, Cat# B4233-155Y	Kit: 50 tests	10/28/1997
Dade Behring Inc.	Dade Fibrinogen Determination Reagents for Photo-Optical Instruments, Cat# B4233-155Y	Kit: 50 tests	10/28/1997
Dade Behring Inc.	Dimension Drugs of Abuse Calibrator	Bottle: 5 mL	1/11/1995
Dade Behring Inc.	Dimension Drugs of Abuse Calibrator	Bottle: 5 mL	1/11/1995
Dade Behring Inc.	Dimension Drugs of Abuse Negative Control	Glass vials: 5 mL; Carton: 6 vials;	1/11/1995
Dade Behring Inc.	Dimension Drugs of Abuse Negative Control	Glass vials: 5 mL; Carton: 6 vials;	1/11/1995
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL Bulk, Level B	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL Bulk, Level B	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Drug 1 Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL Bulk, Level B	Plastic container: 10-250 mL, 0.5-50 L	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL Bulk, Level B	Plastic container: 10-250 mL, 0.5-50 L	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy Calibrator B	Plastic bottle: 10-250 mL; Plastic container: 0.5-50 L; Glass vial: 3 mL	12/6/2005
Dade Behring Inc.	Dimension Vista™ Ecstasy Calibrator B	Plastic bottle: 10-250 mL; Plastic container: 0.5-50 L; Glass vial: 3 mL	12/6/2005
Dade Behring Inc.	Dimension Vista™ Integrated System Drug 1 CAL	Carton: 6 vials; Glass vial: 3 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Integrated System Drug 1 CAL	Carton: 6 vials; Glass vial: 3 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Integrated System Drug 1 CAL, Level H	Glass vial: 3 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Integrated System Drug 1 CAL, Level H	Glass vial: 3 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Integrated System UDAT CAL	Carton: 6 vials; Glass vial: 3 mL	7/2/2004
Dade Behring Inc.	Dimension Vista™ Integrated System UDAT CAL	Carton: 6 vials; Glass vial: 3 mL	7/2/2004
Dade Behring Inc.	Dimension Vista™ Integrated System UDAT CAL, Level H	Glass vial: 3 mL	7/2/2004
Dade Behring Inc.	Dimension Vista™ Integrated System UDAT CAL, Level H	Glass vial: 3 mL	7/2/2004

Dade Behring Inc.	Dimension Vista™ Thyronine Uptake (TU) Flex® reagent cartridge	Plastic cartridge: 4.7 mL (100 tests)	7/26/2005
Dade Behring Inc.	Dimension Vista™ Thyronine Uptake (TU) Flex® reagent cartridge	Plastic cartridge: 4.7 mL (100 tests)	7/26/2005
Dade Behring Inc.	Dimension Vista™ UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL B	Glass vial: 3 mL; Carton: 3 vials	10/25/2004
Dade Behring Inc.	Dimension Vista™ UDAT CAL B	Glass vial: 3 mL; Carton: 3 vials	10/25/2004
Dade Behring Inc.	Dimension Vista™ UDAT CAL Bulk, Level B	Plastic container: 10-125 mL, 0.5-50 L	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL Bulk, Level B	Plastic container: 10-125 mL, 0.5-50 L	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT Calibrator B - Bulk	Plastic bottle: 0.5-50 L; Plastic container: 10-125 mL	10/25/2004
Dade Behring Inc.	Dimension Vista™ UDAT Calibrator B - Bulk	Plastic bottle: 0.5-50 L; Plastic container: 10-125 mL	10/25/2004
Dade Behring Inc.	Dimension Vista™ UDAT Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/2/2004
Dade Behring Inc.	Dimension Vista™ UDAT Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/2/2004
Dade Behring Inc.	DM/TU Saturating Reagent	Plastic bottle: 1 L, 10 L, 20 L	2/22/1989
Dade Behring Inc.	DM/TU Saturating Reagent	Plastic bottle: 1 L, 10 L, 20 L	2/22/1989
Dade Behring Inc.	Drug Calibrator (DC22B)	Vial: 3 mL; Carton: 10 vials	5/11/2001
Dade Behring Inc.	Drug Calibrator (DC22B)	Vial: 3 mL; Carton: 10 vials	5/11/2001
Dade Behring Inc.	Drug Calibrator Bulk, Level 2	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 2	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 3	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 3	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 4	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 4	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 5	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 5	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator-A (levels 1-5)	Vial: 6 mL, Box: 10 vials	9/28/1990
Dade Behring Inc.	Drug Calibrator-A (levels 1-5)	Vial: 6 mL, Box: 10 vials	9/28/1990
Dade Behring Inc.	E2P Ecstasy Cal 1000	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 1000	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 150	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 150	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 300	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 300	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 500	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 500	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 225	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 225	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 375	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 375	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 625	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 625	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	Ecstasy Cal 1000 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 1000 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 150 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 150 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 300 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 300 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 500 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 500 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 225 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 225 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 375 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 375 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 625 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 625 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	EII Plus THC Control 1 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 1 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 6 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 6 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Elite QC Chemistry Control (Level 1/Level 2)	Plastic Tube: 3 mL	4/12/2000
Dade Behring Inc.	Elite QC Chemistry Control (Level 1/Level 2)	Plastic Tube: 3 mL	4/12/2000
Dade Behring Inc.	Emit 2000 Phenobarbital Calibrators (5, 10, 20, 40, 80)	Kit: 5 vials	1/29/2007
Dade Behring Inc.	Emit 2000 Phenobarbital Calibrators (5, 10, 20, 40, 80)	Kit: 5 vials	1/29/2007
Dade Behring Inc.	Emit 5B3 THC Calibrator 100	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 100	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 200	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 200	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 50	Plastic vial: 15 mL, Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 50	Plastic vial: 15 mL, Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Dade Behring Inc.	Emit Antiepileptic (AED) Drug Calibrators (1,2,3,4,5)	Kit: 5 vials	2/14/2007

Dade Behring Inc.	Emit Antiepileptic (AED) Drug Calibrators (1,2,3,4,5)	Kit: 5 vials	2/14/2007
Dade Behring Inc.	Emit Calibrator A Level 1 (cutoff)	Vial: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator A Level 1 (cutoff)	Vial: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator A Level 2 (high)	Vial: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator A Level 2 (high)	Vial: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator B Level 1 (cutoff)	Bottle: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator B Level 1 (cutoff)	Bottle: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator B Level 2 (high)	Bottle: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator B Level 2 (high)	Bottle: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator/Control Level 1	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 1	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 2	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 2	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 3	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 3	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 4	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 4	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 5	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 5	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 1	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 1	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 2	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 2	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 3	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 3	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 4	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 4	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Multi-Drug Calibrator 5	Plastic bottle: 1 L	8/22/2006
Dade Behring Inc.	Emit II Plus Multi-Drug Calibrator 5	Plastic bottle: 1 L	8/22/2006
Dade Behring Inc.	Emit II Plus THC Cal 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit LSD 0.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD 0.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD 1.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD 1.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD 2.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD 2.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD Control Level 1	Bottle: 25 mL	2/5/2007
Dade Behring Inc.	Emit LSD Control Level 1	Bottle: 25 mL	2/5/2007
Dade Behring Inc.	Emit LSD Control Level 2	Bottle: 25 mL	2/5/2007
Dade Behring Inc.	Emit LSD Control Level 2	Bottle: 25 mL	2/5/2007
Dade Behring Inc.	Emit THC Liq Control 1 ML	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 1 ML	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit tox Serum Calibrator Kit Containing: (1) Emit tox Serum Low Calibrator and (1) Emit tox Serum Medium Calibrator	Bottle: 3 mL	2/14/2007
Dade Behring Inc.	Emit tox Serum Calibrator Kit Containing: (1) Emit tox Serum Low Calibrator and (1) Emit tox Serum Medium Calibrator	Bottle: 3 mL	2/14/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 100 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 100 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 20 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 20 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 200 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 200 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 50 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 50 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Estradiol Reagent	6 Vials; 1 mL/vial	10/28/1993
Dade Behring Inc.	Estradiol Reagent	6 Vials; 1 mL/vial	10/28/1993
Dade Behring Inc.	Estradiol Test Module	Plastic plate: 1.7"x .7"x 3.5"	10/28/1993
Dade Behring Inc.	Estradiol Test Module	Plastic plate: 1.7"x .7"x 3.5"	10/28/1993
Dade Behring Inc.	FC D-Amph ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007

Dade Behring Inc.	FC DAU MD Detect Cal	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC DAU MD Detect Cal	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC DAU ST Det Cal	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC DAU ST Det Cal	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC Detcal d-Meth for MAMA	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC Detcal d-Meth for MAMA	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 1000	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 1000	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 150	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 150	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 300	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 300	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 500	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 500	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl225	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl225	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl375	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl375	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl625	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl625	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC EII Plus ML Control 1	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 1	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 2	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 2	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 3	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 3	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 4	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 4	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 5	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 5	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 6	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 6	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 7	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 7	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 8	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 8	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus THC Cal 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 1 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 1 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 6 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 6 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Set A Cont I (75%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set A Cont I (75%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set A Cont II (125%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set A Cont II (125%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set B Cont I (75%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set B Cont I (75%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set B Cont II (125%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set B Cont II (125%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC Emit Amph Cal Level 1	Plastic vial: 15 mL	4/3/2007
Dade Behring Inc.	FC Emit Amph Cal Level 1	Plastic vial: 15 mL	4/3/2007
Dade Behring Inc.	FC Emit Amph Cal Level 2	Plastic vial: 15 mL	4/3/2007
Dade Behring Inc.	FC Emit Amph Cal Level 2	Plastic vial: 15 mL	4/3/2007
Dade Behring Inc.	OPUS Estradiol Kit	Kit: 50 Tests	10/28/1993

Dade Behring Inc.	OPUS Estradiol Kit	Kit: 50 Tests	10/28/1993
Dade Behring Inc.	OPUS Phenobarbital Calibrators: 5,10,20,40,80 µg/mL	Vial: 2.5 mL Carton: 5 vials	8/7/1990
Dade Behring Inc.	OPUS Phenobarbital Calibrators: 5,10,20,40,80 µg/mL	Vial: 2.5 mL Carton: 5 vials	8/7/1990
Dade Behring Inc.	OPUS Phenobarbital Test Modules	Plastic Test Module, Tray: 5 modules, Carton: 50 modules	8/7/1990
Dade Behring Inc.	OPUS Phenobarbital Test Modules	Plastic Test Module, Tray: 5 modules, Carton: 50 modules	8/7/1990
Dade Behring Inc.	OPUS® Phenobarbital Calibrator Bulk Level 5.0 µg/mL, 10.0 µg/mL, 20.0 µg/mL, 40.0 µg/mL or 80.0 µg/mL	Plastic container: 150-250 mL; Plastic test tube: 15 mL	5/22/2003
Dade Behring Inc.	OPUS® Phenobarbital Calibrator Bulk Level 5.0 µg/mL, 10.0 µg/mL, 20.0 µg/mL, 40.0 µg/mL or 80.0 µg/mL	Plastic container: 150-250 mL; Plastic test tube: 15 mL	5/22/2003
Dade Behring Inc.	Pentobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Dade Behring Inc.	Pentobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Dade Behring Inc.	Phenobarbital (PHNO) Flex Reagent Cartridge	Cartridge: Plastic	5/26/1994
Dade Behring Inc.	Phenobarbital (PHNO) Flex Reagent Cartridge	Cartridge: Plastic	5/26/1994
Dade Behring Inc.	Phenobarbital Master Pool, Level 1	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 1	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 2	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 2	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 3	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 3	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 4	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 4	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 5	Plastic bottle: 500 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 5	Plastic bottle: 500 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Dade Behring Inc.	Phenobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Dade Behring Inc.	Thyronine (TU) Uptake Flex(r) Reagent Cartridge	Plastic container: 2.3 mL (20 tests)	4/28/1986
Dade Behring Inc.	Thyronine (TU) Uptake Flex(r) Reagent Cartridge	Plastic container: 2.3 mL (20 tests)	4/28/1986
Dade Behring Inc.	TU E Buffer Solution Bulk, Quality Control/Archive	Plastic tube: 30 mL	9/26/2002
Dade Behring Inc.	TU E Buffer Solution Bulk, Quality Control/Archive	Plastic tube: 30 mL	9/26/2002
Dade Behring Inc.	Urine Cannabinoids Screen (UTHC) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Cannabinoids Screen (UTHC) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Cocaine Metabolites Screen (UCOC) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Cocaine Metabolites Screen (UCOC) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Opiates Screen (UOPI) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Opiates Screen (UOPI) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Diagnostic Products Corporation	[125I] Free Testosterone Cat. No. TTF2	Vial: 105 mL	3/25/1991
Diagnostic Products Corporation	[125I] Total Testosterone Cat. No. TTT 2	Vial: 105 mL	3/25/1991
Diagnostic Products Corporation	125-I Barbiturate Isotope: Cat. No. TBA2, TBAY2	Vial: 110 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	125-I Benzolyecgonine Isotope: Cat. No. TCN2, TCNY2	Vial: 100 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	125-I Fentanyl Isotope: Cat. No. TFN2	Vial: 500 mL	3/1/1988
Diagnostic Products Corporation	125-I Morphine Isotope: Cat. No. TMP2, TMPY2	Vial: 110 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	125-I Serum Morphine Isotope: Cat. No. TSM2	Vial: 110 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Calibrators B-F: Cat. No. APD4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Controls, Cat. No. ACO1, ACO2	Vial: 5 mL	3/20/1989
Diagnostic Products Corporation	Amphetamine Controls: Cat. No. 5AC01, 5ACO2	Vial: 100 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Isotope: Cat. No. APD2, 5APD2, YAPD2	Vial: 20 mL, 100 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Reference Preparations, Cat. NO. APD5, APD9	Vial: 5 mL	3/20/1989
Diagnostic Products Corporation	Benzoylecgonine Calibrators (CAC) B-F: Cat. No. COC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Canine T3 Isotope: Cat. No. TC32	Vial: 120 mL	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Barbiturates In Urine: Cat. No. TKBA1,TKBA5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Canine T3: Cat. No. TKC31, TKC35	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Cocaine Metabolite: Cat. No. TKCN1, TKCN5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Fentanyl: Cat. No. TKFN1	Kit: 100 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Free Testosterone Cat. No. TKTF 1,2	Kit: 100, 200 Tests	3/25/1991
Diagnostic Products Corporation	Coat-A-Count LSD 100, 500, Cat. NO. TKLS1, TKLS5	Kit: 8 vials, 19 vials	3/20/1989
Diagnostic Products Corporation	Coat-A-Count Morphine: Cat. No. TKMP1, TKMP5, TKMPX	Kit: 100 tests, 500 tests, 1000 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Opiates Screen: Cat. No. TK0S1, TKOS5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Serum Morphine: Cat. No. TKSM1	Kit: 100 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Total Testosterone Cat. No. TKTT 1,2,5	Kit: 100, 200, 500 Tests	3/25/1991
Diagnostic Products Corporation	CON6 Immunoassay Tri-level Control Cat. No. CON6	Kit: 6 vials	3/25/1991
Diagnostic Products Corporation	Double Antibody Amphetamine, Cat. No. KAPD1, KAPD5	Kit: 6 vials	3/20/1989
Diagnostic Products Corporation	Double Antibody Amphetamine: Cat. No. KAPD1, KAPD5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Double Antibody Cannabinoids (THC) In Urine: Cat. No. KTHD1, KTHD5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Double Antibody PTH-C: KPCD1, KPCD2	Kit: 70 tests, 140 tests	3/1/1988
Diagnostic Products Corporation	Enzyme-Labeled PCP Cat. No. MEPC2, 5MEPC2	Vial: 20 mL, 60 mL	7/5/1990
Diagnostic Products Corporation	EquiCON-DOA Drugs of Abuse Equine Urine Controls Cat. No. EDAC	Kit: 2 Vials	3/25/1991
Diagnostic Products Corporation	EquiCon-DOA Level 2,3 Cat. No. EDAC 2,3	Vial: 30 mL	3/25/1991
Diagnostic Products Corporation	Fentanyl Calibrators: Cat. No. FNC4-9	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Free Testosterone Calibrators Cat. No. TFC4-8	Vial: 3.5 mL	3/25/1991
Diagnostic Products Corporation	Goat Anti-Rabbit Gamma Globulin/4% PEG Saline: Cat. No. 5N6	Vial: 110 mL, 320 mL	3/1/1988
Diagnostic Products Corporation	Immulite 2000 Phenobarbital, Cat. No. L2KPB1, 5	Kit: 100, 500 tests	1/24/2001
Diagnostic Products Corporation	Immulite Cannabinoids (THC), Cat. No. LKTH1, 5	Kit: 100, 500 tests	1/24/2001
Diagnostic Products Corporation	Immulite Phenobarbital, Cat. No. LKPB1, 5	Kit: 100, 500 tests	1/24/2001
Diagnostic Products Corporation	LSD Calibrators B-F, Cat. No. LSCH-8	Vial: 5 mL	3/20/1989
Diagnostic Products Corporation	LSD Controls, Cat. NO. 5LCO1, 5LCO2, LSCO1, LSCO2	Vial: 120 mL, 5 mL	3/20/1989
Diagnostic Products Corporation	LSD Isotope, Cat. No. TLSY2, TLS2	Vial: 105 mL, 550 mL	3/20/1989
Diagnostic Products Corporation	Milenia Cocaine References and Controls Cat. No. MC3,6; MCCC1,2	Glass vial: 5 mL	1/25/1991
Diagnostic Products Corporation	Morphine Calibrators: Cat. No. MPC4-8	Vial: 3.5 mL, 10 mL	3/1/1988
Diagnostic Products Corporation	Opiate Calibrators: Cat. No. OSC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	PCP Calibrators Cat. No. MPC 3-7	Vial: 5 mL	7/5/1990
Diagnostic Products Corporation	PCP Calibrators: Cat. No. PCC4-8	Vial: 3.5 mL	3/1/1988

Diagnostic Products Corporation	RIA Controls Level 4,5,6 Cat. NO. CON4, CON5, CON6	Vial: 10 mL	3/25/1991
Diagnostic Products Corporation	Serum Drug Control, Cat. No. SDCM	Glass vial: 10 mL; Kit: 2 vials	1/24/2001
Diagnostic Products Corporation	Serum Morphine Calibrators: Cat. No. SMC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Serum Morphine Controls: Cat. No. SMCO2, SMCO3	Vail: 3.5 mL	3/1/1988
Diagnostic Products Corporation	THC Calibrators B-F: Cat. No. THD4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Total Testosterone Calibrators Cat. No. TTC4-8	Vial: 3.5 mL	3/25/1991
Diagnostic Products Corporation	Triiodothyronine (T3) Isotope: Cat. No. TT32	Vial: 120 mL	3/1/1988
Diagnostics Systems Laboratories, Inc.	Active DHT DSL 9600	Kit: 100 Tests	1/25/1996
Diagnostics Systems Laboratories, Inc.	Androstenedione Controls I & II, DSL 10-3851 & 10-3852	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Androstenedione Controls I & II, DSL 3851 & 4852	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Androstenedione Controls I & II, DSL 4251 & 4252	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Androstenedione Standards B-F, DSL 10-3802 through 10-3806	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Androstenedione Standards B-F, DSL 3802 through 3806	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Androstenedione Standards B-F, DSL 4202 through 4206	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	DHEA Controls I and II, DSL 8951 & 8952	Vial: 3.5 mL	10/8/1993
Diagnostics Systems Laboratories, Inc.	DHEA Standards, A-F, DSL 8901-8906	Vial: 3.5 mL	10/8/1993
Diagnostics Systems Laboratories, Inc.	DHT Controls I & II, DSL 9651 & 9652	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	DHT Standards B-H, DSL 9602 through 9608	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	DSL 4900 Radioimmunoassay	Kit: 1 bottle - 22 mL, 10 vials - 1 mL each	11/12/1996
Diagnostics Systems Laboratories, Inc.	Free Testosterone Controls I & II, DSL 10-49151 & 10-49152	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Free Testosterone Controls I & II, DSL 4951 & 4952	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Free Testosterone Standards B-G, DSL 10-49102 through 10-49107	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Free Testosterone Standards B-H, DSL 4902 through 4908	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Measurement of Dehydroepiandrosterone (DHEA), DSL 8900	Kit; 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Measurement of Dehydroepiandrosterone (DHEA), DSL 9000	Kit; 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Quantitative Measurement of Testosterone, DSL 4000	Kit: 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Quantitative Measurement of Testosterone, DSL 4100	Kit: 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Testosterone Controls I & II, DSL 10-4051 & 10-4052	Plastic Vial: 4 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Testosterone Controls I & II, DSL 4051 & 4052	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Testosterone Controls I and II, DSL 4051 & 4052	Vial: 3.5 mL	10/8/1993
Diagnostics Systems Laboratories, Inc.	Testosterone Standards A-F, DSL 4001-4006	Vial: 3.5 mL	10/8/1993
Diagnostics Systems Laboratories, Inc.	Testosterone Standards B-F, DSL 4002 through 4006	Glass Vial: 3 mL	12/2/2008
Diagnostics Systems Laboratories, Inc.	Testosterone Standards B-G, DSL 10-4002 through 10-4007	Plastic Vial: 4 mL	12/2/2008
Diamedix Corporation	Barbital-Acetate Buffer, Powder 709-317	Package: 20 envelopes; 10.65 g. per envelope	7/27/1972
Diamedix Corporation	CEP Plate-Amebiasis Testing 40 Test No. 730-274	Plate: 40mm x 80mm x 2.5mm	8/9/1973
Diamedix Corporation	CEP VI No. 709-339	Plate: 40mm x 80mm x 2.5mm	8/9/1973
Diamedix Corporation	Counterelectrophoresis (CEP) Plates for Trichinosis Testing	Plastic plates: 40mm x 80mm x 2.5mm	6/16/1975
Diamedix Corporation	EDTA (0.014M)-GVB Buffer, 753-034	Bottle: 5 mL	8/9/1973
Diamedix Corporation	EDTA (0.01M)-GVB Buffer, 753-031	Bottle: 5 mL	8/9/1973
Diamedix Corporation	Glucose-GVB 1 Buffer, 753-036	Bottle: 50 mL	8/9/1973
Diamedix Corporation	GVB(3+) Buffer 753-037	Bottle: 50 mL	8/9/1973
DiaSorin Inc.	(125I) Clinical Assays Gamma Coat T3 Uptake Radioimmunoassay Kit Cat. Nos. CA-1539, CA-1539J, CA-1559, CA-1559J	Kit: 100, 500 assays	3/8/1991
DiaSorin Inc.	(125I) Clinical Assays Gamma Coat Testosterone Radioimmunoassay Kit Cat. No. CA-1558	Kit: 100 tests	6/11/1996
DiaSorin Inc.	(125I) Testosterone Tracer Cat. No. CA-2628	Glass vial: 1 mL	6/11/1996
DiaSorin Inc.	Assay Buffer Cat. No. CA-2742	Bottle: 120 mL	3/8/1991
DiaSorin Inc.	LIAISON Testosterone Control Set	Vial: 2.0 mL; Set: 4 vials	3/9/2004
DiaSorin Inc.	LIAISON Testosterone Kit	Kit: 1 Integral device	3/9/2004
DiaSorin Inc.	Testosterone Serum Standard B (0.2ng/mL) Cat. No. CA-22179	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard C (0.5ng/mL) Cat. No. CA-22180	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard D (1.0 ng/mL) Cat. No. CA-22181	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard E (2.5ng/mL) Cat. No. CA-22182	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard F (7.5ng/mL) Cat. No. CA-22183	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard G (20.0 ng/mL) Cat. No. CA-22184	Glass vial: 2 mL	6/11/1996
DiaSystem Scandinavia AB	Uni Cal AMP 1000 Calibrator Cut-off 1000 ng/mL L3	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	Uni Cal AMP 1000 Calibrator High 2000 ng/mL L5	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	Uni Cal AMP 1000 Calibrator Low 500 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator Cutoff 10 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator High 40 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator Intermediate 20 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator Low 5 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator Cutoff 500 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator High 2000 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator Intermediate 1000 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator Low 250 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Control High 625 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Control Low 375 ng/mL L1	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP Calibrator Intermediate 1500 ng/mL L4	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator L4/Control II 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator 1000 ng/mL L5	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator L2/Control I 100 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator/Control200 ng/mL L3	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator 1000 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator L2/Control I 100 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator L4/Control II 300 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator/Control 200 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator Cut-off 5 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator High 40 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator Intermediate 10 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator Intermediate 20 ng/mL L4	Plastic vial: 5 mL	11/8/2019

DiaSystem Scandinavia AB	UniCal BUP High 75 ng/mL L6	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BZO Calibrator L2/Control I 100 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BZO Calibrator L3/ Control II 200 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BZO Calibrator L4/Control III 300 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator Cutoff 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator Intermediate 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator Low 75 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Control High 187.5 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Control Low 112.5 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Calibrator Cutoff 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Calibrator Low 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Control High 375 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Control Low 225 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator Cutoff 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator Intermediate 600 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator Low 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Control High 375 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Control Low 225 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator Cut-off 500 ng/mL L3	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator High 2000 ng/mL L5	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator Intermediate 1000 ng/mL L4	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator Low 250 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator Cutoff 500 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator High 1000 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator Intermediate 750 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator Low 100 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Calibrator Cutoff 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Calibrator Intermediate 600 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Control High 375 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Control Low 225 ng/mL L1	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator Cutoff 2000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator High 6000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator Interm. 4000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator Low 1000 ng/mL Calibrator Low 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Control High 2500 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Control Low 1500 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator Cutoff 300 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator High 1000 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator Intermediate 800 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator Low 150 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Cut-off 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Cutoff 100 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator High 800 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Intermediate 500 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Low 50 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Control High 125 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Control Low 75 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator Cutoff 25 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator Intermediate 50 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator Low 12.5 ng/mL UniCal PCP 25 Calibrator Low 12.5 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Control High 32 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator High 100 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Control Low 18 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PPX Calibrator Cut-off 300 ng/mL L3 Calibrator Cut-off 300 ng/mL L3	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal PPX Calibrator High 1000 ng/mL L5	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal PPX Calibrator Intermediate 500 ng/mL L4 Intermediate 500 ng/mL L4	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal PPX Calibrator Low 150 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal/UniLab AMP 500	Box: 6 vials, 5 mL each	8/5/2019
DiaSystem Scandinavia AB	UniCal/UniLab BAR 200	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab COC 150	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab COC 300	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab EDDP 300	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab MTD 300	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab MTD 300 Calibrator Low 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab OPI 2000	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab OXY 100	Box: 7 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab PCP 25	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniLab 6-AM Control High 12.5 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab 6-AM Control Low 7.5 ng/mL LI	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab AMP 1000 Control Low 750 ng/mL LI	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab AMP Control High 1250 ng/mL L2	Plastic vial: 5 mL	11/11/2019

DiaSystem Scandinavia AB	UniLab BAR Control III 400 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BUP Control 13 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BUP Control 3 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BUP Control 7 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BZO Calibrator 1000 ng/mL LS	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BZO Control 400 ng/mL III	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab MAMP Control High 625 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab MAMP Control Low 375 ng/mL LI	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab MDMA Control High 625 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab MDMA Control Low 375 ng/mL LI	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab OPI 300 Control High 375 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab OPI 300 Control Low 225 ng/mL LI	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab PPX Control High 375 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab PPX Control Low 225 ng/mL L1	Plastic vial: 5 mL	11/11/2019
Drager Safety AG & Co.	Drager Drug Test 5000 Test Kit	Box: 20 cartridges, Cartridge: 1.9" x 0.71"	6/9/2009
Drager Safety AG & Co.	Drager Drug Test 5000 Test Kit MTD	Box: 20 cartridges, Cartridge: 1.9" x 0.71"	6/9/2009
Drager Safety AG & Co.	OnTrak Oralyzer Test Kit	Box: 20 cartridges, Cartridge: 1.9" x 0.71"	6/9/2009
Drug Free Enterprises, Inc.	DRUGCHECK Positive Control Urine	Glass vial: 1-200 mL	12/16/2003
Duo Research, Inc.	Drug Testing Assessment Program Quality Control Samples	Kit: 25 bottles	12/26/1986
Duo Research, Inc.	Drug Testing Assessment Program-Quality Control Sample	Bottle: 65 mL	2/27/1986
Duo Research, Inc.	Drug Testing Assessment Program-Quality Control Sample Kit	Kit: 5-65 mL bottles	2/27/1986
Eli Lilly and Company	Propoxyphene Industrial Hygiene Air Monitoring Sample Cassette	Cassette: Plastic	7/13/1994
Eli Lilly and Company	Testosterone Reference Standard	Glass ampule: 1 mL	11/26/2013
ElSohly Laboratories, Inc.	(-)-11 Nor-delta-9-THC-COOH 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	(-)-11-Nor-Delta9-THC-9-COOH, 1 mg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	11-Hydroxy-delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	11-nor-CBN-9-COOH, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
ElSohly Laboratories, Inc.	11-nor-delta9-THCV-9-COOH, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
ElSohly Laboratories, Inc.	8-β, 11-dihydroxy-delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	8-β-hydroxy-delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	Buprenorphine-beta-D-glucuronide, 100 µg/mL in MeOH	Glass vial: 1 mL	4/29/2005
ElSohly Laboratories, Inc.	d2-Dihydrocodeine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	d2-Dihydromorphine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	D3-Benzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	D3-Cocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	d3-Codeine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	D3-Ecgonine methylester, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	D3-Ecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	d3-Hydrocodone, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	d3-Hydromorphone, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	D3-m-Hydroxybenzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	D3-m-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	d3-Morphine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	d3-Oxycodone, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	D3-p-OH-benzoylecgonine, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
ElSohly Laboratories, Inc.	d6-11-Nor-delta-8-THC-9-COOH, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	d6-11-Nor-delta-9-THC-9-COOH, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	D6-11-OH-delta9-THC, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
ElSohly Laboratories, Inc.	D6-8beta-11-diOH-delta9-THC, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
ElSohly Laboratories, Inc.	d6-Amphetamine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	d6-Delta-8-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	D6-delta9-THCV-9-COOH, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
ElSohly Laboratories, Inc.	d9-Delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	d9-Methamphetamine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	Delta9-THC, 100 µg/mL in MeOH	Glass vial: 1 mL	8/14/2006
ElSohly Laboratories, Inc.	Difluorobenzoylecgonine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	Difluorococaine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	Difluorophencyclidine, 100 µg/mL	Vial: 1 mL	3/26/1995
ElSohly Laboratories, Inc.	ELI Drug Standards Δ9- Tetrahydrocannabinol-glucoronide (10 µg/mL in MeOH)	Glass vial: 1 ml	3/23/2012
ElSohly Laboratories, Inc.	ELI Drug Standards Δ9- Tetrahydrocannabinol-glucoronide (100 µg/mL in MeOH)	Glass vial: 1 ml	3/23/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Calibrators, Amphetamine, Benzoylecgonine, Morphine, Phencyclidine (2-200 ng/mL)	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Calibrators, Methamphetamine (2-200 ng/mL)	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Calibrators, Multidrug (THC, Benzoylecgonine, Amphetamine, Methamphetamine, Morphine, Codeine, 6-Acetylmorphine, & PCP) at 0.5-200 ng/mL	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Calibrators, THC (0.5-50 ng/mL)	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Controls, Amphetamine, Benzoylecgonine, Morphine, Phencyclidine (2-200 ng/mL)	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Controls, Methamphetamine (2-200 ng/mL)	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Controls, Multidrug (THC, Benzoylecgonine, Amphetamine, Methamphetamine, Morphine, Codeine, 6-Acetylmorphine, & PCP) at 0.5-50 ng/mL	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Oral Fluid Controls, THC (0.5-50 ng/mL)	Glass vial: 5 ml – 4 L	10/22/2012
ElSohly Laboratories, Inc.	ELI Urine Calibrators	Bottle: 5 mL-4 L	11/25/1997
ElSohly Laboratories, Inc.	ELI Urine Calibrators	Plastic bottle: 20 mL; Box: 100 bottles	3/29/2006
ElSohly Laboratories, Inc.	ELI Urine Controls	Plastic bottle: 20 mL; Box: 100 bottles	3/29/2006
ElSohly Laboratories, Inc.	m-Hydroxybenzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	m-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	Norbuprenorphine-beta-D-glucuronide, 100 µg/mL in MeOH	Glass vial: 1 mL	4/29/2005
ElSohly Laboratories, Inc.	o-Hydroxybenzoylecogonine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	o-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	p-Hydroxybenzoylecogonine, 100 µg/mL	Vial: 1 mL	11/25/1997

ElSohly Laboratories, Inc.	p-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
ElSohly Laboratories, Inc.	Urine Controls	Bottle: 15 mL-40 L	3/26/1995
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 1.0 mg/L, 1 mL	Amber ampule: 1 mL	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 1.0 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 20 mg/L, 1 ml	Amber ampule: 1 mL	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 20 mg/L, 5 x 1 ml	Amber ampule: 1 mL x 5	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 5 mg/L, 1 mL	Amber ampule: 1 mL	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 5 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	12/10/2018
Environmental Resource Associates (ERA)	Chloral Hydrate, Proficiency Testing Material, Catalog No. 853	Glass Ampule: 2 mL	1/27/2012
Environmental Resource Associates (ERA)	Chloral Hydrate, Reference Material, Catalog No. 676	Glass Ampule: 2 mL	1/27/2012
Environmental Resource Associates (ERA)	USGS-BQS LS 4434 Mix 1	Glass Ampule: 2 mL	8/9/2012
Environmental Resource Associates (ERA)	USGS-BQS LS 4434 Mix 2	Glass Ampule: 2 mL	8/9/2012
Environmental Resource Associates (ERA)	Waters Steroid Test Mix, Part No. 07364	Glass Ampule: 2 mL	1/27/2012
Fisher Diagnostics	ARCH PCT Ref CAL A JY6P22A-REF	LDPE Bottle: 4.42 mL	11/14/2024
Fisher Diagnostics	TheraChem Anticonvulsants/Theophylline, Level I, II	Kit: 9 vials, Vial: 5 mL	3/3/1981
Fisher Scientific	Electrophoretic Buffer No. 1 pH 8.60, Ionic Strength 0.05, Catalog No. E-1	Packet: 12.14 g.	10/27/1972
Fisher Scientific	Electrophoretic Buffer No. 2, pH 8.60, Ionic Strength 0.075, Catalog No. E-2	Packet: 18.16 g.	10/27/1972
Fisher Scientific	IL-Test Phenobarbital	Kit: 2 plastic containers of reagent 2	3/15/1988
Fisher Scientific	IL-Test Phenobarbital Conjugate, Reagent 2	Plastic Container: 16 mL	3/15/1988
Fisher Scientific	Owren's Veronal Buffer, CS1094-34	Vial: 10 mL	8/18/1986
Fisher Scientific	Owren's Veronal Buffer, CS1094-38	Vial: 25 mL	8/18/1986
Fisher Scientific	SeraChem Abnormal Clinical Chemistry Control Serum (Human) Unassayed No. 2906	Vial: 5 mL, 10 mL	4/16/1982
Fisher Scientific	SeraChem Abnormal Clinical Chemistry Control Serum (Human), Assayed No. 2905	Vial: 5 mL	4/16/1982
Fisher Scientific	SeraChem Normal Clinical Chemistry Control Serum (Human), Assayed No.2907	Vial: 5 mL	4/16/1982
Fisher Scientific	Serachem Normal Clinical Chemistry Control Serum (Human), Unassayed No. 2908	Vial: 5 mL, 10 mL	4/16/1982
Fisher Scientific	SeraChem Plus Clinical Chemistry Control Sera Unassayed (Bovine) Level I	Vial: 10 mL, Box: 50 vials, Carton: 4 boxes	7/25/1989
Fisher Scientific	SeraChem Plus Clinical Chemistry Control Sera Unassayed (Bovine) Level II	Vial: 10 mL, Box: 50 vials, Carton: 4 boxes	7/25/1989
Fisher Scientific	TDM Cal	Kit: 7 vials	11/26/1986
Fisher Scientific	TDM Cal (B-F)	Vials: 5 mL	11/26/1986
Fisher Scientific	Thera Chem TDC Therapeutic Drug Controls, Low and High Levels, 2840-58	Kit: 6 vials	1/12/1984
Fisher Scientific	TheraChem-Plus TDC Therapeutic Drug Controls, Tri-Level, No. 2845-94	Kit: 9 vials	3/19/1986
Fisher Scientific	Therapeutic Drug Control, High Level III, No. 2848-31	Vial: 5 mL	3/19/1986
Fisher Scientific	Therapeutic Drug Control, High Level, 2842-31	Vial: 5 mL	1/12/1984
Fisher Scientific	Therapeutic Drug Control, Low Level I, No. 2846-31	Vial: 5 mL	3/19/1986
Fisher Scientific	Therapeutic Drug Control, Low Level, 2841-31	Vial: 5 mL	1/12/1984
Fisher Scientific	Therapeutic Drug Control, Mid-Range Level II, No. 2847-31	Vial: 5 mL	3/19/1986
Fisher Scientific	Urine Chemistry Control (Human) Level II, No. 2935-80	Vial: 25 mL	4/6/1978
Fisher Scientific	Urine Toxicology Control No. 2950-61	Vial: 25 mL	4/6/1978
GE Healthcare	DaTSCAN (Ioflupane I 123 Injection) Waste Stream	Drum: 30 Gal	1/23/2009
Helena Laboratories	Electra B1 Buffer, Catalog No.5016	Packet: 13.1g. 10 packets/ box	12/28/1973
Helena Laboratories	Electra HR Buffer, Catalog No. 5805	Packet: 18.1 g. 10 packets/ box	12/28/1973
Helena Laboratories	HDL Electrophoresis Buffer	Packet: 36 g.	12/18/1985
Helena Laboratories	IFE Buffer	Bag: 29.1 g	7/28/2009
Helena Laboratories	Owren's Veronal Buffer Cat. No. 5375	Plastic bottle: 125 mL	9/15/1988
Helena Laboratories	QuickGel Cholesterol Gel	Gel: 4-7/16" x 2-3/4"	8/8/2008
Helena Laboratories	QuickGel Cholesterol Kit, Cat. No. 3443, 3543	Kit: 10 gels	8/8/2008
Helena Laboratories	QuickGel IFE Gel	Gel: 4-7/16" x 2-3/4"	5/5/2005
Helena Laboratories	QuickGel IFE Kit, Cat. No. 3351, 3551	Kit: 10 gels	5/5/2005
Helena Laboratories	QuickGel LD Gel	Gel: 4-7/16" x 2-3/4"	8/8/2008
Helena Laboratories	QuickGel LD Kit, Cat. No. 3338	Kit: 10 gels	8/8/2008
Helena Laboratories	QuickGel Lipoprotein Gel	Gel: 4-7/16" x 2-3/4"	10/13/2008
Helena Laboratories	QuickGel Lipoprotein Kit Cat. No. 3344	Kit: 10 gels	10/13/2008
Helena Laboratories	QuickGel Liprotein Kit, Cat. No. 3405, 3505T	Kit: 10 gels	5/13/2009
Helena Laboratories	QuickGel SPE Vis Gel	Gel: (4-7/16" X 2-3/4")	5/13/2009
Helena Laboratories	SPIFE 4000 ImmunoFix-4 Gel	Gel: 4.45" x 3.73"	2/18/2010
Helena Laboratories	SPIFE 4000 ImmunoFix-4 Kit, Cat. No. 2300	Kit: 10 gels	2/18/2010
Helena Laboratories	SPIFE 4000 Split Beta SPE Gel	Gel: 4.45" x 3.73"	2/18/2010
Helena Laboratories	SPIFE 4000 Split Beta SPE Kit, Cat. No. 2310	Kit: 10 gels	2/18/2010
Helena Laboratories	SPIFE Alkaline Phosphatase Gel	Gel: 5.8" x 5.5"	11/10/2003
Helena Laboratories	SPIFE Alkaline Phosphatase Gel	Gel: 5.8" x 5.5"	5/20/2009
Helena Laboratories	SPIFE Alkaline Phosphatase Kit Cat. No. 3345, 3346	Kit: 10 gels	5/20/2009
Helena Laboratories	SPIFE Alkaline Phosphatase Kit, Cat. No. 3345, 3346	Kit: 10 gels	11/10/2003
Helena Laboratories	SPIFE Cholesterol Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE Cholesterol Kit, Cat. No. 3438, 3439, 3440, 3441, 3442	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Hi-Res-15 Template Gel	Plate	9/14/1993
Helena Laboratories	SPIFE Hi-Res-15 Template Kit	Kit: 10 gels	9/14/1993
Helena Laboratories	SPIFE IFE Gel	Gel: 5.8" x 5.5"	6/17/1998
Helena Laboratories	SPIFE IFE Gel	Gel: 5.8" x 5.5"	11/10/2004
Helena Laboratories	SPIFE IFE Gel	Gel: 4-7/16" x 2-3/4"	11/10/2004
Helena Laboratories	SPIFE IFE Gel	Gel: 5.8" x 5.5"	5/20/2009
Helena Laboratories	SPIFE IFE Kit Cat. No. 3401, 3406, 3408, 3409	Kit: 10 gels	5/20/2009
Helena Laboratories	SPIFE IFE Kit, Cat # 3401	Kit: 10 gels	6/17/1998
Helena Laboratories	SPIFE IFE Kit, Cat. No. 3351, 3551	Kit: 10 gels	11/10/2004
Helena Laboratories	SPIFE IFE Kit, Cat. No. 3401, 3406, 3408, 3409	Kit: 10 gels	11/10/2004
Helena Laboratories	SPIFE LD Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE LD Kit, Cat. No. 3335, 3336, 3337	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Lipo Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE Lipo Kit, Cat. No. 3340, 3341, 3342, 3343	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Lipoprotein Gel	Gel: 5.8" x 5.5"	10/13/2008

Helena Laboratories	SPIFE Lipoprotein Kit Cat. No. 3340, 3341, 3342, 3343	Kit: 10 gels	10/13/2008
Helena Laboratories	SPIFE Nexus Alkaline Phosphatase (ALP) Kit, Cat. No. 2345, 2346	Kit: 10 gels	4/29/2025
Helena Laboratories	SPIFE Nexus IFE Kit, Cat. No. 2401, 2408, 2409	Kit: 10 gels	10/13/2022
Helena Laboratories	SPIFE Nexus Split Beta SPE Kit, Cat. No. 2420, 2421, 2422	Kit: 10 gels	10/13/2022
Helena Laboratories	SPIFE SPE Gel	Gel: 5.8" x 5.5"	4/15/2004
Helena Laboratories	SPIFE SPE Hi Res Gel	Gel: 5.8" x 5.5"	12/8/2009
Helena Laboratories	SPIFE SPE Hi Res-20 Kit, Cat. No. 3430	Kit: 10 gels	12/8/2009
Helena Laboratories	SPIFE SPE Kit, Cat. No. 3460, 3461, 3462	Kit: 10 gels	4/15/2004
Helena Laboratories	SPIFE SPE Vis Gel Cat. No. 3340, 3341, 3342, 3343	Gel: (5.8" X 5.5")	5/13/2009
Helena Laboratories	SPIFE SPE Vis Kit Cat. No. 3460, 3461, 3462	Kit: 10 gels	5/13/2009
Helena Laboratories	SPIFE SPE Vis-60 Gel	Gel: 5.8" x 5.5"	6/17/1998
Helena Laboratories	SPIFE Split Beta SPE Kit, Cat. No. 3398, 3399, 3398U, 3399U	Kit: 10 gels	4/6/2018
Helena Laboratories	SPIFE Split Beta SPE Kit, Cat. No. 3420, 3420U, 3421, 3421U, 3422, 3422U	Kit: 10 gels	2/12/2018
Helena Laboratories	SPIFE Split-Beta SPE 80, 100 Bulk Kit, Cat. No. 552581, 552626	Kit: 100 gels	9/12/2017
Helena Laboratories	SPIFE Split-Beta SPE Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE Split-Beta SPE Kit, Cat. No. 3420, 3421, 3422	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Ultra IFE Gel	Gel: 5.8" x 5.5"	5/5/2005
Helena Laboratories	SPIFE Ultra IFE Kit, Cat. No. 3444, 3445, 3446, 3447	Kit: 10 gels	5/5/2005
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Cat# 3058	Kit: 10 Plates	8/26/1993
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Gel	Gel: 3-3/16" x 3-3/16"	12/8/2009
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Kit, Cat. No. 3058	Kit: 1 bag	6/19/1989
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Kit, Cat. No. 3058	Kit: 10 gels	12/8/2009
Helena Laboratories	TITAN GEL Alkaline Phosphatase Buffer	Plastic Bag: 13.1g	6/19/1989
Helena Laboratories	TITAN GEL Alkaline Phosphatase Gel	Plate: 3.5"x 2.9"	8/26/1993
Helena Laboratories	Titan Gel High Resolution Protein Buffer	Packet: 25.9 g.	4/12/1983
Helena Laboratories	Titan Gel High Resolution Protein Kit Catalog No. 3040	Kit: 10 Plates (90 mm X 75 mm) , 2 Packages Buffer	3/3/1986
Helena Laboratories	Titan Gel High Resolution Protein Plate	Plate:(90 mm X 7 5mm)	3/3/1986
Helena Laboratories	TITAN GEL IEP Gel	Gel: 3.8" x 2.9"	12/9/2002
Helena Laboratories	TITAN GEL IEP Kit, Cat. No. 3047	Kit: 10 gels	12/9/2002
Helena Laboratories	Titan Gel IFE - Plus Kit Catalog No. 3067	Kit: 10 gels	7/28/2009
Helena Laboratories	Titan Gel IFE Buffer	Packet: 25.9 g.	12/18/1985
Helena Laboratories	Titan Gel IFE Kit Catalog No. 3046	Kit: 10 gels	7/28/2009
Helena Laboratories	Titan Gel IFE Plate	Plate:(90 mm X 75 mm)	3/5/1986
Helena Laboratories	Titan Gel Immuno Fix Kit Catalog No.3046	Kit: 10 Plates (90 mm X 75 mm), 2 Packets IFE Buffer	1/24/1986
Helena Laboratories	Titan Gel ImmunoFix Plus Kit # 3067	Kit: 10 plates, 1 pkg IFE buffer	3/9/1993
Helena Laboratories	Titan Gel ImmunoFix-9 Kit # 3051	Kit: 10 plates, 1 pkg IFE buffer	3/9/1993
Helena Laboratories	Titan Gel LD Isoenzyme Diluent	Bottle: 10 mL	11/26/1986
Helena Laboratories	Titan Gel LDH Isoenzyme Reagent	Vial: 2 mL, 10 vials/box	1/7/1986
Helena Laboratories	Titan Gel Lipoprotein Buffer	Packet: 17.3 g.	12/18/1985
Helena Laboratories	Titan Gel Lipoprotein Kit Catalog No.3045	Kit: 1 Packet Buffer	1/24/1986
Helena Laboratories	Titan Gel Lipoprotein Plate	Plate: (90 x 75 mm)	1/9/1987
Helena Laboratories	Titan Gel Serum Protein Buffer	Packet: 29.1 g.	4/12/1983
Helena Laboratories	Titan Gel Serum Protein Buffer	Bag: 29.1 g	7/28/2009
Helena Laboratories	Titan Gel Serum Protein Gel	Gel: 3-3/16" x 3-13/16"	7/28/2009
Helena Laboratories	Titan Gel Serum Protein Kit Catalog No. 3041	Kit: 10 Plates (90 mm X 75 mm), 1 Packet Buffer	1/24/1986
Helena Laboratories	Titan Gel Serum Protein Kit Catalog No. 3041	Kit: 10 gels	7/28/2009
Helena Laboratories	Titan Gel Serum Protein Plate	Plate: (90 mm X 75 mm)	12/18/1985
Helena Laboratories	TITAN IFE GEL	Gel: 3-3/16" x 3-13/16"	7/28/2009
Helena Laboratories	Titan IFE Plus Gel	Gel: 2-5/16" x 5-6/16""	7/28/2009
Helena Laboratories	Titan IV IE Plate (large)	Package: plates, 3 x 4 in.	12/28/1973
Helena Laboratories	Titan IV IE Plate (small)	Package: plates, 1 x 3 in.	12/28/1973
Helena Laboratories	Titan IV IE Plate Kit	Kit: 12 small (1 x 3 in.) IE plates, 1 box B1 Buffer	12/28/1973
Helena Laboratories	Titan IV IE Plate Kit	Kit: 10 large (3 x 4 in.) IE Plates, 1 box B1 Buffer	12/28/1973
Helena Laboratories	von Willebrand Factor Antigen Rocket Plate Kit, Cat. No. 5361	Gel: 3.8" x 3.05"; Kit: 10 gels	12/9/2002
High Standard Products	(DL) Methamphetamine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	(DL) Methamphetamine-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	(DL) Methamphetamine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-Nor-Delta8 carboxy THC; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	11-Nor-Delta-8-Carboxy-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-nor-Delta9 carboxy THC Controls; 10, 20, 100 ng/mL	Ampules: 6; 3 of 2 mL, 3 of 20 mL	4/15/1994
High Standard Products	11-Nor-Delta9 carboxy THC Screening/Confirmation Calibrators; 10, 25, 50, 100, 250, ng/mL	Ampules: 10; 5 of 2 mL, 5 of 20 mL	4/15/1994
High Standard Products	11-Nor-Delta9 carboxy THC; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	11-Nor-Delta9 carboxy THC-d10; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	11-Nor-Delta-9-Carboxy-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-Nor-Delta-9-Carboxy-Tetrahydrocannabinol-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-Nor-Delta-9-Carboxy-Tetrahydrocannabinol-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3,4-Methylenedioxymethamphetamine (MDMA) 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3,4-Methylenedioxymethamphetamine-d5 (MDMA) 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3-Methylfentanyl 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3-Methylfentanyl-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	4-Hydroxyamphetamine; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	4-Hydroxymethamphetamine; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	4-Methoxyamphetamine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	4-Methoxyamphetamine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	6-Acetylmorphine 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	6-Acetylmorphine; 0.1 mg/mL,1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	6-Acetylmorphine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Amphetamine Cut-Off Controls; 375, 625, 1500 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Amphetamine Screening Confirmation Calibrators; 500, 1000, 1500, 2000 ng/mL	Ampules: 4; 20 mL each	4/15/1994

High Standard Products	Benzoylecgonine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoylecgonine Cut-Off Controls; 100, 200, 300, ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Benzoylecgonine Propyl Ester 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoylecgonine Screening Confirmation Calibrators; 150, 300, 450, 600 ng/mL	Ampules: 4; 20 mL each	4/15/1994
High Standard Products	Benzoylecgonine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoylecgonine-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Benzoylecgonine-d8 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoylecgonine-d8; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Cocaethylene 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaethylene-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaethylene-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Cocaethylene-d8 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaethylene-d8; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Cocaine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaine-d8 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine Cut-Off Controls; 225, 375, 900 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Codeine Screening Confirmation Calibrators; 300, 600, 900, 1200 ng/mL	Ampules: 4; 20 mL each	4/15/1994
High Standard Products	Codeine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Codeine-d6 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine-d6; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	D-Amphetamine; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Delta-8-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta-9-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta-9-Tetrahydrocannabinol-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta-9-Tetrahydrocannabinol-d6 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta9-THC; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Diazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Diazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Diphenoxylate 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL Amphetamine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL Amphetamine-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL Amphetamine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL-Amphetamine-d11; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	DL-Amphetamine-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	DL-Amphetamine-d6; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	Ecgonine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Ecgonine Methyl Ester 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Ecgonine Methyl Ester-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Ecgonine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Fentanyl 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Fentanyl-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Fentanyl-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Heroin, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Heroin-D9, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Highly Deuterated Confirm +25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm -25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm 3X Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm Retest 40% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Internal Standard Sample Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Hydrocodone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Hydrocodone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Hydromorphone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Hydromorphone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic Acid Diethylamide 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic Acid Diethylamide-d3 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic acid diethylamide-d7; 0.025 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Lysergic Acid Diethylamide-dl 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic Acid N-Methyl-Propylamide (LAMPA) 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methadone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methadone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methadone-D6, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Methamphetamine Cut-Off Controls; 225, 375, 900 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Methamphetamine Screening Confirmation Calibrators; 500, 1000, 1500, 2000 ng/mL	Ampules: 4; 20 mL each	4/15/1994
High Standard Products	Methamphetamine-d14; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	Methamphetamine-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Methamphetamine-d9; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	Methaqualone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methaqualone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methylenedioxyamphetamine (MDA) 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methylenedioxyamphetamine (MDA) d-5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methylenedioxyethylamphetamine, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Methylenedioxyethylamphetamine-D7, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Morphine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Morphine Cut-Off Controls; 225, 375, 900 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Morphine Screening Confirmation Calibrators; 300, 600, 900, 1200 ng/mL	Ampule: 4; 20 mL each	4/15/1994

High Standard Products	Morphine-3-Glucuronide	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-3-Glucuronide-D3	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-6-Glucuronide	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-6-Glucuronide-D3	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Morphine-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Morphine-d4; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	NIDA Cut-Off Controls; Levels 1, 2, 3	Ampules: 6; 3 of 2 mL, 3 of 20 mL	4/15/1994
High Standard Products	Norcocaine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Norcodeine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Nordiazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Nordiazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Normorphine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Oxazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Oxazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine Cut-Off Controls; 18, 32, 75 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Phencyclidine Screening Confirmation Calibrators; 25, 50, 75, 100 ng/mL	Ampule: 4; 20 mL each	4/15/1994
High Standard Products	Phencyclidine-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine-d10; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Phencyclidine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Phenobarbital, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Phenobarbital-D5	Ampule: 2 mL	3/21/1995
High Standard Products	Propoxyphene, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Propoxyphene-D5, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Secobarbital, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Secobarbital-D5, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Standard Deuterated +25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm -25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm 3X Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm Retest 40% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Internal Standard Sample Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Temazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Temazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Urine Confirm (+25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm (-25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm (-40%) Retest	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm 3X Cutoff	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm Cutoff	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen (+25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen (-25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen 3X Cutoff	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen Cutoff	Ampule: 20 mL	3/20/1995
Honeywell Specialty Materials	LUMILUX Red CD 325	Plastic bottle: 5 g	9/16/2015
HyClone Laboratories, Inc.	HyQ-CCM1	Bottle: 50-1000 mL; Lined container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	HyQ-CCM1 w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium 925 w/o L-Glutamine, w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium 925 with IGF, w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium 925 with L-Glutamine, w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium TLF with L-Glutamine	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
Hycor Biomedical, Inc.	Allergen Discs for Codeine (C300)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
Hycor Biomedical, Inc.	Allergen Discs for Diazepam (C311)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
Hycor Biomedical, Inc.	Allergen Discs for Oxazepam (C225)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
Hycor Biomedical, Inc.	Allergen Discs for Phenobarbital (C417)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-0 Cat# 07289131LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-A Cat# 07289132LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-B Cat# 07289133LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-C Cat# 07289134LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-D Cat# 07289135LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-E Cat# 07289136LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard Set Cat# 07289130LBIO	Kit: 6 vials, each vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Tracer Cat# 07289121LBIO	Vials: 52 mL	5/8/1998
ICN Pharmaceuticals, Inc.	B-hCG SPCS Standards, Cat.Nos. 06B254444, 06B254452, 06B254461, 06B254479, 06B254487, 06B254517, 06B254525	Vial: 2-8 mL	11/8/1996
ICN Pharmaceuticals, Inc.	hCG SPCS Standard Set, Cat.No. 06B264835	8 Vials, 3 mL	11/8/1996
ICN Pharmaceuticals, Inc.	hCG Tracer, Cat.no. 06B254363	Bottle: 10 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem Neonatal T4 Tracer, Cat.No. 06D0842	Vial: 100 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem T3 Uptake Coated Tube Tracer Cat. No. 07293121	Vial: 52 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem T3 Uptake Coated Tube Tracer Cat. No. 07293122	Vial: 250 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 1 Lyophilized Cat# 07289131L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 2 Lyophilized Cat# 07289132L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 3 Lyophilized Cat# 07289133L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 4 Lyophilized Cat#07289134L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 5 Lyophilized Cat# 07289135L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 6 Lyophilized Cat # 07289136L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard Set Cat# 07289130	Kit: 6 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard Set Lyophilized Cat# 07289130L	Kit: 6 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Tracer Cat# 07289121	Vial: 52 mL	5/6/1998

ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Double Antibody Standard Set Cat# 07189130	Kit: 8 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Double Antibody Tracer Cat# 07189121	Vial: 52 mL	5/6/1998
ICN Pharmaceuticals, Inc.	Immunoassay Plus 1, 2, 3	Glass bottle: 7 mL; Package: 15 bottles	9/10/2002
ICN Pharmaceuticals, Inc.	Micromedic Neonatal T4 125I Tracer Solution	Nalgene Bottle: 4 oz.	6/25/1987
ICN Pharmaceuticals, Inc.	Micromedic Neonatal T4 Elution Solution	Nalgene Bottle: 2 oz.	6/25/1987
ICN Pharmaceuticals, Inc.	Neonatal T4 Blood Standard Set, Cat.No. 06B257419	1 Card	11/8/1996
ICN Pharmaceuticals, Inc.	Neonatal T4 Elution Buffer, Cat.No. 06D0864	Bottle: 60 mL	11/8/1996
ICN Pharmaceuticals, Inc.	Neonatal T4 Tracer, Cat.No. 06B264015	Bottle: 100 mL	11/8/1996
ICN Pharmaceuticals, Inc.	T3 Uptake Tracer, Cat. No. 06B237728	Bottle: 100 mL	11/8/1996
ICN Pharmaceuticals, Inc.	T4MAb Standard A Cat# 06B263667	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard B Cat# 06B263668	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard C Cat# 06B263669	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard D Cat# 06B263670	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard E Cat# 06B263671	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard F Cat# 06B263672	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard Set Cat# 06B263666	Kit: 6 vials	7/7/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 0 Cat# 07289131LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 1 Cat# 07289132LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 2 Cat# 07289133LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 3 Cat# 07289134LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 4 Cat# 07289135LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 5 Cat# 07289136LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard Set Cat# 07289130LCIS	Kit: 6 Vials, each vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Tracer Cat# 07289121CIS	Vial: 52 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I 10 µCi Bulk Tracer Cat# 07189126	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I 100 µCi Bulk Tracer Cat# 07189129	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I 50 µCi Bulk Tracer Cat# 07189128	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I Standard - 0.5 mL Bulk Cat# 07189140	Vial: 1 mL	6/5/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I Standard - 1.0 mL Bulk Cat# 07189149	Vial: 1 mL	6/5/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H 10 µCi Bulk Tracer Cat# 07189026	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H Standard - 0.5 mL Bulk Cat# 07189040	Vial: 1 mL	6/5/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H Standard Set Cat# 07189030	Kit: 8 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H Tracer Cat# 07189021	Vial: 12 mL	5/6/1998
IDEXX Laboratories	Coag Dx PT	Box: 10 cartridges; 7.5µL each	10/21/2016
IDEXX Laboratories	Coag Dx PT Cartridge	Cartridges: 7.5µL each	10/21/2016
Immunalysis Corporation	6-Acetylmorphine Calibrator	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	6-Acetylmorphine High Control	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	6-Acetylmorphine Low Control	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	6-Acetylmorphine Urine Calibrator (10 ng/mL)	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	6-Acetylmorphine Urine High Control (12.5 ng/mL)	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	6-Acetylmorphine Urine Low Control (7.5 ng/mL)	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	AMP/6-AM Oral Fluid Calibrator 1	Amber vial: 10 mL	2/10/2021
Immunalysis Corporation	AMP/6-AM Oral Fluid Calibrator 2	Amber vial: 10 mL	2/10/2021
Immunalysis Corporation	AMP/6-AM Oral Fluid Calibrator 3	Amber vial: 10 mL	2/10/2021
Immunalysis Corporation	AMP/6-AM Oral Fluid Calibrator 4	Amber vial: 10 mL	2/10/2021
Immunalysis Corporation	AMP/6-AM Oral Fluid Set	Kit: 2 vials, 10 mL each	2/10/2021
Immunalysis Corporation	Amphetamine Calibrator Level 1	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine Calibrator Level 1 (500 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine Calibrator Level 2	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine Calibrator Level 2 (1000 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine Calibrator Level 3	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine Calibrator Level 3 (1500 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine Calibrator Level 4	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine Calibrator Level 4 (2000 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine High Control (1250 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine High Control (625 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine High Control-A	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine High Control-B	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine Low Control (375 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine Low Control (750 ng/mL) in synthetic urine	Amber vial: 5 mL	1/4/2018
Immunalysis Corporation	Amphetamine Low Control-A	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Amphetamine Low Control-B	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Buprenorphine Calibrator Level 1 (5 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Buprenorphine Calibrator Level 2 (10 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Buprenorphine Calibrator Level 3 (20 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Buprenorphine Calibrator Level 4 (40 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Buprenorphine Low Control (3.75 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Buprenorphine Low Control (6.25 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Cannabinoid Oral Fluid Calibrator - 2	Amber vial: 10 mL	5/2/2022
Immunalysis Corporation	Cannabinoid Oral Fluid Calibrator - 3	Amber vial: 10 mL	5/2/2022
Immunalysis Corporation	Cannabinoid Oral Fluid Calibrator - 4	Amber vial: 10 mL	5/2/2022
Immunalysis Corporation	Cannabinoid Oral Fluid Calibrator -1	Amber vial: 10 mL	5/2/2022
Immunalysis Corporation	Cannabinoid Oral Fluid Control - High	Amber vial: 10 mL	5/2/2022
Immunalysis Corporation	Cannabinoid Oral Fluid Control - Low	Amber vial: 10 mL	5/2/2022
Immunalysis Corporation	Cannabinoid Oral Fluid Control - Set	1 kit: 2 vials x 10 mL	5/2/2022
Immunalysis Corporation	Carisoprodol Calibrator Level 1	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Calibrator Level 1 (50 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol Calibrator Level 2	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Calibrator Level 2 (100 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018

Immunalysis Corporation	Carisoprodol Calibrator Level 3	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Calibrator Level 3 (200 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol Calibrator Level 4	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Calibrator Level 4 (500 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol High Control (125 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol High Control (250 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol High Control-1	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol High Control-2	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Low Control (150 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol Low Control (75 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Carisoprodol Low Control-1	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Low Control-2	Glass vial: 10 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Positive Reference Control-1	Glass vial: 2 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Positive Reference Control-2	Glass vial: 5 mL	8/25/2014
Immunalysis Corporation	Carisoprodol Positive Reference Controls (5000 ng/mL) in synthetic urine	Amber vial: 2 mL, 5 mL	1/4/2018
Immunalysis Corporation	cTHC Calibrator High Control	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	cTHC Calibrator Level 1	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	cTHC Calibrator Level 2	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	cTHC Calibrator Level 3	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	cTHC Calibrator Level 4	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	cTHC Calibrator Low Control	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	cTHC Urine Calibrator 1 (20 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	cTHC Urine Calibrator 2 (50 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	cTHC Urine Calibrator 3 (100 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	cTHC Urine Calibrator 4 (200 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	cTHC Urine Calibrator Level 1 (20 ng/mL) in synthetic urine	Dropper bottle: 10 mL	1/4/2018
Immunalysis Corporation	cTHC Urine Calibrator Level 2 (50 ng/mL) in synthetic urine	Dropper bottle: 10 mL	1/4/2018
Immunalysis Corporation	cTHC Urine Calibrator Level 3 (100 ng/mL) in synthetic urine	Dropper bottle: 10 mL	1/4/2018
Immunalysis Corporation	cTHC Urine Calibrator Level 4 (200 ng/mL) in synthetic urine	Dropper bottle: 10 mL	1/4/2018
Immunalysis Corporation	cTHC Urine Control HIGH (62.5 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	cTHC Urine Control LOW (37.5 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	cTHC Urine High Control (62.5 ng/mL) in synthetic urine	Dropper bottle: 10 mL	1/4/2018
Immunalysis Corporation	cTHC Urine Low Control (37.5 ng/mL) in synthetic urine	Dropper bottle: 10 mL	1/4/2018
Immunalysis Corporation	Fentanyl Urine Calibrator 1 (1 ng/mL)	Dropper bottle: 5 mL	5/27/2016
Immunalysis Corporation	Fentanyl Urine Calibrator 2 (2 ng/mL)	Dropper bottle: 5 mL	5/27/2016
Immunalysis Corporation	Fentanyl Urine Calibrator 3 (4 ng/mL)	Dropper bottle: 5 mL	5/27/2016
Immunalysis Corporation	Fentanyl Urine Control HIGH (1.5 ng/mL)	Dropper bottle: 5 mL	5/27/2016
Immunalysis Corporation	Fentanyl Urine Control LOW (0.5 ng/mL)	Dropper bottle: 5 mL	5/27/2016
Immunalysis Corporation	Fentanyl Calibrator High Control	Glass vial: 10 mL	7/16/2014
Immunalysis Corporation	Fentanyl Calibrator Level 1	Glass vial: 10 mL	7/16/2014
Immunalysis Corporation	Fentanyl Calibrator Level 1 (2 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Calibrator Level 2	Glass vial: 10 mL	7/16/2014
Immunalysis Corporation	Fentanyl Calibrator Level 2 (4 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Calibrator Level 3	Glass vial: 10 mL	7/16/2014
Immunalysis Corporation	Fentanyl Calibrator Level 3 (8 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Calibrator Level 4	Glass vial: 10 mL	7/16/2014
Immunalysis Corporation	Fentanyl Calibrator Level 4 (16 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Calibrator Low Control	Glass vial: 10 mL	7/16/2014
Immunalysis Corporation	Fentanyl High Control (4 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Low Control (1 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Calibrator Level 1 (1 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Calibrator Level 2 (2 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Calibrator Level 3 (4 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Control High (1.5 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Control Low (0.5 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Ketamine Calibrator Level 1 (50 ng/mL) in synthetic urine	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	Ketamine Calibrator Level 2 (100 ng/mL) in synthetic urine	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	Ketamine Calibrator Level 3 (200 ng/mL) in synthetic urine	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	Ketamine Calibrator Level 4 (500 ng/mL) in synthetic urine	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	Ketamine High Control (125 ng/mL) in synthetic urine	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	Ketamine Low Control (75 ng/mL) in synthetic urine	Amber vial: 5 mL	3/26/2018
Immunalysis Corporation	MD OF Calibrator 1	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Calibrator 2	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Calibrator 3	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Calibrator 4	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Control HIGH	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Control LOW	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MDC Calibrator 1	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Calibrator 1	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Calibrator 2	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Calibrator 2	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Calibrator 3	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Calibrator 3	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Calibrator 4	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Calibrator 4	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control HIGH Set 1	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Control HIGH Set 1	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Control HIGH Set 1	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control HIGH Set 2	Dropper Bottle: 15 mL, 25 mL	8/20/2018

Immunalysis Corporation	MDC Control LOW Set 1	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Control LOW Set 1	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control LOW Set 2	Dropper bottle: 15 mL, 25 mL	5/27/2016
Immunalysis Corporation	MDC Control LOW Set 2	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	Meperidine Calibrator Level 1 (100 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Meperidine Calibrator Level 2 (200 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Meperidine Calibrator Level 3 (500 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Meperidine Calibrator Level 4 (1000 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Meperidine Low Control (150 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Meperidine Low Control (6.25 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Meperidine Urine Calibrator 1	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Meperidine Urine Calibrator 2	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Meperidine Urine Calibrator 3	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Meperidine Urine Calibrator 4	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Meperidine Urine Control High	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Meperidine Urine Control Low	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Meperidine Urine Control Set	1 kit: 2 vials x 15 mL	5/2/2022
Immunalysis Corporation	Methadone Calibrator Levels 1-4	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Methadone High Control	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Methadone Low Control	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Morphine Calibrator Level 1	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Morphine Calibrator Level 2	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Morphine Calibrator Level 3	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Morphine Calibrator Level 4	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Opiates Calibrator 2000 Level 1 (1000 ng/mL) in synthetic urine	Dropper Bottle: 5 mL, 15 mL	1/4/2018
Immunalysis Corporation	Opiates Calibrator 2000 Level 2 (2000 ng/mL) in synthetic urine	Dropper Bottle: 5 mL, 15 mL	1/4/2018
Immunalysis Corporation	Opiates Calibrator 2000 Level 3 (4000 ng/mL) in synthetic urine	Dropper Bottle: 5 mL, 15 mL	1/4/2018
Immunalysis Corporation	Opiates Calibrator 2000 Level 4 (6000 ng/mL) in synthetic urine	Dropper Bottle: 5 mL, 15 mL	1/4/2018
Immunalysis Corporation	Opiates Urine Calibrator 2000 1 (1000 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	Opiates Urine Calibrator 2000 2 (2000 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	Opiates Urine Calibrator 2000 3 (4000 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	Opiates Urine Calibrator 2000 4 (6000 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	Oral Fluid Cutoff Calibrator	Amber vial: 4 mL, 40 mL	8/20/2018
Immunalysis Corporation	Oral Fluid Cutoff Calibrator Pain Management Prediluted in Extraction Buffer	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Oral Fluid Cutoff Calibrator Pain Management Prediluted in Extraction Buffer	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Oral Fluid High Positive Control	Amber vial: 4 mL, 40 mL	8/20/2018
Immunalysis Corporation	Oral Fluid High Positive Control Pain Management Prediluted in Extraction Buffer	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Oral Fluid High Positive Control Pain Management Prediluted in Extration Buffer	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Oral Fluid Low Positive Control	Amber vial: 4 mL, 40 mL	8/20/2018
Immunalysis Corporation	Oral Fluid Low Positive Control Pain Management Prediluted in Extraction Buffer	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Oral Fluid Low Positive Control Pain Management Prediluted in Extraction Buffer	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Oxazepam Calibrator Level 1	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Oxazepam Calibrator Level 2	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Oxazepam Calibrator Level 3	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Oxazepam Calibrator Level 4	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Oxazepam High Control	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Oxazepam Low Control	Glass vial: 5 mL	7/16/2014
Immunalysis Corporation	Oxazepam Urine Control HIGH (125 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	Oxazepam Urine Control High (125 ng/mL) in synthetic urine	Dropper bottle: 15 mL	3/26/2018
Immunalysis Corporation	Oxazepam Urine Control LOW (75 ng/mL)	Dropper bottle: 5 mL, 15 mL	5/27/2016
Immunalysis Corporation	Oxazepam Urine Control Low (75 ng/mL) in synthetic urine	Dropper bottle: 15 mL	3/26/2018
Immunalysis Corporation	Oxycodone Calibrator Level 1 (100 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone Calibrator Level 2 (300 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone Calibrator Level 3 (500 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone Calibrator Level 4 (1000 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone High Control (125 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone High Control (375 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone Low Control (225 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Oxycodone Low Control (75 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Tapentadol Calibrator Level 1 (100 ng/mL)	Glass vial: 10 mL	12/11/2012
Immunalysis Corporation	Tapentadol Calibrator Level 1 (100 ng/mL) in synthetic urine	Amber vial: 10 mL	5/21/2018
Immunalysis Corporation	Tapentadol Calibrator Level 2 (200 ng/mL)	Glass vial: 10 mL	12/11/2012
Immunalysis Corporation	Tapentadol Calibrator Level 2 (200 ng/mL) in synthetic urine	Amber vial: 10 mL	5/21/2018
Immunalysis Corporation	Tapentadol Calibrator Level 3 (300 ng/mL) in synthetic urine	Amber vial: 10 mL	5/21/2018
Immunalysis Corporation	Tapentadol Calibrator Level 3 (500 ng/mL)	Glass vial: 10 mL	12/11/2012
Immunalysis Corporation	Tapentadol Calibrator Level 4 (1,000 ng/mL)	Glass vial: 10 mL	12/11/2012
Immunalysis Corporation	Tapentadol Calibrator Level 4 (1000 ng/mL) in synthetic urine	Amber vial: 10 mL	5/21/2018
Immunalysis Corporation	Tapentadol High Control (250 ng/mL)	Glass vial: 10 mL	12/11/2012
Immunalysis Corporation	Tapentadol High Control (250 ng/mL) in synthetic urine	Amber vial: 10 mL	5/21/2018
Immunalysis Corporation	Tapentadol Low Control (150 ng/mL)	Glass vial: 10 mL	12/11/2012
Immunalysis Corporation	Tapentadol Low Control (150 ng/mL) in synthetic urine	Amber vial: 10 mL	5/21/2018
Immunalysis Corporation	Tapentadol Urine Calibrator 1	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Tapentadol Urine Calibrator 2	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Tapentadol Urine Calibrator 3	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Tapentadol Urine Calibrator 4	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Tapentadol Urine Control High	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Tapentadol Urine Control Low	LDPE Dropper Bottle: 15 mL	5/2/2022
Immunalysis Corporation	Tapentadol Urine Control Set	1 kit: 2 vials x 15 mL	5/2/2022
Immunalysis Corporation	Tramadol Calibrator Level 1	Glass vial: 10 mL	7/8/2014

Immunalysis Corporation	Tramadol Calibrator Level 2	Glass vial: 10 mL	7/8/2014
Immunalysis Corporation	Tramadol Calibrator Level 3	Glass vial: 10 mL	7/8/2014
Immunalysis Corporation	Tramadol Calibrator Level 4	Glass vial: 10 mL	7/8/2014
Immunalysis Corporation	Tramadol High Control	Glass vial: 10 mL	7/8/2014
Immunalysis Corporation	Tramadol Low Control	Glass vial: 10 mL	7/8/2014
Immunalysis Corporation	Tramadol Posititve Reference Control	Glass vial: 5 mL	7/8/2014
Immunalysis Corporation	Tramadol Positive Reference Control	Glass vial: 2 mL	7/8/2014
Immunalysis Corporation	Tramadol Positive Reference Control (500 ng/mL) in synthetic urine	Amber vial: 2 mL, 5 mL	1/4/2018
Immunalysis Corporation	Tramadol Urine Calibrator Level 1 (100 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Tramadol Urine Calibrator Level 2 (200 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Tramadol Urine Calibrator Level 3 (500 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Tramadol Urine Calibrator Level 4 (1000 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Tramadol Urine High Control (250 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Tramadol Urine Low Control (150 ng/mL) in synthetic urine	Amber vial: 10 mL	1/4/2018
Immunalysis Corporation	Zolpidem Calibrator	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Zolpidem Calibrator (20 ng/mL) in synthetic urine	Amber vial: 10 mL	3/26/2018
Immunalysis Corporation	Zolpidem High Control	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Zolpidem High Control (40 ng/mL) in synthetic urine	Amber vial: 10 mL	3/26/2018
Immunalysis Corporation	Zolpidem Low Control	Glass vial: 10 mL	3/22/2012
Immunalysis Corporation	Zolpidem Low Control (10 ng/mL) in synthetic urine	Amber vial: 10 mL	3/26/2018
Instant Technologies, Inc.	I Control Negative Toxicology Urine Control	Glass vial: 1-200 mL	12/16/2003
Instrumentation Laboratory	GEM Check Coag Abnormal (6260060100)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Abnormal (6260060200)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Abnormal (6260060300)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Abnormal (6260061400)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Citrate PT Abnormal (6260061600)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Citrate PT Normal (6260061100)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Normal (6260060400)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Normal (6260060500)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Normal (6260060600)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	GEM Check Coag Normal (6260061700)	Box: 15 vials; 0.5 mL each	9/12/2013
Instrumentation Laboratory	Gem Test PT	Box: 45 cuvettes; 7.5µL each	10/6/2016
Insys Therapeutics, Inc.	(-)-delta9-Tetrahydrocannabinol (1.0 mg/mL)	Glass Ampule: 1 mL	3/9/2012
International Technidyne Corp.	Hemochron Control Plasma Quality Control Test Kit	Kit: 18 Tests; Test tube: 9mL; Vial: 5 mL	3/11/1991
IPPR	IPPR Routine Chemistry	Amber vial: 5 mL	7/20/2020
IPPR	IPPR Special Chemistry	Amber vial: 5 mL	7/20/2020
IPPR	Routine Chemistry	Amber vial: 5 mL	3/27/2017
IPPR	Special Chemistry	Amber vial: 5 mL	3/27/2017
IQMH	Endocrinology Special Program	Glass Vial: 5 mL	6/19/2019
IQMH	Endocrinology Special Program	Glass vial: 3 mL	6/1/2020
IQMH	Endocrinology Steroids	Amber vial: 5 mL	11/15/2018
IQMH	General Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
Irvine Scientific	Chang Amnio Ref: 99473	100 mL; 500 mL	1/29/2015
Irvine Scientific	Chang Medium C Frozen Supplement Ref: C106	14 mL	1/29/2015
Irvine Scientific	Chang Medium C Frozen Supplement Ref: C107	10 mL	1/29/2015
Irvine Scientific	Chang Medium C Frozen Supplement Ref: C108	70 mL	1/29/2015
Irvine Scientific	Chang Medium C Frozen Supplement Ref: C109	50 mL	1/29/2015
Irvine Scientific	Chang Medium C Lyophilized Ref: T101-019	100 mL	1/29/2015
Irvine Scientific	Chang Medium C Lyophilized Ref: T101-059	500 mL	1/29/2015
Irvine Scientific	Chang Medium C Lyophilized with Gentamicin Ref: 99419	100 mL; 500 mL	1/29/2015
Irvine Scientific	Chang Medium D Ref: 99404	100 mL; 500 mL	1/29/2015
Irvine Scientific	Chang Medium D Ref: T105	100 mL; 500 mL	1/29/2015
Irvine Scientific	Chang Medium In Situ Ref: T104	100 mL; 500 mL	1/29/2015
irvine Scientific	HH-4 Cell Culture Medium	Plastic bottle, 1 L, Drum, 200 L	2/24/2025
Irvine Scientific	IS 293 Catalog # 91101	Plastic bottle: 1 L	1/29/2015
Irvine Scientific	IS 293-V Catalog # 91107	Plastic bottle: 1 L	1/29/2015
Irvine Scientific	IS GRO Catalog # 91105	Plastic bottle: 1 L	1/29/2015
Irvine Scientific	IS PRO Catalog # 91103	Plastic bottle: 1 L	1/29/2015
Irvine Scientific	Prime VX ASFC Catalog # 91133	Plastic bottle: 250 mL	9/30/2014
Irvine Scientific	W.I.P. Catalog #: CC.IP	1 L	1/29/2015
IsoSciences, LLC	(±)- Amphetamine-[13C6] • HCl, 0.1 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Amphetamine-[13C6] • HCl, 1.0 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Methamphetamine-[13C6] • HCl, 0.1 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Methamphetamine-[13C6] • HCl, 1.0 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Methylenedioxyamphetamine-[13C6] • HCl ((±)- MDA-[13C6] • HCl), 0.1 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Methylenedioxyamphetamine-[13C6] • HCl ((±)- MDA-[13C6] • HCl), 1.0 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Methylenedioxyethylamphetamine-[13C6] • HCl ((±)- MDEA-[13C6] • HCl), 0.1 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	(±)- Methylenedioxyethylamphetamine-[13C6] • HCl ((±)- MDEA-[13C6] • HCl), 1.0 mg/mL in methanol	Glass ampule: 1 mL	2/18/2016
IsoSciences, LLC	1,4-Androstadiene-3,17-dione (Boldione), 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	1,4-Androstadiene-3,17-dione (Boldione), 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	11-Ketodihydrotestosterone, 100 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11-Ketodihydrotestosterone, 1000 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11-Ketodihydrotestosterone-[2H3], 100 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11-Ketodihydrotestosterone-[2H3], 1000 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11β-Hydroxydihydrotestosterone, 100 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11β-Hydroxydihydrotestosterone, 1000 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11β-Hydroxydihydrotestosterone-[2H5], 100 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11β-Hydroxydihydrotestosterone-[2H5], 1000 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	11β-Hydroxytestosterone, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015

IsoSciences, LLC	11β-Hydroxytestosterone, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5-Androsten-3β,17β-diol, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5-Androsten-3β,17β-diol, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5-Androsten-3β,17β-diol-[2H3], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5-Androsten-3β,17β-diol-[2H3], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3,17-dione, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3,17-dione, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3α,17β-diol, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3α,17β-diol, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3α,17β-diol-[2H3], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3α,17β-diol-[2H3], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H3], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H3], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H4], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H4], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H4]-17-sulfate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H4]-17-sulfate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H4]-3-sulfate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	5α-Androstan-3β,17β-diol-[2H4]-3-sulfate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Allopregnanolone in methanol	Ampule: 1 mL	1/31/2020
IsoSciences, LLC	Allopregnanolone-[2H5] in methanol	Ampule: 1 mL	1/31/2020
IsoSciences, LLC	Alprazolam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Alprazolam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Androst-4-ene-3,17-dione, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Androst-4-ene-3,17-dione, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Androst-4-ene-3,17-dione-[13C3], 1.0 mg/mL±2% in 1,2-dimethoxyethane Product Number S9044-0.1	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Androst-4-ene-3,17-dione-[13C3], 1.0 mg/mL±2% in 1,2-dimethoxyethane Product Number S9044-1.0	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Androst-4-ene-3,17-dione-[13C3], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Androst-4-ene-3,17-dione-[13C3], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Androst-4-ene-3,17-dione-[2H7], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Androst-4-ene-3,17-dione-[2H7], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Boldenone sulfate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Boldenone sulfate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Boldenone, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Boldenone, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Boldenone-[13C3], 100 µg/mL in methanol	Amber ampule: 1 mL	3/5/2018
IsoSciences, LLC	Brivaracetam-[2H5] in methanol	Ampule: 1 mL	1/31/2020
IsoSciences, LLC	Buprenorphine-[13C3, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Buprenorphine-[13C3, 15N], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Buprenorphine-[13C4, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Buprenorphine-[13C4, 15N], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Chlordiazepoxide-[13C6] · HCl, 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Chlordiazepoxide-[13C6]•HCl, 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Clobazam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Clobazam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Clonazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Clonazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Codeine-[13C3, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-[13C3, 15N], 1000 µg/mL in methanol	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-[13C3, 15N], 50 µg/mL in methanol	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-[13C4, 15N], 1000 µg/mL in methanol	Amber ampule: 1 mL	10/20/2016
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C10, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	10/20/2016
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C3, 15N], 100 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C3, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C3, 15N], 50 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C4, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	5/16/2017
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C9, 15N], 100 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C9, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Codeine-6β-Glucuronide-[13C9, 15N], 50 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Delorazepam-[13C6, 15N], 50 µg/mL in acetonitrile	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Delorazepam-[13C6,15N], 100 µg/mL in acetonitrile	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Diazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Diazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Dihydrotestosterone, 100 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Dihydrotestosterone, 1000 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Dihydrotestosterone-[13C3], 0.1 mg/mL±2% in 1,2-dimethoxyethane Product Number S6065-0.1	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Dihydrotestosterone-[13C3], 1.0 mg/mL±2% in 1,2-dimethoxyethane Product Number S6065-1.0	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Dihydrotestosterone-[13C3], 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Dihydrotestosterone-[13C3], 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Dihydrotestosterone-[2H4], 100 µg/mL in methanol	Amber ampule: 1 mL	3/5/2018
IsoSciences, LLC	Flunitrazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Flunitrazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Flurazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Flurazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Lorazepam-[13C6, 15N], 100 µg/mL in acetonitrile	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Lorazepam-[13C6, 15N], 50 µg/mL in acetonitrile	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Medazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017

IsoSciences, LLC	Medazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Methandriol, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Methandriol, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Methandrostenolone, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Methandrostenolone, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Midazolam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Midazolam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Morphine-[13C3, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-[13C3, 15N], 1000 µg/mL in methanol	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-[13C3, 15N], 50 µg/mL in methanol	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-[13C4, 15N], 1000 µg/mL in methanol	Amber ampule: 1 mL	10/20/2016
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C10, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	10/20/2016
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C3, 15N], 100 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C3, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C3, 15N], 50 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C4, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	5/16/2017
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C9, 15N], 100 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C9, 15N], 1000 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Morphine-6β-Glucuronide-[13C9, 15N], 50 µg/mL in methanol:water (2:8)	Amber ampule: 1 mL	4/6/2017
IsoSciences, LLC	Nandrolone Laurate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Nandrolone Laurate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Nitrazepam-[13C6], 100 µg/mL in acetonitrile	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Nitrazepam-[13C6], 50 µg/mL in acetonitrile	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Nordiazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Nordiazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Oxazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Oxazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Prazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Prazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Stanozolol, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Stanozolol, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Temazepam-[13C6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Temazepam-[13C6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Testosterone Decanoate, 100 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Decanoate, 1000 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Glucuronide, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Glucuronide, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Heptanoate, 100 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Heptanoate, 1000 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Isocaproate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Isocaproate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Phenylpropionate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Phenylpropionate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Propionate, 100 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Propionate, 1000 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Undecanoate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone Undecanoate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone, 100 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone, 1000 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[13C3], 0.1 mg/mL±2% in 1,2-dimethoxyethane Product Number S6066-0.1	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Testosterone-[13C3], 1.0 mg/mL±2% in 1,2-dimethoxyethane Product Number S6066-1.0	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Testosterone-[13C3], 100 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[13C3], 1000 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Decanoate, 100 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Decanoate, 1000 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Glucuronide, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Glucuronide, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Heptanoate, 100 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Heptanoate, 1000 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Isocaproate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Isocaproate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Phenylpropionate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Phenylpropionate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Propionate, 100 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Propionate, 1000 µg /mL in 1,2-dimethoxyethane	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Undecanoate, 100 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3] Undecanoate, 1000 µg /mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3], 100 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H3], 1000 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H5], 0.1 mg/mL±2% in 1,2-dimethoxyethane Product Number S3009-0.1	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Testosterone-[2H5], 1.0 mg/mL±2% in 1,2-dimethoxyethane Product Number S3009-1.0	Glass ampule: 2 mL	4/2/2010
IsoSciences, LLC	Testosterone-[2H5], 100 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H5], 1000 µg/mL in methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Testosterone-[2H8], 100 µg/mL in methanol	Amber Ampule: 1 mL	8/10/2016
IsoSciences, LLC	Testosterone-[2H8], 1000 µg/mL in methanol	Amber Ampule: 1 mL	8/10/2016
IsoSciences, LLC	Tetrazepam-[13C6, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Tetrazepam-[13C6, 15N], 50 µg/mL in acetonitrile	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Triazolam-[13C6, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Triazolam-[13C6, 15N], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018

IsoSciences, LLC	Unlabeled Steroid Standard Mix SMU001, methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Unlabeled Steroid Standard Mix SMU002, methanol	Amber Ampule: 1 mL	9/17/2015
IsoSciences, LLC	Zolpidem-[13C2, 15N], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Zolpidem-[13C2, 15N], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
IsoSciences, LLC	Zolpidem-[2H6], 100 µg/mL in methanol	Amber ampule: 1 mL	12/27/2017
IsoSciences, LLC	Zolpidem-[2H6], 50 µg/mL in methanol	Amber ampule: 1 mL	6/12/2018
ISOTEC, Inc.	(-) 11 Nor-9-Carboxy-Delta-9-THC-D3, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	(-) 11-Nor-9-Carboxy-Delta-9-THC, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	6-Acetylmorphine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	6-Acetylmorphine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	6-Acetylmorphine-D6, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Alprazolam, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Benzoylecgonine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Benzoylecgonine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Butalbital, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Butalbital-13C4; 100 µg/mL, 1 mg/mL	Glass ampule: 2 mL	8/28/2003
ISOTEC, Inc.	Cocaethylene, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Cocaethylene-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Cocaine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Cocaine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Codeine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Codeine-13CD3, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Codeine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Delta-9-THC, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Delta-9-THC-D3, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxyamphetamine, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxyamphetamine-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxymethamphetamine, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxymethamphetamine-D8, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Amphetamine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	DL-Amphetamine-D11; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-AMphetamine-D6, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	DL-Methamphetamine, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Methamphetamine-D14; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-Methamphetamine-D5; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-Methamphetamine-D9, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Methyl-D3-Phenidate; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-Methylphenidate, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Propoxyphene-D7, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Ecgonine Methyl Ester, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Ecgonine Methyl Ester-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Ecgonine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Fentanyl, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Fentanyl-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Hydrocodone, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Hydrocodone-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Hydromorphone, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Hydromorphone-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Lysergic Acid Diethylamide, 25 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Lysergic Acid Diethylamide-D3, 25 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Lysergic Acid N-Methyl Propylamide, 25 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Meperidine; 1 mg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Meperidine-D4; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Methadone, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Methadone-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Methaqualone, 1 mg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Methaqualone-D7; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Morphine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Morphine-3-β-D-Glucuronide, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Morphine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Norcocaine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Nordiazepam, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Nordiazepam-D5, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Normeperidine, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Normeperidine-D4, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Oxazepam, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Oxazepam-D5, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Pentobarbital, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Pentobarbital-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Phencyclidine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Phencyclidine-D5, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Phenobarbital	Ampule: 2 mL	9/2/2008
ISOTEC, Inc.	Phenobarbital-D5	Ampule: 2 mL	9/2/2008
ISOTEC, Inc.	Secobarbital, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Secobarbital-13C4, 100 µg/mL, 1 mg/mL	Glass ampule: 2 mL	8/28/2003
ISOTEC, Inc.	Secobarbital-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ITC	directCHECK Whole Blood Control (DCJACT-A)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJACT-N)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJAPTT-A)	Box: 15 vials; 0.5 mL each	9/12/2013

ITC	directCHECK Whole Blood Control (DCJAPTT-N)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJCAPTT-A CITRATE)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJCPT-A CITRATE)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJCPT-N CITRATE)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJLR-A)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJLR-N)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJPT-A)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCJPT-N)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCPRO-A)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCPRO-N)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCRHY-L1)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	directCHECK Whole Blood Control (DCRHY-L2)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	Hemochron Jr.	Box: 45 cuvettes; 7.5µL each	7/1/2016
ITC	HepCheck Whole Blood Control (DCP214-A)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	HepCheck Whole Blood Control (DCP214-N)	Box: 15 vials; 0.5 mL each	9/12/2013
ITC	PCAPTT-QQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCCAPTT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJACT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJACT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJCPT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJCPT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJLR-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJLR-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJPT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCJPT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCPRO-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
ITC	PCPRO-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, Above Threshold Screening Control	Bottle: 15 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, Below Threshold Screening Control	Bottle: 15 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, Confirmation Control	Bottle: 50 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, High Positive Screening Control	Bottle: 15 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Amphetamine Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Barbiturates Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Benzoylecgonine Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Delta 9-THCC Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Nordiazepam Urine Calibrator-3 Level	Bottle: 10 mL; Kit: 3 bottles, 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Opiates Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Phencyclidine Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
Janssen Pharmaceutica,Inc.	3H Alfentanil	Vial: 0.5 mL	2/1/1987
Janssen Pharmaceutica,Inc.	3H Fentanyl	Vial: 0.5 mL	2/1/1987
Janssen Pharmaceutica,Inc.	3H Sufentanil	Vial: 0.5 mL	2/1/1987
Janssen Pharmaceutica,Inc.	Alfentanil Radioimmunoassay Kit	Kit: 200 tests	5/13/1985
Janssen Pharmaceutica,Inc.	Fentanyl Radioimmunoassay Kit	Kit: 200 tests	5/13/1985
Janssen Pharmaceutica,Inc.	Sufentanil Radioimmunoassay Kit	Kit: 500 tests	5/13/1985
JRH Biosciences	HH4 Cell Culture Media	Bulk Plastic Bag: 20, 10, 1 L	5/11/1995
Kinex Company	Amphetamine Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Barbiturates Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Benzodiazepines Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Benzoylecgonine Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Buprenorphine Calibrator Levels 1-4	Glass vial: 12 mL	2/6/2009
Kinex Company	Buprenorphine High Control	Glass vial: 12 mL	2/6/2009
Kinex Company	Buprenorphine Low Control	Glass vial: 12 mL	2/6/2009
Kinex Company	CTHC Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Fentanyl Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Ketamine Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	LSD Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Meperidine Calibrator Levels 1-4	Glass vial: 12 mL	2/6/2009
Kinex Company	Meperidine High Control	Glass vial: 12 mL	2/6/2009
Kinex Company	Meperidine Low Control	Glass vial: 12 mL	2/6/2009
Kinex Company	Meperidine Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Methadone Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	MethamphetaminePositive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Methylphenidate Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Morphine Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Oral Fluid Cutoff Calibrator	Glass vials: 4 & 40 mL	4/3/2009
Kinex Company	Oral Fluid High Positive Control	Glass vials: 4 & 40 mL	4/3/2009
Kinex Company	Oral Fluid Low Positive Control	Glass vials: 4 & 40 mL	4/3/2009
Kinex Company	Oxycodone Calibrator Levels 1-4	Glass vial: 12 mL	2/6/2009
Kinex Company	Oxycodone High Control	Glass vial: 12 mL	2/6/2009
Kinex Company	Oxycodone Low Control	Glass vial: 12 mL	2/6/2009
Kinex Company	PCP Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Propoxyphene Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
Kinex Company	Zolpidem Positive Reference Control	Glass vials: 2-6 mL	8/19/2009
LabSystems Diagnostics	NeoMass CAH Extraction Solution with Internal Standard	Glass vial: 33 mL	1/10/2022
LabSystems Diagnostics	NeoMass CAH Mutlilevel Calibrator Dried Blood Spot Calibrator Level 0-7	Aluminum pouch: 7 Dried blood spots, 85 µL each	1/10/2022
LabSystems Diagnostics	NeoMass CAH Mutlilevel Controls Dried Blood Spot Controls Level 1-3	Aluminum pouch: 6 Dried blood spots, 85 µL each	1/10/2022
LabSystems Diagnostics	NeoMass CAH System suitability Mixture CAH (lyophilized)	Glass vial: 2 mL	1/10/2022
LabSystems Diagnostics	NeoMass CAH Tuning Mixture CAH (lyophilized)	Glass vial: 2 mL	1/10/2022
LGC	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019

LGC	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(LGC) Chemistry	Amber vial: 5 mL	1/17/2023
LGC	(LGC) Chemistry	Amber vial: 5 mL	8/7/2024
LGC	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Custom Drug Standard, High Calibration, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	Custom Drug Standard, MDL Level, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	Custom Drug Standard, Screening Level, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	Custom Drug Standard, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	ISO Guide 34 - a,a-Dimethylphenethylamine Solution (Second Source), 1000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
LGC	ISO Guide 34 - a,a-Dimethylphenethylamine Solution, 1000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
LGC	LGC Chemistry/Immunoassy	Amber vial: 5 mL	7/20/2020
LGC	Narcotics Mixture 1 0.02-0.075 µg/mL in Synthetic oral fluid	1 kit; 10 x 1 mL amber cryule	3/8/2022
LGC	Narcotics Mixture 2 0.01-0.05 µg/mL in Synthetic oral fluid	1 kit; 10 x 1 mL amber cryule	3/8/2022
LGC	Narcotics Mixture 3 0.001-0.01 µg/mL in Synthetic oral fluid	1 kit; 10 x 1 mL amber cryule	3/8/2022
LGC	Oneworld Accuracy BCHE	Amber vial: 5 mL	7/20/2020
LGC	Toxicology QC Test Mix, for use with Thermo Scientific Tox Explorer Collection, 200-2000ng/mL, 1mL (ISO-17034)	Amber ampule: 1 mL	10/19/2020
LGC	Toxicology QC Test Mix, for use with Thermo Scientific Tox Explorer Collection, 200-2000ng/mL, 300µL (ISO-17034)	Amber ampule: 300 µL	10/19/2020
LGC	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC - Dr. Ehrenstorfer	(-)-D8-Tetrahydrocannabinol (d8-THC) 100 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC - Dr. Ehrenstorfer	(-)-D8-Tetrahydrocannabinol (d8-THC) 1000 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC - Dr. Ehrenstorfer	(6aR,9R)-Δ10-Tetrahydrocannabinol 100 µg/mL in Methanol	Amber Ampule: 1 mL	12/21/2021
LGC - Dr. Ehrenstorfer	(6aR-trans)-Δ8-Tetrahydrocannabinol acetate 100 µg/mL in Methanol	Amber Ampule: 1 mL	12/21/2021
LGC - Dr. Ehrenstorfer	19-Norandrost-4-ene-3,17-dione 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/5/2021
LGC - Dr. Ehrenstorfer	Boldenone cypionate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	5/4/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 202 Kit 250 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 202 Kit 250 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 203 Kit 500 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 203 Kit 500 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 204 Kit 1000 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 204 Kit 1000 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 205 Kit 250 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 205 Kit 250 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 206 Kit 500 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 206 Kit 500 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 207 Kit 1000 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 207 Kit 1000 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 214 Kit 250 µg/mL in Acetonitrile	1 Kit: 2 vials x 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 214 Kit 250 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 215 Kit 500 µg/mL in Acetonitrile	1 Kit: 2 vials x 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 215 Kit 500 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 216 Kit 1000 µg/mL in Acetonitrile	1 Kit: 2 vials x 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 216 Kit 1000 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 250 Kit 1000 µg/mL in Acetonitrile	1 Kit: 2 vials x 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 250 Kit 1000 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 11213 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/1/2022
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 184 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 184 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 185 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 185 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 186 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 186 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020

LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 194 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 194 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 195 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 195 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 196 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 200 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 200 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 210 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 210 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 211 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 211 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 212 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acids Mixture 212 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 14832 100 µg/mL in Acetonitrile w/ 0.5% ammonia + 0.2% Formic acid	Amber ampule: 1 mL	4/12/2024
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 187 100 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 187 100 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 188 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 188 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 189 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 189 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 190 50 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 190 50 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 191 100 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 191 100 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 192 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 192 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 193 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 193 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 197 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 197 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 198 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 198 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 201 1000 µg/mL in acetonitrile	Amber ampule: 0.4 mL	8/24/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 213 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 213 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/21/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 254 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 254 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 255 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/9/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 255 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 256 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/10/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 256 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 257 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/10/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 257 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 258 Kit 250 µg/mL in Acetonitrile	1 Kit: 2 vials x 0.4 mL	3/10/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 258 Kit 250 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/31/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 259 Kit 500 µg/mL in Acetonitrile	1 Kit: 2 vials x 0.4 mL	3/10/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 259 Kit 500 µg/mL in Acetonitrile	1 kit: 2 vials x 0.4 mL	3/19/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 269 100 µg/mL in Acetonitrile	Certain Capillary Vial: 1 mL	12/27/2021
LGC - Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 181 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 182 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 183 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 199 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC - Dr. Ehrenstorfer	Carisoprodol 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/5/2021
LGC - Dr. Ehrenstorfer	Custom (-)-delta9-tetrahydrocannabinol (d9-THC) 1000 µg/mL in acetonitrile	Amber ampule: 1 mL	4/12/2021
LGC - Dr. Ehrenstorfer	Custom 1-Methylamino-1-(3,4-methylenedioxyphenyl)-propane Hydrochloride 10 ug/mL in Acetonitrile	Pack: 5 ampules, 1 mL each	9/24/2025
LGC - Dr. Ehrenstorfer	Custom 1-Methylamino-1-(3,4-methylenedioxyphenyl)-propane Hydrochloride 10 ug/mL in Acetonitrile Hydrochloride 10 ug/mL in Acetonitrile	Amber glass ampule: 1 mL	9/24/2025
LGC - Dr. Ehrenstorfer	Custom Cannabinoid Mixture 10141 1000 ug/mL in Acetonitrile	Amber ampule: 1 mL	3/4/2022
LGC - Dr. Ehrenstorfer	Custom Cannabinoid Mixture 10142 1000 ug/mL in Acetonitrile	1 kit; 5 x 1 mL amber ampule	3/4/2022
LGC - Dr. Ehrenstorfer	Custom Cannabinoids Acid/Neutrals Mix Kit, 16 compounds, 1000 ug/mL, 0.4 mL	1 kit; 2 vials x 0.4 mL	9/1/2022
LGC - Dr. Ehrenstorfer	Custom D9-Tetrahydrocannabivarinic acid (THCVA) 1000 µg/mL in acetonitrile	Amber ampule: 1 mL	10/5/2020
LGC - Dr. Ehrenstorfer	Custom Drug Standard, High Calibration, Various Concentrations, 10 x 1mL (ISO17034)	Package: 10 amber ampule; 1 mL each	11/20/2020
LGC - Dr. Ehrenstorfer	Custom Drug Standard, MDL level, Various Concentrations, 10 x 1mL (ISO17034)	Package: 10 amber ampule; 1 mL each	11/20/2020
LGC - Dr. Ehrenstorfer	Custom Drug Standard, Various Concentrations, 10 x 1 mL (ISO17034)	Package: 10 amber ampule; 1 mL each	11/20/2020
LGC - Dr. Ehrenstorfer	Custom Hormone Mixture 14910 100 µg/mL in methanol	Pack: 5 amber amuples x 1 mL	5/31/2024
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mix 6509 100-10000 µg/mL in methanol	1 kit: 5 ampules x 1 mL each	4/12/2021
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mix 6509 100-10000 µg/mL in methanol	Amber ampule: 1 mL	6/8/2021
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 10147 1000 ug/mL in Acetonitrile	Amber ampule: 1 mL	3/4/2022
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 10148 1000 ug/mL in Acetonitrile	1 kit; 5 x 1 mL amber ampule	3/4/2022
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 11648 30-40 µg/mL in Methanol	Pack: 5 Amber ampules, 1.0 mL each	10/28/2022
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 11649 150 µg/mL in Methanol	Pack: 5 Amber ampules, 1.0 mL each	10/28/2022
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 12300 8:100 ug/mL in Acetonitrile	5 amber ampule x 1 mL	1/19/2023
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 5-17941 (100 ug/mL in Methanol)	Clamshell: 3 vials, 1 mL each	9/12/2025
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture, 17331 100 ug/mL in Methanol	Box: 5 amber ampules, 1 mL each	2/18/2025
LGC - Dr. Ehrenstorfer	Custom Tramadol hydrochloride 100 µg/mL in Methanol	Glass Ampule: 1 mL	1/27/2022
LGC - Dr. Ehrenstorfer	Custom Δ9-Tetrahydrocannabivarin (THCV) 1000 ug/mL in Acetonitrile	Amber ampule: 1 mL	1/19/2021
LGC - Dr. Ehrenstorfer	D9-Tetrahydrocannabivarin (THCV) 100 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC - Dr. Ehrenstorfer	D9-Tetrahydrocannabivarin 1000 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC - Dr. Ehrenstorfer	D9-Tetrahydrocannabivarinic acid (THCVA) 100 µg/mL in acetonitrile	Amber ampule: 1 mL	10/5/2020

LGC - Dr. Ehrenstorfer	Delta8-Tetrahydrocannabinol 250 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/14/2021
LGC - Dr. Ehrenstorfer	Delta9-Tetrahydrocannabinol 250 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/14/2021
LGC - Dr. Ehrenstorfer	Delta9-Tetrahydrocannabinolic acid 250 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/14/2021
LGC - Dr. Ehrenstorfer	Delta9-Tetrahydrocannabivarin (THCV) 10 µg/mL in Methanol	Amber ampule: 1 mL	10/14/2021
LGC - Dr. Ehrenstorfer	Delta9-Tetrahydrocannabivarin (THCV) 250 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Diazepam 1000 µg/mL in Methanol	Amber ampule: 1 mL	10/28/2021
LGC - Dr. Ehrenstorfer	DRE-BE1214-PS1 Custom Drug Standard, Various Concentrations (ISO17034)	Amber ampule: 1 mL	8/23/2023
LGC - Dr. Ehrenstorfer	DRE-BE1214-PS2 Custom Drug Standard, Various Concentrations (ISO17034)	Amber ampule: 1 mL	8/23/2023
LGC - Dr. Ehrenstorfer	Drostanolone propionate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	EPA Method 8270 Appendix IX Mix 1 with Phentermine, 17 components, 2000 µg/mL in Dichloromethane 1 mL	Amber ampule: 1 mL	6/15/2017
LGC - Dr. Ehrenstorfer	EPA Method 8270 LCS Mixture 50-500 µg/mL in Acetone	Bottle: 25 mL	11/3/2020
LGC - Dr. Ehrenstorfer	GB 31658.14-2021 Trenbolones Mixture 48 100 µg/mL in Methanol	Amber ampule: 1 mL	5/16/2023
LGC - Dr. Ehrenstorfer	Hormones Mixture 264 200 µg/mL in methanol	Amber ampule: 1 mL	7/7/2022
LGC - Dr. Ehrenstorfer	Mestanolone 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Mestanolone 100 µg/mL in Methanol	Amber ampule: 1.0 mL	10/28/2022
LGC - Dr. Ehrenstorfer	Methandrostenolone 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/5/2021
LGC - Dr. Ehrenstorfer	Methenolone 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Methenolone acetate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Methenolone acetate 100 µg/mL in Methanol	Amber ampule: 1.0 mL	10/28/2022
LGC - Dr. Ehrenstorfer	Methenolone enanate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Methylandrostenediol 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	10/5/2021
LGC - Dr. Ehrenstorfer	Prazepam 1000 µg/mL in methanol	Amber ampule: 1 mL	10/19/2020
LGC - Dr. Ehrenstorfer	Psilocin 1000 µg/mL in Acetonitrile	Amber ampule: 1 mL	8/15/2022
LGC - Dr. Ehrenstorfer	Psilocybin 1000 µg/mL in Acetonitrile	Amber ampule: 1 mL	8/15/2022
LGC - Dr. Ehrenstorfer	Psilocybin 1000 µg/mL in Acetonitrile:Water	Amber ampule: 1 mL	12/22/2022
LGC - Dr. Ehrenstorfer	Testosterone cyprionate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Tetrahydrocannabiphenol (THCP)100 ug/mL in Acetonitrile	Amber ampule: 1 mL	2/16/2023
LGC - Dr. Ehrenstorfer	Trenbolone 100 µg/mL in Acetonitrile, 1 ml	Amber ampule: 1 mL	7/30/2020
LGC - Dr. Ehrenstorfer	Trenbolone –acetate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	9/10/2021
LGC - Dr. Ehrenstorfer	Trenbolone cyclohexylmethylcarbonate 100 µg/mL in Acetonitrile	Amber Ampule: 1 mL	12/21/2021
LGC - Dr. Ehrenstorfer	Zolpidem tartrate 100 µg/mL in Methanol	Glass Ampule: 1 mL	1/27/2022
LGC - Dr. Ehrenstorfer	Δ11-Tetrahydrocannabinol (Δ11-THC) 100 µg/mL in Methanol	Amber ampule: 1 mL	6/14/2021
LGC - Dr. Ehrenstorfer	Δ11-Tetrahydrocannabinol (Δ11-THC) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/20/2021
LGC - Dr. Ehrenstorfer	Δ11-Tetrahydrocannabinol (Δ11-THC) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/20/2021
LGC - Dr. Ehrenstorfer	Δ11-Tetrahydrocannabinol (Δ11-THC) 1000 µg/mL in Methanol	Amber ampule: 1 mL	6/14/2021
LGC - Dr. Ehrenstorfer	Δ9-Tetrahydrocannabivarinic acid (THCVA) 100 ug/mL in Acetonitrile	Amber ampule: 1 mL	3/10/2021
LGC - Dr. Ehrenstorfer	Δ9-Tetrahydrocannabivarinic acid (THCVA) 100 µg/mL in Methanol	Amber ampule: 1 mL	6/8/2021
LGC - Dr. Ehrenstorfer	Δ9-Tetrahydrocannabivarinic acid (THCVA) 1000 ug/mL in Acetonitrile	Amber ampule: 1 mL	3/10/2021
LGC - Dr. Ehrenstorfer	Δ9-Tetrahydrocannabivarinic acid (THCVA) 1000 µg/mL in Methanol	Amber ampule: 1 mL	6/8/2021
LGC - Dr. Ehrenstorfer/ Kaycha Labs	Cannabinoids Acid/Neutrals Kit 11390 500:1000 µg/mL in Acetonitrile	1 kit; 2 ampules x 0.4 mL	10/28/2022
LGC - Dr. Ehrenstorfer/ Kaycha Labs	Cannabinoids Acids Mixture 11792 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/28/2022
LGC - Dr. Ehrenstorfer/ Kaycha Labs	Cannabinoids Neutrals Mixture 11389 500:1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/28/2022
LGC Clinical Diagnostics, Inc.	0.1 µg/mL Androstenedione (ASD) Stock B	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	0.5 µg/mL Didydrotestosterone (DHT) Stock B	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	100 µg/mL Androstenedione Stock A	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	100 µg/mL Didydrotestosterone (DHT) Stock A	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	100 ng/mL Testosterone (TSTO) Stock B	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 1	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 2	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 3	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 4	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab Bulk - Level 5	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 ab WrkBlk – Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab WrkBlk – Level 1	Volumetric glassware: 200-20,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 ab WrkBlk – Level 5	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 ab WrkBlk – Level 5	Volumetric glassware: 200-20,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 1	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 2	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 3	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 4	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re Bulk - Level 5	Volumetric glassware: 8,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re WrkBlk – Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re WrkBlk – Level 1	Volumetric glassware: 200-20,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Fertility 1 re WrkBlk – Level 5	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Fertility 1 re WrkBlk – Level 5	Volumetric glassware: 200-20,000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 1	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 2	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 3	Bottles or carboys: 500 - 5000 mL	4/17/2023

LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 4	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 5	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro WrkBlk Level 1	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro WrkBlk Level 5	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 1	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 2	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 3	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 4	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 5	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro WrkBlk - Level 1	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ab Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ab WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ab WrkBlk Level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 au Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 au WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 au WrkBlk Level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 bc Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 bc WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 bc WrkBlk Level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 db Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 db WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 db WrkBlk level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri GentC Set WrkBlk Level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024

LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 ri TDM Set WrkBlk Level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 vt Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 vt Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 vt Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 vt Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 vt Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	TDM1 vt Set Bulk - Level 1	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 vt Set Bulk - Level 2	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 vt Set Bulk - Level 3	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 vt Set Bulk - Level 4	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 vt Set Bulk - Level 5	Volumetric flask: 3200 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 vt Set WrkBlk - Level 1	Volumetric flask: 200 - 8000 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TDM1 vt WrkBlk Level 1	Glass volumetric flask, 200-8000 mL	9/5/2024
LGC Clinical Diagnostics, Inc.	Testosterone (TSTO) Stock A 100,000 ng/ml	Plastic vial: 25 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	Testosterone (TSTO) Stock B 2,000 ng/ml	Plastic vial: 25 mL	3/21/2022
LGC Clinical Diagnostics, Inc.	TSTO Stock A 100,000 ng/mL	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 1 Test Set 502ab	5 Bottles: 4 mL each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 1 Test Set 502ab	5 Bottles: 3 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 1 Test Set 502re	5 Bottles: 4 mL each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 1 Test Set 502re	5 Bottles: 4 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 5	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 1	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 2	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 3	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 4	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re WrkBlk – Level 1	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re WrkBlk – Level 5	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 Test Set 504re	5 Dropper bottles: 3 mL each	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Bulk Level 1	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Bulk Level 2	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Bulk Level 3	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Bulk Level 4	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Bulk Level 5	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Working Bulk Level 1	Plastic/Nalgene bottles or carboys: 9000 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids 1003ro Working Bulk Level 5	Plastic/Nalgene bottles or carboys: 9000 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Level 1	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Level 2	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Level 3	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Level 4	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Level 5	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Test Set	Kit: 5 bottles, 5 mL each	4/17/2023
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Bulk Level 1	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Bulk Level 2	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Bulk Level 3	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Bulk Level 4	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Bulk Level 5	Plastic/Nalgene bottles or carboys: 3600 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Level 1	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Level 2	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Level 3	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Level 4	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Level 5	Plastic dropper bottle: 6 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Test Set	Kit: 5 bottles, 5 mL each	5/3/2023
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Working Bulk Level 1	Plastic/Nalgene bottles or carboys: 9000 mL	10/24/2025
LGC Clinical Diagnostics, Inc.	VALIDATE TDM1 Test Set 301ab	Kit: 5 Bottles, 3 ml each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE TDM1 Test Set 301au	Kit: 5 Bottles, 3 ml each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE TDM1 Test Set 301bc	Kit: 5 Bottles, 3 ml each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE TDM1 Test Set 301db	Kit: 5 Bottles, 3 ml each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE TDM1 Test Set 301ri	Kit: 5 Bottles, 3 ml each; 5 bottles, 2 mL each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE TDM1 Test Set 301vt	Kit: 5 Bottles, 3 ml each	3/21/2022
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301ab Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301au Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301bc Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301db Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301ri only Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301ri Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC Clinical Diagnostics, Inc.	VALIDATE® TDM Calibration Verification 301vt Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each	9/5/2024
LGC GmbH	Butalbital 1.0 mg/ml in methanol	Glass vial: 1 mL	12/10/2021
LGC GmbH	Carisopridol 1.0 mg/ml in Methanol	Glass vial: 1 mL	7/31/2020
LGC GmbH	Codeine 6-beta-D-Glucuronide 1.0 mg/ml in water	Glass vial: 1 mL	12/10/2021
LGC GmbH	Fentanyl 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/14/2018
LGC GmbH	Fentanyl 0.1 mg/ml in methanol	Glass vial: 1 mL	12/10/2021
LGC GmbH	Lacosamide 1.0 mg/ml in acetonitrile	Glass vial: 1 mL	5/2/2023
LGC GmbH	LGCAMP0004.20-34	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0004.82-34	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0037.16-34	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0037.21-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0037.84-34	Glass ampule: 1 mL	8/9/2023

LGC GmbH	LGCAMP0120.10-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0120.10-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0528.80-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0733.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0733.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0741.86-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0741.87-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0741.87-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0964.89-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0964.89-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0991.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.00-05	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.01-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.03-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.30-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.32-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.33-29	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.42-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.55-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.59-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.62-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.65-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1343.34-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1360.01-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1361.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1366.21-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1371.80-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1387.03-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1387.04-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1387.08-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.09-12	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.14-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.17-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.17-12	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1397.13-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1625.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1625.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1700.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1700.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1721.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1721.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP3560.00-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	Metharbital 1 mg/ml in Methanol	Glass vial: 1 mL	12/7/2018
LGC GmbH	Morphine 6-beta-D-Glucuronide 1.0 mg/ml in Water	Glass vial: 1 mL	5/3/2023
LGC GmbH	Norfentanyl (N-Phenyl-N-(piperidin-4-yl)propanamide) 1.0 mg/ml in methanol	Glass vial: 1 mL	12/10/2021
LGC GmbH	Norfentanyl-D5 Oxalate 1.0 mg/ml in methanol	Glass vial: 1 mL	5/2/2023
LGC GmbH	Normorphine 1 mg/ml in Methanol	Glass vial: 1 mL	6/14/2018
LGC Limited	(+)-Norpseudoephedrine Hydrochloride (Cathine Hydrochloride) 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	(R)-(+)-Cathinone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	(S)-(-)-Cathinone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	(S)-(-)-Methcathinone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	(S)-(+)-Amphetamine (Dextroamphetamine) 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	(S)-(+)-Amphetamine (Dextroamphetamine) 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	1-Methylamino-1-(3,4-methylenedioxyphenyl)propane Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	6-Acetylmorphine 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	6-Acetylmorphine 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	6-Acetylmorphine-D3 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	6-Acetylmorphine-D3 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	6-Acetylmorphine-D6 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	6-Acetylmorphine-D6 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Acetylcodeine 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Acetylcodeine 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Alprazolam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Alprazolam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Alprazolam-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Alprazolam-D5 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	AM-694 (1-(5-Fluoropentyl)-3-(2-iodobenzoyl)indole) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Amobarbital 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Amobarbital 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Androstanolone (5alpha-Dihydrotestosterone, Stanolone) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Androstenedione (Androst-4-ene-3, 17-dione) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Anhydroecgonine Hydrochloride 1.0 mg/mL in Acetonitrile (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Anhydroecgonine Methyl Ester 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Benzoylecgonine 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Benzoylecgonine-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Benzoylecgonine-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Benzoylecgonine-D8 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012

LGC Limited	Benzoylecgonine-D8 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Boldenone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Bromazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Bromazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Bufotenine 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Buprenorphine 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Buprenorphine 3-beta-D-Glucuronide 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Buprenorphine-D4 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Butorphanol Tartrate 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Chlordiazepoxide 0.1 mg/ml in Acetonitrile	Glass vial: 1 mL	6/23/2014
LGC Limited	Chlordiazepoxide 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Chlordiazepoxide 1.0 mg/ml in Acetonitrile	Glass vial: 1 mL	6/23/2014
LGC Limited	Chlordiazepoxide 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Chlordiazepoxide-D5 0.1 mg/ml in Acetonitrile	Glass vial: 1 mL	6/23/2014
LGC Limited	Chlordiazepoxide-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	cis-Tilidine (Ethyl (1R,2RS)-2-(Dimethylamino)-1-phenylcyclohex-3-enecarboxylate) 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Clobazam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Clobazam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Clonazepam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Clonazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Clonazepam-D4 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Cocaethylene (Benzoylethylecgonine) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Cocaethylene-D3 (Benzoylethylecgonine-D3) 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Cocaethylene-D8 (Benzoylethylecgonine-D8) 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Cocaine 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Cocaine-D3 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Cocaine-D3 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Codeine 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Codeine 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Codeine N-Oxide 0.01 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Codeine-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Codeine-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Codeine-D6 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Codeine-D6 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Delorazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Dextropropoxyphene 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Dextropropoxyphene 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Diazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Diazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Diazepam-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Diazepam-D5 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Dihydrocodeine Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Dihydrocodeine-D6 Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Dihydromorphine 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine Ethyl Ester 0.1 mg/ml in Acetonitrile	Glass vial: 1 mL	6/23/2014
LGC Limited	Ecgonine Ethyl Ester 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine Methyl Ester 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine Methyl Ester 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine-D3 Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Ecgonine-D3 Methyl Ester 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Estazolam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Estazolam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Estazolam-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Ethylmorphine 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Fenfluramine Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Flunitrazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Flunitrazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Flunitrazepam-D7 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Fluoxymesterone 1.0 mg/ml in 1,2-Dimethoxyethane	Glass vial: 1 mL	6/23/2014
LGC Limited	Fluoxymesterone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Flurazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Flurazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	GHB Sodium Salt (Sodium Gammahydroxybutyrate) 1.0 mg/mL in Methanol (as free acid)	Glass vial: 1 mL	11/30/2012
LGC Limited	GHB-D6 Sodium Salt (Sodium Gammahydroxybutyrate-D6) 0.1 mg/mL in Methanol (as free acid)	Glass vial: 1 mL	11/30/2012
LGC Limited	GHB-D6 Sodium Salt (Sodium Gammahydroxybutyrate-D6) 1.0 mg/mL in Methanol (as free acid)	Glass vial: 1 mL	11/30/2012
LGC Limited	Heroin (Diacetylmorphine) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Heroin-D9 (Diacetylmorphine-D9) 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Heroin-D9 (Diacetylmorphine-D9) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Hexobarbital 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Hydrocodone 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Hydrocodone-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Hydrocodone-D6 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Hydromorphone 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Hydromorphone-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Isocodeine 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Iso-LSD (Lysergic Acid Diethylamide) 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	JWH-081 ((4-Methoxynaphthalen-1-yl)(1-pentylindol-3-yl)methanone) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012

LGC Limited	JWH-122 ((4-Methylnaphthalen-1-yl)(1-pentylindol-3-yl)methanone) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	JWH-203 (2-(2-Chlorophenyl)-1-(1-pentylindol-3-yl)ethanone) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Ketamine Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Ketamine-D4 Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	LAMPA (Lysergic Acid N-Methyl-N-propylamide) 0.025 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Lorazepam 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Lorazepam 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Lorazepam Acetate ((3RS)-7-Chloro-5-(2-chlorophenyl)-2-oxo-2,3-dihydro-1H-1,4-benzodiazepin-3-yl Acetate) 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Lorazepam-D4 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Lorazepam-D4 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Lormetazepam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Lormetazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	LSD (Lysergic Acid Diethylamide) 0.025 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	LSD-D3 (Lysergic Acid Diethylamide-D3) 0.025 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Meprobamate 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Meprobamate 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Meprobamate-D7 (2-methyl-1,3-propanediol-D7) 0.1 mg/mL in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Mesterolone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Methamphetamine ((S)-(+)-Methamphetamine) 0.1 mg/mL in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Methamphetamine ((S)-(+)-Methamphetamine) 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Methandienone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Methandieone 1.0 mg/ml in 1,2-Dimethoxyethane	Glass vial: 1 mL	6/23/2014
LGC Limited	Methaqualone 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Methaqualone 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Methaqualone-D7 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Methcathinone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	9/24/2012
LGC Limited	Methenolone 1.0 mg/ml in Acetonitrile	Glass vial: 1 mL	6/23/2014
LGC Limited	Methohexital 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Methohexital-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Methylone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Methylone-D3 Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Methylphenidate Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	9/24/2012
LGC Limited	Methylphenidate-D9 Hydrochloride 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Methyltestosterone (17alpha-Methyltestosterone) 1.0 mg/ml in 1,2-Dimethoxyethane	Glass vial: 1 mL	6/23/2014
LGC Limited	Methyltestosterone (17alpha-Methyltestosterone) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Midazolam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Midazolam-D4 Maleate 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Morphine 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine 3-beta-D-Glucuronide 0.1 mg/mL in Methanol/Water (1/1)	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine 3-beta-D-Glucuronide 1.0 mg/mL in Methanol with 0.05 percent Sodium Hydroxide (w/v)	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine 6-beta-D-Glucuronide 0.1 mg/mL in Methanol/Water (1/1)	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine 6-beta-D-Glucuronide 1.0 mg/mL Water/Methanol (80/20)	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine N-Oxide 0.01 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Morphine-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Nandrolone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Nitrazepam 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Nitrazepam 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Nitrazepam-D5 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Norandrostenedione (19-Norandrost-4-ene-3,17-dione) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Norcocaine Hydrochloride 1.0 mg/mL in Acetonitrile (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Norcocaine-D3 Hydrochloride 0.1 mg/mL in Acetonitrile (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Norcodeine 0.01 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Norcodeine 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Nordazepam (Nordiazepam) 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Nordazepam (Nordiazepam) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Nordazepam-D5 (Nordiazepam-D5) 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Nordazepam-D5 (Nordiazepam-D5) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Nordihydromorphine Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Norethandrolone 1.0 mg/ml in 1,2-Dimethoxyethane	Glass vial: 1 mL	6/23/2014
LGC Limited	Norethandrolone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Norhydrocodone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Norhydromorphone Hydrochloride 1.0 mg/mL Methanol (as free base)	Glass vial: 1 mL	9/24/2012
LGC Limited	Normorphine 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Noroxycodone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Noroxycodone-D3 Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Noroxymorphone Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Noroxymorphone Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	O-Methylcodeine 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxazepam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Oxazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxazepam-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxazepam-D5 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxycodone 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxycodone-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxycodone-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Oxycodone-D6 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012

LGC Limited	Oxycodone-D6 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Oxymorphone 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxymorphone-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Oxymorphone-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Pentobarbital 0.1 mg/mL in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Pentobarbital 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Pentobarbital-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Pentobarbital-D5 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Pethidine (Meperidine) 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Pethidine-D4 (Meperidine-D4) 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Pethidine-D4 (Meperidine-D4) 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Phencyclidine (PCP) 0.01 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Phencyclidine (PCP) 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Phencyclidine-D5 (PCP-D5) 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Phencyclidine-D5 (PCP-D5) 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Phenobarbital 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Phenobarbital 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Phenobarbital-D5 (D-label on ring) 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Phenobarbital-D5 (D-label on ring) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Phenobarbital-D5 (D-label on side chain) 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Phenobarbital-D5 (D-label on side chain) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Phentermine 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Phentermine 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Pipradrol Hydrochloride 0.01 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Pipradrol Hydrochloride 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Pipradrol Hydrochloride 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	PMA HCl (p-Methoxyamphetamine) 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Prazepam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Prazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Prazepam-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Pregabalin 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Pregabalin-D6 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Amphetamine 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Amphetamine-D10 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	rac-Amphetamine-D10 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D11 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Amphetamine-D11 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Amphetamine-D5 (D-label on ring) 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Amphetamine-D5 (D-label on ring) 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D5 (D-label on side chain) 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D5 (D-label on side chain) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D6 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D6 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D8 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Amphetamine-D8 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-BDB HCl (rac-3,4-Methylenedioxyphenyl-2-butanamine Hydrochloride) 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-MBDB HCl (rac-N-Methyl-1-(3,4-Methylenedioxyphenyl)-2-butanamine Hydrochloride) 1.0 mg/mL Methanol (as free base)	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MBDB-D5 (rac-N-Methyl-1-(3,4-Methylenedioxyphenyl)-2-butanamine-D5) 0.1 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDA (rac-3,4-Methylenedioxyamphetamine) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-MDA-D5 (rac-3,4-Methylenedioxyamphetamine-D5) 0.1 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDA-D5 (rac-3,4-Methylenedioxyamphetamine-D5) 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDEA (rac-3,4-Methylenedioxy-N-ethylamphetamine) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-MDEA-D5 (rac-3,4-Methylenedioxy-N-ethylamphetamine-D5) 0.1 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDEA-D5 (rac-3,4-Methylenedioxy-N-ethylamphetamine-D5) 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDEA-D6 (rac-3,4-Methylenedioxy-N-ethylamphetamine-D6) 0.1 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDMA (rac-3,4-Methylenedioxymethamphetamine) 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-MDMA-D5 (rac-3,4-Methylenedioxymethamphetamine-D5) 0.1 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-MDMA-D5 (rac-3,4-Methylenedioxymethamphetamine-D5) 1.0 mg/mL Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Methadone 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methadone 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methadone-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methadone-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methadone-D9 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methadone-D9 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Methamphetamine 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Methamphetamine-D11 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D11 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D14 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D14 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Methamphetamine-D5 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	rac-Methamphetamine-D8 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D8 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D9 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Methamphetamine-D9 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Propoxyphene-D11 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Propoxyphene-D11 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012

LGC Limited	rac-Propoxyphene-D5 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	rac-Propoxyphene-D5 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	RCS-4 (DD-001, (4-Methoxyphenyl)(1-pentylindol-3-yl)methanone) 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Secobarbital 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Secobarbital 1.0 mg/mL in Methanol	Glass vial: 1 mL	9/24/2012
LGC Limited	Secobarbital-D5 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Stanozolol 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Stanozolol-D3 0.1 mg/mL in 1,2-Dimethoxyethane	Glass vial: 1 mL	11/30/2012
LGC Limited	Stanozolol-D3 1.0 mg/ml in 1,2-Dimethoxyethane	Glass vial: 1 mL	6/23/2014
LGC Limited	Sufentanil Citrate 0.1 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Temazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Temazepam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Temazepam-D5 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Temazepam-D5 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Testosterone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Testosterone Benzoate 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Testosterone Isocaproate 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Testosterone Propionate 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Tetrazepam 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Tilidine 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Trenbolone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Triazolam 0.1 mg/ml in Methanol	Glass vial: 1 mL	6/23/2014
LGC Limited	Triazolam 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Triazolam-D4 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Zaleplon 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Zolpidem Tartrate 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	11/30/2012
LGC Limited	Zolpidem-D6 0.1 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Zopiclone 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Limited	Zopiclone Oxide 1.0 mg/mL in Methanol	Glass vial: 1 mL	11/30/2012
LGC Limited	Zopiclone-D4 0.1 mg/mL in Acetonitrile	Glass vial: 1 mL	11/30/2012
LGC Standards	(-)-a-Acetylmethadol Hydrochloride (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(-)-a-Methadol (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(+)-19-Norandrost-4-ene-3,17-dione (1mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(+)-Tramadol-d6 Hydrochloride (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(R)-Ketamine Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(S)-Ketamine Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(S)-Ketamine-d6 Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	(S)-Methadone Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	10-Oxo Naloxone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	17α-Methyl Testosterone (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	1-Naphyrone Hydrochloride (1-Naphthalen-1-yl-2-pyrrolidin-1-ylpentan-1-one Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	2,3-Thioepoxy Madol (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	2-Fluoromethcathinone Hydrochloride (1-(2-Fluorophenyl)-2-(methylamino)propan-1-one Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	2-MMC HCl (2-Methylmethcathinone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	3,4-Dichloromethylphenidate Hydrochloride (3,4-CTMP HCl; Methyl (2RS)-3,4-Dichlorophenyl[(2RS)-piperidin-2-yl]acetate Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	3',4'-Methylenedioxy-alpha-pyrrolidinobutiophenone Hydrochloride (MDPBP HCl) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	3,4-Methylenedioxycathinone Hydrochloride (MDC HCl, bk-MDA HCl) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	3-Acetylmorphine 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	3-Acetylmorphine 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	3-Fluoromethcathinone Hydrochloride (1-(3-Fluorophenyl)-2-(methylamino)propan-1-one Hydrochloride) 1.0 mg/ml in Dimethyl Sulfoxide (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	3-O-(Codein-2-yl)morphine (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	4-EMC HCl (4-Ethylmethcathinone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	4-Hydroxy Nandrolone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	4-Hydroxy Testosterone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	4-MePPP HCl (4-Methyl-alpha-pyrrolidinopropiophenone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	5a-Androstane-3a,17b-diol (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	5a-Dihydro Testosterone Undecanoate (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	5-F-AKB-48 (5-F-APINACA; N-(1-Adamantyl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	5-F-AKB-48 (5-F-APINACA; N-(1-Adamantyl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	6-Acetyl Morphine (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	6alpha-Oxycodol (1mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	AKB-48 (APINACA; N-(1-Adamantyl)-1-pentyl-1H-indazole-3-carboxamide) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	AKB-48 (APINACA; N-(1-Adamantyl)-1-pentyl-1H-indazole-3-carboxamide) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Allobarbital 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Allobarbital 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Allobarbital-d10 (1mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Alphaprodine Hydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	AM-2201 ((1-(5-Fluoropentyl)indol-3-yl)(naphthalen-1-yl)methanone) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	AM-2201 ((1-(5-Fluoropentyl)indol-3-yl)(naphthalen-1-yl)methanone) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	AM-694 (1-(5-Fluoropentyl)-3-(2-iodobenzoyl)indole) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Amineptine (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Aminorex (1 mg/ml in Acetronitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Androstenedione-d3 (1.0 mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Anhydroecgonine Hydrochloride 1.0 mg/ml in Water (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Anileridine (1.0 mg/mL in ethyl acetate)	Glass ampoule: 1 mL	4/16/2025

LGC Standards	Barbital-d5 (1.0mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Benzoylecgonine 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Benzylpiperazine Dihydrochloride (BZP Dihydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	beta-Ethylmethcathinone Hydrochloride (Pentedrone Hydrochloride)1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	bk-2C-B HCl (2-Amino-1-(4-bromo-2,5-dimethoxyphenyl)ethanone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Boldenone Undecylenate (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Boldenone-d3 (1.0 mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Boldione (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Buprenorphine 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Buprenorphine 3-beta-D-Glucuronide 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Buprenorphine N-oxide (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Butobarbital (1.0 mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Butylone Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Chlordiazepoxide (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Clobazam-13C6 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Clonitazene (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Clorazepate Dipotassium (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Clostebol (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Clotiazepam (1 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Cocaethylene (Benzoylethylecgonine) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Cocaine 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Cocaine-D8 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Cocaine-D8 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Codeine (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Delorazepam (100 ug/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Desomorphine (Dihydrodesoxymorphine, Krokodil) 0.01 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Desomorphine (Dihydrodesoxymorphine, Krokodil) 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Diazepam (1mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Dibutylone Hydrochloride (bk-MMBDB HCl) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Diethylpropion Hydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Diethylpropion Hydrochloride (1mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Dihydrocodeine Phosphate (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Dihydromorphine 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Diphenoxylate Hydrochloride (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	D-threo-Methylphenidate Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Ecgonidine Methyl Ester (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Embutramide 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Epitestosterone 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethcathinone Hydrochloride (N-Ethylcathinone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethyl Loflazepate (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Ethyl Morphine 6-b-D-Glucuronide (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Ethylmorphine 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethylmorphine 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethylmorphine-D5 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethylmorphine-D5 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethylone Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ethylone-D5 Hydrochloride 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Eutylone Hydrochloride (1-(3,4-Methylenedioxyphenyl)-2-ethylamino-butan-1-one Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Fencamfamin Hydrochloride (1 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Fentanyl-d5 (100 ug/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Flephedrone Hydrochloride (4-Fluoromethcathinone Hydrochloride) 1.0 mg/ml in Dimethyl Sulfoxide (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Flephedrone Hydrochloride (4-Fluoromethcathinone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Fludiazepam (1 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Fluoxymesterone 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Heroin (Diacetylmorphine) 0.01 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Heroin-D3 (Diacetylmorphine-D3) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Heroin-D3 (Diacetylmorphine-D3) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Hexobarbital 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Hydrocodone (1.0mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Hydrocodone 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Hydromorphone 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Isomethadone ((5RS)-6-(Dimethylamino)-5-methyl-4,4-diphenylhexan-3-one) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-018 ((Naphthalen-1-yl)(1-pentylindol-3-yl)methanone) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-081 ((4-Methoxynaphthalen-1-yl)(1-pentylindol-3-yl)methanone) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-122 ((4-Methylnaphthalen-1-yl)(1-pentylindol-3-yl)methanone) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-203 (2-(2-Chlorophenyl)-1-(1-pentylindol-3-yl)ethanone) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-250 (2-(2-Methoxyphenyl)-1-(1-pentylindol-3-yl)ethanone) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-250 (2-(2-Methoxyphenyl)-1-(1-pentylindol-3-yl)ethanone) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	JWH-398 ((4-Chloronaphthalen-1-yl)(1-pentylindol-3-yl)methanone) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Ketamine Hydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	L-Cocaine (1.0 mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Levorphanol L-Tartrate (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Loprazolam (100 ug/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Lorazepam (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Lorazepam-D4 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	MDPV Hydrochloride (1 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Mephedrone Hydrochloride (1.0 mg/mL in methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Mephedrone Hydrochloride (4-MMC HCl, 4-Methylmethcathinone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015

LGC Standards	Mephedrone-d3 Hydrochloride (100ug/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Mephedrone-D3 Hydrochloride (4-MMC-D3 HCl, 4-Methylmethcathinone-D3 Hydrochloride) 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Meprobamate-d3 (100 ug/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Methamphetamine Hydrochloride ((S)-(+)-Methamphetamine Hydrochloride) 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Methamphetamine Hydrochloride ((S)-(+)-Methamphetamine Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Methandrostenolone-d3 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Methcathinone Hydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Methylenedioxypyrovalerone Hydrochloride (MDPV HCl) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Methylethcathinone Hydrochloride (4-Methyl-N-ethylcathinone Hydrochloride, 4-MEC HCl) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Methyprylon (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Metribolone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	m-Hydroxycocaine (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Midazolam (1.0 mg/mL in methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Midazolam 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Midazolam-d6 (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Modafinil 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Morphine (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Morphine 3-b-D-Glucuronide (1.0 mg/mL in Methanol w/0.05% NaOH)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Morphine 6-b-D-Glucuronide (1.0 mg/mL in Water:Methanol 80:20)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Morphine N-Oxide 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Morphine-d3 (100 µg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Morphine-D3 3-beta-D-Glucuronide 0.1 mg/ml in Methanol with 0.05 percent Sodium Hydroxide (w/v)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Morphine-D3 6-beta-Glucuronide 0.1 mg/ml in Methanol/Water (1/1)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Morphine-D6 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Morphine-D6 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Nalorphine Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Nandrolone (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Nandrolone-d3 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Naphyrone Hydrochloride (1-Naphthalen-2-yl-2-pyrrolidin-1-ylpentan-1-one Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	N-Benzylpiperazine Dihydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	N-Desmethyldextromethorphan Hydrochloride (ent-3-Methoxymorphinan Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	N-Ethylbuphedrone Hydrochloride (NEB HCl, alpha-Ethylaminobutyrophenone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Norbolethone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Norclostebol (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Nordazepam-d5 (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Norhydrocodone-D3.HCl, 1mg/ml in Methanol (as free base)	Glass ampule: 1 mL	8/28/2025
LGC Standards	Normorphine 0.01 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Noroxymorphone Hydrochloride 1.0 mg/ml in Dimethyl Sulfoxide (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Norpethidine (Normeperidine) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Norpethidine-D4 (Normeperidine-D4) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Oripavine 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Oxandrolone (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Oxazolam (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Oxycodone 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Oxycodone Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Oxycodone N-Oxide (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Oxymesterone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Oxymorphone (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Oxymorphone 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Pentazocine (1mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Pentylone Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Pethidine (Meperidine) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Pethidine Acid (Meperidine Acid, 1-Methyl-4-phenylpiperidine-4-carboxylic Acid) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Pethidine Acid Methyl Ester (Meperidine Acid Methyl Ester, Methyl 1-Methyl-4-phenylpiperidine-4-carboxylate) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Phenobarbital (1.0mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Phenobarbital-d5 (100µg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Pholcodine-D3 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Pholcodine-D3 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Pipradrol Hydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Piritramide-d10 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	PMEA HCl (p-Methoxyethylamphetamine Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	PPP HCl (alpha-Pyrrolidinopropiophenone Hydrochloride) 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Properidine (1-Methylethyl 1-Methyl-4-phenyl-piperidine-4-carboxylate) 0.01 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Properidine (1-Methylethyl 1-Methyl-4-phenyl-piperidine-4-carboxylate) 1.0 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Psilocin (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Psilocin-d4 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Psilocybin (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	rac-Amphetamine-D11 Hydrochloride 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Amphetamine-D11 Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Amphetamine-D6 Hydrochloride 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Amphetamine-D6 Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Amphetamine-D8 Hydrochloride 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015

LGC Standards	rac-Amphetamine-D8 Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Cathinone Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Racemethorphan hydrobromide (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	rac-MDA (rac-3,4-Methylenedioxyamphetamine) 0.01 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-MDEA (rac-3,4-Methylenedioxy-N-ethylamphetamine) 0.01 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-MDEA-D6 (rac-3,4-Methylenedioxy-N-ethylamphetamine-D6) 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-MDMA (rac-3,4-Methylenedioxymethamphetamine) 0.01 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Methamphetamine-D11 Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Methamphetamine-D14 Hydrochloride 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	rac-Methamphetamine-D14 Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	RCS-4 (DD-001, (4-Methoxyphenyl)(1-pentylindol-3-yl)methanone) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	RCS-8 (1-(1-(2-Cyclohexylethyl)indol-3-yl)-2-(2-methoxyphenyl)ethanone) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	S-(+)-Methamphetamine Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Stenbolone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Synthetic Cannabinoid Mixture 1 (mixture of JWH 250, JWH 200, CP-47497, CP 47497C8 and HU 211, 100 ug/mL of each component in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Synthetic Cannabinoid Mixture 2 (mixture of AM2201, JWH 019, JWH 081, and JWH 122, 100 ug/mL of each component in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Synthetic Cannabinoid Mixture 3 (mixture of AM2233, JWH 015, JWH 203, and JWH 210, RCS-4, and RCS-8, 100 ug/mL of each component in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tapentadol O-b-D-Glucuronide (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Temazepam (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tenamfetamine Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Testosterone (1.0mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Testosterone 17-Decanoate (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Testosterone 17-O-Acetate-d3 (1mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Testosterone Cypionate-d3 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Testosterone-2,2,4,6,6-d5 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Testosterone-d3 (100 ug/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tetrahydrofuran Fentanyl (100 ug/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Thebaine (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Thebaine 0.1 mg/ml in Methanol	Glass ampule: 1 mL	6/8/2015
LGC Standards	Thebaine-N-(methyl-d3) (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Thiopental-d5 (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tilidine Hydrochloride (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tilidine Hydrochloride Hemihydrate 1.0 mg/ml in Methanol (as anhydrous free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Tilidine-d6 Hydrochloride (100µg/ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tramadol Hydrochloride 1.0 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Tramadol-13C-D3 Hydrochloride 0.1 mg/ml in Methanol (as free base)	Glass ampule: 1 mL	6/8/2015
LGC Standards	Tramadol-d6 Hydrochloride (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Trenbolone (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Trenbolone-d5 (1.0 mg/mL in Acetonitrile)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	Tris(trideuteromethoxy)Mescaline-D9 Hydrochloride (0.1mg/1ml in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC Standards	UR-144 ((1-Pentylindol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone, KM X-1) 0.1 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	UR-144 ((1-Pentylindol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone, KM X-1) 1.0 mg/ml in Acetonitrile	Glass ampule: 1 mL	6/8/2015
LGC Standards	Zolpidem (1.0 mg/mL in Methanol)	Glass ampoule: 1 mL	4/16/2025
LGC-Lipomed	(-)-Delta-8-THC, 1mg/ml in Ethanol	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	(-)-Delta-9-THC, 1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	(-)-trans-Delta-9-THC (Dronabinol), 1 mg/ml in Ethanol Prod No: LPM-THC-135-1LE	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	(-)-trans-Delta-9-THC-D3 (Dronabinol), 0.1mg/ml in Ethanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	(-)-trans-Delta-9-THC-D3 (Dronabinol), 1mg/ml in Ethanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	17Alpha-Methyltestosterone, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	1-Benzylpiperazine.2HCl, 1mg/ml in Acetonitrile/Water : 1/1 (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	25B-NB2OMe.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	25C-NB2OMe.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	25I-NB2OMe-D9.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	25I-NB2OMe-D9.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	2C-B.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-C.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-D.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-E.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-I.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-P.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-T-4.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	2C-T-7.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	3,4-Methylenedioxypyrovalerone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	3,4-Methylenedioxypyrovalerone-D8.HCl, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-PYR-1854-HC-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	3-Acetylmorphine.amidosulfonate, 1mg/ml in Acetonitrile/Water : 1/1 (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	3-Desmethylprodine.HCl (MPPP), 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	3-Methylmethcathinone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	4-Ethylmethcathinone.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	4-Methylethcathinone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	4-Methylmethcathinone.HCl (Mephedrone), 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	4-MethylmethcathinoneD3.HCl (Mephedrone), 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	4-MethylmethcathinoneD3.HCl (Mephedrone), 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	5Alpha-Dihydrotestosterone, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	5F-APINACA (5F-AKB-48), 0.1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	5F-APINACA (5F-AKB-48), 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	5F-PB-22, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025

LGC-Lipomed	5F-PB-22, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	6-Acetylcodeine.HCl, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	6-Acetylcodeine-D3.HCl, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	6-Acetylmorphine.HCl.trihydrate, 1 mg/ml in Methanol (as free base) Prod No: LPM-M-43-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	6-Acetylmorphine-D3.HCl.trihydrate, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-M-44-HC-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	6-Acetylmorphine-D3.HCl.trihydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	6-Acetylmorphine-D6.HCl.trihydrate, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-M-981-HC-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	6-Acetylmorphine-D6.HCl.trihydrate, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	6-Acetylmorphine-D6.HCl.trihydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	6-Beta-Hydroxytestosterone, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	AB-CHMINACA, 0.1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	AB-CHMINACA, 1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	AB-FUBINACA, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	AB-FUBINACA, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Acetylfentanyl-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	AH-7921.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	AKB-48 (APINACA), 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Allobarbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Alpha-PVP.HCl, 1mg/ml in Methanol	Glass ampule: 1 mL	9/18/2025
LGC-Lipomed	Alprazolam, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Alprazolam-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Alprazolam-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	AM-2201, 0.1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	AM-2201, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Amfepramone.HCl, 1mg/ml in Acetonitrile/Water: 1/1(as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Amobarbital sodium salt, 0.1mg/ml in Methanol (as free Acid)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Androstenedione, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Anhydroecgonine methylester.HBr, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Anhydroecgonine methylester-D3.HBr, 0.1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Anhydroecgonine methylester-D3.HBr, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Anhydroecgonine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Anhydroecgonine-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Anhydroecgonine-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Barbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Barbital-D5, 0.1mg/ml in Methanol1 ml Ampule, Amber Glass	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Barbital-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Benzoylecgonine, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Benzoylecgonine-D3.tetrahydrate, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Benzoylecgonine-D3.tetrahydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Benzoylecgonine-D8, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Benzoylecgonine-D8, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Boldenone, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Bromazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Bromazepam-D4, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Bromazepam-D4, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Bufotenine.oxalate.monohydrate, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Buphedrone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Buprenorphine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Buprenorphine-3-Beta-D-glucuronide, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/17/2025
LGC-Lipomed	Buprenorphine-3-Beta-D-glucuronide, 1mg/ml in Acetonitrile/Water : 1/1	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Buprenorphine-D4.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Buprenorphine-D4.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Butabarbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Butalbital, 1 mg/ml in Methanol Prod No: LPM-BUT-871-FA-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Butalbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Butalbital-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Butylone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Butylone-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Cannabidiolic acid (CBDA), 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/17/2025
LGC-Lipomed	Carisoprodol, 1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Carisoprodol-D7, 0.1mg/ml in Methanol	Glass ampule: 1 mL	9/18/2025
LGC-Lipomed	Carisoprodol-D7, 1mg/ml in Methanol	Glass ampule: 1 mL	9/18/2025
LGC-Lipomed	Chlordiazepoxide-D5, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Chlordiazepoxide-D5, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Chlorodehydromethyl-testosterone, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Clobazam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Clobazam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Clonazepam-D4, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Clonazepam-D4, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Clotiazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Cocaethylene-D3, 0.1mg/ml in Acetonitrilee)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Cocaethylene-D3, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Cocaine-D3, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Cocaine-D3, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Cocaine-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Cocaine-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Codeine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Codeine.monohydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Codeine-6-Beta-D-glucuronide.TFA, 1mg/ml in Water (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025

LGC-Lipomed	Codeine-6-Beta-D-glucuronide.TFA, 1mg/ml in Water (as free base) Codeine-6-Beta-D-glucuronide.TFA,1mg/ml in Water (as free base)	Glass Ampule: 1 ml	10/17/2025
LGC-Lipomed	Codeine-6-Beta-D-glucuronide-D3.TFA, 0.1mg/ml in Acetonitrile/Water: 1/1 (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Codeine-6-Beta-D-glucuronide-D3.TFA, 1mg/ml in Acetonitrile/Water: 1/1 (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Codeine-D3.HCl.dihydrate, 0.1mg/ml in Ethanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Codeine-D3.HCl.dihydrate, 1 mg/ml in Ethanol (as free base) Prod No: LPM-C-41-HC-1LE	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Codeine-D6, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Codeine-D6, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-11-Hydroxy-delta-9-THC, 1 mg/l in Methanol Prod No: LPM-THC-318-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	d,l-2,4,5-TMA.HCl, 1mg/ml in Acetonitrile/Water : 1/1 (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-2,4,5-TMA.HCl, 1mg/ml in Acetonitrile/Water : 1/1 (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-2,5-DMA.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-3,4-DMA.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-Amphetamine.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-AMP-95-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	d,l-Amphetamine.sulfate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Amphetamine-D11.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Amphetamine-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	d,l-Amphetamine-D5.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	d,l-Amphetamine-D6.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-BDB.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Cathinone.HCl, 1mg/ml in Acetonitrile/Water: 1/1(as free base) (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-cis-3-Methylfentanyl.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-DOB.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-DOET.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-DOM.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-Fenproporex.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-MBDB.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-MBDB-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass ampoule: 1 mL	12/10/2025
LGC-Lipomed	d,l-MBDB-D5.HCl, 1mg/ml in Methanol (as free base)	Glass ampoule: 1 mL	12/12/2025
LGC-Lipomed	d,l-MDA.HCl, 1mg/ml in Methanol (as free base) Prod No: LPM-MDA-79-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	d,l-MDA-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-MDA-D5.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-MDDMA.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-MDEA-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-MDEA-D5.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-MDMA.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-MDM-94-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	d,l-MDMA-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-MDMA-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-MDMA-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-MDMA-D5.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-Metamfepramone.HCl, 1mg/ml in Acetonitrile/Water : 1/1 (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	d,l-Methadone-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Methadone-D3.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-MET-700-HC-1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	d,l-Methadone-D9.HCl, 0.1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	d,l-Methadone-D9.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-MET-1197-HC-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-Methamphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	d,l-Methamphetamine-D14.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-Methamphetamine-D14.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-Methamphetamine-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Methamphetamine-D5.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Methcathinone.HCl, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Methiopropamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d,l-Methylphenidate.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	d,l-N,N- Dimethylamphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-N-Ethylamphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/17/2025
LGC-Lipomed	d,l-PMA.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	d,l-PMA-D3.HCl, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-PMA-1941-HC-0.1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-PMA-D3.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-PMA-1941-HC-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d,l-PMMA.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-Propoxyphene-D5.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	d,l-threo- Methylphenidate-D10 .HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d,l-threo-Ethylphenidate.HCl,1mg/ml in Ethanol (as free base)	Glass ampoule: 1 mL	12/12/2025
LGC-Lipomed	d,l-trans-Tilidine.HCl.hemihydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	d-Amphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d-Amphetamine.sulfate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	d-Cathine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Delorazepam, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Desmethyldiazepam (Nordazepam), 1 mg/ml in Methanol Prod No: LPM-DIA-108-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Desmethyldiazepam-D5 (Nordazepam-D5), 0.1mg/ml in Methanol	Glass ampule: 1 mL	9/25/2025
LGC-Lipomed	Desmethyldiazepam-D5 (Nordazepam-D5), 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Desomorphine, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Diazepam, 1 mg/ml in Methanol Prod No: LPM-DIA-107-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Diazepam-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Diazepam-D3, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Diazepam-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Dihydrocodeine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025

LGC-Lipomed	Dihydrocodeine-D6.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Dihydrocodeine-D6.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Dihydromorphine-6-Beta-D-glucuronide, 1mg/ml in Acetonitrile/Water : 1/1 Acetonitrile/Water : 1/1	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	d-Methamphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	d-Propoxyphene.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-PPO-697-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Ecgonine methylester.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Ecgonine methylester-D3.FB, 0.1mg/ml in Acetonitrile	Glass ampoule: 1 mL	12/10/2025
LGC-Lipomed	Ecgonine methylester-D3.FB,1mg/ml in Acetonitrile	Glass ampoule: 1 mL	12/10/2025
LGC-Lipomed	Ecgonine methylester-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Ecgonine methylester-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Ecgonine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/17/2025
LGC-Lipomed	Ecgonine-D3.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Estazolam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Ethcathinone.HCl, 1mg/ml in Acetonitrile (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Ethylmorphine.HCl.dihydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Ethylone.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Fenethylline.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Fenethylline-D3.HCl, 0.1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Fenethylline-D3.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Fentanyl, 1mg/ml in Methanol Prod No: LPM-FEN-622-FB-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Fentanyl-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Flephedrone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Flualprazolam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Fludiazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Flunitrazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Flunitrazepam-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Flunitrazepam-D3, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Flunitrazepam-D7, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Flunitrazepam-D7, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Fluoxymesterone, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Flurazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	GHB.sodium salt, 1 mg/ml in Methanol Prod No: LPM-GHB-538-NA-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	GHB-D6.sodium salt, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Heroin.HCl.monohydrate, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	Heroin-D3 (3,6-Diacetylmorphine-D3), 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Heroin-D3 (3,6-Diacetylmorphine-D3), 1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Heroin-D3.HCl.monohydrate, 0.1mg/ml in Acetonitrile (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Heroin-D3.HCl.monohydrate, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Heroin-D9 (3,6-Diacetylmorphine-D9), 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Heroin-D9 (3,6-Diacetylmorphine-D9), 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Hexobarbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	HU-210, 0.1mg/ml in Methanol	Glass ampule: 1 mL	12/16/2025
LGC-Lipomed	HU-210, 1mg/ml in Methanol	Glass ampule: 1 mL	12/16/2025
LGC-Lipomed	Hydrocodone, 1mg/ml in Methanol Prod No: LPM-C-405-FB-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Hydrocodone-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Hydrocodone-D3, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Hydrocodone-D6, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Hydrocodone-D6, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Hydromorphone, 1 mg/ml in Methanol Prod No: LPM-M-407-FB-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Hydromorphone-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Hydromorphone-D3, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-018, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	JWH-018, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	JWH-018-D11, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	JWH-018-D11, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	JWH-019, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-019, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-073, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	JWH-073, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	JWH-081, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	JWH-081, 1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	JWH-122, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-122, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-200, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-200, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	JWH-250, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	JWH-250, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Ketamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	l-Amphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	l-Methamphetamine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Loprazolam, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Lorazepam, 1 mg/ml in Acetonitrile Prod No: LPM-LOR-142-1LA	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Lorazepam-D4, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Lorazepam-D4, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Lormetazepam, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Lormetazepam-D3, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Lormetazepam-D3, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	LPM-AMB-400-NA-1LM	Glass Ampule: 1 ml	7/28/2025

LGC-Lipomed	LPM-AMP-976-HC-0.1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-BUT-1637-FA-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-CHL-147-FB-1LA	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-CLO-105-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-COC-156-FB-1LA	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-COC-156-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-COC-207-FB-1LA	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-DIA-826-0.1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-ETZ-1753-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-FEN-622-FB-0.1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-M-29-FB-1LA	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-MDE-191-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-MET-637-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-MPB-1541-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-MPH-1675-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-OXA-860-0.1LA	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-PCP-436-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-PPO-1360-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-PYR-1854-HC-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-SCB-583-FA-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-TEM-917-0.1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-TRI-124-FB-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LPM-ZOL-919-TA-1LM	Glass Ampule: 1 ml	7/28/2025
LGC-Lipomed	LSD-D3 (Lysergic acid diethylamide-D3), 0.1mg/ml in	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	LSD-D3 (Lysergic acid diethylamide-D3), 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Mazindol, 1 mg/ml in DMF Prod No: LPM-MZD-1274-FB-1LD	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	MDMB-CHMICA, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Medazepam, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Meperidine.HCl (Pethidine.HCl), 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Meperidine-D4.HCl (Pethidine-D4.HCl), 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Meperidine-D4.HCl (Pethidine-D4.HCl), 1 mg/ml in Methanol (as free base) Prod No: LPM-MEP-1536-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Meprobamate, 1 mg/ml in Methanol Prod No: LPM-MPB-1142-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Meprobamate, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Meprobamate-D7, 0.1 mg/ml in Methanol Prod No: LPM-MPB-1541-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Mescaline.HCl, 1mg/ml in Ethanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Metenolone enanthate, 1mg/ml in Isopropanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Methandienone, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Methaqualone, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Methaqualone-D7, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Methaqualone-D7, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Methoxetamine.HCl, 1 mg/ml in Methanol (as free base) LPM-MXE-1527-HC-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Methylone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Methylone-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Methylone-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Midazolam, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Midazolam-D4.maleate, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Midazolam-D4.maleate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Morphine.monohydrate, 1mg/ml in Methanol (as free base) Prod No: LPM-M-35-FB-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Morphine.sulfate.pentahydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	Morphine-3-Beta-D-glucuronide, 1mg/ml in Methanol/Water : 1/1	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	Morphine-3-Beta-D-glucuronide-D3, 0.1mg/ml in Methanol/Water : 1/1	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Morphine-3-Beta-D-glucuronide-D3, 1mg/ml in Methanol/Water : 1/1	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Morphine-6-Beta-D-glucuronide, 1mg/ml in Water	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	Morphine-6-Beta-D-glucuronide-D3, 0.1mg/ml in Acetonitrile/Water : 1/1	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Morphine-6-Beta-D-glucuronide-D3, 1mg/ml in Acetonitrile/Water : 1/1	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Morphine-D3.monohydrate, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-M-39-FB-1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Morphine-D3.monohydrate, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	MPBP.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	N,N-Dimethyltryptamine, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Nalorphine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Naloxone-3-Beta-D-glucuronide, 1mg/ml in Methanol/Water : 1/1	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Nandrolone, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Naphyrone.HCl, 1mg/ml in Methanol (as free base)	Glass ampule: 1 mL	9/25/2025
LGC-Lipomed	N-Ethylpentylone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	7/24/2025
LGC-Lipomed	N-Ethylpentylone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/17/2025
LGC-Lipomed	Nimetazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Nitrazepam, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Nitrazepam-D5, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Nitrazepam-D5, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Norbuprenorphine, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Norbuprenorphine, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Norbuprenorphine-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Norbuprenorphine-D3, 1 mg/ml in Methanol Prod No: LPM-BUP-1355-FB-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Norcocaine.HCl, 1mg/ml in Acetonitrile (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Norcodeine, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Norfentanyl.HCl, 0.1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Norfentanyl.HCl, 1mg/ml in Methanol (as free base) Prod No: LPM-FEN-632-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Norfentanyl-D5.HCl, 0.1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Norfentanyl-D5.HCl, 1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025

LGC-Lipomed	Norhydrocodone.HCl, 1mg/ml in Acetonitrile/Water: 1/1(as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Norhydrocodone-D3.HCl, 0.1mg/ml in Methanol (as free base)	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Normeperidine.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-MEP-1365-HC-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Normeperidine-D4.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Normeperidine-D4.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Normorphine.HCl.monohydrate, 1 mg/ml in Methanol (as free base) Prod No: LPM-M-34-HC-1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Noroxycodone.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-C-1598-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Noroxymorphone.HCl, 1mg/ml in Methanol/Water : 1/1(as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Oxazepam, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Oxazepam-D5, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Oxycodone OCD3.HCl.monohydrate, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Oxycodone.HCl.monohydrate, 1mg/ml in Methanol (as free base) Prod No: LPM-C-404-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Oxycodone-D6.HCl.monohydrate, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Oxycodone-D6.HCl.monohydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Oxycodone-OCD3.HCl.monohydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Oxymetholone, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Oxymorphone, 1mg/ml in Methanol Prod No: LPM-M-406-FB-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Oxymorphone-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Oxymorphone-D3, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	PB-22, 0.1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	PB-22, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	PCP-D5.HCl (Phencyclidine-D5.HCl), 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	PCP-D5.HCl (Phencyclidine-D5.HCl), 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/5/2025
LGC-Lipomed	Pentedrone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Pentobarbital.sodium salt, 1mg/ml in Methanol (as free Acid)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Pentobarbital-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Pentobarbital-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Pentylone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Pentylone-D3.HCl, 0.1mg/ml in Methanol (as free base)	Glass ampoule: 1 mL	12/10/2025
LGC-Lipomed	Pentylone-D3.HCl, 1mg/ml in Methanol (as free base)	Glass ampoule: 1 mL	12/10/2025
LGC-Lipomed	Phenmetrazine.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Phenobarbital, 1 mg/ml in Methanol Prod No: LPM-PHB-376-FA-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Phenobarbital-D5 (side chain), 0.1 mg/ml in Methanol Prod No: LPM-PHB-1720-FA-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Phenobarbital-D5 (side chain), 1 mg/ml in Methanol Prod No: LPM-PHB-1720-FA-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Phentermine.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-PHE-844-HC-1LM	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Phentermine-D6.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Phentermine-D6.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Pholcodine.monohydrate, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Prazepam, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Prazepam-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Prazepam-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Pregabalin, 1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Psilocin, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Psilocybin, 1mg/ml in Acetonitrile/Water : 1/1	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Pyrovalerone.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	RCS-4, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	RCS-4, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	S(-)-Cathinone.HCl, 1mg/ml in Acetonitrile/Water:1/1 (as free base)	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Secobarbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Secobarbital, 1mg/ml in Methanol	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Secobarbital-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Stanozolol, 1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Sufentanil-D5, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Tapentadol.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	9/18/2025
LGC-Lipomed	Tapentadol-D3.HCl, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-TAP-1809-HC-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Tapentadol-D3.HCl, 1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Temazepam, 1 mg/ml in Methanol Prod No: LPM-TEM-123-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Temazepam-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Testosterone, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Testosterone-D3, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Testosterone-D3, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Tetrazepam, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	THCA-A, 1mg/ml in Isopropanol	Glass ampule: 1 mL	9/25/2025
LGC-Lipomed	Thebaine, 1mg/ml in Methanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Thiopental, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Thiopental-D5, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Tramadol.HCl, 1mg/ml in Methanol (as free base) Prod No: LPM-TRA-779-HC-1LM	Glass Ampule: 1 ml	7/23/2025
LGC-Lipomed	Tramadol-O-CD3.HCl, 0.1mg/ml in Methanol (as free base)	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	Tramadol-O-CD3.HCl, 1 mg/ml in Methanol (as free base) Prod No: LPM-TRA-1626-HC-1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	trans-Cinnamoylcocaine, 1mg/ml in Acetonitrile	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Trenbolone acetate, 1 mg/ml in Isopropanol Prod No: LPM-TBL-1528-1LI	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Trenbolone acetate, 1mg/ml in Isopropanol	Glass Ampule: 1 ml	8/14/2025
LGC-Lipomed	Trenbolone, 1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Triazolam, 0.1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	U-47700, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	UR-144, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	UR-144, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	XLR-11, 0.1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025
LGC-Lipomed	XLR-11, 1mg/ml in Methanol	Glass Ampule: 1 ml	10/13/2025

LGC-Lipomed	Zaleplon, 1mg/ml in Methanol	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Zolpidem-D6.tartrate, 0.1 mg/ml in Methanol (as free base) Prod No: LPM-ZOL-920-TA-0.1LM	Glass Ampule: 1 ml	8/12/2025
LGC-Lipomed	Zolpidem-D6.tartrate, 1mg/ml in Methanol (as free base)	Glass ampule: 1 mL	9/25/2025
LGC-Lipomed	Zopiclone, 1 mg/ml in Acetonitrile Prod No: LPM-ZOP-921-FB-1LA	Glass Ampule: 1 ml	8/13/2025
LGC-Lipomed	Zopiclone-D4, 0.1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-Lipomed	Zopiclone-D4, 1mg/ml in Acetonitrile	Ampule, Amber Glass: 1 mL	11/21/2025
LGC-TRC	ADB-FUBINACA (1 mg/mL in Methanol)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	Androstanolone-d3 (1.0 mg/ml in Methanol)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	Calusterone (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	Clobazam-d5 (1 mg/ml in Acetonitrile)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	L-threo-Methylphenidate Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	MDMA Hydrochloride (1.0mg/ml in Methanol)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	MDMA-d3 Hydrochloride (1 mg/ml in Acetonitrile)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	Nimetazepam-d3 (1.0 mg/ml in Methanol)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	rac Benzphetamine Hydrochloride (1.0mg/ml in Acetonitrile)	Glass ampoule: 1 mL	11/28/2025
LGC-TRC	Thiopental (1 mg/ml in Acetonitrile)	Glass ampoule: 1 mL	11/28/2025
Life Technologies, Inc.	AmnioMax-C100 First Dilution	Bottle: 1 L	2/17/1994
LIfe Technologies, Inc.	AmnioMax-C100 Second Dilution	Bottle: 1 L	2/17/1994
Life Technologies, Inc.	AmnioMax-C100 Stock Solution	Bottle: 1 L	2/17/1994
Life Technologies, Inc.	AmnioMax-C100 Supplement	Bottle: 15 mL, 60 mL, 75 mL, 100 mL	2/17/1994
Life Technologies, Inc.	Testosterone Stock Solution	Bottle: 1 L, 100 mL	10/4/1994
LifePoint, Inc.	LifePoint Drugs of Abuse and Alcohol Control Positive	Vial: 5 mL	6/18/2001
LifePoint, Inc.	Quality Check: Positive Control	Glass vial: 5 mL	6/12/2002
LifeSign	Status Positive Control Urine	Glass vial: 1-200 mL	12/16/2003
Lin-Zhi International	6-Acetylmorphine DAU Calibrator, 6-Acetylmorphine, Cutoff Calibrator, Ref #0293	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Calibrator, 6-Acetylmorphine, Low Calibrator, Ref #0292	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Calibrator, 6-Acetylmorphine, Negative Calibrator, Ref #0299	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, High Calibrator, Ref #0295	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, Intermediate Calibrator, Ref #0294	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, Level 1 Control, Ref #0297	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, Level 2 Control, Ref #0298	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, Cutoff Calibrator, Ref #0103	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, High Calibrator, Ref #0105	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, Intermediate Calibrator, Ref #0104	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, Low Calibrator, Ref #0102	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Control (Urine), Methamphetamine, Level 1 Control, Ref #0107	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Control (Urine), Methamphetamine, Level 2 Control, Ref #0108	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, Cutoff Calibrator, Ref #0043	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, High Calibrator, Ref #0045	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, Intermediate Calibrator, Ref #0044	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, Low Calibrator, Ref #0042	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Control (Urine), Methamphetamine, Level 1 Control, Ref #0047	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Control (Urine), Methamphetamine, Level 2 Control, Ref #0048	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Calibrator, Benzoylecgonine, Cutoff Calibrator, Ref #0343	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Calibrator, Benzoylecgonine, Low Calibrator, Ref #0342	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylecgonine, High Calibrator, Ref #0345	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylecgonine, Intermediate Calibrator, Ref #0344	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylecgonine, Level 1 Control, Ref #0347	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylecgonine, Level 2 Control, Ref #0348	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, Cutoff Calibrator, Ref #0033	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, High Calibrator, Ref #0035		7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, High Calibrator, Ref #0035	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, Intermediate Calibrator, Ref #0034	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, Level 1 Control, Ref #0037	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, Level 2 Control, Ref #0038	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylecgonine, Low Calibrator, Ref #0032	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	FEN Validation Sample Set 1	Set: 3 tubes, 10 ml each	7/18/2025
Lin-Zhi International	FEN Validation Sample Set 2	Set: 9 tubes, 10 ml each	7/18/2025
Lin-Zhi International	FEN Validation Sample Set 3	Set: 4 tubes, 30 ml each	7/18/2025
Lin-Zhi International	FEN Validation Sample Set 4	Set: 2 tubes,10 ml each	7/18/2025
Lin-Zhi International	FEN Validation Sample Set 5	Set: 52 vials, 1 ml each 10 mL for each 10 mL for each	7/18/2025
Lin-Zhi International	Fentanyl Control Set	Kit: 4 dropper bottles, 15 mL each	1/15/2025
Lin-Zhi International	LZI Fentanyl Calibrator (Urine) Fentanyl, Cutoff Calibrator Ref# 0973	Dropper Bottle: 5 mL	6/2/2025
Lin-Zhi International	LZI Fentanyl Calibrator (Urine) Fentanyl, Cutoff Calibrator Ref# 0983	Dropper bottle: 5 mL	7/3/2025
Lin-Zhi International	LZI Fentanyl Calibrator (Urine) Fentanyl, High Calibrator Ref# 0985	Dropper bottle: 5 mL	7/3/2025
Lin-Zhi International	LZI Fentanyl Calibrator (Urine) Fentanyl, Intermediate Calibrator Ref# 0984	Dropper bottle: 5 mL	7/3/2025
Lin-Zhi International	LZI Fentanyl Calibrator/Control (Urine) Fentanyl, Low Calibrator/Level 1 Control Ref# 0982	Dropper bottle: 5 mL	7/3/2025
Lin-Zhi International	LZI Fentanyl Control (Urine) Fentanyl, Level 1 Control Ref# 0977	Dropper Bottle: 5 mL	6/2/2025
Lin-Zhi International	LZI Fentanyl Control (Urine) Fentanyl, Level 2 Control Ref# 0978	Dropper Bottle: 5 mL	6/2/2025
Lin-Zhi International	LZI Fentanyl Control (Urine) Fentanyl, Level 2 Control Ref# 0988	Dropper bottle: 5 mL	7/3/2025
Lin-Zhi International	LZI Fentanyl Level 1 Control, Ref# D26785	Dropper bottle: 5 mL	4/28/2025
Lin-Zhi International	LZI Fentanyl Level 2 Control, Ref# D26786	Dropper bottle: 5 mL	4/28/2025
lin-Zhi International	LZI Fentanyl Qualitative Calibrator, Ref# D26784	Dropper bottle: 5 mL	4/28/2025

Lin-Zhi International	LZI Hydrocodonc 300 Semi-Quantitative Calibrator Set	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, Cutoff Calibrator, Ref #0383	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, High Calibrator, Ref #0385	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, Intermediate Calibrator, Ref #0384	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, Low Calibrator, Ref #0382	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Control (Urine), Hydrocodone, Level 1 Control, Ref #0387	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Control (Urine), Hydrocodone, Level 2 Control, Ref #0388	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Level 1 Control (75 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Level 2 Control (125 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Qualitative Calibrator (100 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Semi-Quantitative Calibrator Set	Kit: 4 dropper bottles; 15 mL each	9/25/2020
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, Cutoff Calibrator, Ref #0393	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, High Calibrator, Ref #0395	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, Intermediate Calibrator, Ref #0394	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, Low Calibrator, Ref #0392	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Control (Urine), Hydrocodone, Level 1 Control, Ref #0397	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Control (Urine), Hydrocodone, Level 2 Control, Ref #0398	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Level 1 Control (225 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 300 Level 2 Control (375 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 300 Qualitative Calibrator (300 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Norbuprenorphine Calibrator (Urine), Norbuprenorphine, Cutoff Calibrator #2 Ref# 0275	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Calibrator (Urine), Norbuprenorphine, High Calibrator Ref# 0279	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Calibrator (Urine), Norbuprenorphine, Intermediate Calibrator #1 Ref# 0277	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Calibrator (Urine), Norbuprenorphine, Intermediate Calibrator #2 Ref# 0278	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Calibrator (Urine), Norbuprenorphine, Low/Cutoff Calibrator #1 Ref# 0273	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Control (Urine), Norbuprenorphine, Level 1 Control Ref# 0272	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Control (Urine), Norbuprenorphine, Level 1/Level 2 Control Ref# 0274	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norbuprenorphine Control (Urine), Norbuprenorphine, Level 2 Control Ref# 0276	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl (Q) Qualitative Calibrator (5 ng/mL), Ref# C68815	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	LZI Norfentanyl Calibrator (Urine), Norfentanyl, Cutoff Calibrator, Ref# 0313	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Calibrator (Urine), Norfentanyl, Cutoff Calibrator, Ref# 0553	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Calibrator (Urine), Norfentanyl, High Calibrator, Ref# 0555	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Calibrator (Urine), Norfentanyl, Intermediate Calibrator, Ref# 0554	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Calibrator (Urine), Norfentanyl, Low Calibrator, Ref# 0552	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Control (Urine), Norfentanyl, Level 1 Control, Ref# 0317	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Control (Urine), Norfentanyl, Level 1 Control, Ref# 0557	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Control (Urine), Norfentanyl, Level 2 Control, Ref# 0318	Dropper bottle: 5 mL	5/20/2022
Lin-Zhi International	LZI Norfentanyl Level 1 Control (3.75 ng/mL), Ref# C68821	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	LZI Norfentanyl Level 2 Control (6.25 ng/mL), Ref# C68822	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	LZI Norfentanyl Qualitative Calibrator (5 ng/mL), Ref# C68810	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	LZI Norfentanyl Semi-Quantitative Calibrator Set, Ref# C68811	Kit: 4 dropper bottles; 15 mL each	6/9/2021
Lin-Zhi International	LZI Oxycodone (100) Calibrator (Urine) Oxycodone, Cutoff Calibrator Ref# 0613	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (100) Calibrator (Urine) Oxycodone, High Calibrator Ref# 0615	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (100) Calibrator (Urine) Oxycodone, Intermediate Calibrator Ref# 0614	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (100) Calibrator (Urine) Oxycodone, Low Calibrator Ref# 0612	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (100) Control (Urine) Oxycodone, Level 1 Control Ref# 0617	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (100) Control (Urine) Oxycodone, Level 2 Control Ref# 0618	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (300) Calibrator (Urine) Oxycodone, Cutoff Calibrator Ref# 0623	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (300) Calibrator (Urine) Oxycodone, High Calibrator Ref# 0625	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (300) Calibrator (Urine) Oxycodone, Intermediate Calibrator Ref# 0624	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (300) Calibrator (Urine) Oxycodone, Low Calibrator Ref# 0622	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (300) Control (Urine) Oxycodone, Level 1 Control Ref# 0627	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone (300) Control (Urine) Oxycodone, Level 2 Control Ref# 0628	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone 100 Control (Urine) Oxycodone, Level 1 Control Ref# 242b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone 100 Control (Urine) Oxycodone, Level 2 Control Ref# 0244b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone 300 Control (Urine) Oxycodone, Level 1 Control Ref# 0245b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone 300 Control (Urine) Oxycodone, Level 2 Control Ref# 0247b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone Calibrator (Urine) Oxycodone, Cutoff Calibrator #1 Ref# 243b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone Calibrator (Urine) Oxycodone, Cutoff Calibrator #2 Ref 0246b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone Calibrator (Urine) Oxycodone, High Calibrator Ref# 0249b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone Calibrator (Urine) Oxycodone, Intermediate Calibrator Ref# 0248b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Oxycodone Calibrator (Urine) Oxycodone, Low Calibrator Ref# 0252b	Dropper bottle: 5 mL	10/21/2022
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Cutoff Calibrator, Ref #0413	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, High Calibrator, Ref #0415	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Intermediate Calibrator, Ref #0414	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Level 1 Control, Ref #0417	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Level 2 Control, Ref #0418	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Low Calibrator, Ref #0412	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, Cutoff Calibrator Ref# 0373	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, High Calibrator Ref# 0375	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, Intermediate Calibrator Ref# 0374	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, Low Calibrator Ref# 0372	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Control, Meprobamate, Level 1 Control Ref# 0377	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Control, Meprobamate, Level 2 Control Ref# 0378	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, Cutoff Calibrator, Ref #0353	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, High Calibrator, Ref #0355	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, Intermediate Calibrator, Ref #0354	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, Low Calibrator, Ref #0352	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Control (Urine), Methamphetamine, Level 1, Ref #0357 Control	Dropper bottle: 5 mL	3/13/2023

Lin-Zhi International	Methamphetamine DAU Control (Urine), Methamphetamine, Level 2 Control, Ref #0358	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Multi-Analyte DAU Calibrator Set C, Multi-Analyte, Low Calibrator, Ref #0852	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Calibrator Set D, Multi-Analyte, Low Calibrator, Ref #0872	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Cutoff Calibrator, Ref #0853	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, High Calibrator, Ref #0855	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Intermediate Calibrator, Ref #0854	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Level 1 Control, Ref #0857	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Level 2 Control, Ref #0858	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Cutoff Calibrator, Ref #0873	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, High Calibrator, Ref #0874	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Intermediate Calibrator, Ref #0875	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Level 1 Control, Ref #0877	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Level 2 Control, Ref #0878	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprcnorphinc, Intermediate Calibrator #2 (40 ng/mL), Ref# A68829	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprenorphine Level 2 Control (13 ng/mL), Ref# A68825	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprenorphine Low Calibrator (5 ng/mL), Ref# A68826	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprenorphine, Cutoff Calibrator (10 ng/mL), Ref# A68827	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprenorphine, High Calibrator (100 ng/mL), Ref# A68830	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprenorphine, Intermediate Calibrator #1 (20 ng/mL), Ref# A68828	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Norbuprenorphine DAU Calibrator, Norbuprenorphine, Level 1 Control (7 ng/mL), Ref# A68824	Dropper bottle: 5 mL	6/9/2021
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Cutoff Calibrator, Ref #0333	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, High Calibrator, Ref #0335	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Intermediate Calibrator, Ref #0334	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Level 2 Control, Ref #0338	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Low Calibrator, Ref #0332	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Control (Urine), Morphine, Level 1 Control, Ref #0337	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Cutoff Calibrator, Ref #0023	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, High Calibrator, Ref #0025	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Intermediate Calibrator, Ref #0024	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Level 2 Control, Ref #0028	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Low Calibrator, Ref #0022	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Control (Urine), Morphine, Level 1 Control, Ref #0027	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International, Inc.	Barbiturate DAU Calibrator/Control	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Cannabinoid Urine DAU Calibrator	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Cannabinoid Urine DAU Control	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Ecstasy DAU Calibrator	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Ecstasy DAU Control	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Amphetamines	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Benzodiazepine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Cocaine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Methadone	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Opiate	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Propoxyphene	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator. Phencyclidine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Amphetamines	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Benzodiazepine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Cocaine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Methadone	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Opiate	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Phencyclidine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Propoxyphene	Dropper bottle: 8 mL	12/15/2003
Lipomed Inc.	(-)-11-nor-delta-9-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-8-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-8-THC, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta9-THC, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	(-)-delta-9-THC, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC-D3, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC-D3, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(+)-11-nor-delta9-THC carboxylic acid, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	(+)-11-nor-delta9-THC carboxylic acid, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	(+)-11-nor-delta9-THC carboxylic acid, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	1 mL Meprobamate-D7 solution (0.1 mg/mL methanol)	Amber ampule: 1 mL	5/29/2025
Lipomed Inc.	11-Hydroxy-Delta-9-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	11-Hydroxy-Delta-9-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	11-Nor-9-carboxy-Delta-9-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	11-Nor-9-carboxy-Delta-9-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	17α-Methyltestosterone (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	1-Benzylpiperazine.2HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	25B-NB2OMe (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25B-NB2OMe HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25B-NB2OMe.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25C-NB2OMe (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25C-NB2OMe HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25C-NB2OMe.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25I-NB2OMe (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25I-NB2OMe HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25I-NB2OMe.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25I-NB2OMe-D9 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016

Lipomed Inc.	25I-NB2OMe-D9 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25I-NB2OMe-D9 HCl (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25I-NB2OMe-D9 HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25I-NB2OMe-D9.HCl (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	25I-NB2OMe-D9.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	2C-B HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	2C-B-D6-HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-B-D6-HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-C.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-C-D6.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-C-D6.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-D.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-E.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	2C-H.HCl(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	2C-I.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	2C-I-D6-HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-I-D6-HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-N.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-P.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	2C-T-2.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	2C-T-4.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	2-C-T-7 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	3,4-Methylendioxypyrovalerone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	3,4-Methylendioxypyrovalerone.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	3,4-Methylendioxypyrovalerone-D8.HCl (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	3,4-Methylendioxypyrovalerone-D8.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	3,4-Methylenedioxy-α-pyrrolidinopropiophenone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	3,6-Diacetylmorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	3,6-Diacetylmorphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	3-Acetylmorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	3-Acetylmorphine amidosulfonate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	3-Desmethylprodine (1 mg/mL acetonitrile)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	3-Desmethylprodine.HCl (1 mg free base/1 mL acetonitrile)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	3-Methylmethcathinone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/1/2019
Lipomed Inc.	3-Methylmethcathinone.HCl (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	4-Ethylmethcathinone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	4-Ethylmethcathinone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	4-Fluoromethcathinone (Flephedrone).HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	4-Methylethcathinone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	4-Methylethcathinone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	4-Methylethcathinone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	4-Methylmethcathinone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	4-Methylmethcathinone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	4-Methylmethcathinone.HCl; Mephedrone.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	4-Methylmethcathinone-D3 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	4-Methylmethcathinone-D3 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	5a-Dihydrotestosterone (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	5F-AB-Pinaca (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	5F-AB-Pinaca (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	5F-Apinaca solution (1.0 mg/1 mL methanol)	Glass ampule: 1 mL	3/31/2020
Lipomed Inc.	5F-PB-22 (0.1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	5F-PB-22 (1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	5-MeO-DMT HCl 1.0 mg/mL in methanol	Glass ampule: 1 mL	10/26/2022
Lipomed Inc.	5α-Dihydrotestosterone (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	6-Acetylcodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylcodeine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylcodeine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylcodeine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylcodeine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylmorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylmorphine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine-D6 HCl solution (1.0 mg free base /1 mL methanol)	Glass ampule: 1 mL	9/14/2019
Lipomed Inc.	6-Acetylmorphine-D6.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	6-β-Hydroxytestosterone (1 mg /1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	6-β-Hydroxytestosterone (1 mg/1mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	6β-Naltrexol (1.0 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/7/2019
Lipomed Inc.	AB-CHMINACA (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AB-CHMINACA (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-CHMINACA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-FUBINACA (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AB-FUBINACA (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-FUBINACA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-PINACA (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AB-PINACA (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-PINACA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Acetylfentanyl.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018

Lipomed Inc.	Acetylfentanyl-D5 (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Acetylfentanyl-D5 (0.1 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	5/31/2023
Lipomed Inc.	AH-7921 (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AH-7921.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	AKB-48 (APINACA) (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AKB-48 (APINACA) (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AKB-48 (APINACA) (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Allobarbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Alprazolam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Alprazolam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Alprazolam-D5, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Alprazolam-D5, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	AM-2201 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	AM-2201 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Amfepramone.HCl (1 mg free base/1 mL acetonitrile/water: 1/1)	Glass ampule: 1 mL	3/12/2018
Lipomed Inc.	Amfepramone.HCl (1 mg/1 mL ethanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Amobarbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Androstenedione (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Androstenedione (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Anhydroecgonine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine methylester HBr, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine methylester-D3 HBr, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine methylester-D3 HBr, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine-methylester 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine-methylester-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Apomorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Barbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Barbital-D5 (0.1 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	2/17/2023
Lipomed Inc.	Barbital-D5 (1.0 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	2/17/2023
Lipomed Inc.	Benzodiazepines mixture (.001 mg free base/ml acetonitrile)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Benzodiazepines mixture 5 (1 mg free base/mL acetonitrile)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Benzodiazepines mixture 8 (0.25 mg/1 mL acetronitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Benzoylecgonine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Benzoylecgonine H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Benzoylecgonine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Benzoylecgonine-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Benzoylecgonine-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Bezoylecgonine-D8 (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Bezoylecgonine-D8 (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Boldenone (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Bromazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Bromazepam-D4 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Bromazepam-D4 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Bufotenine.oxalate.monohydrate (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Bufotenine.oxalate.monohydrate (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Buphedrone.HCl (MABP.HCl) (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Buphedrone.HCl (MABP.HCl)(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Buprenorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Buprenorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Buprenorphine-3-β-D-glucuronide (0.1 mg/1ml acetonitrile/water)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buprenorphine-3-β-D-glucuronide (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buprenorphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Buprenorphine-D4.HCl (0.1 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buprenorphine-D4.HCl (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Butabarbital (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Butabarbital(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Butalbital – D5 (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Butalbital (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Butalbital(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Butalbital-D5 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Butalbital-D5 (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Butalbital-D5 (1 mg free acid/ 1 mL methanol)	Glass ampule: 1 mL	10/6/2017
Lipomed Inc.	Butylone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Butylone HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Butylone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Butylone-D3 HCl (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Butylone-D3 HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Butylone-D3.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Butylone-D3.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Butyrylfentanyl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Cannabidiol 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cannabinol 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Carisoprodol (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Carisoprodol D7 (0.1 mg /1 mL methanol)	Glass ampule: 1 mL	7/17/2020
Lipomed Inc.	Carisoprodol D7 (1 mg /1 mL methanol)	Glass ampule: 1 mL	7/17/2020

Lipomed Inc.	Carisoprodol(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Carisoprodol-D7	Glass Ampule: 1 mL	11/6/2019
Lipomed Inc.	Cathine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Chlorazepate, dipotassium salt 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Chlordiazepoxide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Chlordiazepoxide-D5 (0.1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Chlordiazepoxide-D5 (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Chlorodehydromethyltestosterone (1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Chlorodehydromethyltestosterone (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	cis-(±)-4,4'-Dimethylaminorex (1.0 mg/mL free/ 1 mL acetonitrile)	Glass ampule: 1 mL	5/31/2023
Lipomed Inc.	Clobazam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clonazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clonazepam-D4 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Clonazepam-d4 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clorazepate dipotassium H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Clotiazepam (1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Clotiazepam (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Clotiazepam (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Cocaethylene 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaethylene-D3 (1 mg/mL acetonitrile)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Cocaethylene-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaethylene-D3, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	Cocaine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Cocaine mixture 2 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Cocaine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Cocaine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-Beta-D-glucuronide TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-Beta-D-glucuronide-D3 TFA, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-Beta-D-glucuronide-D3 TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine-6-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-D6(0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Codeine-D6(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-11-Hydroxy-delta-9-THC carboxylic acid, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-11-Hydroxy-delta-9-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-11-Hydroxy-delta-9-THC, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-2,4,5-Trimethoxyamphetamine HCl (1.0 mg free base/1 mL (1:1 ACN/ H2O))	Glass ampule: 1 mL	3/7/2019
Lipomed Inc.	d,l-2,5-DMA.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-3,4,5-TMA.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-3,4-Dimethoxyamphetamine.HCl d,l-3,4-DMA.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-4-Ethylmethcathinone.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	d,l-4-Ethylmethcathinone.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	d,l-4-Methylmethcathinone-D3.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	d,l-4-Methylmethcathinone-D3.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	d,l-4-Methylmethcathinone-D3.HCl; Mephedrone-D3.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-4-Methylmethcathinone-D3.HCl; Mephedrone-D3.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	D,L-Amphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Amphetamine H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Amphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Amphetamine-d11 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Amphetamine-D11.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Amphetamine-D3.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Amphetamine-D3.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Amphetamine-D5.HCl (side chain) (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Amphetamine-D5.HCl (side chain) (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Amphetamine-D6 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Amphetamine-D6 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-BDB 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-BDB HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-BDB-D2 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-BDB-D2 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Cathinone.HCl(1 mg/1 mL Acetonitrile)/water (1/1)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-cis-3-methylfentanyl HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	d,l-Fenfluramine.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	d,l-Fenfluramine.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Fenfluramine.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	d,l-Fenproporex HCl (1.0 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/7/2019
Lipomed Inc.	d,l-HMMA.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	D,L-MBDB 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MBDB HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MBDB-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MBDB-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005

Lipomed Inc.	d,l-MBDB-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDA 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDA-d2 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDA-D2 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDA-D2 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDA-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDA-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDA-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDDMA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	D,L-MDEA 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDEA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDEA-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDEA-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDEA-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDMA 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDMA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDMA-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDMA-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDMA-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDMA-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDMA-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDMA-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Metamfepramone.HCl	Glass ampule; 1 mL	6/4/2019
Lipomed Inc.	d,l-Metamfepramone.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	d,l-Methadone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D9 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D9 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Methamphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Methamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methamphetamine-D14.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/12/2018
Lipomed Inc.	d,l-Methamphetamine-D14.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/12/2018
Lipomed Inc.	d,l-Methamphetamine-D14.HCl (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	d,l-Methamphetamine-D14.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	d,l-Methamphetamine-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methamphetamine-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Methamphetamine-d9 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Methcathinone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-Methylphenidate.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-N,N-Dimethylamphetamine.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-N-Ethylamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-Pentobarbital-D5 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-Pentobarbital-D5 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-PMA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-PMMA.HCl (1.0 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	5/31/2023
Lipomed Inc.	d,l-Propoxyphene-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-Propoxyphene-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-threo-Methylphenidate-D10.HCl (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	d,l-threo-Methylphenidate-D10.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	d,l-trans-methylfentanyl HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	d,l-trans-Tilidine.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	d,l-trans-Tilidine.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	d/l-PMA-D3.HCl (0.1 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	2/17/2023
Lipomed Inc.	d/l-PMA-D3.HCl 1 mg free base/1 mL methanol	Glass ampule: 1 mL	2/14/2023
Lipomed Inc.	d/l-PMA-D3.HCl 1.0 mg/mL in methanol	Glass ampule: 1 mL	2/14/2023
Lipomed Inc.	D-Amphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d-Amphetamine H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	D-Amphetamine-d6 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delorazepam solution (1.0 mg free base /1 mL acetonitrile)	Glass ampule: 1 mL	9/27/2019
Lipomed Inc.	Delta-8-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-8-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-9-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-9-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Desmethyldiazepam(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Desmethyldiazepam-D5 (Nordazepam-D5) (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Desmethyldiazepam-D5 (Nordazepam-D5) (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Desomorphine (1 mg/mL acetonitrile)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Desomorphine (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Diazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Diazepam-D3 (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Diazepam-D5, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Diazepam-D5, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005

Lipomed Inc.	Diazpeam-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-6-beta-D-glucuronide TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-6-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-6-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-d6 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-D6.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Dihydrocodeine-D6.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Dihydromorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydromorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydromorphine-3-beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydromorphine-6-beta-D-glucuronide TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydronorcodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydronorcodeine TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydronormorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydronormorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Methamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Methamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	DOB HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	DOET HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	DOM HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d-Propoxyphene HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D-Propoxyphene.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Ecgonine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ecgonine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine methylester HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine methylester-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine methylester-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ecgonine-D3 HCl 0.1 mg free base/1 mL methanol	Amber ampule: 1 mL	6/16/2022
Lipomed Inc.	Ecgonine-D3 HCl 1 mg free base/1 mL methanol	Amber ampule: 1 mL	6/16/2022
Lipomed Inc.	Ecgonine-Methylester 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ecgonine-Methylester-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Estazolam(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Ethcathinone.HCl (1 mg free base/1 mL acetonitrile)	Glass ampule: 1 mL	3/1/2019
Lipomed Inc.	Ethcathinone.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Ethylmorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ethylone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Ethylone HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	5/19/2019
Lipomed Inc.	Etizolam (1 mg/mL)	Glass ampule: 1 mL	8/9/2023
Lipomed Inc.	Fenethylline.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Fenethylline-D3.HCl (0.1 mg/1 mL Methanol))	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Fenethylline-D3.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Fentanyl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/12/2018
Lipomed Inc.	Fentanyl, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Fentanyl-D5 (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/31/2017
Lipomed Inc.	Flephedrone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Flualprazolam (1 mg/mL)	Glass ampule: 1 mL	8/9/2023
Lipomed Inc.	Fludiazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Flunitrazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Flunitrazepam-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Flunitrazepam-D7 solution (0.1 mg free base /1 mL methanol)	Glass ampule: 1 mL	9/14/2019
Lipomed Inc.	Flunitrazepam-D7 solution (1.0 mg free base /1 mL methanol)	Glass ampule: 1 mL	9/14/2019
Lipomed Inc.	Fluoxymesterone (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Fluoxymesterone (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Flurazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Furanylfentanyl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	GHB, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	GHB-D6, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	GHB-D6, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	GHB-D6.Na solution (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	1/30/2020
Lipomed Inc.	GHB-D6.Na solution (1.0 mg/1 mL methanol)	Glass ampule: 1 mL	1/30/2020
Lipomed Inc.	Heroin HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Heroin-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin-D3, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Heroin-D3, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Heroin-D9 (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Heroin-D9(0.1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Hexobarbital(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Hydrocodone 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Hydrocodone-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Hydrocodone-D6(0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Hydrocodone-D6(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013

Lipomed Inc.	Hydromorphone 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Hydromorphone-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	JWH-018 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-018 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-018 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-018 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-018-D11 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-018-D11 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-018-D11 metabolite (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-018-D11 metabolite (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-019 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-019 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-019 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-019 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-073 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-073 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-081 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-081 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-081 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-081 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-122 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-122 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-122 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-122 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-200 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-200 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	JWH-200 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-200 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-250 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	JWH-250 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Ketamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LAMPA, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	L-Amphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	l-Amphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	L-Amphetamine-D3.sulfate (H2SO4) (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	L-Amphetamine-D3.sulfate (H2SO4) (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	L-Methamphetamine (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	l-Methamphetamine.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Loprazolam (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Loprazolam (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Loprazolam (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Lorazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Lorazepam-D4 (0.1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Lorazepam-D4 (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Lorazepam-d4 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Lormetazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Lormetazepam-D3 (0.1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Lormetazepam-D3 (0.1 mg/1 mL acetonitrile/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	LSD 25 µg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	LSD, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LSD, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LSD-d3 , 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LSD-d3 25 µg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	LSD-d3, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Mazindol (1 mg/1 mL dimethylformamide)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Mazindol (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Mazindol (1 mg/mL Dimethylformamide)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	MDMB-CHMICA (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	MDMB-CHMICA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	MDMB-CHMICA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Medazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Meperidine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Meperidine-D4.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Meperidine-D4.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Meperidine-D4.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Meperidine-D4.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	MePPP (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Meprobamate (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Meprobamate (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Meprobamate D7 Solution Catalog number: MPB-1541-1LM	Glass ampule: 1 mL	5/14/2025
Lipomed Inc.	Meprobamate solution Catalog number: MPB-1142-1LM	Glass ampule: 1 mL	5/14/2025
Lipomed Inc.	Meprobamate-D7 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Meprobamate-D7 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Mescaline HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Mescaline-NB2OMe.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Metenolone acetate	Glass ampule: 1 mL	11/6/2019
Lipomed Inc.	Metenolone acetate (1 mg/1 mL isopropanol)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Metenolone acetate (1.0 mg/1ml isopropanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Metenolone enanthate (1 mg/1 mL isopropanol)	Glass ampule: 1 mL	7/25/2018

Lipomed Inc.	Metenolone enanthate (1.0 mg/1ml ispropanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Metenolone ethanoate	Glass ampule: 1 mL	11/6/2019
Lipomed Inc.	Methandienone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Methaqualone, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Methaqualone-D7, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Methaqualone-D7, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Methoxetamine.HCl MXE-1527-HC-1LM	Amber ampule: 1 mL	1/17/2023
Lipomed Inc.	Methylone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Methylone.HCl; bk-MDMA.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Methylone-D3 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Methylone-D3 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Methylone-D3.HCl; bk-MDMA-D3.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Methylone-D3.HCl; bk-MDMA-D3.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Methylone-D3.HCl; bk-MDMA-D3.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Methylone-D3.HCl; bk-MDMA-D3.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Methyltestosterone (1 mg /1 mL methanol)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Midazolam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Midazolam-D4.maleate (0.1 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Midazolam-D4.maleate (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Morphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3beta-D-glucuronide-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3beta-D-glucuronide-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-3-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-6beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-6beta-D-glucuronide-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-6beta-D-glucuronide-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-6-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-6-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-D3 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Morphine-D3 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Morphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	N,N-Dimethylamphetamine (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	N,N-Dimethyltryptamine (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	N,N-Dimethyltryptamine (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	N,N-Dimethyltryptamine, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Nalorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Naloxone-3beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Nandrolone (1 mg /1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Nandrolone (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Naphyrone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Naphyrone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	N-Ethylnorpentylone HCl solution (1 mg /1 mL methanol)	Glass ampule: 1 mL	3/31/2020
Lipomed Inc.	Nimetazepam (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Nimetazepam (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Nitrazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Nitrazepam-D5 (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Nitrazepam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Noranhydroecgonine methylester HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Norbuprenorphine (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Norbuprenorphine (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Norbuprenorphine (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Norbuprenorphine-D3 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Norbuprenorphine-D3 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Norcocaine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Norcocaine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Norcocaine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Norcodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Norfentanyl.HCl	Glass ampule: 1 mL	6/17/2020
Lipomed Inc.	Norfentanyl-D5.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	6/17/2020
Lipomed Inc.	Norfentanyl-D5.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	6/17/2020
Lipomed Inc.	Norhydrocodone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/29/2006
Lipomed Inc.	Norhydrocodone-D3.HCl (0.1 mg free base/1 mL (ACN/H2O 1:1))	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Norhydrocodone-D3.HCl (1 mg free base/1 mL (ACN/H2O 1:1))	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Norhydrocodone-D3.HCl (0.1 mg/1 mL acetonitrile/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Norhydrocodone-D3.HCl (1 mg/1 mL acetonitrile/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Normeperidine (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Normeperidine.HCl ; Norpethidine.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Normeperidine-D4.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Normeperidine-D4.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Normorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Normorphine HCl hydrate, 1 mg/ml methanol Catalog number: M-34-HC-1LM	Glass ampule: 1 mL	5/14/2025
Lipomed Inc.	Normorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Noroxycodone.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Noroxymorphone.HCl (1 mg free base/1 mL (MeOH/H2O: 1/1))	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Noroxymorphone.HCl (1 mg/1 mL methanol/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Oxazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999

Lipomed Inc.	Oxazepam-D5, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxazepam-D5, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxazepam-D5, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	Oxazepam-d6 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Oxycodone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Oxycodone-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxycodone-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxycodone-D6.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Oxycodone-D6.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Oxycodone-OCD3.HCl (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Oxycodone-OCD3.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Oxymetholone (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Oxymorphone (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Oxymorphone-D3 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Oxymorphone-D3 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	PB-22 (0.1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	PB-22 (1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	PCP HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	PCP-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	PCP-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Pentedrone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Pentedrone HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Pentedrone.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Pentobarbital sodium salt, 1.0 mg/mL (as free acid)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Pentylone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Pentylone HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Pentylone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Pentylone.HCl (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Pentylone-D3.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Pentylone-D3.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Phenmetrazine (1.0 mg/1 mL methanol)	Glass ampule: 1 mL	2/4/2020
Lipomed Inc.	Phenobarbital, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Phenobarbital-D5 (0.1 mg free acid /1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Phenobarbital-D5 (1.0 mg free acid1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Phenobarbital-D5 (side chain) (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Phenobarbital-D5 (side chain) (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Phenobarbital-D5 (side chain) (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Phenobarbital-D5 (side chain)(1 mg free acid/ 1 mL methanol)	Glass ampule: 1 mL	10/6/2017
Lipomed Inc.	Phentermine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Phentermine-D6.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Phentermine-D6.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Phentermine-D6.HCl (0.1 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Phentermine-D6.HCl (1.0 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Pholcodine, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Prazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Prazepam-D5 (0.1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Prazepam-D5 (1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Prazepam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Pregabalin (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Pregabalin (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Propoxyphen-D5 (0.1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Propoxyphen-D5 (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Propoxyphen-D5.HCl (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Propoxyphen-D5.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Psilocin 1 mg/mL in acetonitrile	Amber ampule: 1 mL	8/6/2021
Lipomed Inc.	Psilocybin 1 mg/mL in acetonitrile/water (1:1)	Amber ampule: 1 mL	8/6/2021
Lipomed Inc.	Pyrovalerone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	Pyrovalerone.HCl (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	RCS-4 (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	RCS-4 (1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Remifentanil.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	S(-)-Cathinone.HCl (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Secobarbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Secobarbital-D5 (1 mg free acid/ 1 mL methanol)	Glass ampule: 1 mL	10/6/2017
Lipomed Inc.	Secobarbital-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Stanozolol (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Sufentanil-D5 (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Sulfentanyl, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Tapentadol.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	1/28/2016
Lipomed Inc.	Tapentadol-D3.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Tapentadol-D3.HCl (0.1 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Tapentadol-D3.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	Tapentadol-D3.HCl (1.0 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Temazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Temazepam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Temazepam-glucuronide (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Testosterone, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Testosterone-D3, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Testosterone-D3, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006

Lipomed Inc.	Tetrazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Tetrazepam-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	THCA-A ((-)-trans-delta-9-THC carboxylic acid A)	Glass ampule: 1 mL	7/2/2019
Lipomed Inc.	THCV (1 mg /1 mL methanol)	Glass ampule: 1 mL	3/27/2020
Lipomed Inc.	Thebaine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Thiopental(1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Thiopental-D5 (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Thiopental-D5 (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Thiopental-D5 (1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Tramadol.HCl (1 mg/1 mL methanol	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Tramadol-OCD3.HCl (0.1 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Tramadol-OCD3.HCl (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	trans-Cinnamoylcocaine, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Trenbolone (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Trenbolone (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Trenbolone acetate (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Trenbolone acetate (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	1/5/2015
Lipomed Inc.	Triazolam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Triazolam-d4 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	U-47700 (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	U-47700 (1.0 mg free base/1 mL methanol)	Glass ampule: 1 mL	2/4/2020
Lipomed Inc.	UR-144 (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	UR-144 (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	UR-144 (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	UR-144 (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	XLR-11 (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	XLR-11 (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	XLR-11 (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	XLR-11 (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Zaleplon (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/13/2018
Lipomed Inc.	Zolpidem tartrate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Zolpidem.hemitartrate (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Zolpidem-D6.tartrate (0.1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Zolpidem-D6.tartrate (1 mg/1 mL Methanol)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Zopiclone (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Zopiclone-D4 (0.1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	Zopiclone-D4 (1 mg/1 mL Acetonitrile)	Glass ampule: 1 mL	4/8/2013
Lipomed Inc.	α-PVP.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	11/16/2017
Lipomed Inc.	α-Pyrrolidinopropiophenone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
Lipomed Inc.	α-Pyrrolidinovalerophenone (1 mg/mL methanol)	Glass ampule: 1 mL	10/28/2016
MacDermid, Inc.	118192 Nimac SF Maintenance	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	118256 Nimac NS	Plastic container: 5, 55, 220 Gal	2/2/2010
MacDermid, Inc.	178139 Nimac Hypore XL Dispersant	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	178159 Nimac SF Blend	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	187326 Nimac Stabilizer	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	Nimac Initial XD7400	Plastic pail/drum: 5, 55 Gal	1/6/2006
MacDermid, Inc.	Nimac Maintenance XD7401	Plastic pail/drum: 5, 55 Gal	1/6/2006
Maine Standards Company LLC	Validate TDM Calibration Verification Test Set	Plastic bottle: 7.5 mL; Kit: 6 bottles	11/5/2003
Maine Standards Company, LLC	Validate Fertility Calibration Verification Test Set	Kit: 5 Bottles, 4.1 mL each	5/14/2019
Mallinckrodt Chemical, Inc.	Naloxone/6-β Naltrexol	Bottle: 60 mL	10/6/1994
Mallinckrodt Chemical, Inc.	Naltrexone/6-β Naltrexol Standard Solution	Bottle: 60 mL	10/4/1994
Mallinckrodt Inc.	Delta-9-THC in Methanol	Glass vial: 4 mL	11/6/2001
McGean-Rohco, Inc.	Chloral Solution Denatured	Plastic container: 1, 5, 55 Gallons	1/11/1991
McGean-Rohco, Inc.	Reflexion Semi-Bright B	Plastic container: 1, 5, 55 Gallons	1/11/1991
McGean-Rohco, Inc.	Reflexion Semi-Bright S	Plastic container: 1, 5, 55 Gallons	1/11/1991
Medical Analysis Systems, Inc.	Amobarbital, #117 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Amobarbital, #428 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Benzoylecgonine, #432 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Benzoylecgonine, #483 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Benzoylecgonine, #719 Intermediate Solution	Bottle: 10-1800 mL	10/22/1993
Medical Analysis Systems, Inc.	Biosite® Triage® Drugs of Abuse Control, Level 2	Glass vial: 5 mL; Kit: 6 vials	7/15/2004
Medical Analysis Systems, Inc.	Biosite® Triage® Drugs of Abuse Control, Level 3	Glass vial: 5 mL; Kit: 6 vials	7/15/2004
Medical Analysis Systems, Inc.	Butalbital, #429 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 2	Kit: 6 x 5 mL vials	10/8/1986
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 3	Kit: 6 x 5 mL vials	10/8/1986
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level I	Kit: 6 x 5 mL vials	10/8/1986
Medical Analysis Systems, Inc.	Clonazepam, #473 Intermediate Solution	Bottle: 50-500 mL	10/22/1993
Medical Analysis Systems, Inc.	Codeine, #435 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	D,L Amphetamine, #424 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	DADE DOA, Liquid Drugs of Abuse Control, Level 2	Glass vial: 30 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE DOA, Liquid Drugs of Abuse Control, Level 3	Glass vial: 30 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE DOA, Liquid Drugs of Abuse Control, Sample Pack	Glass vial: 30 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay	Glass bottle: 7 mL	9/10/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Level 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Sample Pack	Glass vial: 7 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	Dade Liquid Immunoassay Control Level 1	Glass vial: 5 mL	10/14/1999
Medical Analysis Systems, Inc.	Dade Liquid Immunoassay Control Level 2	Glass vial: 5 mL	10/14/1999

Medical Analysis Systems, Inc.	Dade Liquid Immunoassay Control Level 3	Glass vial: 5 mL	10/14/1999
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Assayed Chemistry Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Assayed Chemistry Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Assayed Chemistry Control, Sample Pack	Glass vial: 7 mL, Pack: 2 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Unassayed Chemistry Control, Level 1	Glass vial: 30 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Unassayed Chemistry Control, Level 2	Glass vial: 30 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 30 mL, Box: 2 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Level 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Levels 1, 2, 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Sample Pack	Glass vial: 7 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Level 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Sample Pack	Glass vial: 7 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, (Unassayed), Level 1	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, (Unassayed), Level 2	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Assayed Chemistry Control, Level 1	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Assayed Chemistry Control, Level 2	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	d-Amphetamine Solution, Stock No. 922	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	D-Amphetamine, #423 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Diazepam, #430 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	d-Methamphetamine Solution, Stock No. 925	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	D-Methamphetamine, #422 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 1, #1921 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 2, #1922 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 2, #C38979 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 3, #C38978 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 4, #C38980 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 4, #C38980P Pilot Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 2, #1912 Bulk Solution	Bottle: 20-200 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 3, #1943 Bulk Solution	Bottle: 20-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 3, #1913 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1914 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1914P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1944 Bulk Solution	Bottle: 20-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1944P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G2, #1915 Bulk Solution	Bottle: 20-200 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G3, #1916 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G4, #1917 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G4, #1917P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Cutoff Control, #1946 Bulk Solution	Bottle: 1-10 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Cutoff Control, #1946P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA High Control, #1945 Bulk Solution	Bottle: 1-10 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Liquid Drugs of Abuse Controls Level 2,3,4	Vial: 5 mL, 18 mL; Box: 6-18 mL vials; Box: 8-5 mL vials	10/12/1990
Medical Analysis Systems, Inc.	DOA Low Cointrol, #1947 Bulk Solution	Bottle: 1-10 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Positive Control, #1924 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Positive Control, #1924P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Positive Control, #C38981 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	Estazolam Solution, Stock No. 1011	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Liquid Urine Control Level 1	Vial: 5 mL	4/3/1987
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 1, #2300 Bulk Solution	Bottle: 40-100 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 1, #2300P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 2, #2301 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 3, #2302 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 3, #2302P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	LSD, #842 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 1	Glass vial: 5 mL; Box: 6 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 2	Glass vial: 5 mL; Box: 6 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 3	Glass vial: 5 mL; Box: 6 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Sample Pack	Glass vial: 5 mL; Pack: 2 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Sample Pack	Glass vial: 5 mL; Box: 3 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 30 mL; Box: 10 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 30 mL; Box: 10 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 3	Glass vial: 30 mL; Box: 10 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 15 mL; Pack: 2 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 30 mL; Box: 3 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK HG, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK HG, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK HG, Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 15 mL; Pack: 2 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002

Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Level 3	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Sample Pack	Glass vial: 15 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Level 3	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Sample Pack	Glass vial: 15 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Level 3	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Sample Pack	Glass vial: 15 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Level G2	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Level G3	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Level G4	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Sample Pack	Glass vial: 18 mL; Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Level 2	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Level 3	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Level 4	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Sample Pack	Glass vial: 18 mL; Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Level 2	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Level 3	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Level 4	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Sample Pack	Glass vial: 18 mL; Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Opiates 2000 GC/MS, Liquid Assayed Opiates DOA Control, Levels G2 and G3	Glass vial: 18 mL; Multi-Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Opiates 2000, Liquid Opiates Drugs of Abuse Control, Levels 2 and 3	Glass vial: 18 mL; Multi-Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MDMA Solution, Stock No. 931	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Methadone Solution, Stock No. 924	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Methadone, #438 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Methaqualone, #439 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Morphine Glucuronide Solution, Stock No. 915	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Morphine Glucuronide, #433 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Morphine, #434 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Morphine, #485 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Nitrazepam, #518 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Nordiazepam, #431 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Nordiazepam, #487 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	OLYMPUS Chemistry Control, Liquid Assayed General Chemistry Controls	Glass vial: 5 mL; Box: 12 vials	8/18/2003
Medical Analysis Systems, Inc.	Oxazepam Solution, Stock No. 875	Vial: 50 mL, 100 mL	5/23/1997
Medical Analysis Systems, Inc.	Pentobarbital, #426 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Phencyclidine Solution, Stock No. 923	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Phencyclidine, #436 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Phencyclidine, #437 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Phencyclidine, #484 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Phenobarbital, #418 Intermediate Solution	Bottle: 50-700 mL	10/22/1993
Medical Analysis Systems, Inc.	Phenobarbital, #425 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Phenobarbital, #745 Intermediate Solution	Bottle: 50-200 mL	10/22/1993
Medical Analysis Systems, Inc.	Propoxyphene Solution, Stock No. 920	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Propoxyphene, #440 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Roche Testcup (1.5x)	Vial: 60 mL	3/21/2000
Medical Analysis Systems, Inc.	Roche Testcup (1/4x)	Vial: 60 mL	3/21/2000
Medical Analysis Systems, Inc.	Secobarbital Solution, Stock No. 921	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Secobarbital, #427 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Secobarbital, #486 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Testosterone, #748 Intermediate Solution	Bottle: 50-200 mL	10/22/1993
Medical Analysis Systems, Inc.	THC Solution, Stock No. 880	Vial: 50 mL, 100 mL	5/23/1997
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 1, #1581 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 2, #1582 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 3, #1583 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 3, #1583P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	Transfer Pilot Material Calibrators; Levels 2,3,4,5	Glass vial: 3-5 mL	7/29/1994
Medical Analysis Systems, Inc.	Transfer Pilot Material Controls; Negative QC and Positive QC	Glass vial: 3-5 mL	7/29/1994
Medical Analysis Systems, Inc.	Tri-Point Liquimune Ligand Control, Levels 1, 2 and 3	Glass bottle: 5 mL; Kit: 6 Bottles	10/23/1991
Medical Laboratory Evaluation	Specimen UDS-X	Glass vial: 15 mL	5/17/2004
Medical University of South Carolina	Deuterated Methylphenidate Hydrochloride, 0.14 mg/mL	Vial: 7 mL	11/13/1997

Medichem Diagnostica GmbH and Co. KG	Medidrug OSD S L4 Opioid	Box: 5 vials, 2 mL each	6/29/2018
Med-Pharmex, Inc.	Buprenorphine Calibrator Level 1-4	Glass vial: 10 mL	5/20/2008
Med-Pharmex, Inc.	Buprenorphine High Control	Glass vial: 10 mL	5/20/2008
Med-Pharmex, Inc.	Buprenorphine Low Control	Glass vial: 10 mL	5/20/2008
MEDTOX Diagnostics, Inc.	MEDTOX 2000 Positive Toxicology Urine Control	Glass vial: 1-200 mL	12/16/2003
Microdiagnostics, Inc.	Amphetamine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Amphetamine Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	Benzoylecgonine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Cocaine Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	EIA for Amphetamine Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for Cocaine Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for Marijuana Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for Opiate Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for PCP Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	Morphine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Opiate Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	PCP Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	Phencyclidine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Positive Amphetamine Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive Cocaine Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive Opiate Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive PCP Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive THC Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Tetrahydrocannabinol Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	THC Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microgenics Corporation	2a Amph ED Reagent for 500 mL; Cat# 1300796	Vial: 500 mL	4/13/1994
Microgenics Corporation	2a Amphetamines ED Reagent for 85 mL; Cat# 1404234	Vial: 100 mL	4/13/1994
Microgenics Corporation	6MAM Immunogen	Bulk	5/21/1996
Microgenics Corporation	Abbott Phenobarbital Catalog Number : 5P07-21	Box: 6 bottles; 23 mL or 8mL each	9/3/2013
Microgenics Corporation	Abbott TDM Multiconstituent Calibrator (CAL 1-6) Catalog Number : 5P04-01	Box: 7 vials; 5 mL each	7/2/2012
Microgenics Corporation	Accuracy Solution Kit Catalog number: 10013070	Kit: 16 vial, 5 mL each; 1 vial, 60 mL; 2 vials, 10mL each	2/25/2025
Microgenics Corporation	Alinity c Benzodiazepines Qual Calibrator Kit, Catalog Number: 10027281/09P5201	Kit: 1 vial, 2.9 mL	4/2/2021
Microgenics Corporation	Alinity c Benzodiazepines Semiquant Calibrator Set, Catalog Number: 10027282/ 09P5202	Kit: 4 vials, 2.9 mL each	8/14/2024
Microgenics Corporation	Alinity c Cannabinoids Control 1 Kit, Catalog Number: 10024827/09P5410	Kit: 2 LDPE, 5 mL each	4/2/2021
Microgenics Corporation	Alinity c Cannabinoids Control 2 Kit, Catalog Number: 10027212/09P5411	Kit: 1 LDPE, 5 mL	4/2/2021
Microgenics Corporation	Alinity c Cannabinoids Qual Calibrator, Catalog Number: 10024821/09P5401	Kit: 1 vial, 3.0 mL	4/2/2021
Microgenics Corporation	Alinity c Cannabinoids SemiQuant 100 Calibrator Kit, Catalog Number: 10026530/09P5402	Kit: 3 vials, 3 mL each	4/2/2021
Microgenics Corporation	Alinity c Cannabinoids SemiQuant 200 Calibrator Kit, Catalog Number: 10026531 /09P5403	Kit: 3 vials, 3 mL each	4/2/2021
Microgenics Corporation	Alinity c DOA MC I Controls	Kit: 4 Amber glass bottles, 5 mL each	11/14/2024
Microgenics Corporation	Alinity c DOA MC I Controls, Catalog Number: 10024824/08 P6310	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC I Controls, Catalog Number: 10027284/ 08P6318	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC II Controls	Kit: 4 Amber glass bottles, 5 mL each	11/14/2024
Microgenics Corporation	Alinity c DOA MC II Controls, Catalog Number: 10024825/ 08P6311	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC III Controls	Kit: 2 Amber glass bottles, 5 mL each	11/14/2024
Microgenics Corporation	Alinity c DOA MC III Controls, Catalog Number: 10024826/ 08P6312	Kit: 2 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Calibrator 2 Kit	1 Amber glass bottle, 2.9 mL	11/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Calibrator Kit 2, Catalog Number: 10026533/ 08P6302	Kit: 1 vial, 2.9 mL	8/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Low Calibrator Kit 1, Catalog Number: 10026529/08P6301	Kit: 1 vial, 2.9 mL	8/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Low Calibrator 1 Kit	1 Amber glass bottle, 2.9 mL	11/14/2024
Microgenics Corporation	Alinity c DOA MC Semiquant Calibrator Kit, Catalog Number: 10026528/08P6303	Kit: 4 vials, 2.9 mL	8/14/2024
Microgenics Corporation	Alinity c DOA MC Semiquant Calibrator Kit	Kit: 4 Amber glass bottles, 2.9 mL each	11/14/2024
Microgenics Corporation	Alinity c Ecstasy Qual Calibrator Kit, Catalog Number: 10024822/09P5801	Kit: 1 vial, 3.0 mL	4/2/2021
Microgenics Corporation	Alinity c Ecstasy Semiquant Calibrator Kit, Catalog Number: 10026532/09P5802	Kit: 4 vials, 3.0 mL each	4/2/2021
Microgenics Corporation	Alinity c Opiates Qual Calibrator Kit, Catalog Number: 10024823/09P6501	Kit: 1 vial, 3.0 mL	4/2/2021
Microgenics Corporation	Alinity c Opiates Semiquant Calibrator Kit, Catalog Number: 10026534/09P6502	Kit: 4 vials, 3 mL each	4/2/2021
Microgenics Corporation	Alinity c Phenobarbital Reagent Kit	Kit: 2 polypropylene bottles, 23.7 mL each, Kit: 2 polypropylene bottles, 9.3 mL each	11/14/2024
Microgenics Corporation	Alinity c TDM Multiconstituent Calibrator	Kit: 6 Amber glass, 3 mL each	10/3/2024
Microgenics Corporation	Alinity c TDM Multiconstituent Calibrator Kit	Kit: 6 Amber glass bottles, 3.0 mL each	11/14/2024
Microgenics Corporation	Alinity c Tox Controls Kit, Catalog Number: 10024287 /08P6810	Kit: 6 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c Tox Qual Calibrator Kit, Catalog Number: 10024823/ 09P6501	Kit: 6 vials, 2.9 mL each	8/14/2024
Microgenics Corporation	Alinity c Tox Qual Calibrators	Kit: 6 amber glass bottles, 2.9 mL each	11/14/2024
Microgenics Corporation	Alinity c Tox Semiquant Calibrator Kit, Catalog Number: 10026534/ 09P6502	Kit: 6 vials, 2.9 mL each	8/14/2024
Microgenics Corporation	Alinity c Tox Controls	Kit: 6 amber glass bottles, 5 mL each	11/14/2024
Microgenics Corporation	Alinity c Tox Semiquant Calibrators	Kit: 6 amber glass bottles, 2.9 mL each	11/14/2024
Microgenics Corporation	Alinity c Benzodiazepines Semiquant Calibrator Kit	Kit: 4 Amber glass bottles, 2.9 mL each	11/14/2024
Microgenics Corporation	Amphetamine System Pack for 85 mL; Cat# 81-3300	Kit: 4 Bottles	4/13/1994
Microgenics Corporation	Amphetamines Systems Pack for 500 mL; Cat# 81-3400	Kit: 4 Bottles	4/13/1994
Microgenics Corporation	Amphetamines/Ecstasy Mfg Cal Open	LDPE bottle, 2 mL	1/31/2025

Microgenics Corporation	Architect DOA MC II Control Set, Catalog Number: 03L42-11	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Architect DOA MC III Control Set, Catalog Number: 04P51-10	Kit: 2 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Architect Tox Calibrator 1, Catalog Number: 6L36-01	Kit: 1 vial. 5 mL	8/14/2024
Microgenics Corporation	Architect Tox Calibrator 2, Catalog Number: 6L36-02	Kit: 1 vial. 5 mL	8/14/2024
Microgenics Corporation	Architect Tox Calibrator 3, Catalog Number: 6L36-03	Kit: 1 vial. 5 mL	8/14/2024
Microgenics Corporation	Architect Tox Control, Catalog Number: 6L36-10	Kit: 6 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Benzodiazepine Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	Buffer Pheno Reactintmdt, Catalog number: 0232086	Plastic carboy: 50 L, 100 L	1/24/2025
Microgenics Corporation	Buffer Pheno Reaction, Catalog number: 10016999	Plastic carboy: 50 L, 100 L, 150 L	1/24/2025
Microgenics Corporation	Buprenorphine B Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine C Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine D Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine E Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine F Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine G Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine H Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine Open Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Cal MD 1 Alqt, Catalog number: 10009246	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 1 Bulk, Catalog number: 1587	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 2 Alqt, Catalog number: 10008921	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 2 Bulk, Catalog number: 10008924	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 3 Alqt, Catalog number: 10009247	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 3 Bulk, Catalog number: 1593	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 4 Alqt, Catalog number: 10008923	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD 4 Bulk, Catalog number: 10008925	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD Clinical C/O, Catalog number: 10000846	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal MD Low Alqt BCI, Catalog number: 10008920	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Cal Mfg Amph 20,000, Catalog number: 10007712	Plastic bottle: 2 mL	2/21/2025
Microgenics Corporation	Cal Mfg Amph/XTC F, Catalog number: 1255	Plastic bottle: 2 mL	2/21/2025
Microgenics Corporation	Cal Opiate 1000ng BCI, Catalog number: 1603	Glass bottle: 1.6 - 8 L; Plastic Bottle: 10 L	3/8/2025
Microgenics Corporation	Cal Opiate 1000ng BCI, Catalog number: 1603	Glass bottle: 1.6 - 16 L; Plastic Bottle: 10 L	3/3/2025
Microgenics Corporation	Cal Opiate 300ng BCI, Catalog number: 1601	Glass bottle: 1.6 - 16 L; Plastic Bottle: 2-25 L	3/8/2025
Microgenics Corporation	Cal Opiate 300ng BCI, Catalog number: 1601	Glass bottle: 1.6 - 16 L; Plastic Bottle: 2 - 25 L	3/3/2025
Microgenics Corporation	Cascadion SM Total Testosterone Calibrator Set	Box: 6 vials, 5 mL each	6/2/2014
Microgenics Corporation	Cascadion SM Total Testosterone Control 1	Box: 6 vials, 10 mL each	6/2/2014
Microgenics Corporation	Cascadion SM Total Testosterone Control 2	Box: 6 vials, 10 mL each	6/2/2014
Microgenics Corporation	Cascadion SM Total Testosterone Control 3	Box: 6 vials, 10 mL each	6/2/2014
Microgenics Corporation	CEDIA Amphetamine DAU Assay, Cat# 1557343	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Amphetamine DAU Assay, Cat# 1661094	Kit: 85 mL	4/13/1994
Microgenics Corporation	CEDIA Amphetamine DAU Assay, Cat# 1661205	Kit: 500 mL	4/13/1994
Microgenics Corporation	CEDIA Amphetamine ED Bulk Reagent	Carboy: 25 L	4/13/1994
Microgenics Corporation	CEDIA Amphetamine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Amphetamine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,Open	Vial: 3.5 or 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Amphetamine OFT Assay, Catalog Number : 10011931	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA Amphetamine OFT Assay, Catalog Number : 10011932	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010
Microgenics Corporation	CEDIA Amphetamine OFT Assay, Catalog Number : 10014947	Box: 4 bottles; 65 mL each	6/13/2011
Microgenics Corporation	CEDIA Amphetamine/Methamphetamine Bulk Manufacturing Calibrator Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Amphetamine/Methamphetamine Manufacturing Calibrator Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Amphetamines Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Amphetamines-Ecstasy Assay, Catalog # 100040	Plastic bottle: 600 mL; Glass bottle: 600 mL; Kit: 2 plastic and 3 glass bottles	6/5/2003
Microgenics Corporation	CEDIA Amphetamines-Ecstasy Assay, Catalog # 100103	Plastic bottle: 70 mL; Glass bottle: 100 mL; Kit: 2 plastic and 2 glass bottles	6/5/2003
Microgenics Corporation	CEDIA Amphetamines-Ecstasy Assay, Catalog # 100104	Plastic bottle: 20 mL; Glass bottle: 7 mL; Kit: 6 plastic and 6 glass bottles	6/5/2003
Microgenics Corporation	CEDIA Barbiturate Manufacturing Bulk Calibrators	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Barbiturate Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Barbiturates Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Benzodiazepine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K, Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Benzodiazepine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K, Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Benzodiazepine Stock Solution	Vial: 25 mL	12/1/1993
Microgenics Corporation	CEDIA Buprenorphine 20 ng/mL Calibrator, Catalog Number: 100243	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine 5 ng/mL Calibrator, Catalog Number: 100242	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine 50 ng/mL Calibrator, Catalog Number: 100244	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine 75 ng/mL Calibrator, Catalog Number: 100245	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine Controls, Catalog Number: 100246	Kit: 4 Plastic droppers, 5 mL each	10/18/2024
Microgenics Corporation	CEDIA Buprenorphine I Spike Solution, Catalog number: 1007967	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL, 250 mL, 500 mL	1/24/2025
Microgenics Corporation	Cedia Buprenorphine OFT Control Set (Low and High) Catalog Number : 10022377	Vial: 10 mL; Box: 2 vials	11/15/2016
Microgenics Corporation	Cedia Buprenorphine OFT Cutoff Calibrator Catalog Number : 10022376	Vial: 5 mL; Box: 1 vial	11/15/2016
Microgenics Corporation	CEDIA Cannabinoids OFT Assay, Catalog Number : 10010883	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA Cannabinoids OFT Assay, Catalog Number : 10010888	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010
Microgenics Corporation	CEDIA Cannabinoids OFT Assay, Catalog Number : 10014910	Box: 4 bottles; 65 mL each	6/13/2011
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1557378	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1661167	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1661230	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1815687	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Cocaine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K, Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Cocaine OFT Assay, Catalog Number : 10010605	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA Cocaine OFT Assay, Catalog Number : 10010653	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010
Microgenics Corporation	CEDIA Cocaine OFT Assay, Catalog Number : 10014734	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA Cocaine OFT Assay, Catalog Number : 10014740	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010

Microgenics Corporation	CEDIA Cocaine OFT Assay, Catalog Number : 10014764	Box: 4 bottles; 65 mL each	6/13/2011
Microgenics Corporation	CEDIA Cocaine Spiking Solution	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA Core TDM Multi-Cal High (5.0 mL)	Vial: 10 mL	10/14/1997
Microgenics Corporation	CEDIA Core TDM Multi-Cal Low Calibrators (7.5 mL)	Vial: 10 mL	10/14/1997
Microgenics Corporation	CEDIA Core TDM Multi-Calibrators, Catalog # 10007	Plastic bottle: 10 mL; Box: 4 plastic bottles	1/27/2003
Microgenics Corporation	CEDIA DAU 2K High control, 5 mL, 15 mL	Kit: 6 bottles	7/27/1998
Microgenics Corporation	CEDIA DAU Cocaine ED Reagent, Cat# 80-2300	Vial: 100 mL	12/1/1993
Microgenics Corporation	CEDIA DAU LSD Reagent	Vial: 7, 100 mL	12/1/1995
Microgenics Corporation	CEDIA DAU Methadone ED Reagent	Vial: 7, 100, 190 mL	8/18/1995
Microgenics Corporation	CEDIA DAU Multi-Level THC Assay	Kit: 4 bottles; 65 mL	12/2/1997
Microgenics Corporation	CEDIA DAU Multi-Level THC Assay; Cat# 81-2700	Kit: 4 Bottles, 85 mL	1/24/1994
Microgenics Corporation	CEDIA DAU Multi-Level THC Assay; Cat# 81-2800	Kit: 4 Bottles, 500 mL	1/24/1994
Microgenics Corporation	CEDIA DAU Opiate ED Reagent, Cat# 80-2900	Vial: 100 mL	12/1/1993
Microgenics Corporation	CEDIA DAU Phenobarbital II ED Reagent (for 18 mL)	Vial: 7 mL	10/10/1997
Microgenics Corporation	CEDIA DAU Sample Check Assay	Kit: 4 bottles; 65 mL	12/2/1997
Microgenics Corporation	CEDIA DAU Sample Check Assay-For 18 mL Cat #1815547	Kit: 12 bottles	8/2/1996
Microgenics Corporation	CEDIA DAU Sample Check Assay-For 500 mL Cat #1815563	Kit: 4 bottles	8/2/1996
Microgenics Corporation	CEDIA DAU Sample Check Assay-For 85 mL Cat #1815555	Kit: 4 bottles	8/2/1996
Microgenics Corporation	CEDIA DAU Specialty Control Set 1, #80-0121	2 Vials; 15 mL/vial	5/10/1994
Microgenics Corporation	CEDIA DAU THC 100 ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 150 ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 25ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 50 ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 75ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Assay, Catalog # 100107	Plastic bottle: 20 mL; Glass bottle: 7 mL; Kit: 6 plastic and 6 glass bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Assay, Catalog # 100108	Plastic bottle: 70 mL; Glass bottle: 100 mL; Kit: 2 plastic and 2 glass bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Assay, Catalog # 100186	Plastic bottle: 600 mL; Glass bottle: 600 mL; Kit: 2 plastic and 3 glass bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Controls, Catalog # 100041	Plastic bottle: 10 mL; Kit: 2 bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Cutoff Calibrator, Catalog # 100031	Plastic bottle: 10 mL	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) High Calibrator, Catalog # 100034	Plastic bottle: 10 mL	6/4/2003
Microgenics Corporation	CEDIA LSD Conjugate	Bottle: 0.5, 2, 50 mL	8/28/2000
Microgenics Corporation	CEDIA LSD Cutoff Calibrator Bulk	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Cutoff Calibrator	Bottle: 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU High Calibrator	Vial: 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Intermediate Calibrator	Vial: 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD High Calibrator Bulk	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD Intermediate Calibrator Bulk	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD Manufacturing Calibrator A,B,C,D,E,F,G,Open	Vial: 3.5, 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD Manufacturing Calibrator Bulk A,B,C,D,E,F,G,Open	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD Spiking Solution	Carboy: 2L	8/28/2000
Microgenics Corporation	CEDIA Methadone Conjugate	Vial: 0.5, 2, 50 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone DAU Assay	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone Manufacturing Calibrators E,F,G,H,I,J,K,Open	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA Methadone Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone Spike Solution, Catalog number: 1000302	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL	1/24/2025
Microgenics Corporation	CEDIA Methamphetamine Conjugate	Vial: 0.5, 2, 50 mL	4/13/1994
Microgenics Corporation	CEDIA Methamphetamine Manufacturing Bulk Calibrators B,C,D,E.F.G.H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Methamphetamine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Methamphetamine OFT Assay, Catalog Number : 10011934	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA Methamphetamine OFT Assay, Catalog Number : 10011936	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010
Microgenics Corporation	CEDIA Methamphetamine OFT Assay, Catalog Number : 10014949	Box: 4 bottles; 65 mL each	6/13/2011
Microgenics Corporation	CEDIA Methamphetamine OFT Control Set (Low and High) , Catalog # 10014953	Vial: 10 mL Box: 2 vials	6/12/2011
Microgenics Corporation	CEDIA Methamphetamine OFT Control Set, Catalog # 10011941	Kit: 2 vials; 10 mL each	8/2/2010
Microgenics Corporation	CEDIA Methamphetamine OFT Cutoff Calibrator, Catalog # 10011939	Vial: 5 mL	8/2/2010
Microgenics Corporation	CEDIA Methamphetamine OFT Cutoff Calibrator, Catalog # 10014951	Vial: 5 mL Box: 1 vial	6/12/2011
Microgenics Corporation	CEDIA Methamphetamine OFT High Calibrator, Catalog # 10011940	Vial: 5 mL	8/2/2010
Microgenics Corporation	CEDIA Methamphetamine OFT High Calibrator, Catalog # 10014952	Vial: 5 mL Box: 1 vial	6/12/2011
Microgenics Corporation	CEDIA Methamphetamine Spiking Solution	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug Calibrator, Primary Clinical Cutoffs, Catalog Number: 1730401	Kit: 1 Plastic Dropper, 5.0 mL	10/18/2024
Microgenics Corporation	CEDIA Multi-Drug DAU Control Set	Set: 3 vials; Vial: 5 mL	5/10/1994
Microgenics Corporation	CEDIA Multi-Drug DAU High Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU High Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Intermediate Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Intermediate Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Primary Cutoff Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Primary Cutoff Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Secondary Cutoff Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Secondary Cutoff Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug OFT Control Set (Low and High), Catalog # 10014957	Vial: 15 mL Box: 2 vials	6/13/2011
Microgenics Corporation	CEDIA Multi-Drug OFT Control Set, Catalog # 10011945	Kit: 2 vials; 15 mL each	8/2/2010
Microgenics Corporation	Cedia Multi-Drug OFT Cutoff Calibrator Set B Catalog Number : 10022355	Vial: 10 mL; Box: 1 vial	10/20/2016
Microgenics Corporation	CEDIA Multi-Drug OFT Cutoff Calibrator, Catalog # 10011943	Vial: 10 mL	8/2/2010
Microgenics Corporation	CEDIA Multi-Drug OFT Cutoff Calibrator, Catalog # 10014955	Vial: 10 mL Box: 1 vial	6/13/2011
Microgenics Corporation	Cedia Multi-Drug OFT Cutoff Control Set B (Low and High) Catalog Number : 10022356	Vial: 15 mL; Box: 2 vials	10/20/2016
Microgenics Corporation	CEDIA Multi-Drug OFT High Calibrator, Catalog # 10011944	Vial: 10 mL	8/2/2010

Microgenics Corporation	CEDIA Multi-Drug OFT High Calibrator, Catalog # 10014956	Vial: 10 mL Box: 1 vial	6/13/2011
Microgenics Corporation	CEDIA Multi-Drug Optional Controls, Catalog number: 100069	Kit: 4 Plastic Droppers, 5 mL each	12/17/2024
Microgenics Corporation	CEDIA Multi-Drug Optional Cutoff Calibrator, Catalog Number: 100033	Kit: 1 Plastic Dropper, 5.0 mL	10/18/2024
Microgenics Corporation	CEDIA Multi-Level THC Assay-CAt# 83-2700 and 85-2700	Kit: 4 Bottles; 18 mL each	7/19/1994
Microgenics Corporation	CEDIA Opiate 2K Bulk Manufacturing Calibrator E,F,G,H,I,J,K, Open	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA Opiate 2K DAU Assay, Cat# 1815270	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate 2K Manufacturing Calibrator E,F,G,H,I,J,K, Open	Vial: 3.5, 5.0 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1161175	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1161248	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1557386	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1816128	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate ED Bulk Reagent	Carboy: 25 L	12/1/1993
Microgenics Corporation	CEDIA Opiate Manufacturing Bulk Calibrators E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Opiate Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Opiate OFT Assay, Catalog Number : 10010612	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA Opiate OFT Assay, Catalog Number : 10010659	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010
Microgenics Corporation	CEDIA Opiate OFT Assay, Catalog Number : 10014873	Box: 4 bottles; 65 mL each	6/13/2011
Microgenics Corporation	CEDIA Opiate Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Opiate Spiking Solution	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA PCP Conjugate	Vial: 0.5, 2, 50 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA PCP ED Bulk Reagent	Carboy: 25 L	8/28/2000
Microgenics Corporation	CEDIA PCP Manufacturing Bulk Calibrators E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA PCP Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA PCP OFT Assay, Catalog Number : 10010619	Box: 6 glass vials; 1.8 mL each; 6 vials 18 mL each	9/10/2010
Microgenics Corporation	CEDIA PCP OFT Assay, Catalog Number : 10010665	Box: 2 glass vials; 6.5 mL each; 2 vials 65 mL each	9/10/2010
Microgenics Corporation	CEDIA PCP OFT Assay, Catalog Number : 10014888	Box: 4 bottles; 65 mL each	6/13/2011
Microgenics Corporation	CEDIA PCP Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA PCP Stock Concentrate	Vial: 10 mL	12/1/1993
Microgenics Corporation	CEDIA Phenobarbital ED Bulk Reagent	Carboy: 50 L	8/28/2000
Microgenics Corporation	CEDIA Phenobarbital Manufacturing Calibrator 10 µg/mL, 20 µg/mL, 40 µg/mL, 60 µg/mL, 80 µg/mL, 90 µg/mL	Vial: 3.5 mL	11/13/1990
Microgenics Corporation	CEDIA Phenobarbital Manufacturing Calibrator 10 µg/mL, 20 µg/mL, 40 µg/mL, 60 µg/mL, 80 µg/mL, 90 µg/mL bulk	Carboy: 2L	11/13/1990
Microgenics Corporation	CEDIA Phenobarbital Primary Standard 40 µg/mL, 80 µg/mL	Microvial: 1.5 mL; Box: 100 tubes	11/13/1990
Microgenics Corporation	CEDIA Phenobarbital Primary Standard 40 µg/mL, 80 µg/mL bulk	Carboy: 2L	11/13/1990
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene ED Bulk Reagent	Carboy: 25 L	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene Manufacturing Calibrators Bulk E,F,G,H,I,J,K,Open	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene Spiking Solution	Carboy: 2L	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene/Methadone Cutoff Calibrator	Vial: 5 mL	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone Cutoff Calibrator Bulk	Carboy: 4 L	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone High Calibrator	Vial: 5 mL	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone High Calibrator Bulk	Carboy: 4 L	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone Intermediate Calibrator	Vial: 5 mL	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone Intermediate Calibrator Bulk	Carboy: 4 L	3/2/1995
Microgenics Corporation	CEDIA Sample Check ED Reagent-For 18 mL	Vial: 7 mL	8/2/1996
Microgenics Corporation	CEDIA Sample Check ED Reagent-For 500 mL	Vial: 500 mL	8/2/1996
Microgenics Corporation	CEDIA Sample Check ED Reagent-For 85 mL	Vial: 100 mL	8/2/1996
Microgenics Corporation	CEDIA Specialty Control Set, Catalog number: 1815440	Kit: 6 Plastic Droppers, 5 mL each	12/17/2024
Microgenics Corporation	CEDIA THC 100 Control Bulk (High & Low)	Carboy: 150 L	6/30/1994
Microgenics Corporation	CEDIA THC 100 Controls (High & Low)	Box: 2 vials; Vial: 15 mL	6/30/1994
Microgenics Corporation	CEDIA THC 25 Control Bulk (High & Low)	Carboy: 150 L	6/30/1994
Microgenics Corporation	CEDIA THC 25 Controls (High & Low)	Box: 2 vials; Vial: 15 mL	6/30/1994
Microgenics Corporation	CEDIA THC 50 Control Bulk (High & Low)	Carboy: 150 L	6/30/1994
Microgenics Corporation	CEDIA THC 50 Controls (High & Low)	Box: 2 vials; Vial: 15 mL	6/30/1994
Microgenics Corporation	CEDIA THC Calibrator 100 ng/mL Bulk	Carboy: 4 L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 150 ng/mL Bulk	Carboy: 4 L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 25 ng/mL Bulk	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 50 ng/mL Bulk	Carboy: 4 L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 75ng/mL Bulk	Carboy: 1 L	12/1/1993
Microgenics Corporation	CEDIA THC ED Bulk Reagent	Carboy: 25 L	12/1/1993
Microgenics Corporation	CEDIA THC Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,L,Open	Vial: 3.5, 5 mL	4/20/1994
Microgenics Corporation	CEDIA THC Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,L,Open Bulk	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA THC OFT Control Set (Low and High), Catalog # 10014925	Vial: 10 mL Box: 2 vials	6/13/2011
Microgenics Corporation	CEDIA THC OFT Control Set, Catalog # 10010915	Kit: 2 vials; 10 mL each	8/2/2010
Microgenics Corporation	CEDIA THC OFT Cutoff Calibrator, Catalog # 10010912	Vial: 5 mL	8/2/2010
Microgenics Corporation	CEDIA THC OFT Cutoff Calibrator, Catalog # 10014923	Vial: 5 mL Box: 1 vial	6/13/2011
Microgenics Corporation	CEDIA THC OFT High Calibrator, Catalog # 10010914	Vial: 5 mL	8/2/2010
Microgenics Corporation	CEDIA THC OFT High Calibrator, Catalog # 10014924	Vial: 5 mL Box: 1 vial	6/13/2011
Microgenics Corporation	Cocaine Conjugate	Vial: 25 mL	12/1/1993
Microgenics Corporation	Ctrl MD Clin Low AlqtdCtrl MD Clinical Hi Alqt, Catalog number: 10007727	Glass bottle: 1.6 - 8 L; Plastic Bottle: 1-10 L	3/8/2025
Microgenics Corporation	Ctrl MD Clin Low AlqtdCtrl MD Clinical Hi Alqt, Catalog number: 10007727	Glass bottle: 1.6 - 8 L; Plastic Bottle: 1-10 L	3/3/2025
Microgenics Corporation	Ctrl MD Clinical Hi Alqt, Catalog number: 10007728	Glass bottle: 1.6 - 8 L; Plastic Bottle: 1-5 L	3/8/2025

Microgenics Corporation	Ctrl MD Clinical Hi Alqt, Catalog number: 10007728	Glass bottle: 1.6 - 8 L; Plastic Bottle: 1-10 L	3/3/2025
Microgenics Corporation	Ctrl MD Clinical High, Catalog number: 10009326	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Ctrl MD Clinical Low, Catalog number: 10009325	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Ctrl MD High	Plastic tube: 1- 50 mL; Glass vial: 1- 30 mL	6/30/2025
Microgenics Corporation	Ctrl MD High BCI, Catalog number: 1554	Glass bottle: 1.6 - 4 L	3/8/2025
Microgenics Corporation	Ctrl MD High BCI, Catalog number: 1554	Glass bottle: 1.6 - 4 L	3/3/2025
Microgenics Corporation	Ctrl MD High Bulk BCI, Catalog number: 1596	Glass bottle: 1.6	3/8/2025
Microgenics Corporation	Ctrl MD High Bulk BCI, Catalog number: 1596	Glass bottle: 1.6	3/3/2025
Microgenics Corporation	Ctrl MD Intermediate	Plastic tube: 1- 50 mL; Glass vial: 1- 30 mL	6/30/2025
Microgenics Corporation	Ctrl MD Low BCI, Catalog number: 1552	Glass bottle: 1.6 - 4 L	3/8/2025
Microgenics Corporation	Ctrl MD Low BCI, Catalog number: 1552	Glass bottle: 1.6 - 4 L	3/3/2025
Microgenics Corporation	Ctrl MD Low Bulk BCI, Catalog number: 1590	Glass bottle: 1.6 - 4 L	3/8/2025
Microgenics Corporation	Ctrl MD Low Bulk BCI, Catalog number: 1590	Glass bottle: 1.6 - 4 L	3/3/2025
Microgenics Corporation	Ctrl MD Primary Hi Alqt, Catalog number: 10007726	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Ctrl MD Primary Low Alqt, Catalog number: 10007725	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Ctrl MD Select High, Catalog number: 10009328	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Ctrl MD Select Low, Catalog number: 10009327	Plastic tube: 1-50 mL	6/23/2025
Microgenics Corporation	Ctrl Opiate 225ng BCI, Catalog number: 1605	Glass bottle: 1.6 - 36 L; Plastic Bottle: 4-25 L	3/8/2025
Microgenics Corporation	Ctrl Opiate 225ng BCI, Catalog number: 1605	Glass bottle: 1.6 - 16 L; Plastic Bottle: 4 - 25 L	3/3/2025
Microgenics Corporation	Ctrl Opiate 375ng BCI, Catalog number: 1607	Glass bottle: 4- 16 L; Plastic Bottle: 2-25 L	3/8/2025
Microgenics Corporation	Ctrl Opiate 375ng BCI, Catalog number: 1607	Glass bottle: 4 - 16 L; Plastic Bottle: 2 - 25 L	3/3/2025
Microgenics Corporation	Ctrl Tox L1	Plastic tube: 1-50 mL	6/19/2025
Microgenics Corporation	Ctrl Tox L1	Glass vial: 1- 25 mL	6/30/2025
Microgenics Corporation	Ctrl Tox L2	Plastic tube: 1-50 mL	6/19/2025
Microgenics Corporation	Ctrl Tox L2	Glass vial: 1- 25 mL	6/30/2025
Microgenics Corporation	Ctrl Tox L3	Plastic tube: 1-50 mL	6/19/2025
Microgenics Corporation	Ctrl Tox L3	Glass vial: 1- 25 mL	6/30/2025
Microgenics Corporation	DAI PHENO ANTI REAGENT BULK	HDPE bottles: 30 mL, 125 mL, 500 mL, 1L, 4L	12/23/2024
Microgenics Corporation	Daiichi Phenobarbital 16mg/mL Stock Solution	Bottle: 25 mL	3/17/2025
Microgenics Corporation	DAU Clinical High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 5L, 10 L, 20 L	1/31/2025
Microgenics Corporation	DAU Clinical Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 5L, 10 L, 20 L, 25 L	1/31/2025
Microgenics Corporation	DAU Primary High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, Plastic or Glass bottles, 5L, 10 L	1/31/2025
Microgenics Corporation	DAU Primary Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 5L, 10 L, 20 L	1/31/2025
Microgenics Corporation	DAU Select High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 10 L, 20 L, 25 L, 50 L, 100L	1/31/2025
Microgenics Corporation	DAU Select Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 10 L, 20 L, 25 L, 50 L, 100L, 180 L	1/31/2025
Microgenics Corporation	DAU Specialty High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L	1/31/2025
Microgenics Corporation	DAU Specialty Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L	1/31/2025
Microgenics Corporation	Dimension Vista Integrated System UDAT CON (-), Catalog # DADE BEHRING REF KC516	Vial: 2.5 mL; Kit: 6 vials	1/10/2006
Microgenics Corporation	Dimension Vista Integrated System UDAT CON (+), Catalog # DADE BEHRING REF KC515	Vial: 2.5 mL; Kit: 6 vials	1/10/2006
Microgenics Corporation	DOA MC II Control Set	Kit: 4 amber glass bottles, 5.0 mL each	11/14/2024
Microgenics Corporation	DOA MC II Control Set, Catalog # 3L42-11	Box: 4 vials; 5 mL each	9/7/2010
Microgenics Corporation	DOA MC III Control Set	Kit: 2 amber glass bottles, 5.0 mL each	11/14/2024
Microgenics Corporation	DOA MC III Control Set, Catalog # 4P51-10	Box: 4 vials; 5 mL each	9/7/2010
Microgenics Corporation	DRI Bath Salts I Calibrator 100 ng/mL	Vial: 10 mL	2/5/2019
Microgenics Corporation	DRI Bath Salts I Control Set	Box: 2 vials, 10 mL each	2/5/2019
Microgenics Corporation	DRI Ecstasy Assay, 100 mL, Catalog # 100075	Plastic bottle: 100 mL; Kit: 2 plastic bottles	1/21/2003
Microgenics Corporation	DRI Ecstasy Assay, 500 mL, Catalog # 100076	Plastic bottle: 500 mL; Kit: 2 plastic bottles	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 1000 ng/mL, Catalog # 100079	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 250 ng/mL, Catalog # 100082	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 500 ng/mL, Catalog # 100081	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 750 ng/mL, Catalog # 100080	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Controls, Catalog # 100078	Plastic bottle: 15 mL; Kit: 2 plastic bottles	1/21/2003
Microgenics Corporation	DRI Fentanyl II Control	Kit: 4 Dropper vials, 10 mL each	3/4/2025
Microgenics Corporation	DRI Fentanyl II Cutoff Calibrator	Kit: 2 Dropper vials, 10 mL each	3/4/2025
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 100 ng/mL, Catalog Number: 10019837	Box: 1 bottle, 10 mL	8/18/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 100 ng/mL, Part Number: 10018079	Box: 1 Bottle, 10 mL	9/11/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 1000 ng/mL, Part Number: 10018082	Box: 1 Bottle, 10 mL	9/11/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 1000 ng/mL, Part Number: 10019840	Box: 1 Bottle, 10 mL	8/18/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 300 ng/mL, Catalog Number: 10019838	Box: 1 bottle, 10 mL	8/18/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 300 ng/mL, Part Number: 10018080	Box: 1 Bottle, 10 mL	9/11/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 500 ng/mL, Part Number: 10018081	Box: 1 Bottle, 10 mL	9/11/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Calibrator 500 ng/mL, Part Number: 10019839	Box: 1 Bottle, 10 mL	8/18/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Controls (High and Low), Catalog Number: 10019841	Box: 2 bottles, 10 mL each	8/18/2014
Microgenics Corporation	DRI Hydrocodone/Hydromorphone Assay Controls (High and Low), Part Number: 10018149	Box: 2 Bottles, 10 mL each	9/11/2014
Microgenics Corporation	DRI Hydromorphone Control	Vial: 25.0 mL	5/1/2019
Microgenics Corporation	DRI Hydromorphone Control	Carton: 1 vial, 25.0 mL each	5/1/2019
Microgenics Corporation	DRI MDA Control	Carton: 1 vial, 25 mL	8/4/2017
Microgenics Corporation	DRI MDA Control	Vial: 25 mL	8/4/2017
Microgenics Corporation	DRI Methadone Metablite Control Set 100	Vial: 15 mL; Box: 2 vials	4/1/2009
Microgenics Corporation	DRI Methadone Metablite Control Set 300	Vial: 15 mL; Box: 2 vials	4/1/2009
Microgenics Corporation	DRI Methadone Metabolite Calibrator 100	Vial: 15 mL; Box: 1 vial	4/1/2009
Microgenics Corporation	DRI Methadone Metabolite Calibrator 1000	Vial: 15 mL; Box: 1 vial	4/1/2009
Microgenics Corporation	DRI Methadone Metabolite Calibrator 300	Vial: 15 mL; Box: 1 vial	4/1/2009
Microgenics Corporation	DRI Methadone Metabolite Calibrator 500	Vial: 15 mL; Box: 1 vial	4/1/2009
Microgenics Corporation	DRI Opiate Assay, 100 mL, Catalog # 0135	Plastic bottle: 100 mL; Kit: 2 plastic bottles	1/27/2003
Microgenics Corporation	DRI Opiate Assay, 500 mL, Catalog # 0136	Plastic bottle: 500 mL; Kit: 2 plastic bottles	1/27/2003
Microgenics Corporation	DRI Opiate Calibrator 1, Catalog # 1609	Plastic bottle: 30 mL	1/27/2003
Microgenics Corporation	DRI Opiate Calibrator 3, Catalog # 1610	Plastic bottle: 30 mL	1/27/2003

Microgenics Corporation	DRI Oxazepam Spiking Solution, 1 mg/mL, Catalog number: 10007712	Glass bottle: 25 mL	1/24/2025
Microgenics Corporation	DRI Oxycodone Calibrator 100	Vial: 15 mL; Box 1 vial	3/11/2009
Microgenics Corporation	DRI Oxycodone Calibrator 1000	Vial: 15 mL; Box 1 vial	3/11/2009
Microgenics Corporation	DRI Oxycodone Calibrator 300	Vial: 15 mL; Box: 1 vial	3/11/2009
Microgenics Corporation	DRI Oxycodone Calibrator 500	Vial: 15 mL; Box 1 vial	3/11/2009
Microgenics Corporation	DRI Oxycodone Control Set 100	Vial: 15 mL; Box 2 vials	3/11/2009
Microgenics Corporation	DRI Oxycodone Control Set 300	Vial: 15 mL; Box 2 vials	3/11/2009
Microgenics Corporation	DRI Oxycodone Spiking Solution, 100,000 ng/mL, Catalog number: 10008310	Plastic or Glass bottle: 100mL	1/24/2025
Microgenics Corporation	DRI Tramadol Calibrator (Kit Reference Number B40000366)	Kit: 5 Dropper vials, 10 mL each	7/28/2022
Microgenics Corporation	DRI Tramadol Cutoff Calibrator (Kit Reference Number B40000352)	Kit: 2 Dropper vials, 10 mL each	7/28/2022
Microgenics Corporation	DRI Tramadol High and Low Control Set (Kit Reference Number B40000354)	Kit: 4 Dropper vials, 10 mL each	7/28/2022
Microgenics Corporation	EIA AED Calibrator Kit	Kit: 6 Bottles; 5 mL each	8/28/2000
Microgenics Corporation	EIA AED Calibrators 1,2,3,4,5	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay Kit# 0017	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Amphetemines Enzyme Immunoassay Kit# 0018	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Congugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay Kit# 0225	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay Kit# 0226	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Barbiturate Serum Tox EIA Kit	Kit: 2 Bottles; 8, 25 mL	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Enzyme Immunoassay Kit# 0039	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Enzyme Immunoassay Kit# 0040	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Serum Tox EIA Kit	Kit: 2 Bottles; 8, 25 mL	8/28/2000
Microgenics Corporation	EIA Benzodiazepines Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Benzodiazepines Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Cannabinoid (THC) Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Cannabinoid (THC) Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Cannabinoid Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Cannabinoid Enzyme Immunoassay Kit# 0185	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Cannabinoid Enzyme Immunoassay Kit# 0186	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Cocaine Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Cocaine Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Cocaine Metabolite Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Cocaine Metabolite Enzyme Immunoassay Kit# 0055	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Cocaine Metabolite Enzyme Immunoassay Kit# 0056	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator A, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator A, Cat# 0324	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator, Cat# 0036	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2 Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2 Control, Cat# 0208	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2A Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2A Control, Cat# 0331	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level I Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level I Control, Cat# 0210	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level IA Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level IA Control, Cat# 0329	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Low Calibrator A, Cat# 0322	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Low Calibrator, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Low Calibrator, Cat# 0034	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay Kit# 0596	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay Kit# 0597	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Methadone Metabolite Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Methadone Metabolite Enzyme Immunoassay Kit# 0200	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Methadone Metabolite Enzyme Immunoassay Kit# 0201	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay Kit# 0514	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay Kit# 0515	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 1, Kit # 1588	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 1, Kit # 1589	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 2, Kit # 1591	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 2, Kit # 1592	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 3, Kit # 1594	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 3, Kit # 1595	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 4, Kit # 1597	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 4, Kit # 1598	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 1, Kit # 1553	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 1, Kit # 1599	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 2, Kit # 1555	Bottle: 25 mL	8/28/2000

Microgenics Corporation	EIA Multi-Drug Urine Control 2, Kit # 1600	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two 6 L, one 125 mL	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay Kit# 0135	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay Kit# 0136	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay Kit# 0160	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay Kit# 0161	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Phenobarbital EIA Kit	Kit: 2 Bottles; 8, 25 mL	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay Kit# 0432	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay Kit# 0433	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Serum Tox Calibrators 1,2,3,4	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 100 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 100 ng/mL, Cat# 0044	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 100 ng/mL, Cat#1399	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 125 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 125 ng/mL, Cat# 0212	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 125 ng/mL, Cat#1404	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC urine Calibrator 20 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 20 ng/mL, Cat# 0235	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 20 ng/mL, Cat#1397	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 200 ng/mL Cat# 0206	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 200 ng/mL Cat# 1400	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 200 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 40 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 40 ng/mL, Cat# 0170	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 40 ng/mL, Cat# 1401	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 50 ng/mL	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 50 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 50 ng/mL, Cat#1398	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 60 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 60 ng/mL, Cat# 0168	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 60 ng/mL, Cat# 1402	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 75 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 75 ng/mL, Cat# 0214	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 75 ng/mL, Cat#1403	Bottle: 25 mL	8/28/2000
Microgenics Corporation	Intercept i2he Multi-Drug Oral Fluid Cutoff Calibrator Set B Catalog Number : 1001-0419	Vial: 10 mL; Box: 1 vial	10/19/2016
Microgenics Corporation	Intercept i2he Multi-Drug Oral Fluid Cutoff Control Set B (Low and High) Catalog Number : 1001-0420	Vial: 15 mL; Box: 2 vials	10/19/2016
Microgenics Corporation	MAS Benzoylecgonine Soln, 1 mg/mL Catalog number: 432	Plastic or Glass bottle: 25 mL	1/24/2025
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Catalog Number: CHA-SP	Kit: 3 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 1, Catalog Number: 10014150	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 1, Catalog Number: CHA-1	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 2, Catalog Number: 10014151	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 2, Catalog Number: CHA-2	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 3, Catalog Number: 10014152	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 3, Catalog Number: CHA-3	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Catalog Number: CHU-SP	Kit: 3 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Level 1, Catalog Number: CHU-1	Kit: 10 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Level 2, Catalog Number: CHU-2	Kit: 10 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Level 3, Catalog Number: CHU-3	Kit: 10 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS d-Methamphetamine Soln, 1 mg/mL Catalog number: 925	Plastic or Glass bottle: 4 mL	1/24/2025
Microgenics Corporation	MAS DOA Total Liquid Assayed Drugs of Abuse Control Level 2	Box: 6 glass vials; 18 mL each	4/4/2011
Microgenics Corporation	MAS DOA Total Liquid Assayed Drugs of Abuse Control Level 3	Box: 6 glass vials; 18 mL each	4/4/2011
Microgenics Corporation	MAS DOA Total Liquid Assayed Drugs of Abuse Control Level 4	Box: 6 glass vials; 18 mL each	4/4/2011
Microgenics Corporation	MAS DOA Total Liquid Assayed Drugs of Abuse Control Level 5	Box: 6 glass vials; 18 mL each	4/4/2011
Microgenics Corporation	MAS DOA Total Liquid Assayed Drugs of Abuse Control Level 6	Box: 6 glass vials; 18 mL each	4/4/2011
Microgenics Corporation	MAS DOA Total Liquid Assayed Drugs of Abuse Control Multi-Pack	Box: 6 glass vials; 18 mL each	4/4/2011
Microgenics Corporation	MAS Liquimmune Control Level 1, Catalog number: LIG-101	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level 2, Catalog number: LIG-202	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level 3, Catalog number: LIG-303	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level Sample Pack, Catalog number: LIG-S1	Kit: 3 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Sample Pack, Level 1, Catalog number: LG-S1 Level 1, Catalog number: LG-S1 (as free base)	Kit: 3 Glass vials, 5 ml each	8/22/2025
Microgenics Corporation	MAS Liquimmune Control, Level 1, Catalog number: 10013876	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control, Level 2, Catalog number: 10013877	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control, Level 3, Catalog number: 10013878	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS Nitrazepam Soln, 1 mg/mL Catalog number: 10013058	Plastic or Glass bottle: 25 mL	1/24/2025
Microgenics Corporation	MAS OMNI CORE II Catalog number: OCRL-SP	MAS OMNI CORE II Catalog number: OCRL-SP	12/17/2024
Microgenics Corporation	MAS OMNI CORE II, Level 1, Catalog number: OCRL-101	MAS OMNI CORE II, Level 1, Catalog number: OCRL-101	12/17/2024

Microgenics Corporation	MAS OMNI CORE II, Level 2, Catalog number: OCRL-202	MAS OMNI CORE II, Level 2, Catalog number: OCRL-202	12/17/2024
Microgenics Corporation	MAS OMNI CORE II, Level 3, Catalog number: OCRL-303	MAS OMNI CORE II, Level 3, Catalog number: OCRL-303	12/17/2024
Microgenics Corporation	MAS Omni CORE Level 1	Vial: 5 mL	3/21/2025
Microgenics Corporation	MAS Omni CORE Level 2	Vial: 5 mL	3/21/2025
Microgenics Corporation	MAS Omni CORE Level 3	Vial: 5 mL	3/21/2025
Microgenics Corporation	MAS Omni•IMMUNE Max, Level 1	Kit: 12 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE Max, Level 2	Kit: 12 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE Max, Level 3	Kit: 12 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE Max, Sample Pack	Kit: 4 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE PRO Max, Level 1	Kit: 12 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE PRO Max, Level 2	Kit: 12 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE PRO Max, Level 3	Kit: 12 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS Omni•IMMUNE PRO Max, Sample Pack	Kit: 4 bottles, 4 mL each	6/6/2025
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control Level 1, Catalog number: PTD1-1001	Kit: 6 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control Level 2, Catalog number: PTD2-2002	Kit: 6 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control Level 3, Catalog number: PTD3-3003	Kit: 6 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control, Catalog number: PTD-S1	Kit: 3 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PCP Soln, 0.1 mg/mL Catalog number: 923	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL	1/24/2025
Microgenics Corporation	MAS™ Omni· IMMUNE™ Max, Sample Pack, catalog number: OIMM-SP-R	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni· IMMUNE™ PRO Max, Sample Pack, catalog number: OPROM-SP-R	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni·CORE™ Max, Level 1, catalog number: OCRM-101	Kit: 12 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni·CORE™ Max, Level 2, Catalog number: OCRM-202	Kit: 12 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni·CORE™ Max, Level 3, catalog number: OCRM-303	Kit: 12 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni·CORE™ Max, Sample Pack, catalog number: OCRM-SP	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni·CORE™ Max, Sample Pack, catalog number: OCRM-SP-R	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAS™ Omni•CORE™ II, Sample Pack	Kit: 3 bottles, 5 mL each	1/10/2025
Microgenics Corporation	Methadone Reference Manufacturing Calibrator Spiking Solution	Carboy: 10 L	8/18/1995
Microgenics Corporation	MGC Clinical DAU Control Set, Catalog # 100201	Glass bottle: 7 mL; Kit: 6 glass bottles	10/12/2005
Microgenics Corporation	MGC MD Calibrator 1, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 25 L	1/31/2025
Microgenics Corporation	MGC MD Calibrator 2, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L	1/31/2025
Microgenics Corporation	MGC MD Calibrator 3, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L	1/31/2025
Microgenics Corporation	MGC MD Calibrator 4, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L	1/31/2025
Microgenics Corporation	MGC Primary DAU Control Set, Catalog # 100200	Glass bottle: 7 mL; Kit: 6 glass bottles	10/12/2005
Microgenics Corporation	MGC Select DAU Control Set, Catalog # 100202	Glass bottle: 7 mL; Kit: 6 glass bottles	10/12/2005
Microgenics Corporation	Microgenics CEDIA Phenobarbital Assay 40 µg/mL, 80 µg/mL	Vial: 3.5 mL; Kit: 2 vials	11/13/1990
Microgenics Corporation	Microgenics MAS Tox Control Liquid Assayed Toxicology Control Level 1	Vial: 9 mL / Box: 6 vials	3/13/2008
Microgenics Corporation	Microgenics MAS Tox Control Liquid Assayed Toxicology Control Level 2	Vial: 9 mL / Box: 6 vials	3/13/2008
Microgenics Corporation	Microgenics MAS Tox Control Liquid Assayed Toxicology Control Level 3	Vial: 9 mL / Box: 6 vials	3/13/2008
Microgenics Corporation	Morphine Conjugate	Vial: 25 mL	12/1/1993
Microgenics Corporation	Multi-Drug High Cal	Kit: 50 bottles, 5 mL each	12/31/2024
Microgenics Corporation	Multi-Drug Intermediate Cal	Kit: 50 bottles, 5 mL each	12/31/2024
Microgenics Corporation	Multi-Drug Secondary C/O Cal	Kit: 50 bottles, 5 mL each	12/31/2024
Microgenics Corporation	MULTIGENT Cannabinoids 100 Cal (3L41-03)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 125 Control (3L41-16)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 20 Cal (3L41-01)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 200 Cal (3L41-04)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 40 Control (3L41-10)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 50 Cal (3L41-02)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 60 Control (3L41-12)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 75 Control (3L41-14)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 1 (3L43-01)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 2 (3L43-02)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 3 (3L43-03)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 4 (3L43-04)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Control Set (3L43-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC II Control Set (3L42-10)	Kit: 4 glass bottles; Glass bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 1000 Cal (3L42-04)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 250 Cal (3L42-01)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 500 Cal (3L42-02)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 750 Cal (3L42-03)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 1000 Cal (3L34-04)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 150 Cal (3L34-01)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 300 Cal (3L34-02)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 500 Cal (3L34-03)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates Low Control Set (3L34-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	12/14/2007
Microgenics Corporation	Multigent Tox Calibrator 1	Vial: 5 mL; Box 1 vial	12/2/2008
Microgenics Corporation	Multigent Tox Calibrator 2	Vial: 5 mL; Box 1 vial	12/2/2008
Microgenics Corporation	Multigent Tox Calibrator 3	Vial: 5 mL; Box 1 vial	12/2/2008
Microgenics Corporation	Multigent Tox Controls Level 1	Vial: 5 mL; Box 3 vials	12/2/2008
Microgenics Corporation	Multigent Tox Controls Level 2	Vial: 5 mL; Box 3 vials	12/2/2008
Microgenics Corporation	Opiate Cal 150 ng/mL, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25L, 50 L	1/31/2025
Microgenics Corporation	Opiate Cal 500 ng/mL, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25L, 50 L	1/31/2025
Microgenics Corporation	PHENO ANTI REAG BULK PKGD	Kit: HDPE bottles, 30 mL, 125 mL, 1L, 2L, 4L, 10L and 20L	12/31/2024
Microgenics Corporation	Phenobarbital B Mfg Cal	LDPE bottle, 2 mL	2/7/2025

Microgenics Corporation	Phenobarbital C Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital Cal 2, 5.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 3, 10.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 4, 20.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 5, 40.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 6, 80.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Ctrl L1, 15.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Ctrl L2, 30.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Ctrl L3, 50.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital D Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital E Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital F Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital G Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital II Conjugate	Vial: 100 mL	10/10/1997
Microgenics Corporation	Phenobarbital Open Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital Stock Solution	Flask: 100 mL	11/13/1990
Microgenics Corporation	Precitrol Unassayed 1, 2 and 3	Vial: 9 mL	3/20/1997
Microgenics Corporation	Propoxyphene Conjugate	Vial: 25 mL	11/30/1994
Microgenics Corporation	QMS Phenobarbital Stock Solution (1000 µg/mL), Catalog number: 10016300-Stock Solution	Glass bottle: 200 mL	3/8/2025
Microgenics Corporation	QMS Phenobarbital Stock Solution (1000 µg/mL), Catalog number: 10016300-Stock Solution	Glass bottle: 200 mL	3/3/2025
Microgenics Corporation	SEK TDM Multi Calibrator Level B	200 plastic bottles: 2 mL each	12/23/2024
Microgenics Corporation	SEK TDM Multi Calibrator Level C	200 plastic bottles: 2 mL each	12/23/2024
Microgenics Corporation	SEK TDM Multi Calibrator Level D	200 plastic bottles: 2 mL each	12/23/2024
Microgenics Corporation	SEK TDM Multi Calibrator Level E	200 plastic bottles: 2 mL each	12/23/2024
Microgenics Corporation	SEK TDM Multi Calibrator Level F	200 plastic bottles: 2 mL each	12/23/2024
Microgenics Corporation	Siemens ADVIA Chemistry Tox Control, Liquid Assayed Toxicology Control Level 1	Vial: 9 mL / Box: 6 vials	7/16/2008
Microgenics Corporation	Siemens ADVIA Chemistry Tox Control, Liquid Assayed Toxicology Control Level 2	Vial: 9 mL / Box: 6 vials	7/16/2008
Microgenics Corporation	Siemens ADVIA Chemistry Tox Control, Liquid Assayed Toxicology Control Level 3	Vial: 9 mL / Box: 6 vials	7/16/2008
Microgenics Corporation	Siemens Dimension DOA Negative Control	Vial: 3 mL; Kit: 6 vials	10/2/2009
Microgenics Corporation	Siemens Dimension DOA Positive Control	Vial: 3 mL; Kit: 6 vials	10/2/2009
Microgenics Corporation	Siemens Dimension Vista UDAT Control Negative	Vial: 3 mL; Kit: 6 vials	10/2/2009
Microgenics Corporation	Siemens Dimension Vista UDAT Control Positive	Vial: 3 mL; Kit: 6 vials	10/2/2009
Microgenics Corporation	Soln Methaqualone, Catalog number: 439	Glass bottle: 20-50 mL, 50-95 mL	3/8/2025
Microgenics Corporation	Soln Methaqualone, Catalog number: 439	Glass bottle: 20 - 95 mL	3/3/2025
Microgenics Corporation	TDM Core Serum Quantitation- Level 21, Catalog number: 10001615 - L21	Glass bottle: 250 mL, 500 mL	2/21/2025
Microgenics Corporation	THC Conjugate	Vial: 25 mL	12/1/1993
Microgenics Corporation	Thermo Scientific CEDIA Buprenorphine II Calibrator 10 ng/mL Catalog Number: 10020799	Vial: 5 mL Box: 1 vial	8/30/2016
Microgenics Corporation	Thermo Scientific CEDIA Buprenorphine II Calibrator 100 ng/mL Catalog Number: 10020802	Vial: 5 mL Box: 1 vial	8/30/2016
Microgenics Corporation	Thermo Scientific CEDIA Buprenorphine II Calibrator 20 ng/mL Catalog Number: 10020800	Vial: 5 mL Box: 1 vial	8/30/2016
Microgenics Corporation	Thermo Scientific CEDIA Buprenorphine II Calibrator 50 ng/mL Catalog Number: 10020801	Vial: 5 mL Box: 1 vial	8/30/2016
Microgenics Corporation	Thermo Scientific CEDIA Buprenorphine II Controls (Low and High) Catalog Number: 10020804	Vial: 5 mL Box: 4 vials	8/30/2016
Microgenics Corporation	Thermo Scientific CEDIA Cocaine Assay Catalog Number: 10016413	Glass vial: 17 mL, Box: 3 vials	8/23/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 1, Catalog Number : 10016345	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 1, Catalog Number : 10016362	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 1: Catalog Number 10016362	Vial: 5 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 2, Catalog Number : 10016346	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 2, Catalog Number : 10016363	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 2: Catalog Number 10063	Vial: 5 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 3, Catalog Number : 10016347	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 3, Catalog Number : 10016364	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 3: Catalog Number 10016364	Vial: 5 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 4, Catalog Number : 10016348	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control 1: Catalog Number 10017686	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control 2: Catalog Number 10017687	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control 3: Catalog Number 1007688	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control Set (Low and High), Catalog Number : 10016349	Vial: 10 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control Set (Low and High), Catalog Number : 10016365	Vial: 10 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control Set (Low and High), Catalog Number : 10016808	Vial: 10 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Cutoff Calibrator, Catalog Number : 10016807	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 1, Catalog Number : 10016865	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 1, Catalog Number : 10016882	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 2, Catalog Number : 10016866	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 2, Catalog Number : 10016883	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 3, Catalog Number : 10016867	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 3, Catalog Number : 10016884	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 4, Catalog Number : 10016868	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Control Set (Low and High), Catalog Number : 10016869	Vial: 15 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Control Set (Low and High), Catalog Number : 10016885	Vial: 15 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Control Set (Low and High), Catalog Number : 10016895	Vial: 15 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Cutoff Calibrator, Catalog Number : 10016894	Vial: 10 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA Mutli-Drug OFT Calibrator 1: Catalog Number 10016882	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Mutli-Drug OFT Calibrator 2: Catalog Number 10016883	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Mutli-Drug OFT Calibrator 3: Catalog Number 10016884	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Mutli-Drug OFT Control 1: Catalog Number 10017711	Vial: 15 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Mutli-Drug OFT Control 2: Catalog Number 10017712	Vial: 15 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Mutli-Drug OFT Control 3: Catalog Number 10017713	Vial: 15 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA Opiate Assay Catalog Number: 10016429	Glass vial: 17 mL, Box: 3 vials	8/23/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 1 Catalog Number : 10016644	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 1 Catalog Number : 10016700	Vial: 5 mL Box: 1 vial	5/23/2012

Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 1: Catalog Number 10016700	Vial: 5 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 2 Catalog Number : 10016646	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 2 Catalog Number : 10016701	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 2: Catalog Number 10016701	Vial: 5 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 3 Catalog Number : 10016647	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 3 Catalog Number : 10016702	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 3: Catalog Number 10016702	Vial: 5 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 4 Catalog Number : 10016648	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control 1: Catalog Number 10017702	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control 2: Catalog Number 10017703	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control 3: Catalog Number 10017704	Vial: 10 mL; Box: 1 vial	2/11/2013
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control Set (Low and High), Catalog Number : 10016649	Vial: 10 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control Set (Low and High), Catalog Number : 10016703	Vial: 10 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control Set (Low and High), Catalog Number : 10016731	Vial: 10 mL Box: 2 vials	5/23/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Cutoff Calibrator Catalog Number : 10016730	Vial: 5 mL Box: 1 vial	5/23/2012
Microgenics Corporation	Thermo Scientific DRI Cannabinoid Assay Catalog Number: 10014665	Vial: 18 mL, Box: 3 vials	1/30/2013
Microgenics Corporation	Thermo Scientific DRI Fentanyl Assay Catalog Number : 10016005	Vials: 500 mL	2/21/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Assay Catalog Number : 10016006	3 vials, 18 mL each	2/21/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Assay Catalog Number : 10016437	3 vials, 18 mL each	4/26/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Calibrator 2 ng/mL Catalog Number : 10016023	Vials: 10 mL	2/21/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 1 ng/mL Catalog Number : 10016484	Box: 1 vial; 25 mL	4/26/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 2 ng/mL Catalog Number : 10016485	Box: 1 vial; 10 mL	4/26/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 3 ng/mL Catalog Number : 10016024	Vials: 25 mL	2/21/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 3 ng/mL Catalog Number : 10016486	Box: 1 vial; 25 mL	4/26/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Low Control 1 ng/mL Catalog Number : 10016022	Vials: 25 mL	2/21/2012
Microgenics Corporation	Thermo Scientific DRI Opiate Assay Catalog Number: 100014602	Vial: 18 mL, Box: 3 vials	1/30/2013
Microgenics Corporation	Thermo Scientific Ecstacy Assay Catalog Number: 10014681	Vial: 18 mL, Box: 3 vials	1/30/2013
Microgenics Corporation	Thermo Scientific Intercept i2he Methamphetamine Oral Fluid Control Set (High and Low), Catalog Number : 10010391 Catalog Number : 10010391	Box: 2 vial; 10 mL each	7/29/2014
Microgenics Corporation	Thermo Scientific Intercept i2he Methamphetamine Oral Fluid Cutoff Calibrator, Catalog Number : 10010392	Box: 1 vial; 5 mL	7/29/2014
Microgenics Corporation	Thermo Scientific Intercept i2he Multi-Drug Oral Fluid Control Set A (High and Low), Catalog Number : 10010394	Box: 2 vial; 15 mL each	7/29/2014
Microgenics Corporation	Thermo Scientific Intercept i2he Multi-Drug Oral Fluid Cutoff Calibrator Set A, Catalog Number: 10010395	Box: 1 vial; 10 mL	7/29/2014
Microgenics Corporation	Thermo Scientific Intercept i2he THC Oral Fluid Control Set (High and Low), Catalog Number : 10010397	Box: 2 vial; 10 mL each	7/29/2014
Microgenics Corporation	Thermo Scientific Intercept i2he THC Oral Fluid Cutoff Calibrator, Catalog Number : 10010398	Box: 1 vial; 5 mL	7/29/2014
Microgenics Corporation	Thermo Scientific MAS Omni•CORE Liquid Assayed Integrated Chemistry Control Levels 1-3	Vial 5 mL; Box: 6 vials	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•CORE Liquid Assayed Integrated Chemistry Control Levels 1-3	Box: 6 glass vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•CORE Liquid Assayed Integrated Chemistry Control Sample Pack	Box: 6 vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•CORE Liquid Assayed Integrated Chemistry Control Sample Pack	Box: 3 glass vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE Liquid Assayed Integrated Chemistry Control Levels 1-3	Vial 5 mL; Box: 6 vials	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE Liquid Assayed Integrated Chemistry Control Levels 1-3	Box: 6 glass vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE Liquid Assayed Integrated Chemistry Control Sample Pack	Box: 6 vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE Liquid Assayed Integrated Chemistry Control Sample Pack	Box: 3 glass vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE PRO Liquid Assayed Integrated Chemistry Control Levels 1-3	Vial 5 mL; Box: 6 vials	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE PRO Liquid Assayed Integrated Chemistry Control Levels 1-3	Box: 6 glass vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE PRO Liquid Assayed Integrated Chemistry Control Sample Pack	Box: 6 vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE PRO Liquid Assayed Integrated Chemistry Control Sample Pack	Box: 3 glass vials; 5 mL each	6/13/2011
Microgenics Corporation	Thermo Scientific Phencyclidine Assay Catalog Number: 10014673	Vial: 18 mL, Box: 3 vials	1/30/2013
Microgenics Corporation	Tox Calibrators 1	1 amber glass bottle, 5.0 mL	11/14/2024
Microgenics Corporation	Tox Calibrators 2	1 amber glass bottle, 5.0 mL	11/14/2024
Microgenics Corporation	Tox Calibrators 3	1 amber glass bottle, 5.0 mL	11/14/2024
Microgenics Corporation	Tox Controls	Kit: 6 amber glass bottles, 5.0 mL each	11/14/2024
Microgenics Corporation	UDAT Negative DDE	Plastic tube: 1-50 mL	6/19/2025
Microgenics Corporation	UDAT Negative DDE	Glass vial: 1- 25 mL	6/30/2025
Microgenics Corporation	UDAT Positive DDE	Plastic tube: 1-50 mL	6/19/2025
Microgenics Corporation	UDAT Positive DDE	Glass vial: 1- 25 mL	6/30/2025
MLE	Chemistry	Amber vial: 5 mL	3/27/2017
MLE	Endo/Onc	Amber vial: 5 mL	3/27/2017
MLE	PSA	Amber vial: 5 mL	3/27/2017
MLE	SHBG/Testosterone	Amber vial: 2 mL	3/27/2017
MP Biomedicals, LLC	Authentifilm, Cat. No. 801677	7 mL gel on plate	2/15/2017
MP Biomedicals, LLC	Neonatal T4 125I Tracer, Cat. No. 06D0842	Amber bottle: 90 mL	2/14/2011
MP Biomedicals, LLC	Neonatal T4 CT Kit, Cat. No. 06D-0804	200 Tube Kit	2/14/2011
MP Biomedicals, LLC	Neonatal T4 Elution Buffer, Cat. No. 06D0864	Plastic bottle: 50 mL	2/14/2011
MP Biomedicals, LLC	T3 Uptake 125I Radioimmunoassay Kit, Cat. No. 06D0842	100 Tube Kit	2/14/2011
MP Biomedicals, LLC	T3 Uptake 125I Tracer, Cat. No. 06B237728	Plastic bottle: 100 mL	2/14/2011
MP Biomedicals, LLC	T4 MAb 125I Radioimmunoassay Kit, Cat. No. 06B254011	100 Tube Kit	2/14/2011
MP Biomedicals, LLC	T4 Mab Standards Levels A-F, Cat. No. 06B263667-72	Plastic bottle: 1.5 mL	2/14/2011
National Laboratory Certification Program	000076A, 002689A, 005336A, 049234A, 100803A, 114535A, 181701A, 228001A, 277225A, 278597A, 331643A, 342928A, 389298A, 429917A, 448030A, 491206A, 493791A, 510688A, 569993A, 570360A, 598460A, 600802A, 617482A, 636600A, 640755A, 616608B, 625412B, 664929B, 698418B, 751564B, 786646B, 861767B, 901399B, 990896B, 992257B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	000402B, 065269B, 073822B, 086729B, 088945B, 123047B, 152713B, 205449B, 232160B, 244650B, 278832B, 283716B, 295306B, 316453B, 341430B, 359561B, 415500B, 416036B, 432847B, 450059B, 457865B, 501988B, 549920B, 571836B, 595222B, 695275B, 709375B, 728251B, 734350B, 825509B, 845492B, 904645B, 914629B, 952576B, 981354B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	000665A, 025017A, 055959A, 067706A, 122536A, 146733A, 154141A, 172901A, 189669A, 270190A, 317074A, 381166A, 389562A, 394605A, 404688A, 478269A, 480736A, 489585A, 513162A, 520168A, 526012A, 571094A, 574081A, 582332A, 607700A, 625252A, 685985A, 807835A, 851074A, 854031A, 854264A, 891374A, 934897A, 959220A, 990476A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	000698B, 005823B, 008668B, 009201B, 014868B, 035268B, 040795B, 093659B, 110364B, 235929B, 250025B, 284776B, 289781B, 334117B, 360362B, 365813B, 406620B, 416031B, 429433B, 436806B, 478435B, 532508B, 536440B, 660586B, 660715B, 666837B, 708785B, 726285B, 744732B, 774145B, 774646B, 814238B, 829662B, 889478B, 966310B	HDPE Bottle: 35 mL	8/13/2025

National Laboratory Certification Program	000718A, 012905A, 055171A, 063438A, 068130A, 085316A, 121128A, 175711A, 192483A, 210253A, 217515A, 222244A, 248079A, 278646A, 325238A, 328497A, 354182A, 354246A, 355160A, 356320A, 363364A, 363757A, 380303A, 381668A, 387562A, 401037A, 408557A, 410499A, 415328A, 448496A, 449123A, 519251A, 519642A, 522376A, 547655A, 562034A, 570158A, 606065A, 622888A, 630470A, 639683A, 652305A, 653765A, 680431A, 680815A, 693633A, 694536A, 717152A, 721196A, 732369A, 741584A, 747266A, 747398A, 749408A, 755675A, 757987A, 771103A, 776617A, 783976A, 805349A, 811783A, 821798A, 828044A, 836281A, 836839A, 843676A, 844673A, 851522A, 851963A, 875122A, 884003A, 896624A, 907674A, 923237A, 928649A, 933498A, 954526A, 963965A, 965286A, 975329A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	000748B, 022146B, 039665B, 065879B, 086495B, 167962B, 189994B, 204201B, 223508B, 326257B, 342610B, 362297B, 388879B, 416496B, 416692B, 433882B, 466557B, 473169B, 534816B, 540208B, 555457B, 560491B, 616284B, 629937B, 674164B, 791989B, 808165B, 822964B, 834011B, 868533B, 886220B, 895562B, 926768B, 940578B, 970440B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	001249A, 027835A, 030319A, 031215A, 032972A, 045028A, 098349A, 143639A, 146293A, 151718A, 177210A, 211849A, 325597A, 326616A, 329074A, 369009A, 372913A, 386101A, 398816A, 402142A, 416660A, 472099A, 534581A, 576116A, 582362A, 618644A, 642058A, 764131A, 779639A, 789678A, 818507A, 846054A, 925961A, 955839A, 979057A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	001338B, 027173B, 038705B, 078823B, 128894B, 131909B, 133259B, 145077B, 184325B, 188338B, 188939B, 209909B, 220208B, 224290B, 250754B, 293530B, 313052B, 323873B, 345844B, 346977B, 393206B, 408125B, 456318B, 457915B, 517816B, 568254B, 652003B, 781424B, 785507B, 893164B, 902439B, 908808B, 928191B, 970747B, 971845B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	001420A, 002034A, 019847A, 046825A, 069432A, 106863A, 125298A, 130785A, 136251A, 142281A, 180198A, 241204A, 245078A, 252189A, 290580A, 329619A, 460489A, 472943A, 568919A, 582322A, 602719A, 606887A, 612695A, 615020A, 748717A, 830622A, 868748A, 887418A, 890295A, 897270A, 906694A, 925366A, 927921A, 967187A, 973838A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	001424A, 018549A, 032135A, 054089A, 100890A, 139000A, 154712A, 184394A, 201783A, 223037A, 227969A, 274516A, 289891A, 314567A, 325731A, 345973A, 384796A, 484282A, 539167A, 540312A, 574694A, 621396A, 645207A, 673320A, 675481A, 698635A, 700449A, 729705A, 831751A, 845276A, 931693A, 939711A, 958958A, 975696A, 998134A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	002168B, 091094B, 123006B, 136411B, 138459B, 148032B, 209330B, 253424B, 260107B, 282451B, 290338B, 346617B, 382639B, 445840B, 454896B, 489818B, 523851B, 543156B, 547523B, 562232B, 583813B, 594916B, 623448B, 640119B, 684220B, 684485B, 718954B, 742612B, 808392B, 834188B, 920223B, 934971B, 966650B, 974890B, 999564B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	002251A, 039767A, 044459A, 052855A, 131153A, 156921A, 189463A, 203800A, 229130A, 253334A, 355362A, 420342A, 440872A, 456611A, 461745A, 464814A, 465233A, 534153A, 534910A, 573090A, 574096A, 577592A, 580395A, 597215A, 620924A, 649927A, 667199A, 708662A, 735570A, 756401A, 781307A, 801348A, 863846A, 920213A, 943102A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	002607A, 005871A, 010267A, 037302A, 058133A, 167539A, 189120A, 198843A, 223547A, 265371A, 273521A, 312350A, 327096A, 345891A, 374572A, 408365A, 426333A, 430747A, 469762A, 541760A, 554350A, 556696A, 603613A, 710392A, 722293A, 758509A, 774160A, 789493A, 800127A, 800441A, 823141A, 868424A, 918975A, 932300A, 973219A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	002986A, 287179A, 718678A, 818336A, 821154A, 893391A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	003002B, 087649B, 088122B, 097213B, 101887B, 109259B, 180114B, 190602B, 203206B, 204793B, 237410B, 318221B, 358227B, 405127B, 429066B, 464574B, 516853B, 546815B, 595562B, 656679B, 660742B, 662693B, 725552B, 728964B, 744130B, 754517B, 779145B, 808978B, 854621B, 902372B, 928325B, 930057B, 963813B, 993756B, 999305B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	003330B, 008663B, 008973B, 053985B, 066982B, 083150B, 113023B, 145688B, 167253B, 176429B, 221441B, 263850B, 296679B, 372537B, 377640B, 428944B, 454311B, 470693B, 495033B, 516375B, 533182B, 538284B, 593454B, 622069B, 625845B, 705271B, 731910B, 760440B, 762685B, 805687B, 867966B, 895987B, 909977B, 967691B, 984212B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	003840B, 054021B, 057907B, 158728B, 201571B, 253068B, 259551B, 389566B, 523985B, 541941B, 542929B, 551906B, 562803B, 571097B, 571967B, 588134B, 608694B, 625732B, 656666B, 716335B, 745469B, 752927B, 764848B, 810619B, 859259B, 891730B, 943186B, 943972B, 946645B, 950528B, 952199B, 966997B, 970967B, 994669B, 998558B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	004309A, 018662A, 056361A, 064122A, 163113A, 184110A, 228242A, 251018A, 261736A, 266037A, 279535A, 285644A, 306779A, 405300A, 436595A, 441065A, 496071A, 514158A, 555780A, 608102A, 635375A, 640429A, 657676A, 664073A, 672216A, 734185A, 749633A, 762926A, 767367A, 777431A, 809235A, 840766A, 926298A, 930286A, 956217A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	004421B, 021501B, 029943B, 031233B, 047450B, 075949B, 076140B, 115350B, 124299B, 133903B, 170676B, 174509B, 210376B, 298568B, 320140B, 350155B, 350399B, 364976B, 380599B, 391717B, 475430B, 514141B, 565435B, 565633B, 569655B, 639511B, 732980B, 762516B, 839143B, 852208B, 861253B, 877995B, 898353B, 954458B, 970987B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	004978B, 038576B, 080314B, 128319B, 129675B, 130198B, 194423B, 219321B, 228240B, 251034B, 286189B, 353998B, 358075B, 367302B, 401038B, 423451B, 457306B, 457699B, 492914B, 543194B, 552087B, 584476B, 587475B, 590681B, 606849B, 644627B, 682369B, 741650B, 758544B, 796495B, 853450B, 898211B, 908182B, 943177B, 999833B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	005559A, 007056A, 060318A, 060822A, 066476A, 079813A, 102425A, 138323A, 145694A, 155454A, 189509A, 229111A, 232779A, 234600A, 304060A, 313103A, 315525A, 351952A, 355146A, 404250A, 406026A, 414442A, 452039A, 498752A, 536594A, 575118A, 580487A, 630920A, 642398A, 690233A, 716200A, 718990A, 830323A, 945302A, 999450A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	005666A, 037111A, 071132A, 076812A, 090023A, 092892A, 108325A, 140630A, 179204A, 194898A, 225953A, 235684A, 247574A, 294602A, 306264A, 353302A, 383694A, 389117A, 420372A, 423310A, 429254A, 516093A, 529371A, 569817A, 635297A, 684382A, 724258A, 788430A, 815134A, 831540A, 851045A, 858003A, 873167A, 876730A, 931413A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	005970B, 007113B, 020039B, 041744B, 052781B, 095638B, 103092B, 108093B, 116611B, 137712B, 205143B, 212652B, 313350B, 313731B, 352196B, 372176B, 380826B, 480873B, 549776B, 574513B, 587920B, 601385B, 626117B, 634280B, 694610B, 697129B, 704426B, 749265B, 816141B, 864803B, 884678B, 919924B, 931313B, 952073B, 985493B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	006206A, 031006A, 032097A, 081261A, 084246A, 140135A, 210233A, 234088A, 240026A, 301517A, 307141A, 310037A, 345358A, 358639A, 370474A, 423752A, 471400A, 475502A, 512584A, 521655A, 526587A, 529780A, 572607A, 579690A, 587653A, 615917A, 654272A, 664802A, 696688A, 698228A, 729181A, 768474A, 798477A, 977241A, 981697A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	006435B, 022475B, 057975B, 069059B, 071614B, 094628B, 109877B, 141409B, 203883B, 254945B, 281629B, 308778B, 341348B, 351807B, 356969B, 388686B, 436827B, 457296B, 465716B, 476139B, 495813B, 535278B, 593565B, 606005B, 609170B, 616608B, 625412B, 664929B, 698418B, 751564B, 786646B, 861767B, 901399B, 990896B, 992257B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	007292A, 009786A, 011918A, 016120A, 038168A, 067225A, 079531A, 081369A, 131969A, 161948A, 182862A, 192080A, 345914A, 357516A, 389524A, 447653A, 451580A, 481153A, 513678A, 544125A, 555636A, 582823A, 596073A, 626277A, 631392A, 718321A, 747102A, 752666A, 764944A, 765184A, 804514A, 806677A, 864601A, 925690A, 927292A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	008075A, 017852A, 025625A, 085275A, 097999A, 102622A, 104451A, 187797A, 235223A, 237010A, 293294A, 293303A, 336061A, 346745A, 409856A, 412993A, 444251A, 454347A, 522107A, 546801A, 570924A, 584379A, 651757A, 704466A, 721935A, 722529A, 728478A, 805525A, 861781A, 909262A, 915497A, 940293A, 940584A, 963339A, 977072A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	008300B, 020955B, 048067B, 048586B, 122737B, 162828B, 166724B, 173251B, 183621B, 194965B, 273974B, 354675B, 355375B, 407080B, 414483B, 462906B, 473949B, 474305B, 597795B, 598394B, 617129B, 651745B, 718596B, 751654B, 754559B, 775606B, 851317B, 864538B, 912644B, 918278B, 935659B, 937963B, 959217B, 969407B, 987184B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	008337B, 044150B, 060118B, 073115B, 075429B, 110423B, 114425B, 119517B, 161266B, 194448B, 235805B, 248623B, 322304B, 386196B, 416931B, 432080B, 483918B, 499219B, 511508B, 512779B, 554565B, 580862B, 701044B, 709526B, 711598B, 763660B, 791308B, 800481B, 847740B, 880122B, 927402B, 942059B, 962277B, 983453B, 985611B	HDPE Bottle: 35 mL	8/13/2025

National Laboratory Certification Program	010070B, 093360B, 099288B, 110882B, 156851B, 239750B, 257778B, 282207B, 288939B, 381045B, 383077B, 398549B, 413633B, 423826B, 479238B, 491081B, 516708B, 531816B, 566564B, 571215B, 576086B, 593527B, 615405B, 740193B, 743791B, 790154B, 802453B, 802705B, 838230B, 858148B, 877893B, 879636B, 900072B, 965444B, 993246B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	010697B, 022117B, 082532B, 116752B, 158992B, 161172B, 177228B, 187457B, 210895B, 241426B, 256719B, 293088B, 343019B, 352986B, 373968B, 390864B, 439681B, 487844B, 517399B, 535038B, 548558B, 582459B, 603382B, 625105B, 677343B, 678234B, 681129B, 692457B, 743355B, 791000B, 861649B, 874492B, 966433B, 992475B, 997312B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	011680A, 017661A, 080304A, 095217A, 109225A, 114025A, 138442A, 206042A, 228759A, 233184A, 308871A, 340469A, 413044A, 448867A, 478672A, 501400A, 505846A, 536930A, 590200A, 604209A, 631483A, 634395A, 725480A, 741966A, 765032A, 766257A, 796397A, 798459A, 818295A, 843407A, 848811A, 849883A, 911465A, 921657A, 952764A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	013040A, 042753A, 090506A, 103995A, 116292A, 152529A, 180585A, 202706A, 279567A, 336881A, 404722A, 404794A, 432772A, 446473A, 463980A, 503028A, 522915A, 556437A, 596439A, 599504A, 650995A, 652080A, 660807A, 668824A, 678286A, 696520A, 713748A, 765514A, 778427A, 821933A, 868611A, 871672A, 871840A, 890969A, 957414A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	014064A, 070455A, 072822A, 077919A, 096657A, 124962A, 259574A, 263776A, 357440A, 365600A, 378595A, 383326A, 405193A, 416442A, 437908A, 444539A, 464994A, 485246A, 494040A, 498674A, 647026A, 736635A, 736929A, 748417A, 755567A, 787193A, 792836A, 802250A, 852899A, 900360A, 902762A, 908964A, 947949A, 974384A, 983525A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	015148B, 056350B, 068497B, 068841B, 085299B, 088113B, 148813B, 216318B, 258353B, 278737B, 290602B, 342174B, 349555B, 363816B, 378841B, 383732B, 403899B, 425825B, 428748B, 435254B, 490430B, 511164B, 539146B, 592447B, 639188B, 775875B, 794570B, 814647B, 835479B, 852161B, 856746B, 922414B, 942915B, 980973B, 995461B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	016331B, 063957B, 067948B, 088210B, 123687B, 126521B, 167760B, 191425B, 211323B, 226171B, 244664B, 254307B, 279094B, 279789B, 367446B, 369857B, 407954B, 439938B, 540642B, 550860B, 614669B, 674756B, 698083B, 714070B, 721652B, 749981B, 756040B, 782629B, 904051B, 904647B, 932582B, 936878B, 955214B, 974981B, 996596B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	016991B, 084133B, 107773B, 132664B, 140291B, 154688B, 179523B, 184408B, 184929B, 214543B, 230517B, 246989B, 309057B, 328136B, 356755B, 371493B, 373624B, 380166B, 471772B, 541159B, 570310B, 592389B, 612733B, 636707B, 663165B, 668464B, 674714B, 684429B, 752346B, 756252B, 778652B, 813551B, 822312B, 833656B, 903755B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	017433B, 017794B, 084500B, 101389B, 106040B, 141643B, 158480B, 164272B, 177758B, 253127B, 273524B, 301629B, 319519B, 368693B, 405795B, 456287B, 484201B, 535222B, 574190B, 577129B, 588516B, 599060B, 626474B, 643825B, 733276B, 751873B, 815188B, 818970B, 820321B, 837004B, 865225B, 929563B, 932571B, 957085B, 988665B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	017944A, 040220A, 050432A, 079752A, 082110A, 086038A, 092088A, 098069A, 137512A, 156757A, 171216A, 211808A, 226869A, 233495A, 318540A, 327851A, 354016A, 395600A, 485757A, 486285A, 510005A, 514619A, 547594A, 566208A, 569696A, 585093A, 708168A, 709648A, 756379A, 780888A, 845265A, 862932A, 885795A, 910079A, 928497A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	018312A, 025641A, 031396A, 083193A, 099900A, 104132A, 111257A, 141712A, 150760A, 192893A, 202322A, 226723A, 251858A, 264258A, 268600A, 317802A, 354305A, 388382A, 469706A, 540684A, 554382A, 581932A, 583177A, 593106A, 699066A, 716424A, 728547A, 775320A, 784436A, 822127A, 862509A, 904228A, 911402A, 912819A, 934539A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	020384A, 022514A, 073773A, 077307A, 101061A, 112787A, 113934A, 221524A, 222169A, 344282A, 345454A, 382658A, 399299A, 409663A, 422937A, 443649A, 450388A, 453675A, 472094A, 481939A, 488379A, 510953A, 559989A, 601421A, 639428A, 688400A, 780138A, 820038A, 822796A, 843747A, 852287A, 907466A, 914112A, 936481A, 996819A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	020549A, 055873A, 091931A, 103313A, 109157A, 117989A, 123784A, 151693A, 164409A, 175764A, 277493A, 331825A, 346940A, 394608A, 399740A, 418376A, 499323A, 502924A, 508723A, 520961A, 523571A, 531629A, 552589A, 565640A, 623633A, 638624A, 662092A, 706843A, 730464A, 785155A, 819776A, 879645A, 921267A, 949214A, 996663A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	021010A, 030707A, 239326A, 244246A, 337865A, 371198A, 372440A, 381287A, 393670A, 423618A, 436998A, 458904A, 468431A, 492785A, 496858A, 508735A, 515657A, 519381A, 527674A, 563720A, 596068A, 598978A, 670656A, 816957A, 829284A, 834707A, 868325A, 892665A, 917114A, 944490A, 963773A, 972897A, 982749A, 986672A, 989941A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	021015A, 106941A, 153757A, 170127A, 219620A, 243009A, 245620A, 262466A, 267026A, 273002A, 284518A, 293098A, 304173A, 357980A, 362650A, 368667A, 372428A, 373763A, 465213A, 632670A, 637010A, 654256A, 667111A, 676396A, 685528A, 715997A, 729778A, 738401A, 746709A, 820035A, 824394A, 862464A, 899745A, 976984A, 990488A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	021162B, 087866B, 183065B, 189337B, 205052B, 234816B, 260972B, 271462B, 308292B, 323664B, 345750B, 394883B, 437939B, 466877B, 495588B, 517011B, 518096B, 519701B, 550619B, 614606B, 648570B, 682661B, 703108B, 724890B, 732560B, 732619B, 778313B, 792989B, 808760B, 843703B, 876417B, 888383B, 904377B, 910460B, 957244B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	021619A, 040036A, 042253A, 047178A, 067336A, 118948A, 168728A, 177066A, 249348A, 265410A, 268548A, 278997A, 308487A, 323939A, 329064A, 460527A, 583497A, 617274A, 618834A, 626872A, 658023A, 674192A, 684034A, 710223A, 721689A, 730015A, 792299A, 799879A, 848331A, 864583A, 867060A, 873822A, 877391A, 967406A, 979251A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	022041A, 574144A, 776093A, 236866A, 667335A, 122300A, 133243A, 582814A, 173210A, 494903A, 403344A, 967534A, 817917A, 583104A, 518975A, 705565A, 636277A, 687871A, 354608A, 529775A, 609079A, 408846A, 180641A, 367613A, 178246A, 826532A, 070432A, 918305A, 059949A, 905904A, 562665A, 698231A, 360083A, 596067A, 119181A, 485205A, 165152A, 499182A, 288618A, 962800A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	025155A, 033235A, 049549A, 054034A, 055333A, 106472A, 118226A, 152283A, 234007A, 248041A, 280254A, 305280A, 314206A, 341828A, 348639A, 349011A, 389756A, 389759A, 396694A, 427443A, 487691A, 528175A, 546748A, 547344A, 633832A, 659937A, 694277A, 700514A, 741955A, 805262A, 853449A, 948027A, 953244A, 956598A, 962943A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	025920A, 027135A, 114480A, 115476A, 122523A, 183635A, 194041A, 204620A, 279945A, 281934A, 433932A, 433954A, 474972A, 480948A, 511809A, 526120A, 528097A, 590448A, 593901A, 615205A, 656931A, 706059A, 725830A, 750699A, 772302A, 783058A, 812667A, 828439A, 831789A, 848828A, 875358A, 885148A, 903531A, 907849A, 934986A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	026024B, 026847B, 051721B, 063912B, 065871B, 118019B, 136680B, 140934B, 381235B, 389733B, 392446B, 427161B, 456104B, 516761B, 538741B, 548287B, 564163B, 569026B, 574913B, 586831B, 588082B, 626152B, 649482B, 651441B, 659617B, 662769B, 754785B, 777415B, 786123B, 855707B, 936715B, 946177B, 948013B, 963933B, 991376B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	026183A, 930751A, 407399A, 643112A, 201911A, 431688A, 645926A, 052513A, 964566A, 170947A, 699430A, 716203A, 463940A, 699148A, 889850A, 590120A, 546925A, 500976A, 810063A, 328736A, 180945A, 097823A, 802758A, 242168A, 382360A, 390035A, 651020A, 792413A, 609101A, 556111A, 035136A, 706909A, 936622A, 453512A, 597304A, 270639A, 750857A, 770908A, 331997A, 889319A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	027777B, 119490B, 137163B, 158033B, 162620B, 244094B, 275356B, 291164B, 302291B, 312676B, 379494B, 381497B, 399175B, 423577B, 433740B, 434559B, 452118B, 536280B, 541933B, 560683B, 589996B, 602983B, 630257B, 659372B, 678582B, 700844B, 741401B, 756887B, 823112B, 834359B, 875111B, 876818B, 877156B, 881128B, 998279B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	028735A, 035118A, 075272A, 076547A, 089441A, 089633A, 096802A, 172073A, 259781A, 270806A, 321625A, 325690A, 350232A, 411793A, 450765A, 486819A, 563260A, 579818A, 591467A, 607282A, 624678A, 652701A, 699573A, 711491A, 715428A, 729140A, 771556A, 799742A, 838530A, 844041A, 855547A, 868513A, 882175A, 963272A, 965733A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	029785A, 015754A, 316565A, 357398A, 548451A, 886582A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	031614A, 051459A, 055192A, 084650A, 120685A, 126722A, 138628A, 143247A, 167291A, 190985A, 278909A, 280854A, 308432A, 341946A, 388325A, 418652A, 436648A, 512595A, 562843A, 586726A, 613405A, 618722A, 654243A, 682929A, 712771A, 718431A, 725334A, 730258A, 748493A, 815920A, 830568A, 868491A, 900074A, 941441A, 959650A	HDPE Bottle: 35 mL	8/13/2025

National Laboratory Certification Program	032127A, 038866A, 057538A, 114154A, 156524A, 166013A, 169311A, 184029A, 206832A, 261215A, 271448A, 345295A, 350467A, 353002A, 364606A, 377739A, 390882A, 414211A, 427846A, 488084A, 554944A, 586620A, 644720A, 654539A, 720771A, 745258A, 788267A, 805560A, 821531A, 823897A, 840565A, 851174A, 879955A, 966286A, 985558A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	034905A, 050591A, 311762A, 435964A, 529986A, 716317A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	035550B, 065643B, 147223B, 173202B, 198348B, 257417B, 260894B, 264336B, 273063B, 276178B, 341742B, 345229B, 392939B, 413817B, 425234B, 495163B, 498877B, 527143B, 570511B, 587850B, 605697B, 639581B, 672832B, 717588B, 761034B, 769013B, 785604B, 823221B, 850953B, 885621B, 886279B, 934228B, 958843B, 985085B, 988885B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	037014B, 039673B, 045770B, 058136B, 065317B, 066839B, 132937B, 170901B, 175168B, 210176B, 229910B, 241586B, 273502B, 284310B, 284718B, 289955B, 306823B, 399116B, 475395B, 499112B, 545017B, 548515B, 593510B, 651653B, 660732B, 664479B, 694851B, 721298B, 733106B, 770235B, 786980B, 907019B, 920045B, 990726B, 996913B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	037106B, 064669B, 121593B, 175568B, 184654B, 190581B, 220221B, 234541B, 243913B, 251933B, 312685B, 451855B, 469650B, 482602B, 562752B, 633520B, 637702B, 656601B, 669256B, 703740B, 705237B, 724503B, 754388B, 759014B, 763713B, 828140B, 832428B, 852540B, 853172B, 878380B, 888424B, 889409B, 891234B, 920600B, 929262B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	040826A, 052946A, 054338A, 101202A, 145345A, 151289A, 168310A, 204415A, 230085A, 270947A, 283433A, 414966A, 426423A, 436865A, 449014A, 449143A, 449215A, 451210A, 483623A, 562787A, 592758A, 597446A, 599811A, 661841A, 694951A, 701824A, 711740A, 728471A, 774161A, 788362A, 810255A, 866775A, 869369A, 871219A, 977467A869369A, 871219A, 977467A869369A, 871219A, 977467A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	045784B, 052798B, 057593B, 098212B, 100893B, 101142B, 180904B, 216010B, 273557B, 276954B, 288342B, 368630B, 388064B, 435990B, 438949B, 471911B, 482770B, 502619B, 532590B, 536276B, 551023B, 575720B, 623191B, 634009B, 647236B, 662633B, 675205B, 685451B, 689710B, 731533B, 744103B, 820031B, 855502B, 862411B, 931507B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	046762A, 100034A, 102666A, 103232A, 108718A, 138437A, 142638A, 148308A, 195427A, 225875A, 259980A, 280661A, 325899A, 333984A, 351003A, 367786A, 371858A, 388872A, 393645A, 398129A, 400359A, 448092A, 479095A, 570180A, 604666A, 607799A, 631374A, 634388A, 641041A, 659497A, 700446A, 748618A, 891470A, 901244A, 942711A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	051635B, 125479B, 160680B, 210036B, 343967B, 359786B, 374204B, 416172B, 442106B, 443824B, 465401B, 473703B, 486996B, 489927B, 491951B, 520594B, 521686B, 540833B, 570333B, 589101B, 597293B, 667722B, 682374B, 692786B, 696196B, 745637B, 755762B, 786770B, 788285B, 794426B, 817555B, 819424B, 846959B, 979232B, 983529B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	051972A, 084295A, 092982A, 127246A, 144873A, 153363A, 179738A, 245433A, 267209A, 267239A, 268384A, 283952A, 302893A, 341922A, 366295A, 380954A, 431768A, 449924A, 472740A, 496108A, 520809A, 563533A, 610186A, 662154A, 666750A, 743040A, 743538A, 771036A, 831271A, 833772A, 845911A, 851457A, 875709A, 889988A, 905770A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	055473A, 062795A, 091960A, 095654A, 103689A, 121192A, 152490A, 343605A, 380438A, 431234A, 440090A, 443804A, 493914A, 498294A, 549495A, 553148A, 583854A, 592585A, 614725A, 634559A, 663404A, 691749A, 740783A, 745137A, 753250A, 767767A, 778930A, 796137A, 804117A, 818517A, 838861A, 895186A, 905662A, 934214A, 979252A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	061784A, 194339A, 189661A, 551819A, 381364A, 492408A, 557693A, 914673A, 506399A, 889764A, 736655A, 790061A, 338396A, 055599A, 989048A, 466735A, 222621A, 490757A, 387326A, 896586A, 904430A, 555683A, 366996A, 650610A, 864763A, 396490A, 803238A, 198380A, 235827A, 626634A, 526057A, 910204A, 355372A, 968095A, 596033A, 436973A, 607863A, 979842A, 178683A, 362016A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	064170B, 797653B, 412962B, 548217B, 244234B, 071176B, 184915B, 505167B, 168296B, 961418B, 143333B, 494612B, 061487B, 708316B, 969145B, 357095B, 325561B, 471657B, 142966B, 980261B, 689416B, 848926B, 736831B, 704297B, 574840B, 102054B, 120492B, 101697B, 487204B, 143294B, 211801B, 553318B, 598788B, 461245B, 899312B, 597506B, 636248B, 459922B, 434217B, 369407B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	066780A, 388503A, 419282A, 703514A, 715394A, 773768A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	067740B, 078286B, 088864B, 096404B, 099168B, 118997B, 171831B, 177252B, 200941B, 208656B, 221471B, 225547B, 282454B, 300382B, 356362B, 444961B, 458435B, 492844B, 521133B, 577803B, 616481B, 637395B, 648786B, 655158B, 659453B, 666321B, 676368B, 739389B, 747694B, 763463B, 820524B, 855516B, 890690B, 896779B, 993870B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	068902B, 129408B, 148954B, 158395B, 161710B, 175855B, 185324B, 231810B, 234867B, 265506B, 329791B, 368936B, 379924B, 396559B, 417733B, 478661B, 487350B, 488452B, 516316B, 544066B, 582266B, 611803B, 673201B, 681808B, 697475B, 735696B, 773267B, 802300B, 838980B, 858879B, 887888B, 888149B, 890755B, 909314B, 986916B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	071896A, 738698A, 162758A, 628867A, 485966A, 381895A, 486488A, 621115A, 100418A, 560467A, 537730A, 675123A, 302000A, 319176A, 122942A, 760650A, 422079A, 174856A, 516231A, 418328A, 180664A, 212094A, 691136A, 634187A, 798650A, 607468A, 933752A, 309685A, 973745A, 631714A, 484426A, 491991A, 039010A, 742449A, 505428A, 193660A, 397174A, 916101A, 277264A, 901788A, 095788A, 254808A, 470171A, 348584A, 676643A, 456184A, 626407A, 972550A, 644831A, 462616A, 210020A, 684161A, 603702A, 070193A, 184527A, 668781A, 744400A, 666110A, 869799A, 361660A, 727426A, 343086A, 967674A, 677496A, 052349A, 882438A, 531211A, 842107A, 397149A, 546613A, 950308A, 412178A, 148031A, 281006A, 233765A, 086849A, 964212A, 285036A, 706582A, 921651A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	074055A, 103111A, 119335A, 253010A, 284037A, 285200A, 307883A, 312834A, 321193A, 331790A, 337173A, 387539A, 404275A, 449403A, 476817A, 527683A, 531288A, 605622A, 613189A, 634257A, 651887A, 652077A, 672726A, 677614A, 696727A, 718250A, 833229A, 834573A, 843020A, 898432A, 951122A, 976028A, 979580A, 984005A, 985648A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	078164B, 094520B, 103792B, 134474B, 152792B, 190116B, 217101B, 257863B, 270842B, 377549B, 408019B, 411878B, 442008B, 460982B, 527654B, 546971B, 601759B, 624614B, 644555B, 655484B, 720991B, 725388B, 742949B, 779193B, 848155B, 854070B, 868649B, 871225B, 881299B, 903977B, 907302B, 924305B, 934078B, 942833B, 967867B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	083318B, 097153B, 112864B, 120304B, 154929B, 184979B, 235136B, 260884B, 269738B, 270105B, 292616B, 363773B, 395431B, 404299B, 515262B, 552528B, 553217B, 604151B, 609472B, 696552B, 731845B, 741227B, 747141B, 760020B, 763677B, 785318B, 814115B, 819068B, 843696B, 847131B, 852064B, 905874B, 926529B, 936154B, 946776B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	083960A, 103808A, 319701A, 504864A, 676139A, 778658A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	088244A, 390852A, 767885A, 068525A, 255935A, 846250A, 735591A, 067657A, 906645A, 344553A, 263553A, 049657A, 060644A, 266076A, 674966A, 604279A, 800523A, 880495A, 256229A, 151789A, 521263A, 054872A, 807716A, 195465A, 629169A, 871819A, 372792A, 563962A, 327922A, 906703A, 794153A, 909053A, 677432A, 076545A, 271267A, 832254A, 339266A, 673154A, 760846A, 010754A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	092669A, 093912A, 113643A, 120299A, 187578A, 224713A, 282085A, 290486A, 303537A, 403406A, 407127A, 410750A, 413786A, 418464A, 422026A, 569177A, 597899A, 604333A, 607705A, 611430A, 616383A, 626203A, 758029A, 799149A, 822057A, 827055A, 849915A, 866988A, 885741A, 889674A, 946229A, 950892A, 965105A, 976156A, 988441A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	094116B, 293300B, 711918B, 206702B, 058773B, 086865B, 859092B, 083172B, 320107B, 511768B, 078198B, 224757B, 638817B, 102171B, 968285B, 061343B, 282275B, 108203B, 488884B, 565575B, 515142B, 872876B, 541620B, 392714B, 647098B, 545687B, 947015B, 763686B, 240956B, 720157B, 371719B, 729849B, 517531B, 866969B, 926288B, 829944B, 029886B, 476293B, 388676B, 377654B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	116696A, 255651A, 436569A, 848494A, 913694A, 976504A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	118988A, 142257A, 179713A, 179964A, 232600A, 286621A, 292618A, 293948A, 327668A, 345555A, 362272A, 365354A, 414624A, 428820A, 464467A, 515361A, 533550A, 634816A, 726842A, 752145A, 762614A, 775255A, 791702A, 817154A, 841712A, 846310A, 860581A, 866703A, 945560A, 950221A, 955729A, 964544A, 977024A, 982060A, 997896A	HDPE Bottle: 35 mL	8/13/2025

National Laboratory Certification Program	119337A, 276608A, 428933A, 649901A, 687449A, 728699A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	119744B, 714619B, 617906B, 078526B, 545726B, 250445B, 023941B, 669653B, 450929B, 509333B, 765443B, 712504B, 746026B, 447405B, 282374B, 811202B, 027897B, 769393B, 850309B, 299596B, 155578B, 976835B, 568749B, 539185B, 591920B, 046272B, 974647B, 739331B, 779324B, 199132B, 874402B, 501559B, 707448B, 365793B, 014371B, 153174B, 194481B, 738028B, 702873B, 430691B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	123477B, 139407B, 153268B, 214442B, 235636B, 248028B, 320549B, 382536B, 418025B, 479495B, 517581B, 529280B, 580007B, 593081B, 620945B, 633779B, 637763B, 647421B, 647863B, 653460B, 702767B, 704973B, 751674B, 752439B, 755787B, 763707B, 803866B, 838175B, 847350B, 871386B, 879837B, 894329B, 904256B, 950064B, 963760B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	12666-137-1	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program	12666-137-2	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program	12666-137-3	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program	12666-137-4	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program	12666-138-50116	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50117	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50118	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50119	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50120	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50121	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50122	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50123	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50124	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50125	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50126	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-138-50127	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	12666-143-30301	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	12666-143-30302	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	12666-143-30303	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	12666-143-30304	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	12666-143-30305	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	12666-143-30306	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	127972A, 129253A, 157500A, 162396A, 164373A, 195102A, 251623A, 292781A, 297839A, 305609A, 349662A, 351685A, 418387A, 425259A, 443116A, 469054A, 497169A, 598078A, 650309A, 681409A, 689544A, 705767A, 741096A, 757116A, 792683A, 805477A, 822731A, 856956A, 861441A, 883543A, 903124A, 903264A, 911065A, 958405A, 999965A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	132812A, 259358A, 331715A, 453220A, 608037A, 642807A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	143285B, 162515B, 199760B, 204187B, 317225B, 333143B, 341489B, 348010B, 355663B, 359531B, 367395B, 368690B, 389063B, 469290B, 475478B, 483045B, 496985B, 555622B, 570900B, 576653B, 585957B, 635733B, 639231B, 645544B, 679396B, 784787B, 793643B, 795124B, 806798B, 821428B, 857851B, 861892B, 916526B, 947534B, 989267B	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	143577B, 799259B, 093385B, 121120B, 438445B, 471889B, 991482B, 560436B, 836494B, 539974B, 924798B, 514778B, 641654B, 147648B, 152331B, 356699B, 570667B, 965507B, 901785B, 135162B, 059452B, 256002B, 760044B, 734275B, 176441B, 684137B, 992293B, 874538B, 264824B, 926899B, 213753B, 760096B, 067995B, 508265B, 024058B, 036096B, 853550B, 353999B, 344790B, 319449B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	155057A, 554790A, 812009A, 889510A, 901346A, 938103A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	158060A, 358773A, 389046A, 470393A, 725377A, 921670A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	178093A, 192604A, 253434A, 263834A, 498855A, 936813A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	182558A, 410923A, 505805A, 564854A, 705577A, 766064A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	195240A, 583132A, 798201A, 354003A, 343313A, 456082A, 295619A, 262262A, 551488A, 638235A, 261743A, 659970A, 452715A, 644740A, 262302A, 546894A, 266208A, 992334A, 011117A, 291553A, 382182A, 652636A, 810757A, 493373A, 837686A, 270696A, 005147A, 694928A, 685113A, 857447A, 877303A, 098929A, 724951A, 811385A, 929113A, 056468A, 415085A, 280862A, 311761A, 875578A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	199520A, 094981A, 322415A, 856139A, 431145A, 659912A, 942470A, 926998A, 452327A, 623295A, 382796A, 295745A, 929287A, 756595A, 124067A, 709458A, 468807A, 865610A, 636066A, 508274A, 441193A, 647996A, 007783A, 732696A, 766812A, 101606A, 188098A, 250596A, 723373A, 331958A, 655064A, 146544A, 065838A, 921011A, 103522A, 860803A, 933625A, 420134A, 343593A, 062577A, 292077A, 235404A, 541106A, 551787A, 570886A, 425638A, 075016A, 576222A, 759335A, 675646A, 541882A, 118515A, 019289A, 174413A, 374752A, 503427A, 536203A, 775106A, 598921A, 906865A, 473428A, 230039A, 796412A, 789095A, 884553A, 538050A, 557987A, 225378A, 399430A, 673730A, 433914A, 616604A, 047330A, 594539A, 086065A, 051332A, 723643A, 099292A, 867669A, 862270A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	205692A, 947645A, 561795A, 868710A, 895563A, 311983A, 684123A, 577895A, 677176A, 085339A, 451281A, 600437A, 095991A, 120950A, 212630A, 182631A, 133511A, 494828A, 116226A, 438460A, 879618A, 549558A, 963202A, 066725A, 127635A, 966618A, 461241A, 141443A, 061160A, 443286A, 852760A, 653120A, 636117A, 281034A, 249657A, 465677A, 324641A, 835960A, 039915A, 582170A, 032940A, 506950A, 629038A, 578845A, 668140A, 120799A, 656572A, 203936A, 759329A, 252866A, 214259A, 930199A, 693853A, 975852A, 814744A, 595529A, 435299A, 472832A, 060720A, 992323A, 492399A, 847678A, 658737A, 537709A, 547528A, 434153A, 764180A, 512856A, 736913A, 161889A, 846940A, 131176A, 453625A, 391821A, 037501A, 908110A, 213626A, 649773A, 775467A, 943366A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	208697A, 958664A, 665411A, 525201A, 944352A, 317706A, 076997A, 789313A, 039045A, 518163A, 874328A, 707605A, 981698A, 337020A, 789572A, 651667A, 165169A, 169817A, 150597A, 846114A, 978071A, 009046A, 193892A, 329614A, 397050A, 733497A, 061486A, 560885A, 911337A, 063750A, 516680A, 795600A, 193172A, 366754A, 093631A, 221085A, 565141A, 302113A, 857199A, 335331A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	213539B, 849833B, 736932B, 269990B, 559402B, 151254B, 573727B, 706633B, 918997B, 928989B, 639569B, 415429B, 924360B, 655446B, 606345B, 042867B, 076302B, 658286B, 324872B, 756652B, 358497B, 697763B, 486870B, 685073B, 968034B, 794563B, 316013B, 640387B, 994323B, 946440B, 819193B, 637565B, 085291B, 310301B, 251180B, 820740B, 581333B, 824906B, 519913B, 063500B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	216598B, 511557B, 129873B, 984529B, 791433B, 910329B, 215984B, 919950B, 545898B, 464547B, 425834B, 741229B, 046563B, 867100B, 086018B, 357686B, 514656B, 275065B, 526444B, 654570B, 013035B, 508619B, 408970B, 415631B, 849142B, 248594B, 985171B, 908129B, 059598B, 448175B, 924282B, 643199B, 362562B, 807526B, 247387B, 285719B, 053769B, 153415B, 052574B, 052922B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	220918A, 801943A, 058750A, 057923A, 173734A, 848934A, 027801A, 251961A, 952140A, 244386A, 865185A, 548476A, 757993A, 388102A, 642628A, 380665A, 964586A, 978731A, 068770A, 438998A, 748624A, 238146A, 373755A, 701857A, 383049A, 648224A, 139929A, 516257A, 147923A, 077702A, 600061A, 736555A, 142864A, 394947A, 824932A, 934376A, 692499A, 377413A, 634076A, 283111A	HDPE Bottle: 35 mL	9/26/2024

National Laboratory Certification Program	223328A, 485515A, 616924A, 617472A, 684380A, 898752A	HDPE Bottle: 35 mL	8/13/2025
National Laboratory Certification Program	234633B, 063632B, 042542B, 415938B, 423019B, 481728B, 164443B, 043122B, 182585B, 942405B, 599964B, 833373B, 654815B, 989848B, 234123B, 434914B, 591198B, 139151B, 655393B, 160632B, 601388B, 598847B, 361333B, 997285B, 368094B, 221654B, 178107B, 270868B, 910224B, 295255B, 719350B, 101064B, 835606B, 264147B, 304977B, 135684B, 565253B, 640734B, 732726B, 732057B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	234841A, 686901A, 497014A, 584045A, 135220A, 031423A, 135199A, 287937A, 510562A, 618064A, 824570A, 523425A, 492133A, 678635A, 886050A, 056382A, 849263A, 439797A, 801458A, 634414A, 451369A, 021709A, 852517A, 050423A, 193273A, 434154A, 205976A, 292909A, 111547A, 588991A, 495191A, 728492A, 894995A, 672391A, 239398A, 536999A, 718102A, 303526A, 504703A, 356615A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	235226A, 031501A, 908819A, 667349A, 240456A, 553253A, 262737A, 476080A, 697307A, 782987A, 360488A, 459877A, 244962A, 459785A, 244595A, 180257A, 696614A, 584291A, 853534A, 134309A, 002583A, 727444A, 424460A, 234159A, 685630A, 830219A, 617429A, 800499A, 205237A, 996549A, 004901A, 719589A, 997721A, 980196A, 476463A, 078158A, 244578A, 108081A, 757403A, 170063A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	238827A, 713504A, 334914A, 738751A, 304789A, 690442A, 534737A, 739550A, 359253A, 049100A, 807777A, 493363A, 078776A, 220749A, 757113A, 831970A, 255711A, 156692A, 959464A, 652661A, 652377A, 978738A, 814437A, 408037A, 842941A, 363931A, 270858A, 843299A, 225213A, 151466A, 833355A, 526739A, 382514A, 801679A, 874345A, 123168A, 847772A, 712155A, 387484A, 771334A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	248102B, 225880B, 991115B, 564129B, 801575B, 351367B, 167845B, 274621B, 935230B, 492227B, 821096B, 256953B, 164998B, 936724B, 266692B, 505693B, 213378B, 598379B, 706366B, 395035B, 485667B, 500569B, 434517B, 293429B, 218660B, 991321B, 166433B, 447133B, 159166B, 253134B, 695451B, 205553B, 438265B, 997389B, 407101B, 390643B, 429460B, 102719B, 258239B, 081403B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	251317A, 085429A, 631672A, 567133A, 160346A, 571038A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	267445B, 083600B, 270242B, 080350B, 189119B, 460788B, 321596B, 389795B, 142499B, 263158B, 869786B, 481704B, 417703B, 996614B, 901544B, 823781B, 913995B, 272803B, 329979B, 730982B, 269804B, 561411B, 181191B, 999602B, 030439B, 606741B, 952469B, 894968B, 409934B, 422201B, 252076B, 151145B, 195376B, 005113B, 302961B, 648446B, 346220B, 993603B, 284039B, 659901B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	269236B, 635539B, 645427B, 598623B, 565834B, 412129B, 064548B, 422262B, 966190B, 948255B, 892986B, 201068B, 595557B, 163589B, 382191B, 879855B, 992157B, 159473B, 351375B, 345887B, 019611B, 447783B, 122839B, 515141B, 994305B, 097267B, 651778B, 239079B, 463034B, 050232B, 623767B, 198710B, 758350B, 729010B, 898522B, 562481B, 885074B, 477698B, 800906B, 486195B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	270273A, 920402A, 898537A, 525995A, 074757A, 533870A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	280225B, 903186B, 515891B, 703161B, 536950B, 987785B, 599297B, 121517B, 155176B, 251861B, 411589B, 284451B, 435991B, 291044B, 956274B, 118987B, 215969B, 906209B, 488138B, 395963B, 954769B, 942414B, 154061B, 088409B, 236936B, 361460B, 110573B, 674298B, 538435B, 944128B, 197648B, 486630B, 121170B, 581820B, 969606B, 815833B, 043957B, 567342B, 837642B, 148438B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	3000301B, 3053607B, 3084208B, 3103122B, 3156687B, 3158826B, 3183876B, 3201353B, 3229034B, 3233324B, 3277815B, 3298240B, 3383493B, 3399449B, 3413172B, 3470836B, 3508218B, 3554818B, 3625338B, 3658358B, 3706577B, 3737871B, 3815352B, 3823243B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3000670B, 3032994B, 3079288B, 3087729B, 3129996B, 3143285B, 3175656B, 3205258B, 3211974B, 3219480B, 3220498B, 3234331B, 3304440B, 3319768B, 3331949B, 3360550B, 3454144B, 3556565B, 3602149B, 3612809B, 3759595B, 3766891B, 3834257B, 3840355B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3001256B, 3049804B, 3065461B, 3076777B, 3094226B, 3107432B, 3133183B, 3166163B, 3205456B, 3251624B, 3267771B, 3312521B, 3408750B, 3412141B, 3475940B, 3489631B, 3493042B, 3496785B, 3534087B, 3547891B, 3562016B, 3583238B, 3642398B, 3670153B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3001526A, 3018238A, 3096101A, 3110680A, 3113769A, 3154844A, 3173916A, 3223482A, 3243510A, 3251713A, 3266043A, 3327699A, 3335519A, 3376571A, 3377786A, 3416295A, 3429118A, 3502245A, 3550307A, 3583264A, 3632642A, 3633818A, 3761575A, 3777806A, 3808198A, 3840016A, 3845334A, 3870626A, 3882358A, 3917156A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3001561B, 3111394B, 3164261B, 3181381B, 3217659B, 3227574B, 3228185B, 3246578B, 3256519B, 3266885B, 3274430B, 3287200B, 3424866B, 3432366B, 3437934B, 3460352B, 3481298B, 3534668B, 3592630B, 3623211B, 3629152B, 3759816B, 3771088B, 3805172B, 3848708B, 3890789B, 3891851B, 3899493B, 3900343B, 3947408B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3001667B, 3004957B, 3031723B, 3083566B, 3150408B, 3262567B, 3270737B, 3288994B, 3290699B, 3336123B, 3347362B, 3371622B, 3502194B, 3566045B, 3573387B, 3608174B, 3672038B, 3681979B, 3729211B, 3794001B, 3800765B, 3805195B, 3821092B, 3852132B, 3873873B, 3879475B, 3923970B, 3931439B, 3987782B, 3988045B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3001930B, 3053799B, 3067331B, 3217483B, 3249962B, 3252399B, 3257007B, 3283704B, 3290913B, 3300942B, 3313345B, 3356739B, 3363749B, 3398017B, 3464034B, 3492609B, 3533880B, 3534125B, 3577760B, 3610623B, 3634218B, 3715106B, 3797301B, 3800867B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3002725B, 3038406B, 3062660B, 3072460B, 3087244B, 3154378B, 3321460B, 3361495B, 3387749B, 3411158B, 3442938B, 3481924B, 3506635B, 3512954B, 3530321B, 3557516B, 3573234B, 3644954B, 3693710B, 3722436B, 3730620B, 3755114B, 3818143B, 3829739B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3002882A, 3028570A, 3036478A, 3118833A, 3182692A, 3190145A, 3193313A, 3197420A, 3198433A, 3222023A, 3299073A, 3315482A, 3346597A, 3433659A, 3483907A, 3528495A, 3530692A, 3604775A, 3665629A, 3731585A, 3736476A, 3756355A, 3773428A, 3803698A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3002885A, 3032516A, 3059502A, 3075601A, 3265588A, 3308788A, 3330657A, 3342909A, 3365597A, 3371721A, 3416858A, 3436675A, 3439719A, 3441349A, 3457316A, 3492077A, 3573177A, 3576706A, 3596782A, 3619408A, 3636601A, 3681393A, 3709882A, 3743512A, 3746323A, 3774507A, 3805268A, 3806370A, 3875820A, 3904297A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3003428A, 3076536A, 3098332A, 3184891A, 3192786A, 3220587A, 3243741A, 3268860A, 3303950A, 3497611A, 3525874A, 3547255A, 3609651A, 3648156A, 3655950A, 3682011A, 3690946A, 3693884A, 3709375A, 3787270A, 3809742A, 3867580A, 3871107A, 3899709A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3003529A, 3016329A, 3020530A, 3100060A, 3249119A, 3288976A, 3296457A, 3305000A, 3352118A, 3354787A, 3443033A, 3456936A, 3475272A, 3517958A, 3585346A, 3601671A, 3602096A, 3684145A, 3712181A, 3733342A, 3740081A, 3752980A, 3768699A, 3772330A, 3815885A, 3818589A, 3848435A, 3936065A, 3948826A, 3997458A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3004102B, 3061919B, 3067584B, 3182767B, 3259518B, 3277121B, 3280849B, 3344267B, 3354418B, 3379735B, 3472004B, 3498418B, 3563359B, 3567549B, 3571788B, 3603663B, 3623930B, 3639850B, 3645137B, 3655511B, 3667869B, 3693135B, 3800153B, 3816405B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3004456B, 3010241B, 3049402B, 3066217B, 3090094B, 3106608B, 3119130B, 3255475B, 3304866B, 3306126B, 3387057B, 3461609B, 3466933B, 3499210B, 3513516B, 3616880B, 3624838B, 3652628B, 3662466B, 3715271B, 3731168B, 3755832B, 3768746B, 3808607B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3004459B, 3012938B, 3100503B, 3151938B, 3221006B, 3233063B, 3247680B, 3330056B, 3373427B, 3415515B, 3463883B, 3498650B, 3589710B, 3595282B, 3610043B, 3706099B, 3720530B, 3727533B, 3757975B, 3783997B, 3797718B, 3812546B, 3827723B, 3844354B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3004499B, 3023722B, 3099165B, 3112979B, 3127505B, 3136949B, 3215719B, 3241024B, 3278495B, 3321843B, 3332081B, 3401270B, 3429193B, 3436991B, 3464872B, 3470894B, 3498192B, 3505984B, 3588409B, 3681412B, 3705510B, 3708606B, 3715336B, 3745790B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3005594A, 3016355A, 3023157A, 3035514A, 3111073A, 3131838A, 3133767A, 3150842A, 3161299A, 3164878A, 3187011A, 3193620A, 3195470A, 3237729A, 3282426A, 3401793A, 3447639A, 3463783A, 3513508A, 3656013A, 3661234A, 3705959A, 3717940A, 3762813A, 3776672A, 3796275A, 3813144A, 3867683A, 3883090A, 3972739A	HDPE Vial: 3 mL	3/6/2025

National Laboratory Certification Program	3005883A, 3073389A, 3076401A, 3089690A, 3188478A, 3202906A, 3236799A, 3287040A, 3412094A, 3416181A, 3444322A, 3449332A, 3472844A, 3489572A, 3494862A, 3497108A, 3533455A, 3632861A, 3639069A, 3652583A, 3668064A, 3691540A, 3721917A, 3863022A, 3864728A, 3867894A, 3878930A, 3886649A, 3925271A, 3934297A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3006245B, 3048677B, 3092932B, 3113535B, 3115421B, 3126039B, 3216871B, 3239795B, 3279560B, 3282287B, 3298461B, 3321857B, 3327593B, 3388101B, 3414018B, 3444816B, 3484045B, 3500148B, 3535498B, 3566624B, 3575438B, 3589851B, 3593765B, 3594140B	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3006287B, 3024365B, 3072772B, 3102304B, 3181119B, 3205421B, 3210145B, 3212012B, 3219963B, 3237536B, 3248910B, 3251463B, 3306543B, 3370725B, 3373480B, 3422342B, 3466404B, 3473372B, 3506771B, 3508548B, 3524133B, 3618957B, 3665329B, 3700588B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3007068A, 3051651A, 3082943A, 3131111A, 3151718A, 3163593A, 3165852A, 3189585A, 3207235A, 3284335A, 3346441A, 3432748A, 3445386A, 3498509A, 3556658A, 3593957A, 3594024A, 3629943A, 3685516A, 3738840A, 3739632A, 3791378A, 3800013A, 3822762A, 3848422A, 3874346A, 3895574A, 3916052A, 3916261A, 3927510A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3008328A, 3021124A, 3034987A, 3043899A, 3047626A, 3075399A, 3094586A, 3109621A, 3118330A, 3136466A, 3160629A, 3168697A, 3186473A, 3234782A, 3257909A, 3294571A, 3422337A, 3459515A, 3519968A, 3531841A, 3578361A, 3611182A, 3624409A, 3644730A, 3652651A, 3784145A, 3799996A, 3804149A, 3822500A, 3994427A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3008708A, 3016714A, 3025842A, 3070529A, 3085647A, 3098353A, 3119731A, 3142448A, 3154416A, 3167233A, 3218866A, 3222308A, 3269379A, 3274616A, 3279106A, 3317902A, 3382874A, 3425335A, 3444483A, 3531957A, 3600417A, 3642658A, 3657273A, 3750257A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3008828A, 3026409A, 3038392A, 3218744A, 3254477A, 3289650A, 3298361A, 3310677A, 3330787A, 3331007A, 3384869A, 3390776A, 3412570A, 3438244A, 3549310A, 3560267A, 3587250A, 3587970A, 3588634A, 3636834A, 3738478A, 3769136A, 3799837A, 3821037A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3008838B, 3050141B, 3055009B, 3081934B, 3094795B, 3121770B, 3151007B, 3181864B, 3189941B, 3206510B, 3245243B, 3262514B, 3361299B, 3373545B, 3434154B, 3469908B, 3582025B, 3586968B, 3613215B, 3636688B, 3641116B, 3655972B, 3668172B, 3739262B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3008973B, 3100443B, 3115009B, 3159703B, 3218595B, 3249504B, 3269672B, 3301958B, 3307598B, 3336923B, 3406713B, 3460251B, 3471241B, 3536399B, 3539176B, 3549507B, 3583097B, 3589775B, 3630389B, 3705792B, 3751918B, 3755548B, 3764678B, 3778759B, 3832537B, 3896484B, 3903120B, 3949462B, 3991305B, 3996884B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3009115B, 3071178B, 3072116B, 3079551B, 3096797B, 3115852B, 3134527B, 3201454B, 3260406B, 3281092B, 3402884B, 3417856B, 3417858B, 3426353B, 3451201B, 3487627B, 3493853B, 3496292B, 3524238B, 3578854B, 3616716B, 3618779B, 3628443B, 3664926B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3009600A, 3031020A, 3032934A, 3038639A, 3074315A, 3089928A, 3090809A, 3096337A, 3243223A, 3248521A, 3312725A, 3362289A, 3521717A, 3528430A, 3553561A, 3566355A, 3581050A, 3593952A, 3614765A, 3614805A, 3617959A, 3632040A, 3672984A, 3679343A, 3703755A, 3759819A, 3763942A, 3792773A, 3865884A, 3876296A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3009834A, 3032237A, 3043005A, 3053618A, 3075175A, 3076894A, 3131101A, 3145021A, 3152402A, 3194042A, 3202757A, 3213899A, 3246984A, 3300283A, 3313680A, 3356302A, 3385262A, 3405906A, 3525353A, 3536464A, 3541980A, 3629391A, 3672896A, 3718978A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3009955A, 3025983A, 3077802A, 3087627A, 3129724A, 3162171A, 3167262A, 3204717A, 3344764A, 3359536A, 3369440A, 3518531A, 3529980A, 3562554A, 3564219A, 3574601A, 3610880A, 3614032A, 3673432A, 3689724A, 3712498A, 3761052A, 3768842A, 3784571A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3010304B, 3025326B, 3078460B, 3115817B, 3138994B, 3188021B, 3227363B, 32372388, 32477208, 3323070B, 3377569B, 3446404B, 3454987B, 3488568B, 3514486B, 3552661B, 3576522B, 3581447B, 3604192B, 3630116B, 3647127B, 3664750B, 3688368B, 3693418B, 3707739B, 3724205B, 3729976B, 3753367B, 3753846B, 3904709B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3010418A, 3041985A, 3072104A, 3093023A, 3148452A, 3159815A, 3185731A, 3205915A, 3257074A, 3264094A, 3456439A, 3518514A, 3542534A, 3560869A, 3576394A, 3589917A, 3590551A, 3614060A, 3619161A, 3632860A, 3682429A, 3688481A, 3722693A, 3744342A, 3779857A, 3816604A, 3900965A, 3926308A, 3935189A, 3962414A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3010479A, 3019300A, 3046656A, 3047815A, 3051819A, 3058136A, 3141572A, 3142991A, 3168503A, 3168568A, 3276583A, 3304720A, 3334687A, 3372805A, 3460441A, 3505207A, 3570174A, 3596620A, 3637562A, 3681777A, 3746596A, 3767630A, 3785272A, 3795682A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3010632B, 3027415B, 3040029B, 3147629B, 3168655B, 3191473B, 3196619B, 3204959B, 3248736B, 3266360B, 3302473B, 3325620B, 3389278B, 3409693B, 3533496B, 3559118B, 3625183B, 3643588B, 3687362B, 3701656B, 3716357B, 3729135B, 3739883B, 3756621B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3011334A, 3054962A, 3123658A, 3126696A, 3283098A, 3308345A, 3337250A, 3344485A, 3358993A, 3393457A, 3399326A, 3399379A, 3425672A, 3431652A, 3576731A, 3596648A, 3598670A, 3602748A, 3664763A, 3686748A, 3713176A, 3727573A, 3736626A, 3755186A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3011386B, 3076154B, 3085817B, 3157502B, 3184735B, 3262215B, 3381196B, 3471350B, 3473362B, 3473659B, 3474599B, 3492320B, 3496214B, 3540285B, 3557251B, 3583127B, 3584328B, 3617916B, 3626903B, 3666056B, 3692840B, 3730008B, 3766776B, 3842750B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3011561A, 3016349A, 3028033A, 3040588A, 3041461A, 3049999A, 3057399A, 3069276A, 3094499A, 3098662A, 3106809A, 3109485A, 3110758A, 3143343A, 3157460A, 3173247A, 3173735A, 3200753A, 3204816A, 3223181A, 3226146A, 3226393A, 3231838A, 3232362A, 3253939A, 3254555A, 3269806A, 3311940A, 3318480A, 3326919A, 3340327A, 3343495A, 3347294A, 3359788A, 3367959A, 3372567A, 3372771A, 3372775A, 3376958A, 3511322A, 3533282A, 3566880A, 3569519A, 3587528A, 3590989A, 3600383A, 3606015A, 3614978A, 3653049A, 3655349A, 3660205A, 3661971A, 3667601A, 3672435A, 3673190A, 3676936A, 3677036A, 3677911A, 3681151A, 3682004A, 3684617A, 3686876A, 3687842A, 3689103A, 3717560A, 3723195A, 3733223A, 3737827A, 3746190A, 3763303A, 3763680A, 3765489A, 3766764A, 3798667A, 3806633A, 3807874A, 3848321A, 3857100A, 3858494A, 3860624A, 3887617A, 3908793A, 3912976A, 3915438A, 3923336A, 3946249A, 3946891A, 3960819A, 3982610A, 3986290A	HDPE Vial: 3 mL HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3012164A, 3028858A, 3047759A, 3064683A, 3098352A, 3122968A, 3144589A, 3158504A, 3210485A, 3256135A, 3285326A, 3356526A, 3374191A, 3379877A, 3421652A, 3448389A, 3483864A, 3521336A, 3527033A, 3534663A, 3570676A, 3694196A, 3737270A, 3744955A, 3792333A, 3864328A, 3879755A, 3889849A, 3905323A, 3923993A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3012172A, 3049473A, 3061547A, 3068909A, 3216904A, 3251252A, 3251723A, 3258273A, 3291572A, 3322138A, 3327105A, 3361723A, 3391155A, 3439019A, 3470434A, 3474424A, 3476315A, 3672534A, 3689234A, 3689253A, 3725647A, 3736534A, 3777644A, 3793837A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3012337B, 3045030B, 3054379B, 3192242B, 3198182B, 3213208B, 3226568B, 3307120B, 3332769B, 3377297B, 3379395B, 3386564B, 3481464B, 3482917B, 3539583B, 3578026B, 3596183B, 3731615B, 3737486B, 3766260B, 3781197B, 3864040B, 3875090B, 3899412B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3012928A, 3107715A, 3151473A, 3167204A, 3169700A, 3404495A, 3410159A, 3419668A, 3429456A, 3439515A, 3451900A, 3477555A, 3509677A, 3530532A, 3604662A, 3619597A, 3647490A, 3681149A, 3704067A, 3713678A, 3714438A, 3809460A, 3813614A, 3825421A, 3854787A, 3861027A, 3894183A, 3917584A, 3930330A, 3985400A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3013028B, 3014731B, 3099745B, 3125642B, 3133329B, 3150889B, 3196292B, 3201158B, 3240793B, 3254970B, 3327084B, 3393776B, 3409535B, 3424764B, 3426650B, 3485112B, 3507951B, 3542168B, 3588332B, 3590641B, 3597973B, 3612044B, 3621558B, 3628060B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3013899B, 3047268B, 3077303B, 3077380B, 3102664B, 3113045B, 3201829B, 3204047B, 3212368B, 3221830B, 3255898B, 3345392B, 3375569B, 3436063B, 3444985B, 3454187B, 3456569B, 3487783B, 3488426B, 3493248B, 3581727B, 3619561B, 3638314B, 3671622B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3014277A, 3054350A, 3071415A, 3146516A, 3162470A, 3246104A, 3252641A, 3264270A, 3274573A, 3320271A, 3383723A, 3392424A, 3455759A, 3478640A, 3484417A, 3489752A, 3526242A, 3628091A, 3642285A, 3649691A, 3695014A, 3771792A, 3779678A, 3786913A,	HDPE vial: 3 mL	9/13/2021

National Laboratory Certification Program	3014626A, 3035226A, 3077914A, 3080686A, 3082234A, 3123444A, 3155810A, 3161553A, 3332493A, 3337740A, 3353616A, 3486257A, 3507423A, 3510294A, 3535684A, 3545489A, 3667138A, 3669339A, 3699026A, 3716893A, 3733737A, 3770383A, 3840899A, 3877286A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3016707A, 3043599A, 3066343A, 3072567A, 3092950A, 3169068A, 3170077A, 3229867A, 3233703A, 3247776A, 3257763A, 3293091A, 3310725A, 3344792A, 3360359A, 3375880A, 3411473A, 3543435A, 3549713A, 3622398A, 3652679A, 3670107A, 3710967A, 3715797A, 3723645A, 3794547A, 3803731A, 3847733A, 3887552A, 3927095A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3017131B, 3026375B, 3101868B, 3115686B, 3123639B, 3139555B, 3146834B, 3210067B, 3223628B, 3227210B, 3321910B, 3440754B, 3526276B, 3532250B, 3567811B, 3588199B, 3588516B, 3602849B, 3606787B, 3650186B, 3650483B, 3685112B, 3745963B, 3827992B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3017296A, 3089817A, 3102219A, 3108957A, 3216724A, 3257045A, 3264554A, 3301964A, 3311892A, 3435185A, 3435502A, 3437870A, 3449317A, 3511056A, 3578930A, 3597863A, 3632574A, 3647302A, 3686097A, 3702439A, 3786314A, 3826747A, 3841424A, 3860574A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3017391B, 3051445B, 3057067B, 3087211B, 3117856B, 3235445B, 3269565B, 3276378B, 3310093B, 3336452B, 3357458B, 3383344B, 3447183B, 3472336B, 3517354B, 3521060B, 3537088B, 3628030B, 3656027B, 3656477B, 3666287B, 3725810B, 3812346B, 3827884B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3017464A, 3061947A, 3105743A, 3118845A, 3157908A, 3183565A, 3214791A, 3317031A, 3335054A, 3360757A, 3397761A, 3425786A, 3433792A, 3496660A, 3531444A, 3531581A, 3545804A, 3557878A, 3559163A, 3602685A, 3621111A, 3643237A, 3647107A, 3677051A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3018233A, 3149094A, 3202345A, 3246162A, 3254294A, 3271001A, 3286494A, 3351055A, 3357803A, 3372684A, 3419821A, 3432039A, 3452545A, 3456851A, 3467579A, 3537667A, 3574010A, 3621300A, 3646140A, 3715917A, 3729244A, 3783152A, 3795769A, 3876434A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3018302A, 3024118A, 3024998A, 3035864A, 3083660A, 3093978A, 3094815A, 3124506A, 3127471A, 3133616A, 3150608A, 3224828A, 3236416A, 3379952A, 3449221A, 3515236A, 3525862A, 3542969A, 3568626A, 3678732A, 3700244A, 3705093A, 3735792A, 3793734A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3018797A, 3058717A, 3076016A, 3094926A, 3124692A, 3132733A, 3144795A, 3170055A, 3177938A, 3179180A, 3199727A, 3213684A, 3218115A, 3253648A, 3295330A, 3329630A, 3339587A, 3374941A, 3415296A, 3465116A, 3500290A, 3521058A, 3528832A, 3632002A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3019454A, 3020820A, 3076066A, 3115784A, 3201070A, 3225082A, 3239312A, 3276716A, 3303075A, 3335812A, 3375837A, 3379796A, 3401174A, 3423034A, 3454814A, 3487926A, 3492517A, 3581724A, 3636060A, 3666774A, 3670732A, 3716880A, 3723632A, 3763826A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3020527A, 3026789A, 3075508A, 3245437A, 3271303A, 3281468A, 3298196A, 3319418A, 3321790A, 3330450A, 3338616A, 3377012A, 3445838A, 3478926A, 3490923A, 3499296A, 3523968A, 3528755A, 3542722A, 3609532A, 3612845A, 3679856A, 3748530A, 3782719A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3020724B, 3068816B, 3093998B, 3142895B, 3164819B, 3165350B, 3186749B, 3238252B, 3344018B, 3359791B, 3360777B, 3376684B, 3472813B, 3508578B, 3560740B, 3606041B, 3680246B, 3689404B, 3690182B, 3693175B, 3713958B, 3734229B, 3748433B, 3785687B, 3815477B, 3820402B, 3821647B, 3897005B, 3897999B, 3927383B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3021219A, 3023186A, 3086733A, 3183679A, 3308343A, 3349847A, 3350664A, 3358810A, 3412053A, 3499706A, 3506812A, 3528745A, 3560766A, 3637005A, 3645598A, 3693016A, 3742855A, 3760817A, 3761522A, 3763868A, 3786560A, 3822983A, 3831473A, 3850334A, 3876575A, 3898313A, 3969590A, 3985727A, 3988177A, 3994387A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3022756B, 3029938B, 3074194B, 3074993B, 3086341B, 3130776B, 3171227B, 3205064B, 3206769B, 3236004B, 3246091B, 3325696B, 3333909B, 3334502B, 3368350B, 3413517B, 3422044B, 3444947B, 3447518B, 3487094B, 3516962B, 3536967B, 3684705B, 3702588B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3022987A, 3057323A, 3059381A, 3130343A, 3164563A, 3181674A, 3229310A, 3232545A, 3274096A, 3307805A, 3310367A, 3323088A, 3328795A, 3354207A, 3380697A, 3383031A, 3386017A, 3430363A, 3483469A, 3531094A, 3644733A, 3652546A, 3661318A, 3715119A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3023260A, 3037680A, 3038359A, 3043771A, 3056518A, 3118831A, 3121329A, 3150339A, 3193649A, 3228398A, 3258512A, 3369163A, 3407370A, 3466141A, 3502244A, 3532993A, 3548893A, 3578937A, 3603623A, 3633306A, 3641133A, 3641154A, 3692635A, 3721001A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3023315B, 3044667B, 3050898B, 3086301B, 3092086B, 3097396B, 3098257B, 3114458B, 3199922B, 3281688B, 3288526B, 3352481B, 3460208B, 3499059B, 3558644B, 3624433B, 3662489B, 3692883B, 3716983B, 3749133B, 3795606B, 3812398B, 3822238B, 3840948B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3023523A, 3051357A, 3093271A, 3133012A, 3142602A, 3190390A, 3221282A, 3240233A, 3255293A, 3314116A, 3322683A, 3362689A, 3413976A, 3435316A, 3481683A, 3511738A, 3526090A, 3548126A, 3590508A, 3601231A, 3631781A, 3665199A, 3702464A, 3714833A, 3738664A, 3739140A, 3743106A, 3819163A, 3916445A, 3953054A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3024515A, 3029804A, 3039443A, 3142081A, 3143623A, 3145741A, 3147406A, 3160969A, 3167594A, 3228586A, 3316488A, 3337545A, 3394468A, 3407446A, 3424299A, 3449418A, 3530268A, 3551235A, 3553662A, 3560177A, 3597811A, 3646205A, 3690888A, 3710381A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3029689A, 3096300A, 3138534A, 3140906A, 3142275A, 3228996A, 3249275A, 3321921A, 3346358A, 3359278A, 3409480A, 3444581A, 3453800A, 3591139A, 3597481A, 3600495A, 3643302A, 3670536A, 3684303A, 3684351A, 3713947A, 3737530A, 3792369A, 3801851A, 3865773A, 3915873A, 3952118A, 3967932A, 3976950A, 3998618A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3030692A, 3050404A, 3078848A, 3141019A, 3220907A, 3237827A, 3281412A, 3356783A, 3393221A, 3415748A, 3432054A, 3441998A, 3450733A, 3476839A, 3486417A, 3534469A, 3603256A, 3615282A, 3622773A, 3630797A, 3805670A, 3819402A, 3820186A, 3843535A, 3844702A, 3870160A, 3914649A, 3945943A, 3948137A, 3973675A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3033655A, 3148732A, 3158615A, 3166410A, 3182571A, 3195724A, 3205849A, 3256279A, 3261299A, 3319856A, 3339323A, 3352621A, 3434751A, 3527434A, 3531401A, 3542663A, 3561629A, 3634729A, 3641383A, 3728378A, 3754081A, 3770816A, 3821409A, 3829473A, 3839234A, 3888691A, 3889962A, 3899960A, 3931049A, 3982759A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3033758B, 3080920B, 3126324B, 3134664B, 3163069B, 3181490B, 3262581B, 3309456B, 3319825B, 3343420B, 3404145B, 3416848B, 3480271B, 3539450B, 3540093B, 3548918B, 3562162B, 3564355B, 3564573B, 3613411B, 3645402B, 3683067B, 3695243B, 3779462B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3034224B, 3048235B, 3098161B, 3110771B, 3122785B, 3124321B, 3237639B, 3257267B, 3264767B, 3347100B, 3364461B, 3375021B, 3402246B, 3412358B, 3420135B, 3425642B, 3433276B, 3441077B, 3565841B, 3602318B, 3613400B, 3692969B, 3753308B, 3780764B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3034410A, 3080462A, 3102402A, 3119201A, 3122247A, 3137966A, 3281622A, 3306748A, 3343730A, 3354106A, 3402370A, 3405845A, 3422971A, 3429934A, 3433038A, 3455815A, 3465600A, 3519002A, 3626061A, 3670393A, 3679210A, 3684869A, 3700307A, 3769803A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3034833A, 3035331A, 3038291A, 3061655A, 3063131A, 3073883A, 3102878A, 3109096A, 3333983A, 3356402A, 3381675A, 3382958A, 3383239A, 3406429A, 3428075A, 3444621A, 3476554A, 3529229A, 3554578A, 3795005A, 3813091A, 3823366A, 3833284A, 3834748A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3035278B, 3051588B, 3076916B, 3085491B, 3089629B, 3094528B, 3096204B, 3121984B, 3124256B, 3182463B, 3206419B, 3222476B, 3257609B, 3331291B, 3390944B, 3464824B, 3587728B, 3601382B, 3617853B, 3682193B, 3724720B, 3728205B, 3795663B, 3847156B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3036095A, 3058266A, 3067134A, 3077253A, 3100715A, 3155045A, 3251374A, 3277984A, 3411888A, 3477837A, 3485813A, 3492014A, 3496509A, 3509733A, 3524999A, 3583845A, 3591371A, 3616636A, 3650222A, 3660650A, 3766063A, 3795050A, 3828634A, 3848460A, 3864851A, 3891313A, 3899174A, 3899835A, 3936845A, 3950812A	HDPE Vial: 3 mL	3/6/2025

National Laboratory Certification Program	3037408A, 3040347A, 3044188A, 3063574A, 3073540A, 3119606A, 3187449A, 3236090A, 3245391A, 3288255A, 3290954A, 3298897A, 3303332A, 3318047A, 3532772A, 3572072A, 3585782A, 3600997A, 3613741A, 3633514A, 3639066A, 3674866A, 3717326A, 3830995A, 3847077A, 3866622A, 3893252A, 3925151A, 3929107A, 3959298A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3039843B, 3046612B, 3099526B, 3212364B, 3234169B, 3251305B, 3329922B, 3376223B, 3450514B, 3467340B, 3504631B, 3507167B, 3568849B, 3573672B, 3574241B, 3588203B, 3639520B, 3640293B, 3648581B, 3678696B, 3707027B, 3707314B, 3724017B, 3724678B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3039931B, 3042761B, 3206845B, 3331446B, 3355902B, 3358839B, 3366059B, 3374236B, 3392803B, 3415608B, 3468731B, 3469798B, 3544510B, 3565235B, 3657001B, 3688894B, 3750816B, 3771030B, 3800096B, 3802978B, 3841894B, 3862815B, 3888536B, 3895739B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3041199A, 3057074A, 3083214A, 3130474A, 3167562A, 3238864A, 3249525A, 3257796A, 3268073A, 3315177A, 3332898A, 3357972A, 3440422A, 3470450A, 3489313A, 3506616A, 3517335A, 3533274A, 3585749A, 3659811A, 3674767A, 3715138A, 3740750A, 3778300A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3042218A, 3055193A, 3063196A, 3111183A, 3146090A, 3203127A, 3203334A, 3268239A, 3322442A, 3394806A, 3500946A, 3525519A, 3554909A, 3561271A, 3569383A, 3618289A, 3624760A, 3626383A, 3628571A, 3644995A, 3648868A, 3649216A, 3700425A, 3758646A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3042588A, 3090144A, 3147879A, 3235657A, 3247087A, 3268881A, 3281569A, 3295897A, 3343013A, 3398256A, 3430529A, 3447868A, 3537144A, 3578567A, 3584944A, 3622276A, 3623249A, 3647658A, 3683259A, 3748849A, 3753634A, 3757359A, 3767825A, 3823553A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3043354B, 3061886B, 3112207B, 3127108B, 3188040B, 3210527B, 3216454B, 3225242B, 3257364B, 3285595B, 3321996B, 3352981B, 3377957B, 3380925B, 3426997B, 3430721B, 3460702B, 3479202B, 3499605B, 3512884B, 3570598B, 3599234B, 3644866B, 3670169B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3045304B, 3101957B, 3137690B, 3168427B, 3194745B, 3211227B, 3216225B, 3239794B, 3251896B, 3280300B, 3298514B, 3320849B, 3449018B, 3487665B, 3526915B, 3548525B, 3559721B, 3566095B, 3650447B, 3676102B, 3685145B, 3698120B, 3704457B, 3724580B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3046377A, 3098212A, 3129398A, 3131566A, 3135943A, 3187710A, 3194313A, 3236402A, 3253743A, 3308549A, 3318611A, 3326064A, 3340131A, 3358581A, 3367249A, 3369543A, 3374471A, 3536434A, 3600542A, 3633263A, 3697673A, 3746718A, 3770175A, 3786610A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3046892A, 3068147A, 3091284A, 3146895A, 3180453A, 3252445A, 3253516A, 3299519A, 3315217A, 3353243A, 3428709A, 3430744A, 3506382A, 3508890A, 3525949A, 3649462A, 3676287A, 3692936A, 3847688A, 3862078A, 3873514A, 3875896A, 3909373A, 3913200A, 3925872A, 3950262A, 3952457A, 3966539A, 3969132A, 3998769A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3047214B, 3059446B, 3075462B, 3087247B, 3140711B, 3175259B, 3187385B, 3194697B, 3203074B, 3263404B, 3323755B, 3400102B, 3403561B, 3416679B, 3417550B, 3445088B, 3472972B, 3543431B, 3582265B, 3595428B, 3694531B, 3729663B, 3742377B, 3749390B, 3758536B, 3790884B, 3796602B, 3837347B, 3964403B, 3973081B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3048283B, 3114680B, 3144701B, 3155286B, 3182332B, 3225691B, 3243394B, 3246239B, 3268189B, 3281369B, 3289733B, 3301515B, 3327125B, 3389988B, 3429907B, 3474919B, 3615677B, 3662270B, 3667200B, 3679094B, 3684599B, 3706790B, 3711074B, 3730484B	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3049375A, 3059562A, 3117638A, 3144764A, 3158707A, 3159874A, 3169106A, 3200605A, 3332518A, 3347176A, 3362032A, 3403205A, 3464910A, 3517568A, 3544410A, 3569813A, 3583530A, 3679139A, 3685846A, 3734629A, 3762895A, 3810417A, 3823466A, 3863311A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3050941A, 3101924A, 3133330A, 3135194A, 3151106A, 3183193A, 3194436A, 3227748A, 3268146A, 3414464A, 3453160A, 3517256A, 3549368A, 3595129A, 3763791A, 3765464A, 3765891A, 3766903A, 3788462A, 3791715A, 3799366A, 3856208A, 3857179A, 3860615A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3051638A, 3087119A, 3107322A, 3144908A, 3153523A, 3192419A, 3284388A, 3304132A, 3378652A, 3412001A, 3423565A, 3429871A, 3436471A, 3447727A, 3506621A, 3573323A, 3614040A, 3614483A, 3624692A, 3654539A, 3687183A, 3694046A, 3725576A, 3785881A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3051882A, 3066507A, 3112326A, 3163238A, 3182649A, 3191094A, 3234392A, 3271638A, 3329656A, 3343406A, 3362381A, 3383388A, 3407448A, 3471219A, 3507119A, 3510547A, 3541616A, 3545894A, 3600650A, 3619541A, 3636930A, 3654422A, 3716003A, 3799917A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	305205A, 924568A, 574861A, 091545A, 222641A, 507037A, 378915A, 799350A, 078648A, 607260A, 871950A, 298947A, 151508A, 375433A, 248263A, 325842A, 654744A, 368993A, 881677A, 528635A, 772325A, 552937A, 017415A, 672532A, 299078A, 707245A, 261816A, 510831A, 052007A, 680106A, 845519A, 704455A, 899343A, 174600A, 008652A, 392481A, 474155A, 718700A, 014954A, 574000A, 931359A, 141795A, 665919A, 812384A, 374834A, 403003A, 124868A, 396697A, 575804A, 726119A, 705250A, 194106A, 455846A, 166203A, 079705A, 305892A, 807980A, 818027A, 409846A, 642986A, 845322A, 197358A, 277002A, 987619A, 492911A, 521358A, 461204A, 424404A, 431784A, 692158A, 912640A, 677616A, 140328A, 741009A, 624048A, 635483A, 248738A, 044302A, 292856A, 693807A, 644946A, 170313A, 116077A, 445331A, 410936A, 452272A, 520942A, 839348A, 587861A, 364866A, 941560A, 505146A, 814148A, 556418A, 653915A, 391647A, 497705A, 131588A, 914101A, 545108A, 174717A, 452072A, 826421A, 052530A, 354363A, 851170A, 569432A, 675213A, 109726A, 967708A, 777433A, 216538A, 006246A, 101764A, 184261A, 078429A, 366075A, 378232A, 242676A, 333276A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	3053133A, 3054649A, 3068683A, 3069171A, 3101331A, 3115191A, 3189390A, 3233124A, 3233594A, 3243042A, 3301081A, 3331568A, 3363494A, 3368184A, 3478675A, 3529350A, 3560376A, 3562159A, 3571393A, 3577723A, 3584059A, 3726117A, 3754843A, 3779142A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3056468A, 3060389A, 3067677A, 3089939A, 3090368A, 3128487A, 3131048A, 3213020A, 3244116A, 3293189A, 3384729A, 3453724A, 3488820A, 3493463A, 3620499A, 3653258A, 3663616A, 3716679A, 3716984A, 3728381A, 3736956A, 3754682A, 3757874A, 3789566A, 3797087A, 3817090A, 3818675A, 3824392A, 3868999A, 3948831A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3058935A, 3092962A, 3129401A, 3265392A, 3271446A, 3274442A, 3297577A, 3310054A, 3313197A, 3365969A, 3387508A, 3397502A, 3474282A, 3479713A, 3482596A, 3525485A, 3530168A, 3545512A, 3551861A, 3552004A, 3611321A, 3645018A, 3805872A, 3810125A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3060892A, 3109767A, 3113037A, 3145139A, 3158413A, 3168075A, 3189652A, 3238570A, 3253458A, 3275678A, 3368401A, 3374018A, 3432891A, 3452436A, 3465389A, 3468246A, 3515588A, 3526702A, 3533390A, 3653318A, 3756260A, 3827077A, 3853255A, 3886471A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3063984B, 3069837B, 3088589B, 3104298B, 3112383B, 3138088B, 3139808B, 3170439B, 3185297B, 3223363B, 3289529B, 3303908B, 3319607B, 3403199B, 3436529B, 3597148B, 3604470B, 3624106B, 3632206B, 3642572B, 3652629B, 3679184B, 3693998B, 3696224B, 3725661B, 3825069B, 3839338B, 3839535B, 3845283B, 3912852B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	30640748, 3084328B, 3095680B, 3118068B, 3137565B, 3159024B, 3183994B, 3199215B, 3202427B, 3215566B, 3226641B, 3248858B, 3261455B, 3345736B, 3363433B, 3395764B, 3413880B, 3519492B, 3562005B, 3594280B, 3611395B, 3625777B, 3635526B, 3636762B, 3646254B, 3714935B, 3725057B, 3836015B, 3908082B, 3961930B	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3068499A, 3173397A, 3190004A, 3198545A, 3205379A, 3213984A, 3266174A, 3283428A, 3306373A, 3332348A, 3411211A, 3429670A, 3437347A, 3506194A, 3517398A, 3521283A, 3569583A, 3591698A, 3596442A, 3618933A, 3683745A, 3700002A, 3711553A, 3797117A, 3806263A	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3070609B, 3114265B, 3122329B, 3148487B, 3162138B, 3201104B, 3325741B, 3330553B, 3353270B, 3354566B, 3356241B, 3435801B, 3468939B, 3477377B, 3528908B, 3589501B, 3624541B, 3676364B, 3677554B, 3693335B, 3706594B, 3751671B, 3764185B, 3787870B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3070698A, 3078192A, 3103700A, 3163670A, 3176403A, 3193961A, 3226709A, 3231858A, 3265601A, 3289811A, 3421904A, 3454756A, 3481864A, 3482407A, 3509388A, 3521249A, 3535368A, 3592769A, 3607507A, 3617172A, 3640030A, 3674810A, 3692752A, 3727986A,	HDPE vial: 3 mL	9/13/2021

National Laboratory Certification Program	3073287A, 3076151A, 3132290A, 3158106A, 3192850A, 3197787A, 3202479A, 3240032A, 3285442A, 3323025A, 3378085A, 3417366A, 3433920A, 3449269A, 3459500A, 3488327A, 3546931A, 3550334A, 3576142A, 3654086A, 3691492A, 3736040A, 3773050A, 3843648A, 3851418A, 3862048A, 3896474A, 3916434A, 3935786A, 3989510A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3074214A, 3084538A, 3087300A, 3116946A, 3122365A, 3227721A, 3230548A, 3284466A, 3390491A, 3402415A, 3486697A, 3518682A, 3534512A, 3538212A, 3556397A, 3649052A, 3668831A, 3676000A, 3708014A, 3768703A, 3819545A, 3820277A, 3831189A, 3864906A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3081024A, 3091460A, 3116119A, 3133530A, 3180854A, 3183796A, 3194248A, 3227047A, 3228058A, 3254215A, 3254352A, 3263321A, 3272674A, 3343212A, 3520982A, 3555237A, 3561611A, 3571328A, 3651892A, 3684583A, 3713606A, 3719497A, 3757517A, 3785698A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3083202A, 3107453A, 3115422A, 3155646A, 3253665A, 3373400A, 3392808A, 3404301A, 3404444A, 3466365A, 3478874A, 3513958A, 3551738A, 3587072A, 3600256A, 3605299A, 3643249A, 3681391A, 3683982A, 3717874A, 3727571A, 3826732A, 3843814A, 3846661A, 3851708A, 3891507A, 3932641A, 3949867A, 3953051A, 3995831A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3084696B, 3102460B, 3148397B, 3254915B, 3329992B, 3403226B, 3472260B, 3475562B, 3480413B, 3486261B, 3550221B, 3564715B, 3600735B, 3613567B, 3620049B, 3620584B, 3723583B, 3734199B, 3749278B, 3757974B, 3850603B, 3867029B, 3880567B, 3880989B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3091191A, 3110756A, 3120543A, 3134482A, 3169652A, 3172928A, 3184518A, 3240486A, 3258786A, 3271735A, 3283951A, 3371600A, 3447571A, 3457571A, 3669166A, 3673703A, 3678508A, 3681083A, 3691860A, 3703355A, 3818629A, 3887683A, 3899815A, 3914520A, 3928682A, 3946169A, 3953024A, 3966471A, 3973841A, 3976420A	HDPE Vial: 3 mL	3/6/2025
National Laboratory Certification Program	3108482A, 3110411A, 3216617A, 3221209A, 3233596A, 3287967A, 3333031A, 3354214A, 3357977A, 3395942A, 3407011A, 3433699A, 3434044A, 3442774A, 3466342A, 3486208A, 3486314A, 3493194A, 3548093A, 3550525A, 3581852A, 3592113A, 3661157A, 3698038A,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	3144998B, 3145083B, 3153578B, 3156212B, 3200709B, 3230462B, 3337259B, 3385798B, 3566093B, 3593197B, 3624368B, 3655255B, 3700779B, 3718551B, 3772690B, 3792532B, 3840928B, 3852293B, 3859792B, 3895239B, 3920670B, 3922642B, 3931513B, 3941243B,	HDPE vial: 3 mL	9/13/2021
National Laboratory Certification Program	327132A, 769932A, 338440A, 384902A, 699829A, 299436A, 297169A, 903389A, 153504A, 854101A, 963059A, 564932A, 284244A, 354884A, 405427A, 802079A, 782645A, 757499A, 659673A, 116604A, 534400A, 919406A, 624199A, 719925A, 479119A, 975070A, 575847A, 478467A, 885767A, 634096A, 501810A, 268613A, 470051A, 149557A, 996157A, 580445A, 139139A, 523048A, 906602A, 319357A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	328318B, 658418B, 741696B, 483925B, 717800B, 599516B, 682981B, 429666B, 673499B, 741103B, 405827B, 156681B, 460238B, 144499B, 776102B, 137370B, 411010B, 003508B, 422392B, 772293B, 386378B, 695642B, 766665B, 613922B, 977632B, 457684B, 709248B, 917255B, 904298B, 805678B, 416272B, 923565B, 799115B, 108259B, 310564B, 390011B, 004897B, 825167B, 605563B, 296176B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	330134B, 820997B, 972709B, 093910B, 168744B, 126626B, 919252B, 615375B, 112889B, 792519B, 856940B, 878648B, 417834B, 725101B, 031429B, 050628B, 221525B, 845524B, 094572B, 666403B, 818434B, 332692B, 672222B, 794075B, 358298B, 431858B, 523348B, 144518B, 231695B, 735019B, 947530B, 532648B, 458327B, 652951B, 322233B, 048270B, 550195B, 486311B, 358118B, 344962B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	338071B, 064825B, 805660B, 283460B, 114780B, 793452B, 706960B, 890744B, 793780B, 738817B, 891721B, 317564B, 433943B, 706984B, 623035B, 438792B, 232976B, 613841B, 047895B, 317928B, 355230B, 285377B, 548584B, 893246B, 113285B, 765228B, 792518B, 747696B, 682245B, 319987B, 496399B, 565573B, 897469B, 929907B, 879616B, 395623B, 092927B, 044458B, 181085B, 885669B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	339271A, 017612A, 072852A, 427340A, 237442A, 826714A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	344382A, 899856A, 610378A, 363819A, 536531A, 989518A, 573298A, 705158A, 520485A, 579396A, 225383A, 771170A, 380225A, 567161A, 609254A, 321306A, 404053A, 597933A, 428386A, 933764A, 940596A, 612222A, 694392A, 300298A, 271961A, 916008A, 830416A, 849047A, 021941A, 770126A, 726795A, 734216A, 069719A, 521375A, 043524A, 583734A, 989067A, 061255A, 858801A, 415302A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	354167B, 139880B, 207844B, 451329B, 239294B, 890966B, 039273B, 423270B, 095815B, 810080B, 836308B, 009969B, 862462B, 814488B, 106875B, 290350B, 411496B, 843550B, 079168B, 749199B, 058112B, 569820B, 922487B, 606779B, 512065B, 277793B, 682131B, 804816B, 010978B, 517970B, 402366B, 904445B, 680250B, 421326B, 799045B, 796423B, 038045B, 744598B, 789740B, 697653B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	364237A, 871321A, 155458A, 189540A, 916154A, 020376A, 993918A, 844746A, 926890A, 770022A, 200113A, 040014A, 089368A, 968372A, 329202A, 050769A, 917538A, 295716A, 851668A, 778593A, 555590A, 782957A, 779770A, 821202A, 814435A, 329225A, 836964A, 410732A, 103053A, 388991A, 083442A, 181350A, 002351A, 303657A, 641302A, 206431A, 168599A, 101381A, 472444A, 929958A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	382083A, 948773A, 174246A, 776054A, 374081A, 599225A, 731417A, 171365A, 577048A, 547689A, 498920A, 006523A, 159494A, 606309A, 137721A, 943041A, 914381A, 856018A, 702053A, 795801A, 166847A, 388556A, 285142A, 629136A, 309282A, 632165A, 127284A, 160923A, 152888A, 443335A, 926664A, 531138A, 219567A, 991768A, 570469A, 852567A, 525996A, 456480A, 108337A, 960380A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	384063A, 976238A, 065225A, 033858A, 473112A, 219016A, 735286A, 331560A, 237453A, 193219A, 766123A, 815704A, 131597A, 403310A, 733319A, 004090A, 527923A, 774704A, 315910A, 289536A, 131899A, 527435A, 060560A, 556475A, 734940A, 152244A, 044790A, 363907A, 275190A, 752752A, 457237A, 206422A, 069371A, 036353A, 524930A, 010022A, 880633A, 302292A, 780678A, 724207A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	385024A, 606281A, 617225A, 685513A, 366326A, 662075A, 067365A, 363029A, 286531A, 005660A, 406841A, 640466A, 352344A, 872410A, 432043A, 210970A, 708388A, 822163A, 991662A, 542942A, 584902A, 008437A, 720057A, 000348A, 369267A, 300435A, 458210A, 222047A, 612432A, 939739A, 672761A, 979645A, 328975A, 846179A, 206349A, 955517A, 040481A, 628774A, 268944A, 373463A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	389504B, 038684B, 403905B, 449522B, 418600B, 658956B, 749112B, 077442B, 443505B, 435959B, 870866B, 534579B, 171892B, 409215B, 879375B, 132613B, 419578B, 027363B, 651179B, 389971B, 681629B, 321616B, 992641B, 361204B, 858597B, 038408B, 688320B, 777651B, 148862B, 904981B, 053631B, 233527B, 192479B, 520014B, 194085B, 486558B, 549414B, 478068B, 404311B, 513466B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	395466A, 273290A, 856456A, 297857A, 640702A, 420026A, 973661A, 615561A, 560322A, 600718A, 267904A, 735140A, 091660A, 210641A, 159028A, 536278A, 850022A, 194060A, 067268A, 244651A, 958214A, 820854A, 744431A, 793155A, 886676A, 033108A, 965182A, 799207A, 711401A, 075680A, 610688A, 541866A, 747074A, 252805A, 035131A, 770217A, 869817A, 585298A, 972655A, 649192A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	396686A, 937563A, 562704A, 290552A, 280994A, 280286A, 276604A, 625763A, 144999A, 020516A, 279188A, 691263A, 832556A, 552096A, 961012A, 957415A, 789968A, 695966A, 129925A, 922385A, 320230A, 498902A, 827692A, 952114A, 933762A, 245039A, 080778A, 991785A, 443845A, 671541A, 799781A, 540787A, 797074A, 015920A, 351471A, 852391A, 842353A, 013274A, 777556A, 441133A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	405664A, 067437A, 418938A, 852121A, 563445A, 781129A	HDPE Bottle: 35 mL	9/26/2024

National Laboratory Certification Program	409383A, 137119A, 369769A, 552199A, 377041A, 090118A, 545765A, 082758A, 291679A, 544938A, 339392A, 832733A, 175369A, 342327A, 671066A, 987026A, 267761A, 628130A, 339855A, 391502A, 902020A, 072481A, 339265A, 193979A, 538995A, 349770A, 446543A, 555868A, 924272A, 096791A, 206861A, 760519A, 019384A, 468732A, 063049A, 851716A, 248011A, 556284A, 795677A, 224152A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	410082A, 055080A, 051735A, 492193A, 033125A, 735417A, 182197A, 811543A, 387382A, 806305A, 771328A, 411813A, 005198A, 313322A, 607871A, 570613A, 569554A, 996975A, 194891A, 952288A, 484655A, 694372A, 871528A, 843098A, 532148A, 445605A, 926855A, 746240A, 586515A, 824569A, 412960A, 098009A, 713503A, 533029A, 444866A, 028764A, 770443A, 239106A, 169593A, 026052A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	415752A, 648968A, 168572A, 758495A, 812285A, 276780A, 349725A, 214936A, 925237A, 404054A, 669061A, 823300A, 431947A, 290548A, 136299A, 780514A, 740748A, 353440A, 551563A, 672474A, 541532A, 662655A, 838311A, 321958A, 768519A, 330339A, 561711A, 192270A, 758266A, 637111A, 407222A, 130090A, 469728A, 055908A, 092031A, 641185A, 382345A, 017475A, 227121A, 423638A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	421599A, 718906A, 805113A, 970351A, 947287A, 797855A, 760376A, 508768A, 072847A, 542771A, 269239A, 309836A, 521692A, 700912A, 867476A, 121163A, 550904A, 877894A, 512214A, 648986A, 566575A, 945969A, 809178A, 465352A, 578983A, 429305A, 075420A, 934144A, 743027A, 127186A, 894657A, 027427A, 408971A, 264669A, 439592A, 134808A, 596992A, 924033A, 742016A, 398226A, 416854A, 359146A, 426284A, 906877A, 577758A, 489967A, 791391A, 942962A, 944837A, 207742A, 567127A, 900851A, 326456A, 776087A, 543415A, 021952A, 075598A, 586760A, 167094A, 087383A, 602718A, 235254A, 690452A, 732872A, 318451A, 645834A, 477632A, 479481A, 927358A, 252565A, 444806A, 848110A, 397866A, 585429A, 922038A, 971378A, 982884A, 519992A, 494966A, 931262A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	433237A, 443175A, 138062A, 200301A, 358944A, 142559A, 397578A, 253912A, 246761A, 318617A, 180175A, 000519A, 055378A, 899834A, 645198A, 359930A, 172363A, 806018A, 827025A, 374474A, 892580A, 598073A, 196699A, 000806A, 720081A, 057715A, 231785A, 073149A, 830336A, 745368A, 645353A, 767710A, 845341A, 500728A, 260425A, 979247A, 241846A, 289766A, 761019A, 529824A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	445689A, 059226A, 720400A, 156603A, 392846A, 867132A, 767469A, 277340A, 479810A, 379555A, 773287A, 330400A, 527790A, 857861A, 966960A, 317125A, 859992A, 726599A, 406081A, 522045A, 677873A, 809605A, 476493A, 331305A, 621271A, 759189A, 414311A, 900920A, 989788A, 210404A, 528174A, 879809A, 324506A, 904980A, 551185A, 085143A, 543418A, 247277A, 532448A, 621985A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	453164A, 625024A, 750548A, 722931A, 759883A, 786365A, 724878A, 162605A, 393428A, 341180A, 842084A, 524094A, 321298A, 893449A, 622920A, 999487A, 877122A, 846862A, 582923A, 607833A, 420011A, 324266A, 234165A, 363482A, 057365A, 060485A, 062471A, 538556A, 954046A, 763566A, 074558A, 474845A, 165851A, 604880A, 202782A, 180142A, 935828A, 486891A, 673971A, 858392A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	457290A, 585133A, 621255A, 963013A, 522378A, 801211A, 626932A, 808133A, 106640A, 813489A, 916421A, 953739A, 041734A, 549715A, 236713A, 428672A, 691182A, 363319A, 689184A, 950763A, 490461A, 191244A, 221267A, 805428A, 720265A, 616941A, 305242A, 402272A, 696783A, 582560A, 162319A, 104781A, 416225A, 355989A, 009091A, 845116A, 755383A, 028025A, 909347A, 500865A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	459223A, 103080A, 988769A, 783475A, 528828A, 544224A, 900556A, 471477A, 277751A, 083259A, 574350A, 815550A, 267293A, 835306A, 101375A, 604918A, 390113A, 900872A, 775907A, 519167A, 525951A, 539726A, 843758A, 173733A, 576569A, 699878A, 165852A, 448926A, 531381A, 750173A, 302833A, 844290A, 878986A, 247973A, 732125A, 609241A, 343479A, 228751A, 632608A, 567028A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	465370A, 190044A, 676072A, 335926A, 771391A, 178103A, 569709A, 196142A, 915781A, 871922A, 655563A, 006333A, 105904A, 565820A, 747246A, 043535A, 888489A, 569907A, 504211A, 777489A, 237612A, 465013A, 756475A, 182322A, 332255A, 473681A, 454528A, 245209A, 271257A, 554078A, 787801A, 735918A, 261097A, 413922A, 579318A, 357350A, 069155A, 766655A, 558174A, 558018A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	465821B, 303354B, 926227B, 866606B, 949407B, 918032B, 236577B, 347183B, 901037B, 530254B, 087840B, 319781B, 145109B, 110905B, 081642B, 910018B, 720403B, 759992B, 576347B, 420063B, 415362B, 919092B, 365273B, 615675B, 908858B, 381318B, 218080B, 859879B, 840017B, 142331B, 397666B, 026523B, 131357B, 096982B, 990436B, 937660B, 885097B, 356935B, 649588B, 055631B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	490805B, 040895B, 735510B, 966157B, 408532B, 177631B, 765818B, 634285B, 596135B, 270304B, 975809B, 545079B, 664832B, 455754B, 994109B, 478592B, 292327B, 127720B, 054527B, 463950B, 727844B, 568843B, 567483B, 771869B, 504841B, 384676B, 567566B, 578866B, 857073B, 492772B, 859722B, 944543B, 209488B, 683911B, 848327B, 034485B, 153926B, 046872B, 615712B, 738030B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	496885A, 467575A, 208577A, 114727A, 684697A, 292847A, 911893A, 046896A, 683861A, 568333A, 867863A, 371044A, 496345A, 210848A, 323358A, 153856A, 671328A, 203743A, 105905A, 747934A, 397312A, 841675A, 353211A, 597469A, 997060A, 025955A, 574141A, 875416A, 524182A, 255027A, 440852A, 575555A, 044159A, 577027A, 477220A, 442452A, 361751A, 001067A, 212923A, 340312A, 793122A, 257484A, 089407A, 797381A, 055325A, 649946A, 739048A, 368191A, 921125A, 128338A, 417194A, 442164A, 092424A, 002362A, 952157A, 129750A, 656900A, 204748A, 215117A, 647760A, 275061A, 177307A, 271090A, 268068A, 213765A, 265318A, 363540A, 915824A, 839471A, 663935A, 196876A, 000096A, 889022A, 238958A, 929991A, 473051A, 676899A, 103540A, 108199A, 632206A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	497439A, 516906A, 490240A, 196978A, 095838A, 947798A, 980911A, 489751A, 017095A, 470486A, 025281A, 514506A, 231063A, 912132A, 152093A, 594069A, 547300A, 415707A, 269944A, 303175A, 953226A, 525601A, 920349A, 203781A, 427155A, 804957A, 872149A, 518322A, 761128A, 176828A, 272806A, 877542A, 494060A, 418604A, 311756A, 415948A, 080398A, 788865A, 464873A, 454030A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	516260B, 734096B, 718735B, 955813B, 541796B, 272103B, 634517B, 898179B, 517235B, 154309B, 772462B, 049803B, 467731B, 010009B, 809809B, 033437B, 950356B, 387136B, 646263B, 798961B, 272989B, 044963B, 156784B, 776672B, 628922B, 251129B, 073204B, 752102B, 434713B, 585583B, 622419B, 687017B, 463557B, 237783B, 702543B, 559441B, 266690B, 231125B, 532160B, 940774B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	522897A, 961598A, 182080A, 952431A, 788220A, 611599A, 424155A, 605745A, 250728A, 184777A, 569227A, 929830A, 917292A, 863394A, 766135A, 307740A, 736801A, 421620A, 068907A, 918600A, 883631A, 801946A, 517743A, 930706A, 344533A, 923348A, 413974A, 585433A, 965939A, 650417A, 472617A, 075207A, 267124A, 383401A, 214216A, 497242A, 846449A, 534068A, 659020A, 802859A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	523925A, 467152A, 069674A, 343150A, 083404A, 914828A, 797309A, 205943A, 541453A, 303036A, 695585A, 967368A, 376600A, 841285A, 094737A, 113806A, 919087A, 507535A, 492826A, 632144A, 291300A, 905692A, 214599A, 091097A, 834755A, 116161A, 363422A, 330163A, 047562A, 859024A, 045949A, 955634A, 194833A, 847751A, 110501A, 051328A, 343223A, 953926A, 036549A, 727064A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	537084A, 170561A, 622141A, 725545A, 603023A, 251970A, 775159A, 071056A, 819475A, 626210A, 393137A, 953491A, 368050A, 985675A, 073904A, 946734A, 904085A, 704025A, 819561A, 840009A, 638237A, 775499A, 515364A, 504751A, 805251A, 105445A, 790574A, 496222A, 664114A, 919263A, 464192A, 389926A, 754882A, 383464A, 382863A, 995784A, 435966A, 139303A, 592564A, 414435A	HDPE Bottle: 35 mL	9/26/2024

National Laboratory Certification Program	563063A, 043319A, 523760A, 187184A, 907164A, 656370A, 624273A, 357032A, 071854A, 166195A, 104361A, 087452A, 242488A, 739548A, 929511A, 505407A, 924819A, 090574A, 672713A, 154407A, 664422A, 514252A, 015881A, 197947A, 934315A, 579156A, 419132A, 933738A, 952162A, 797221A, 302093A, 411934A, 920288A, 190412A, 895805A, 520302A, 309826A, 009602A, 255467A, 517094A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	563532A, 705550A, 610240A, 861710A, 836164A, 561580A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	563846A, 602975A, 874362A, 798040A, 925071A, 615346A, 544372A, 435116A, 742733A, 175864A, 665713A, 869490A, 825735A, 679083A, 886070A, 862060A, 962423A, 626414A, 977493A, 910027A, 336213A, 090720A, 362106A, 245813A, 888988A, 953008A, 937363A, 728382A, 774520A, 753309A, 980968A, 748703A, 474826A, 863568A, 788165A, 025921A, 474100A, 356664A, 912178A, 626573A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	579454A, 290031A, 835514A, 492957A, 772621A, 787390A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	582298B, 781988B, 153566B, 853318B, 506120B, 527710B, 329414B, 496296B, 335104B, 012775B, 736358B, 597101B, 918135B, 073054B, 104048B, 267021B, 980207B, 228292B, 926426B, 100208B, 608757B, 327445B, 381564B, 389253B, 043905B, 775986B, 414042B, 604407B, 418082B, 471849B, 370957B, 204332B, 103377B, 229347B, 792140B, 572362B, 098139B, 350358B, 179431B, 023912B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	589100B, 856381B, 810293B, 725251B, 464908B, 464928B, 073186B, 008493B, 115895B, 279910B, 007433B, 507434B, 733259B, 799345B, 472500B, 290914B, 212083B, 593112B, 150101B, 828096B, 220366B, 724674B, 726382B, 117565B, 614319B, 550047B, 507725B, 971857B, 668220B, 858424B, 370318B, 192464B, 400271B, 055457B, 747119B, 818560B, 610242B, 633967B, 095571B, 388220B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	609902A, 546534A, 889953A, 810424A, 781323A, 149638A, 983466A, 025814A, 311924A, 155935A, 705258A, 429274A, 047130A, 536853A, 857741A, 338288A, 753952A, 505078A, 045168A, 810225A, 232977A, 659437A, 408353A, 201999A, 950563A, 259899A, 385723A, 376260A, 869580A, 377619A, 033385A, 776776A, 935691A, 378058A, 579569A, 186212A, 961008A, 220933A, 767887A, 111721A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	611862B, 382729B, 399562B, 212228B, 845729B, 811612B, 710275B, 115257B, 085650B, 054776B, 195410B, 725018B, 818494B, 709075B, 735297B, 080303B, 687405B, 855660B, 421334B, 840784B, 787495B, 579225B, 952700B, 451180B, 485824B, 226145B, 799020B, 390372B, 000587B, 574668B, 017184B, 843794B, 679202B, 613408B, 239659B, 890707B, 728272B, 489418B, 525592B, 066349B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	632952A, 048631A, 422336A, 115270A, 078787A, 440137A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	638508B, 454250B, 846395B, 992883B, 776828B, 439894B, 028356B, 830554B, 428473B, 254217B, 749079B, 250607B, 907591B, 112925B, 911019B, 467147B, 458258B, 466617B, 330022B, 591107B, 417321B, 573826B, 531087B, 625198B, 541976B, 292984B, 974554B, 775432B, 408585B, 969286B, 141510B, 647523B, 829921B, 898650B, 787906B, 246056B, 879460B, 415453B, 953930B, 375142B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	648454B, 727008B, 951124B, 133287B, 558627B, 406406B, 339659B, 780360B, 310280B, 213575B, 021272B, 366564B, 361151B, 465756B, 896803B, 608505B, 017120B, 999497B, 604125B, 745406B, 249450B, 542417B, 879896B, 782232B, 897791B, 677082B, 274900B, 808551B, 125879B, 945822B, 375479B, 033167B, 358898B, 289869B, 933725B, 551836B, 982591B, 654020B, 894882B, 467723B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	653229A, 669672A, 864663A, 592926A, 833276A, 979812A, 680496A, 458571A, 456875A, 719828A, 579306A, 676149A, 878564A, 813188A, 329353A, 934653A, 104833A, 676090A, 074352A, 007431A, 639482A, 013896A, 106965A, 471703A, 999057A, 827276A, 293572A, 323327A, 013878A, 956847A, 134887A, 733723A, 007798A, 605732A, 429964A, 109462A, 227541A, 959374A, 061737A, 511938A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	666586A, 180120A, 884805A, 122475A, 556659A, 326966A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	673073A, 208756A, 758401A, 482749A, 857169A, 096721A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	681057A, 338579A, 942716A, 882314A, 888456A, 693124A, 648839A, 618305A, 588590A, 587551A, 026677A, 265340A, 777370A, 476633A, 146657A, 315994A, 741585A, 107867A, 521815A, 650879A, 191502A, 737163A, 584247A, 326399A, 920620A, 083015A, 260235A, 425876A, 224461A, 391818A, 622174A, 131829A, 519954A, 954067A, 563190A, 394804A, 453034A, 208313A, 468748A, 960312A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	690418A, 012867A, 370298A, 649445A, 956073A, 221355A, 158685A, 031057A, 966613A, 190677A, 464198A, 558355A, 340350A, 167284A, 021561A, 088956A, 576129A, 948243A, 068106A, 882125A, 052761A, 338949A, 664793A, 929028A, 678775A, 598808A, 370837A, 610746A, 097456A, 372354A, 106371A, 278934A, 338257A, 289330A, 524353A, 847750A, 437913A, 560057A, 180882A, 709537A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	707841A, 186776A, 358509A, 614227A, 892846A, 924361A, 273103A, 801357A, 456701A, 065962A, 346229A, 867447A, 050342A, 474661A, 065346A, 427716A, 334331A, 285760A, 111876A, 241391A, 019606A, 528376A, 022340A, 386743A, 602374A, 226852A, 417929A, 274904A, 933304A, 760206A, 600592A, 290178A, 566965A, 049971A, 475058A, 188093A, 040181A, 137745A, 369345A, 614453A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	715040B, 437724B, 781092B, 106740B, 579956B, 005922B, 020086B, 287145B, 411358B, 946769B, 162062B, 834037B, 119231B, 156248B, 262813B, 407916B, 193631B, 909761B, 521442B, 144510B, 369337B, 763841B, 890413B, 611046B, 813885B, 649347B, 192093B, 705956B, 614146B, 177463B, 923604B, 224174B, 981147B, 924733B, 600995B, 699675B, 410271B, 500980B, 702830B, 044634B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	724326B, 897161B, 104349B, 008467B, 371462B, 516192B, 493370B, 119118B, 799391B, 736479B, 198511B, 625233B, 254965B, 985936B, 574323B, 080367B, 010948B, 891992B, 283825B, 521256B, 224103B, 974107B, 649524B, 300588B, 308316B, 350650B, 291247B, 065604B, 937885B, 238570B, 430231B, 477858B, 524507B, 303687B, 959929B, 403666B, 061829B, 036204B, 456743B, 371793B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	724485A, 285750A, 324198A, 153222A, 632180A, 345491A, 983550A, 846333A, 578161A, 392424A, 972444A, 085729A, 034283A, 966600A, 557627A, 412927A, 258397A, 142207A, 821820A, 216717A, 719385A, 188572A, 358808A, 793168A, 669986A, 491230A, 409322A, 688522A, 987330A, 153425A, 365779A, 647472A, 158714A, 787663A, 210019A, 569523A, 960747A, 165725A, 751680A, 866396A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	724608B, 347506B, 460245B, 127909B, 266266B, 203807B, 168785B, 967561B, 145315B, 703251B, 062924B, 467289B, 336282B, 792180B, 834097B, 345872B, 077011B, 774566B, 770245B, 068560B, 626078B, 904820B, 000537B, 480607B, 467542B, 915330B, 060384B, 774972B, 574457B, 033555B, 811099B, 785252B, 364450B, 209218B, 416119B, 477570B, 815169B, 713686B, 776577B, 030416B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	728754B, 842901B, 247415B, 551358B, 329223B, 952032B, 216284B, 662661B, 053661B, 456267B, 744412B, 424415B, 655419B, 206563B, 459480B, 764143B, 753961B, 414268B, 780698B, 780816B, 631254B, 830134B, 878185B, 141784B, 839352B, 016994B, 794185B, 585546B, 191870B, 682161B, 849126B, 948506B, 535656B, 106231B, 497288B, 534593B, 988172B, 583517B, 447445B, 982698B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	729977A, 238365A, 430260A, 653038A, 568611A, 801265A, 900563A, 286428A, 568046A, 342334A, 119158A, 914860A, 269535A, 836787A, 302513A, 170239A, 362967A, 654109A, 082356A, 158412A, 421510A, 038819A, 983158A, 202975A, 191047A, 429031A, 136146A, 128936A, 863717A, 455126A, 157124A, 002353A, 249797A, 244327A, 074639A, 882940A, 650130A, 625969A, 515823A, 080107A	HDPE Bottle: 35 mL	9/26/2024

National Laboratory Certification Program	730787A, 603801A, 181703A, 445621A, 747005A, 880488A, 969033A, 164271A, 182020A, 028636A, 568864A, 672233A, 382002A, 516739A, 185628A, 866790A, 104586A, 895010A, 649481A, 391546A, 646135A, 967788A, 491256A, 977472A, 937077A, 614175A, 502054A, 049396A, 031074A, 791115A, 401930A, 371486A, 861705A, 306872A, 595387A, 289267A, 995915A, 328631A, 873620A, 528099A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	748802A, 596687A, 210979A, 449064A, 956215A, 348646A, 530151A, 857021A, 303411A, 606279A, 087684A, 643572A, 641487A, 423195A, 735838A, 466398A, 440007A, 320850A, 241796A, 933809A, 171455A, 705349A, 160431A, 388238A, 028744A, 457601A, 612704A, 971507A, 145246A, 971839A, 436907A, 918791A, 858255A, 390298A, 686543A, 043895A, 083890A, 022239A, 425209A, 109957A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	759126A, 943009A, 681268A, 912517A, 393408A, 430730A, 677309A, 572260A, 180417A, 756532A, 377971A, 358786A, 493930A, 085993A, 874527A, 519660A, 791379A, 980061A, 015516A, 492232A, 330844A, 115238A, 445437A, 445881A, 631072A, 820780A, 605523A, 912930A, 070925A, 306547A, 976475A, 910754A, 149515A, 331064A, 576808A, 461748A, 969489A, 909466A, 324191A, 186426A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	764507B, 683818B, 843042B, 618067B, 017009B, 091724B, 438655B, 410834B, 325590B, 366387B, 346450B, 937452B, 138036B, 708945B, 407281B, 635339B, 404281B, 016718B, 165834B, 356098B, 530649B, 297610B, 581654B, 354943B, 961800B, 619362B, 365377B, 811914B, 137948B, 638762B, 614415B, 078705B, 460445B, 181397B, 458518B, 649605B, 949160B, 732615B, 969593B, 982110B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	771784A, 476359A, 027514A, 759715A, 529027A, 134216A, 199026A, 302197A, 990414A, 139652A, 286862A, 392898A, 870434A, 040690A, 601308A, 691793A, 121076A, 182366A, 452330A, 846731A, 103724A, 286618A, 496020A, 777680A, 417664A, 262578A, 623102A, 868679A, 062906A, 389853A, 404467A, 539739A, 508104A, 224658A, 557605A, 950145A, 631586A, 022576A, 354431A, 831509A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	776633A, 725686A, 362503A, 577932A, 006247A, 632205A, 252580A, 871598A, 816430A, 570760A, 763996A, 201800A, 463900A, 324925A, 915067A, 558362A, 557537A, 289066A, 472881A, 665102A, 628132A, 793753A, 751842A, 761674A, 049567A, 078190A, 770327A, 923408A, 332055A, 738504A, 408670A, 604689A, 563122A, 559473A, 574828A, 378813A, 552076A, 595726A, 661665A, 867826A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	779378A, 333561A, 483368A, 042534A, 511829A, 632632A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	790908B, 700865B, 618561B, 436848B, 110684B, 633021B, 029216B, 843326B, 640381B, 103438B, 494648B, 543405B, 904172B, 265731B, 123233B, 974694B, 266159B, 882688B, 984560B, 861213B, 913802B, 187576B, 657150B, 592511B, 345058B, 435192B, 214465B, 116070B, 677455B, 097377B, 426781B, 927973B, 727805B, 663512B, 374622B, 013139B, 570400B, 225862B, 139993B, 963626B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	809226A, 340888A, 201852A, 288667A, 565709A, 485723A, 973706A, 965332A, 170023A, 581808A, 214318A, 433185A, 743075A, 355284A, 171810A, 046388A, 761330A, 439139A, 627093A, 196883A, 135335A, 368282A, 888972A, 225743A, 142075A, 056978A, 946952A, 930417A, 037930A, 720504A, 464720A, 660845A, 530420A, 890235A, 812843A, 969363A, 452681A, 225642A, 140258A, 966887A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	819548A, 295405A, 227739A, 138330A, 658174A, 053659A, 110641A, 233046A, 706944A, 689427A, 302096A, 309615A, 009301A, 817298A, 058203A, 369295A, 667899A, 168718A, 549241A, 664865A, 195932A, 295297A, 622349A, 886422A, 143858A, 890947A, 137612A, 880785A, 168245A, 417592A, 621238A, 641016A, 459075A, 646228A, 993569A, 638999A, 945479A, 768138A, 532614A, 374764A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	825396B, 950805B, 234520B, 116370B, 742435B, 651616B, 096414B, 336848B, 032764B, 239824B, 719012B, 775479B, 958768B, 494880B, 983008B, 287637B, 495479B, 294991B, 901948B, 811150B, 582678B, 531907B, 635823B, 823178B, 984295B, 539145B, 094635B, 360548B, 657361B, 625863B, 728054B, 240122B, 176809B, 248933B, 446787B, 219648B, 239881B, 565689B, 411013B, 366412B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	838506B, 344945B, 317164B, 803379B, 169380B, 413721B, 367527B, 180500B, 288413B, 435680B, 224303B, 698723B, 941672B, 011692B, 124529B, 111179B, 551324B, 871504B, 055764B, 510067B, 480589B, 991815B, 584380B, 389513B, 866060B, 967287B, 402233B, 526768B, 323408B, 649349B, 847982B, 616399B, 402017B, 179518B, 655409B, 232940B, 993653B, 053488B, 315145B, 934774B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	853786A, 790243A, 844540A, 365687A, 023932A, 470458A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	862934A, 262221A, 460404A, 245692A, 343944A, 629649A, 684215A, 875642A, 194246A, 033181A, 895021A, 683866A, 019688A, 221101A, 547013A, 021088A, 793555A, 586432A, 846666A, 073751A, 554967A, 545770A, 849204A, 204537A, 398326A, 434598A, 180115A, 237595A, 329712A, 131920A, 752410A, 830547A, 346321A, 198324A, 794367A, 882922A, 063497A, 280928A, 704101A, 861921A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	864665B, 344188B, 959552B, 793816B, 291716B, 179631B, 968321B, 837132B, 563472B, 178946B, 382897B, 303358B, 235534B, 064820B, 980408B, 106327B, 996721B, 783736B, 831338B, 610217B, 098855B, 955853B, 642866B, 272321B, 629595B, 442364B, 065908B, 434770B, 499701B, 074448B, 062654B, 435075B, 627867B, 964869B, 433984B, 424309B, 176957B, 893861B, 994885B, 285603B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	892000B, 474316B, 093458B, 833358B, 534981B, 628972B, 160567B, 655293B, 337026B, 640167B, 858663B, 077968B, 982532B, 039974B, 172962B, 891211B, 306047B, 336388B, 989433B, 782124B, 354237B, 474281B, 806280B, 672819B, 618772B, 177675B, 206625B, 456475B, 450668B, 252670B, 637202B, 157703B, 016929B, 200977B, 277304B, 521950B, 207670B, 708698B, 245804B, 683412B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	897739A, 988105A, 153170A, 847183A, 012288A, 312392A, 021668A, 690253A, 966448A, 641910A, 948878A, 920431A, 667246A, 957677A, 228056A, 503825A, 645090A, 347576A, 728094A, 516019A, 923058A, 280543A, 136759A, 986326A, 315565A, 976998A, 154175A, 120073A, 825204A, 856375A, 990540A, 903401A, 657656A, 315143A, 154923A, 206369A, 525684A, 290880A, 051376A, 291574A, 206854A, 841765A, 529407A, 690326A, 925901A, 311305A, 483453A, 229199A, 814921A, 202707A, 946493A, 946505A, 569111A, 108753A, 308842A, 953126A, 016995A, 497067A, 865670A, 050721A, 777333A, 837977A, 757151A, 477108A, 004599A, 035692A, 235128A, 686359A, 265873A, 246112A, 383809A, 134694A, 303691A, 114862A, 912954A, 103706A, 881644A, 299067A, 364848A, 171261A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	954995A, 613795A, 305673A, 311712A, 307615A, 151835A, 478413A, 206548A, 123189A, 629068A, 196200A, 219662A, 385481A, 974648A, 368692A, 057088A, 071104A, 660765A, 267415A, 565786A, 772470A, 557837A, 791861A, 484733A, 005145A, 492890A, 936976A, 507080A, 114526A, 584336A, 886724A, 357274A, 946296A, 428174A, 491945A, 712122A, 337575A, 602568A, 928620A, 411873A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	959376B, 019792B, 130817B, 807985B, 947662B, 543041B, 635892B, 396301B, 830123B, 161325B, 790594B, 564852B, 571203B, 054639B, 537835B, 229529B, 485655B, 019273B, 612161B, 212555B, 224189B, 642806B, 990109B, 031171B, 092907B, 366482B, 967797B, 970169B, 144983B, 775923B, 913552B, 087929B, 003901B, 007732B, 424712B, 428047B, 383494B, 232560B, 936223B, 343046B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	962303B, 120901B, 026758B, 816954B, 405601B, 307693B, 363538B, 572968B, 299465B, 183743B, 624001B, 628632B, 796959B, 013356B, 886752B, 045780B, 451201B, 449956B, 565625B, 102225B, 496603B, 804517B, 909185B, 731881B, 298747B, 268746B, 726272B, 932484B, 688766B, 997256B, 413582B, 693410B, 718763B, 428596B, 996651B, 866018B, 263402B, 465327B, 955185B, 798596B	HDPE Bottle: 35 mL	9/26/2024

National Laboratory Certification Program	973574A, 980516A, 196223A, 469819A, 259764A, 561350A, 351637A, 080675A, 670298A, 606618A, 948024A, 337963A, 429304A, 653875A, 081093A, 220224A, 716460A, 128926A, 100306A, 765819A, 383385A, 110554A, 787998A, 723307A, 869697A, 724602A, 582420A, 619207A, 905849A, 374482A, 862275A, 321074A, 722546A, 777853A, 013839A, 772741A, 926346A, 631398A, 887702A, 870230A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	980368B, 601316B, 039655B, 574923B, 644569B, 585311B, 127607B, 643457B, 134297B, 055307B, 086913B, 361914B, 879207B, 963554B, 063636B, 799163B, 223430B, 986230B, 078778B, 866735B, 515031B, 642478B, 918053B, 066583B, 547746B, 699235B, 565419B, 695026B, 323649B, 626280B, 053206B, 237589B, 544391B, 276483B, 623827B, 074928B, 554583B, 419866B, 573419B, 378969B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	985613B, 522340B, 533478B, 827795B, 861897B, 100319B, 860745B, 119375B, 138626B, 836623B, 514657B, 540502B, 590127B, 686883B, 630816B, 150704B, 757526B, 362501B, 252703B, 199543B, 298473B, 988656B, 428450B, 457098B, 169167B, 510576B, 174867B, 371183B, 720530B, 089813B, 899425B, 442652B, 082163B, 831685B, 684925B, 276395B, 097840B, 783205B, 451147B, 171755B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	986744B, 809210B, 614360B, 906979B, 083546B, 595197B, 653316B, 528017B, 939186B, 511054B, 063194B, 822236B, 758353B, 738602B, 928446B, 687633B, 973248B, 916354B, 511044B, 321470B, 238090B, 369102B, 587045B, 117713B, 304575B, 315476B, 778984B, 622369B, 624055B, 541197B, 886106B, 262964B, 965548B, 770693B, 738910B, 332499B, 903820B, 224031B, 531075B, 561753B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program	996624B, 649500B, 175969B, 093180B, 346927B, 572584B, 698551B, 523667B, 759860B, 532918B, 910303B, 715889B, 870513B, 021328B, 271917B, 025204B, 741464B, 765634B, 136554B, 544667B, 390793B, 514914B, 185338B, 590023B, 428459B, 534460B, 216431B, 641435B, 324434B, 829171B, 087368B, 013113B, 138141B, 774911B, 788568B, 851541B, 629983B, 147013B, 863055B, 793202B	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program, Research Triangle Institute	000241a, 044875a, 074740a, 094675a, 115435a, 118743a, 136166a, 150596a, 162768a, 208187a, 239139a, 264945a, 298940a, 328505a, 334194a, 347403a, 371088a, 440547a, 459672a, 468652a, 474880a, 483492a, 534744a, 582786a, 608056a, 699787a, 706815a, 740647a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	001868a, 030698a, 062862a, 076524a, 115994a, 133832a, 144825a, 176470a, 179018a, 191902a, 232389a, 239467a, 292383a, 320022a, 337845a, 381893a, 418531a, 433874a, 450323a, 461379a, 544842a, 562994a, 579790a, 581308a, 617118a, 622837a, 648142a, 689828a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	002941a, 007992a, 010113a, 050126a, 064755a, 076337a, 083665a, 090555a, 092397a, 114152a, 130888a, 146131a, 157971a, 158128a, 192973a, 203670a, 207482a, 252687a, 276661a, 355951a, 364111a, 420589a, 459745a, 461211a, 559811a, 582646a, 591048a, 653845a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	004834a, 008452a, 025378a, 073262a, 131406a, 215939a, 227641a, 257409a, 264688a, 280274a, 286555a, 292194a, 303136a, 305622a, 339596a, 371008a, 393476a, 395848a, 400317a, 403831a, 430590a, 438398a, 439741a, 445752a, 542866a, 626821a, 645201a, 674015a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	003091A, 019831A, 035181A, 035608A, 120379A, 141623A, 134629A, 223503A, 223432A, 224988A, 281367A, 328113A, 334187A, 486783A, 501257A, 502577A, 506177A, 557401A, 595716A, 596314A, 625455A, 700469A, 758651A, 782172A, 793745A, 798811A, 843482A, 849545A, 856982A, 885874A, 890173A, 925568A, 943518A, 962610A, 981851A, 117106A, 172153A, 177924A, 181515A, 182687A, 267795A, 294676A, 302117A, 334641A, 352713A, 394738A, 420000A, 432620A, 492769A, 497961A, 505136A, 516724A, 520246A, 522200A, 538259A, 567254A, 591995A, 608226A, 625438A, 635235A, 683350A, 712703A, 713594A, 716744A, 729488A, 888989A, 913675A, 942136A, 989138A, 990442A, 024531A, 091657A, 143449A, 157910A, 167796A, 208005A, 269362A, 287058A, 305939A, 325918A, 332231A, 338558A, 345706A, 358071A, 388518A, 434203A, 492799A, 496799A, 521957A, 543779A, 614083A, 669491A, 778405A, 804395A, 811800A, 820002A, 823271A, 870163A, 939795A, 985176A, 057380A, 063386A, 097789A, 112996A, 115648A, 133277A, 266635A, 288250A, 289105A, 316458A, 397334A, 398860A, 400210A, 402113A, 404415A, 420432A, 487057A, 510073A, 510880A, 537125A, 546627A, 550043A, 575071A, 577585A, 637011A, 648305A, 673869A, 682297A, 705937A, 723896A, 740908A, 851001A, 859875A, 946019A, 972748A, 011174A, 011513A, 017605A, 042710A, 043939A, 098712A, 101814A, 144644A, 167504A, 189998A, 201214A, 246635A, 269221A, 274890A, 302097A, 304907A, 335015A, 369827A, 388970A, 393804A, 394089A, 476532A, 511678A, 544484A, 545138A, 553080A, 581108A, 581786A, 621915A, 642194A, 801777A, 851806A, 878939A, 879640A, 971015A, 004696A, 035726A, 050472A, 063471A, 068060A, 118807A, 142007A, 171605A, 175304A, 182368A, 183898A, 285489A, 294036A, 323300A, 348693A, 359744A, 363005A, 387897A, 429595A, 482942A, 507324A, 560146A, 569327A, 639779A, 644156A, 649379A, 664341A, 703534A, 718785A, 719901A, 722171A, 853582A, 860107A, 899360A, 960637A, 011312A, 034933A, 042707A, 089617A, 111163A, 173021A, 205019A, 245495A, 252616A, 284812A, 299306A, 330078A, 376335A, 381022A, 410645A, 474687A, 498278A, 525970A, 569183A, 586918A, 624134A, 625781A, 683447A, 741677A, 742159A, 750260A, 756819A, 760918A, 771532A, 782758A, 814409A, 827784A, 879024A, 969096A, 984517A, 001276A, 002628A, 006349A, 060287A, 150978A, 159986A, 168840A, 179850A, 226073A, 239458A, 276466A, 282181A, 392237A, 393450A, 395374A, 428641A, 455122A, 474243A, 481204A, 493691A, 497619A, 571500A, 618576A, 631559A, 636966A, 644914A, 718600A, 743900A, 806546A, 859930A, 873378A, 896250A, 921968A, 949573A, 968720A, 013183A, 025905A, 045119A, 064822A, 065901A, 087494A, 107258A, 119805A, 183526A, 248485A, 275194A, 284717A, 295140A, 428204A, 451480A, 451937A, 475262A, 480900A, 502919A, 518964A, 520618A, 543805A, 561579A, 563030A, 565809A, 603481A, 613072A, 617894A, 633830A, 675551A, 792079A, 813785A, 868579A, 954935A, 980053A, 026101A, 052217A, 058887A, 059835A, 107884A, 125325A, 150146A, 177450A, 218432A, 274016A, 301077A, 308296A, 398121A, 410168A, 427212A, 445989A, 511582A, 594127A, 613982A, 659098A, 662228A, 689307A, 711068A, 719905A, 731603A, 744862A, 778607A, 784315A, 821367A, 824986A, 844098A, 912408A, 925810A, 967817A, 969553A, 290964B, 291112B, 291190B, 291878B, 292060B, 292098B,	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	006862a, 029843a, 040868a, 059053a, 144445a, 150170a, 228174a, 234613a, 241790a, 297275a, 300224a, 311447a, 320102a, 341326a, 353951a, 356202a, 363968a, 367389a, 464624a, 471437a, 503070a, 567491a, 606600a, 724572a, 750164a, 759460a, 773848a, 775893a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	007457a, 026004a, 051933a, 055103a, 060866a, 084049a, 121667a, 142441a, 147638a, 152507a, 155748a, 252721a, 270281a, 301475a, 319514a, 330124a, 344774a, 430870a, 455082a, 456689a, 515851a, 562642a, 631564a, 651151a, 657665a, 677559a, 710488a, 729601a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	008935a, 048071a, 147482a, 151414a, 177058a, 217585a, 262002a, 290949a, 344470a, 376512a, 418421a, 426504a, 452627a, 501747a, 545126a, 653218a, 662137a, 686604a, 705662a, 717158a, 718877a, 730476a, 749003a, 786731a, 804421a, 813543a, 819983a, 852245a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	008983a, 078290a, 086583a, 093727a, 094131a, 115194a, 134193a, 143785a, 145380a, 166662a, 195215a, 197627a, 200313a, 286311a, 302403a, 337452a, 399124a, 428369a, 550931a, 568069a, 645636a, 704344a, 772130a, 786903a, 806444a, 818454a, 844056a, 845062a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	009793a, 014698a, 030377a, 062393a, 100763a, 174565a, 206931a, 208868a, 252587a, 256124a, 276883a, 277600a, 344513a, 361324a, 380780a, 463125a, 472102a, 501490a, 522876a, 566011a, 569999a, 578977a, 582652a, 630923a, 649609a, 662116a, 739029a, 781968a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	010699a, 070723a, 078023a, 098199a, 108460a, 137709a, 142426a, 237063a, 285815a, 329298a, 344612a, 397497a, 405712a, 410142a, 508574a, 511436a, 541000a, 554584a, 591606a, 600754a, 619476a, 637555a, 640371a, 700387a, 712039a, 754763a, 904257a, 924681a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	010816a, 010931a, 025089a, 036186a, 070299a, 084289a, 104803a, 117478a, 155308a, 186514a, 208433a, 278839a, 330464a, 342629a, 361407a, 389370a, 476743a, 504592a, 553786a, 603951a, 635975a, 645766a, 651496a, 701658a, 710470a, 726824a, 753797a, 813250a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	012298a, 070037a, 117526a, 129073a, 171637a, 212777a, 258379a, 279267a, 297305a, 313379a, 346338a, 361049a, 385071a, 425462a, 499541a, 556454a, 580973a, 642991a, 658860a, 664103a, 665097a, 733946a, 763792a, 785718a, 854492a, 859998a, 862149a, 886139a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	013661a, 017014a, 088454a, 152042a, 159391a, 159880a, 212123a, 233201a, 261649a, 263833a, 374388a, 375628a, 398489a, 439659a, 447565a, 487074a, 535275a, 582746a, 586608a, 587689a, 632348a, 667197a, 676055a, 677729a, 702904a, 751281a, 769081a, 820080a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	014201a, 027572a, 028950a, 101223a, 122951a, 155597a, 166487a, 172369a, 206416a, 219453a, 226327a, 230312a, 291188a, 322450a, 360274a, 374631a, 377342a, 431161a, 468135a, 477861a, 491625a, 503312a, 521004a, 527933a, 557256a, 716236a, 735186a, 744269a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	017197a, 031770a, 054632a, 124416a, 125503a, 194090a, 206969a, 243365a, 259252a, 270672a, 293649a, 307111a, 322274a, 334116a, 392388a, 398153a, 444840a, 478434a, 489870a, 493461a, 497566a, 497944a, 552182a, 552254a, 601096a, 666212a, 682479a, 738305a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	018301a, 025979a, 041811a, 042993a, 108594a, 123987a, 136659a, 179056a, 206560a, 266403a, 296835a, 305428a, 348054a, 363079a, 442479a, 477362a, 498427a, 518040a, 590175a, 600973a	HDPE bottle: 35 mL	12/17/2019
National Laboratory Certification Program, Research Triangle Institute	020799a, 068273a, 072816a, 085744a, 088836a, 095490a, 108475a, 143538a, 145326a, 196243a, 277303a, 318983a, 328472a, 354922a, 357288a, 406127a, 433979a, 469353a, 479314a, 480303a, 486278a, 527514a, 534214a, 558601a, 562988a, 564592a, 635130a, 646859a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	022921a, 049397a, 052020a, 115148a, 178449a, 281513a, 308084a, 312564a, 318471a, 353882a, 380016a, 387904a, 410804a, 416623a, 448310a, 458366a, 508969a, 614246a, 648821a, 703622a, 710761a, 727575a, 736423a, 754817a, 780231a, 782089a, 828462a, 874306a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	026149a, 067578a, 068334a, 082073a, 089035a, 100992a, 125462a, 133031a, 160471a, 191924a, 240108a, 324652a, 326910a, 367236a, 373176a, 376758a, 377323a, 385436a, 430968a, 511802a, 539132a, 549736a, 619310a, 623281a, 652307a, 716710a, 735716a, 817871a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	029939a, 051333a, 138001a, 139013a, 172203a, 277435a, 301622a, 309639a, 348570a, 360790a, 371232a, 372862a, 417372a, 441064a, 443789a, 444409a, 452592a, 501404a, 509698a, 578940a, 624751a, 641914a, 668492a, 670232a, 733387a, 735023a, 738237a, 750756a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	030256a, 076414a, 081066a, 095934a, 114735a, 170108a, 170690a, 173909a, 174880a, 179837a, 215973a, 224509a, 274551a, 278959a, 295923a, 308134a, 310452a, 408398a, 417417a, 435207a, 469616a, 518763a, 533426a, 538460a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	030295a, 031674a, 041114a, 067856a, 084370a, 109237a, 122803a, 135543a, 143042a, 198816a, 206980a, 322397a, 326897a, 372331a, 381567a, 383202a, 423162a, 464949a, 473153a, 475305a, 533902a, 594938a, 634342a, 637539a, 737148a, 768419a, 794041a, 819157a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	033319a, 033587a, 034385a, 041849a, 077743a, 081293a, 181815a, 241439a, 241570a, 262586a, 283541a, 308175a, 322814a, 327798a, 369274a, 395197a, 400237a, 425960a, 441351a, 529158a, 553300a, 557055a, 567797a, 602850a, 640237a, 738750a, 762662a, 808423a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	034097a, 213665a, 315012a, 666501a, 832235a, 913581A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	035920a, 035947a, 062860a, 163377a, 165462a, 186469a, 194005a, 267363a, 308376a, 350027a, 419938a, 430261a, 442440a, 445925a, 476025a, 493804a, 552489a, 563552a, 583562a, 639145a, 703136a, 706613a, 734995a, 787074a, 821038a, 832594a, 889682a, 925637a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	036835a, 069197a, 079558a, 089558a, 092411a, 131817a, 161277a, 220997a, 255697a, 331103a, 344590a, 347126a, 360100a, 364520a, 382891a, 425318a, 425373a, 469652a, 507346a, 516333a, 552755a, 581722a, 590950a, 660081a, 708165a, 773800a, 821830a, 841043a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	036863a, 048432a, 092203a, 102653a, 106280a, 163130a, 188978a, 198404a, 206070a, 255944a, 290812a, 406037a, 416517a, 433726a, 444011a, 461458a, 530606a, 547769a, 573831a, 574187a, 615411a, 615809a, 653975a, 658442a, 688636a, 744904a, 805238a, 837859a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	046638a, 093832a, 104353a, 136497a, 152249a, 194582a, 234158a, 234943a, 256594a, 268272a, 272876a, 278055a, 330627a, 358397a, 375983a, 380148a, 388898a, 434621a, 469992a, 504420a, 508327a, 532850a, 553922a, 562221a, 692025a, 700693a, 705102a, 718077a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	047416a, 143338a, 150049a, 167537a, 179041a, 216969a, 235029a, 245053a, 320265a, 343852a, 372316a, 390898a, 419332a, 479921a, 531361a, 581833a, 585559a, 662186a, 665566a, 682534a, 699759a, 704367a, 710066a, 752238a, 782225a, 808253a, 808958a, 817690a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	050882a, 054882a, 088120a, 099068a, 106060a, 106067a, 109413a, 131979a, 146719a, 190633a, 191204a, 268967a, 345522a, 353085a, 379118a, 394730a, 418954a, 434852a, 440305a, 457523a, 473068a, 484513a, 503438a, 508038a, 510689a, 549013a, 645944a, 652739a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	055092a, 068262a, 074505a, 109133a, 125613a, 148636a, 162491a, 183736a, 235550a, 260976a, 396741a, 398941a, 401731a, 417514a, 419733a, 460436a, 483520a, 494301a, 494376a, 506176a, 545672a, 545971a, 547064a, 608942a, 629080a, 676169a, 695409a, 768824a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	057138a, 067529a, 096689a, 150694a, 166700a, 211616a, 248361a, 271864a, 282957a, 293970a, 323398a, 380386a, 391454a, 401723a, 427701a, 470437a, 499387a, 513086a, 547875a, 551215a, 641143a, 645292a, 682356a, 738567a, 740933a, 757532a, 767637a, 839421a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	057872a, 085162a, 086702a, 124118a, 145283a, 199865a, 326175a, 397890a, 403665a, 405791a, 436904a, 470735a, 506896a, 510223a, 511793a, 614284a, 652655a, 684201a, 710837a, 729802a, 735432a, 770290a, 783467a, 806198a, 813231a, 853097a, 854061a, 855492a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	060898a, 332263a, 616666a, 752734a, 762571a, 918784A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	067000a, 078838a, 081240a, 093214a, 093513a, 145980a, 159823a, 183530a, 187319a, 210584a, 238749a, 266518a, 270039a, 292738a, 309483a, 310956a, 362699a, 383408a, 394882a, 396557a, 440337a, 630189a, 630710a, 648316a, 654108a, 688412a, 690002a, 746153a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	068595a, 116416a, 128065a, 171066a, 172453a, 185150a, 189989a, 191751a, 204891a, 211197a, 224807a, 331171a, 348748a, 348823a, 351880a, 359321a, 390532a, 462093a, 465741a, 489098a, 572690a, 621104a, 699948a, 724373a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	081537a, 096672a, 097310a, 200980a, 237084a, 252041a, 255696a, 279139a, 280830a, 313583a, 348479a, 373299a, 381582a, 387465a, 395711a, 511150a, 522246a, 522397a, 522457a, 529041a, 586491a, 615962a, 695878a, 698139a, 707897a, 735975a, 791434a, 828411a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	092381a, 621883a, 721437a, 791918a, 882099a, 925401A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	104285a, 112258a, 116213a, 234587a, 257579a, 326888a, 334839a, 351972a, 358776a, 416164a, 438035a, 465097a, 475783a, 481795a, 503675a, 542703a, 557021a, 581450a, 595658a, 623614a, 625727a, 660717a, 668964a, 669599a, 709004a, 717143a, 742966a, 792595a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	11929A, 34120A, 41981A, 43987A, 49859A, 65292A, 91910A, 127612A, 149617A, 161935A, 191090A, 226134A, 240480A, 305230A, 327349A, 409881A, 414661A, 528066A, 564977A, 582433A, 598400A, 612337A, 651053A, 703284A, 734570A, 800095A, 804427A, 837720A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	138826a, 146430a, 376212a, 604949a, 755319a, 931982A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	288686B, 288712B, 288972B, 289379B, 289831B, 290102B, 290255B, 290268B, 290746B, 290837B, 290847B, 297207B, 297738B, 297841B, 297862B, 297875B, 298312B, 298676B, 298746B, 299099B, 501394B, 501489B, 501500B, 501613B, 501640B, 502068B, 502503B, 502541B, 502590B, 502770B, 502958B, 503237B, 503422B, 503547B, 503713B, 503760B, 503884B, 509598B, 509621B, 509654B, 515103B, 515254B, 515459B, 516357B, 516639B, 516877B, 517231B, 517610B, 517870B, 518145B, 518300B, 518314B, 519000B, 519074B, 519254B, 396523B, 396626B, 396701B, 396936B, 397014B, 397646B, 397891B, 397980B, 398031B, 398527B, 399222B, 399337B, 399348B, 399426B, 399770B, 400294B, 400532B, 400875B, 401295B, 401358B, 401364B, 401616B, 401688B, 401699B, 402100B, 402101B, 402534B, 402701B, 402849B, 403028B, 403106B, 403250B, 403415B, 403456B, 403478B, 511127B, 511140B, 511638B, 512043B, 512251B, 512645B, 512755B, 512954B, 513164B, 513336B, 513614B, 513832B, 513902B, 514173B, 514227B, 514383B, 514446B, 514792B, 514851B, 519389B, 520124B, 520183B, 520242B, 520656B, 521215B, 521688B, 522228B, 522317B, 522661B, 522961B, 523189B, 523285B, 523482B, 523831B, 524234B, 541868B, 541883B, 542669B, 542784B, 542863B, 542961B, 543270B, 543507B, 543602B, 543817B, 544003B, 544456B, 544710B, 544857B, 545391B, 545769B, 545778B, 545848B, 546009B, 546077B, 546344B, 546805B, 546814B, 546816B, 546879B, 547159B, 547268B, 547388B, 547677B, 549206B, 470552B, 471025B, 471197B, 471296B, 471387B, 471488B, 472562B, 472645B, 472697B, 473031B, 473374B, 473477B, 474304B, 474705B, 474959B, 475384B, 475542B, 475708B, 476236B, 476760B, 477058B, 477116B, 477430B, 477758B, 478002B, 478070B, 478337B, 479082B, 479381B, 479552B, 479846B, 480018B, 480059B, 480182B, 480764B, 361110B, 361322B, 361874B, 362036B, 369534B, 369676B, 378200B, 378653B, 378886B, 379274B, 379523B, 379675B, 379810B, 380026B, 380368B, 380449B, 380550B, 380707B, 380965B, 380992B, 381076B, 381413B, 381545B, 381555B, 381610B, 381873B, 381921B, 382655B, 382712B, 382813B, 382917B, 383098B, 385292B, 385346B, 385402B, 341275B, 341396B, 341460B, 341478B, 341815B, 341865B, 341899B, 342100B, 342200B, 342311B, 342452B, 342627B, 343380B, 343740B, 352453B, 352609B, 352622B, 352988B, 353392B, 353716B, 353924B, 353977B, 354195B, 354275B, 354282B, 354523B, 354716B, 354752B, 354839B, 355156B, 355257B, 355755B, 356271B, 356588B, 356725B, 025366A, 040496A, 045297A, 051408A, 068933A, 076469A, 111953A, 136852A, 162204A, 178466A, 189756A, 247427A, 395885A, 418669A, 426133A, 438585A, 451064A, 477563A, 523288A, 569990A, 579062A, 596722A, 597630A, 609706A, 673940A, 686265A, 785376A, 807615A, 808028A, 896244A, 919960A, 921830A, 951482A, 961711A, 968703A, 004588A, 152206A, 266421A, 370842A, 578445A, 858686A, 088346A, 165255A, 426303A, 486499A, 896997A, 955947A, 243341A, 358011A, 430978A, 448724A, 734094A, 787756A, 024256A, 108364A, 436120A, 461602A, 564784A, 803308A, 095256A, 164072A, 453951A, 624120A, 760838A, 995711A, 121639A, 336133A, 465922A, 633645A, 787218A, 885734A	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	292098B, 292139B, 292150B, 292201B, 292412B, 292593B, 292600B, 293130B, 293677B, 293806B, 294115B, 294183B, 294222B, 294466B, 294497B, 294654B, 294825B, 294901B, 295060B, 295651B, 295984B, 296204B, 296804B, 299189B, 299514B, 299704B, 299962B, 300283B, 300	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	314182a, 361910a, 741460a, 742664a, 752640a, 812201A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	318395A, 376443A, 402404A, 407369A, 417065A, 431091A, 432457A, 493684A, 526578A, 542836A, 548682A, 548954A, 555284A, 571625A, 645362A, 647146A, 657042A, 702088A, 791232A, 795445A, 837905A, 880935A, 901630A, 906029A, 975424A, 016028A, 029480A, 052644A, 064954A, 088377A, 096629A, 102467A, 110736A, 205689A, 221022A, 339510A, 413862A, 426910A, 442672A, 455926A, 507962A, 533487A, 550521A, 563790A, 635501A, 684462A, 684752A, 727033A, 740019A, 757948A, 786805A, 810061A, 815446A, 839015A, 857871A, 901143A, 907768A, 920568A, 965614A, 985964A, 014671A, 046390A, 051295A, 054076A, 089292A, 094817A, 100858A, 172890A, 194049A, 200076A, 205726A, 259868A, 299999A, 317779A, 362695A, 363258A, 366137A, 392513A, 409441A, 462415A, 469315A, 628722A, 665373A, 665961A, 671287A, 725031A, 746592A, 782450A, 834054A, 854078A, 867450A, 880334A, 921575A, 951916A, 960392A, 112255A, 122941A, 146397A, 175788A, 260974A, 292974A, 310107A, 330002A, 343849A, 348256A, 356445A, 385534A, 421462A, 475959A, 487285A, 493788A, 544119A, 574286A, 601350A, 602705A, 618671A, 648900A, 685848A, 748916A, 759445A, 783100A, 802991A, 823183A, 828953A, 831180A, 841241A, 868413A, 904044A, 906426A, 983671A, 336527B, 336546B, 336747B, 336876B, 337103B, 337753B, 338301B, 340961B, 343961B, 344107B, 344511B, 345112B, 345193B, 345450B, 345683B, 345922B, 346619B, 346742B, 346800B, 347150B, 347321B, 347346B, 347426B, 347444B, 347455B, 347869B, 348090B, 348141B, 348309B, 348476B, 348754B, 348757B, 348967B, 348969B, 349105B, 490971B, 491131B, 491244B, 491315B, 491598B, 491623B, 491810B, 492202B, 492380B, 492951B, 493455B, 493571B, 493781B, 494003B, 494177B, 494849B, 494969B, 495067B, 495344B, 495540B, 495680B, 495702B, 495890B, 495902B, 496003B, 496310B, 496456B, 496733B, 496873B, 496984B, 497324B, 497738B, 497943B, 497957B, 498526B, 524368B, 524399B, 524816B, 524933B, 525263B, 525380B, 525531B, 525725B, 525765B, 525897B, 526097B, 526346B, 526731B, 526745B, 526966B, 527298B, 527419B, 527512B, 527536B, 527901B, 527925B, 528004B, 528062B, 528497B, 528968B, 529044B, 529568B, 529934B, 530021B, 530193B, 383503B, 383630B, 383752B, 384011B, 385485B, 385662B, 385780B, 385858B, 385890B, 386061B, 386323B, 388541B, 388584B, 388599B, 389118B, 389628B, 389848B, 389867B, 389902B, 389960B, 390104B, 390259B, 390273B, 390360B, 390491B, 390769B, 390923B, 391000B, 391225B, 391329B, 391491B, 391498B, 391620B, 391653B, 391742B, 307583B, 307962B, 308209B, 308505B, 308827B, 308856B, 309232B, 309425B, 309793B, 310499B, 310890B, 311029B, 311061B, 311223B, 311464B, 311528B, 311858B, 311987B, 312060B, 312143B, 312229B, 312356B, 312387B, 312603B, 312618B, 313291B, 313434B, 313504B, 313760B, 313813B, 314152B, 314211B, 314370B, 314420B, 314596B, 481510B, 481958B, 482012B, 482487B, 482497B, 482513B, 482615B, 483255B, 483282B, 483375B, 483594B, 483674B, 483952B, 484024B, 484882B, 485127B, 485197B, 485232B, 485507B, 485543B, 485589B, 485623B, 485858B, 487502B, 487713B, 488190B, 488310B, 488705B, 489422B, 489534B, 489538B, 490338B, 498745B, 498828B, 499061B, 386963B, 387767B, 387805B, 387847B, 387903B, 388005B, 388157B, 388441B, 388453B, 391809B, 392097B, 392310B, 392314B, 392403B, 392669B, 392750B, 393805B, 393845B, 393856B, 393114B, 393340B, 393741B, 394204B, 394207B, 394094B, 394083B, 395073B, 395109B, 395209B	HDPE bottle: 35 mL	12/3/2018

National Laboratory Certification Program, Research Triangle Institute	324604A, 333513A, 372004A, 378670A, 417799A, 419450A, 473156A, 477173A, 557726A, 575409A, 596153A, 625937A, 669662A, 675483A, 688380A, 712824A, 731063A, 772988A, 777609A, 787677A, 885689A, 891611A, 939723A, 969395A, 982100A, 006482A, 010366A, 036006A, 042301A, 060760A, 121359A, 175715A, 381133A, 411283A, 492347A, 495989A, 497812A, 592263A, 618862A, 632838A, 638412A, 639293A, 680772A, 704203A, 719221A, 727906A, 750168A, 765490A, 788842A, 791171A, 793950A, 836618A, 862907A, 867513A, 877259A, 886806A, 903718A, 950979A, 966921A, 976616A, 029698A, 059849A, 101659A, 141576A, 148201A, 165213A, 182566A, 211894A, 228841A, 305001A, 390382A, 390938A, 394252A, 423337A, 423658A, 434635A, 497848A, 532742A, 567117A, 598682A, 635713A, 650192A, 695533A, 718967A, 745274A, 789188A, 795740A, 831474A, 849940A, 900528A, 909250A, 926470A, 946528A, 954281A, 982006A, 053334A, 062896A, 085506A, 108855A, 140332A, 141060A, 150407A, 157367A, 176786A, 245605A, 271147A, 314020A, 328356A, 358871A, 366487A, 481012A, 491409A, 516733A, 527183A, 532175A, 621264A, 643750A, 658879A, 674499A, 677211A, 712696A, 770361A, 803754A, 832067A, 836165A, 885420A, 906938A, 908102A, 968960A, 977354A, 006034A, 041356A, 048578A, 059819A, 070789A, 081982A, 084122A, 086350A, 100094A, 106753A, 137915A, 209142A, 224821A, 287160A, 294326A, 357064A, 366549A, 366638A, 382296A, 417715A, 488735A, 491527A, 539116A, 647197A, 649501A, 686343A, 688439A, 776392A, 776573A, 901124A, 920185A, 929767A, 932686A, 935302A, 961468A, 017681A, 018711A, 038851A, 142759A, 236487A, 251853A, 285937A, 306389A, 322291A, 339117A, 345519A, 385630A, 412480A, 414907A, 427605A, 464890A, 466558A, 618622A, 623069A, 651783A, 692735A, 810661A, 819366A, 829394A, 847719A, 848177A, 863661A, 889533A, 905130A, 920322A, 931407A, 950629A, 972033A, 978500A, 982573A, 009215A, 042689A, 090402A, 141334A, 155816A, 213979A, 289663A, 335307A, 355276A, 359867A, 382678A, 386068A, 431340A, 458969A, 539924A, 544001A, 569216A, 579099A, 585427A, 611439A, 636559A, 711725A, 749399A, 770483A, 771152A, 783691A, 818411A, 823253A, 846878A, 858236A, 870721A, 873278A, 898756A, 964504A, 984333A, 418062B, 418314B, 418407B, 418633B, 418658B, 418741B, 418973B, 419134B, 430173B, 430537B, 430613B, 430708B, 430785B, 430921B, 431344B, 431606B, 431641B, 431775B, 432197B, 433071B, 433162B, 433428B, 433488B, 433539B, 433689B, 433748B, 434161B, 434301B, 434861B, 435117B, 435259B, 435584B, 435713B, 435837B, 435924B, 453458B, 453621B, 453733B, 453752B, 454141B, 454846B, 454865B, 455154B, 455541B, 455768B, 456053B, 456317B, 456516B, 456552B, 456665B, 457454B, 462082B, 462090B, 462125B, 462560B, 462598B, 463189B, 463307B, 463446B, 463583B, 463912B, 464313B, 464578B, 464859B, 465007B, 465244B, 465594B, 465798B, 468160B, 468299B, 300735B, 301123B, 301372B, 301377B, 301432B, 302046B, 302312B, 302335B, 302574B, 302587B, 302803B, 302818B, 302823B, 302951B, 303332B, 303517B, 303554B, 303650B, 303782B, 303829B, 303915B, 304342B, 305024B, 305271B, 305337B, 305443B, 306076B, 306329B, 306431B, 306491B, 306717B, 306886B, 306939B, 307061B, 307170B, 330989B, 331056B, 331169B, 331192B, 331386B, 331471B, 331703B, 331779B, 331908B, 332192B, 332591B, [illegible]	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	326878B, 327355B, 327492B, 327710B, 327862B, 328104B, 328272B, 328513B, 329046B, 329271B, 329538B, 329660B, 329744B, 329892B, 330133B, 330292B, 330314B, 330362B, 330641B, 331159B, 017046A, 048718A, 122438A, 145812A, 150000A, 176846A, 180876A, 192836A, 201	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	429142B, 429232B, 429932B, 432275B, 432761B, 433032B, 436026B, 436196B, 436236B, 436377B, 436527B, 436842B, 436948B, 437609B, 437977B, 438010B, 438184B, 440633B, 440764B, 441405B, 441459B, 441881B, 441909B, 442043B, 442405B, 314645B, 314649B, 314791B, 314865B, 314942B, 314983B, 316208B, 316321B, 316492B, 316891B, 316962B, 317229B, 317277B, 317815B, 318529B, 318737B, 319217B, 319299B, 319585B, 319689B, 319823B, 319895B, 319991B, 320154B, 321492B, 321553B, 321599B, 321639B, 321769B, 321841B, 321937B, 321998B, 322025B, 322115B, 322299B, 453032B, 453216B, 453362B, 465974B, 466017B, 466210B, 466778B, 466967B, 467114B, 467159B, 467377B, 467438B, 467787B, 468456B, 468509B, 468653B, 469498B, 469517B, 469666B, 469729B, 470125B, 470262B, 470270B, 470295B, 470372B, 471568B, 471583B, 471651B, 472079B, 472136B, 472533B, 473586B, 473608B, 474089B, 474214B, 481172B, 481311B, 499181B, 499356B, 500003B, 500043B, 500082B, 500317B, 500782B, 500835B, 501163B, 501333B, 504306B, 504910B, 505141B, 505426B, 505622B, 505946B, 506063B, 506725B, 506748B, 506785B, 506957B, 506984B, 507005B, 507427B, 507525B, 507634B, 507913B, 507915B, 507926B, 508014B, 508147B, 508296B, 508333B, 446145B, 446276B, 446627B, 446691B, 446865B, 446987B, 447547B, 447764B, 447873B, 448036B, 451272B, 451690B, 451877B, 451932B, 452308B, 452402B, 452919B, 458148B, 458278B, 458450B, 459017B, 459092B, 459375B, 459636B, 459811B, 460148B, 460218B, 460246B, 460299B, 460481B, 460502B, 460744B, 460917B, 461839B, 462057B, 044734A, 047901A, 057465A, 072466A, 125465A, 171700A, 226382A, 239624A, 357654A, 379026A, 382362A, 388128A, 414514A, 429459A, 433366A, 436542A, 471801A, 491524A, 495721A, 501734A, 536887A, 561374A, 593246A, 638390A, 643824A, 708336A, 717414A, 747325A, 749391A, 752482A, 803495A, 936351A, 945392A, 992437A, 996609A, 090188A, 098610A, 117121A, 211692A, 219028A, 227979A, 234984A, 244711A, 293761A, 295585A, 307680A, 309043A, 361934A, 369367A, 398994A, 437224A, 486442A, 503151A, 574252A, 585911A, 603644A, 645415A, 658209A, 670613A, 804491A, 851871A, 868666A, 877707A, 916290A, 942744A, 969828A, 984159A, 984492A, 992637A, 998206A, 002397A, 024885A, 074969A, 080906A, 092283A, 139793A, 208076A, 284354A, 302912A, 318118A, 331734A, 335628A, 345290A, 347141A, 395495A, 428796A, 440908A, 495126A, 516444A, 585467A, 607020A, 637423A, 698674A, 710784A, 713086A, 748153A, 748198A, 766538A, 783781A, 784542A, 824667A, 834817A, 888431A, 898961A, 990805A, 021907A, 023583A, 064217A, 066680A, 072553A, 079646A, 095541A, 177723A, 223309A, 242541A, 266408A, 349921A, 459487A, 482305A, 486352A, 514732A, 518859A, 543236A, 594759A, 605031A, 694376A, 708100A, 711380A, 746506A, 754999A, 761124A, 802242A, 816230A, 828440A, 874639A, 877393A, 904424A, 944483A, 969824A, 999418A, 017562A, 018749A, 023459A, 036670A, 043404A, 066580A, 189555A, 202628A, 270826A, 276501A, 277655A, 285310A, 306757A, 308230A, 349464A, 368299A, 368633A, 383881A, 442199A, 444987A, 493916A, 498052A, 502687A, 601177A, 629133A, 663619A, 675661A, 690752A, 748145A, 767421A, 789967A, 823334A, 904671A, 910025A, 995241A, 031524A, 049612A, 075502A, 099153A, 099170A, 110772A, 125356A, 131144A, 139499A, 146235A, 172384A, [illegible]	HDPE bottle: 35 mL	12/3/2019
National Laboratory Certification Program, Research Triangle Institute	485131a, 775388a, 786466a, 792853a, 800755a, 991495A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	550592a, 550889a, 551138a, 551582a, 552037a, 552307a, 552335a, 552403a, 552749a, 552973a, 553676a, 554890a, 555082a, 555181a, 555568a, 555676a, 555999a, 556205a, 556865a, 556892a, 557184a, 557343a, 557577a, 557716a, 557842a, 557848a, 558226a, 558363a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	561049a, 561092a, 561273a, 561535a, 561658a, 561845a, 562164a, 562440a, 562553a, 562576a, 562629a, 562641a, 563083a, 563563a, 563848a, 563872a, 564239a, 564391a, 564538a, 564621a, 564729a, 564858a, 565401a, 565409a, 565849a, 566040a, 566204a, 566462a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	568268a, 568276a, 568449a, 568828a, 569010a, 569282a, 569288a, 569306a, 569425a, 569449a, 569533a, 569678a, 570023a, 570095a, 570097a, 570161a, 570186a, 570533a, 570698a, 571572a, 571655a, 572049a, 572114a, 572130a, 572349a, 572500a, 572522a, 572552a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	574289a, 574371a, 574392a, 574440a, 574520a, 574747a, 574758a, 575068a, 575258a, 575284a, 575362a, 575387a, 575493a, 575506a, 575536a, 575559a, 575975a, 575985a, 576046a, 576357a, 576562a, 576744a, 576882a, 577054a, 577754a, 577930a, 577940a, 578096a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	580092a, 580346a, 580438a, 580464a, 580493a, 580506a, 581477a, 581995a, 582524a, 582606a, 582733a, 582848a, 582919a, 582981a, 583080a, 583206a, 583256a, 583291a, 583416a, 583473a, 583501a, 583552a, 583753a, 584025a, 584267a, 584352a, 584424a, 584609a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	586214a, 586709a, 587154a, 587398a, 587756a, 587988a, 588275a, 588352a, 588637a, 589701a, 589984a, 590177a, 590224a, 590339a, 590430a, 590710a, 590990a, 591079a, 592229a, 592341a, 592630a, 592827a, 592915a, 593017a, 593818a, 593893a, 594100a, 594240a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	596171a, 596237a, 596396a, 596905a, 597184a, 597769a, 597986a, 598006a, 598365a, 598439a, 598676a, 598791a, 598896a, 599644a, 599782a, 599919a, 600004a, 600175a, 600235a, 600496a, 600521a, 600715a, 600954a, 601011a, 601110a, 601342a, 601384a, 601934a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	603960a, 604072a, 604259a, 605152a, 605304a, 605416a, 605578a, 605812a, 605815a, 605867a, 605980a, 606138a, 606475a, 607194a, 607274a, 607423a, 608251a, 608400a, 609291a, 609450a, 609607a, 609631a, 609775a, 609954a, 610404a, 610626a, 610648a, 611361a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	613859a, 614424a, 614499a, 614509a, 614527a, 614866a, 615115a, 615148a, 615468a, 615552a, 615826a, 616121a, 616212a, 616313a, 616637a, 616685a, 616896a, 617035a, 617045a, 617147a, 617589a, 617669a, 617700a, 617973a, 618085a, 618683a, 618720a, 618763a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	618232a, 623805a, 685018a, 725217a, 726429a, 734265a, 737113a, 781394a, 835639a, 838962a, 853009a, 897214a, 905676a, 910717a, 924643A	HDPE bottle: 35 mL	12/17/2019
National Laboratory Certification Program, Research Triangle Institute	619972a, 620102a, 620442a, 620587a, 620599a, 620610a, 620732a, 620750a, 620876a, 621077a, 621088a, 621442a, 621574a, 621609a, 621702a, 621780a, 622849a, 623453a, 623638a, 623816a, 623985a, 625228a, 625930a, 626281a, 626408a, 627282a, 627336a, 627427a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	629647a, 629709a, 629753a, 630273a, 630558a, 630739a, 631335a, 631347a, 631479a, 631815a, 632183a, 632213a, 632539a, 632577a, 632631a, 632935a, 633038a, 633278a, 633594a, 634746a, 634804a, 634894a, 634970a, 635060a, 635282a, 635455a, 635697a, 635705a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	636504a, 636780a, 636855a, 637879a, 638387a, 638417a, 638842a, 638977a, 639413a, 640086a, 640092a, 640139a, 640190a, 640195a, 640318a, 640827a, 640868a, 641449a, 641638a, 642674a, 643473a, 644688a, 644816a, 644868a, 645490a, 645704a, 646030a, 646095a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	649328a, 650181a, 650281a, 650432a, 650440a, 650737a, 650810a, 650905a, 650938a, 651332a, 652054a, 652384a, 652677a, 652806a, 653192a, 653366a, 653550a, 653613a, 653900a, 654019a, 654268a, 654495a, 654734a, 654745a, 655079a, 655164a, 655189a, 655318a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	656537a, 656895a, 656907a, 656937a, 657095a, 657118a, 657129a, 657250a, 657687a, 657937a, 658078a, 658107a, 658112a, 658410a, 658459a, 658666a, 658720a, 658852a, 658965a, 659448a, 659618a, 660107a, 660434a, 660495a, 660561a, 660857a, 661266a, 661279a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	663276a, 663489a, 663530a, 663864a, 664020a, 664089a, 664149a, 665137a, 665200a, 665327a, 665711a, 665751a, 665796a, 665947a, 666171a, 666500a, 666942a, 667259a, 667686a, 667935a, 668002a, 668341a, 668493a, 669014a, 669027a, 669255a, 669467a, 669706a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	672231a, 672607a, 672825a, 672933a, 673852a, 674231a, 674563a, 674597a, 674922a, 675064a, 675082a, 675229a, 675491a, 675559a, 676061a, 676162a, 676289a, 676377a, 676760a, 676860a, 677221a, 677386a, 677700a, 677800a, 678041a, 678044a, 678140a, 678262a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	681034a, 681128a, 681249a, 681392a, 682583a, 682597a, 682652a, 682673a, 682779a, 682962a, 682986a, 683183a, 683201a, 683996a, 684197a, 684680a, 684922a, 685272a, 685525a, 685573a, 685681a, 686071a, 686197a, 686198a, 686244a, 686596a, 686911a, 686931a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	688923a, 689237a, 689382a, 689454a, 689693a, 689777a, 689956a, 690280a, 690322a, 690425a, 691078a, 691485a, 691534a, 691556a, 691683a, 691857a, 691871a, 692036a, 692042a, 692354a, 692459a, 692832a, 693020a, 693142a, 693255a, 693268a, 693466a, 693544a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	696890a, 696916a, 697344a, 697439a, 697457a, 697536a, 698018a, 698032a, 698216a, 698278a, 698469a, 698601a, 698637a, 699060a, 699181a, 699308a, 699506a, 700681a, 700724a, 700836a, 700936a, 701118a, 701578a, 701606a, 702112a, 702311a, 702611a, 702701a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	714425a, 714631a, 714861a, 714998a, 715230a, 715251a, 715431a, 715728a, 715765a, 715776a, 715858a, 715886a, 716063a, 716095a, 716150a, 716400a, 716754a, 717128a, 717760a, 717770a, 717883a, 718137a, 718145a, 718811a, 719237a, 719456a, 719459a, 719478a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	721121a, 721529a, 721778a, 722066a, 722200a, 722319a, 722359a, 722515a, 723424a, 723440a, 723586a, 723677a, 723772a, 723892a, 724029a, 724477a, 725030a, 725822a, 725919a, 725992a, 726199a, 726247a, 727067a, 727145a, 727389a, 727456a, 727865a, 728076a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	729241a, 729514a, 729873a, 730184a, 730675a, 730751a, 730752a, 731425a, 731495a, 731676a, 732025a, 732207a, 732312a, 732322a, 732395a, 732421a, 732918a, 733433a, 734071a, 734201a, 734470a, 734575a, 734674a, 734976a, 734989a, 735225a, 736316a, 736357a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	738779a, 738868a, 738900a, 738965a, 739026a, 739160a, 739299a, 739584a, 739710a, 740185a, 740373a, 740863a, 741439a, 741559a, 741778a, 742149a, 742938a, 742970a, 743015a, 743035a, 743180a, 743686a, 743726a, 743810a, 744132a, 744175a, 744272a, 744469a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	746840a, 746911a, 746983a, 746984a, 747052a, 747158a, 747258a, 747304a, 747551a, 748354a, 748368a, 748399a, 748423a, 748482a, 748834a, 748871a, 749061a, 749078a, 749132a, 749425a, 749503a, 749953a, 750021a, 750058a, 750297a, 750637a, 750838a, 750886a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	753202a, 753619a, 753761a, 753870a, 754347a, 754855a, 755230a, 755299a, 755806a, 755905a, 756173a, 756614a, 756763a, 756998a, 757048a, 757052a, 757187a, 757252a, 757280a, 757725a, 757896a, 758582a, 758994a, 759061a, 759435a, 759479a, 759542a, 760074a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	761217a, 762303a, 762422a, 762539a, 762738a, 762952a, 763370a, 763373a, 763385a, 763478a, 763586a, 764016a, 764125a, 764629a, 764804a, 765181a, 765810a, 765910a, 765923a, 766708a, 766895a, 767201a, 767220a, 768101a, 768111a, 768212a, 768228a, 768472a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	770671a, 771108a, 771489a, 772018a, 772653a, 772798a, 772889a, 772896a, 773035a, 773172a, 773293a, 773332a, 773457a, 773633a, 773965a, 774133a, 774138a, 774514a, 774845a, 774948a, 775044a, 775484a, 775601a, 776010a, 776030a, 776444a, 776475a, 776938a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	778450a, 778580a, 778590a, 778598a, 779124a, 779452a, 779527a, 779552a, 779683a, 779726a, 779866a, 779952a, 780210a, 780362a, 780535a, 780752a, 780779a, 781063a, 781854a, 781994a, 782160a, 782560a, 782703a, 782733a, 782799a, 782870a, 783061a, 783233a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	785974a, 786017a, 786026a, 786650a, 786683a, 787091a, 787576a, 788373a, 788461a, 788773a, 789068a, 789155a, 789304a, 789553a, 789783a, 789830a, 790024a, 790220a, 790280a, 790559a, 790992a, 791003a, 791112a, 791208a, 791446a, 792367a, 792508a, 793305a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	794406a, 794564a, 794619a, 794830a, 794898a, 794971a, 795072a, 795748a, 795779a, 796307a, 796630a, 796885a, 797457a, 797988a, 798372a, 798440a, 798689a, 798781a, 798917a, 799093a, 799595a, 799784a, 799861a, 800121a, 800129a, 800387a, 800511a, 801065a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	803418a, 803848a, 804291a, 804306a, 804372a, 805358a, 805398a, 805503a, 805529a, 805579a, 805694a, 805751a, 805826a, 805910a, 805923a, 806195a, 806197a, 806480a, 806668a, 806679a, 807163a, 807461a, 807821a, 807841a, 807899a, 808125a, 808481a, 808819a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	810539a, 810638a, 810668a, 810716a, 810741a, 811180a, 811354a, 811981a, 812107a, 812222a, 812322a, 812388a, 812655a, 812753a, 813487a, 813525a, 813535a, 814118a, 814220a, 814388a, 814639a, 814796a, 815064a, 815238a, 815391a, 815854a, 816023a, 816161a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	817625a, 817714a, 817734a, 817770a, 817786a, 817854a, 818395a, 818471a, 818475a, 818875a, 819014a, 819228a, 819707a, 819762a, 820025a, 820285a, 820331a, 820359a, 820566a, 820641a, 820707a, 820853a, 820935a, 820953a, 820955a, 821059a, 821150a, 821438a	HDPE bottles: 35 mL	10/8/2019
New Jersey Department of Health	Urine Drug Screen, UT-1-0X, Specimen #X	Glass vial: 15 mL	5/17/2004
Noramco, Inc.	(-)-D9-Tetrahydrocannabinol in methanol solution	Glass ampule: 1 mL	11/29/2019
Noramco, Inc.	Amphetamine Resolution Standard (3 µg/mL)	Glass ampule: 1 mL	5/8/2017
Noramco, Inc.	D8-Tetrahydrocannabinol (>0.3% D-9 THC) in methanol solution	Glass ampule: 1 mL	5/11/2020
Noramco, Inc.	D9-Tetrahydrocannabinolic acid in methanol solution	Glass ampule: 1 mL	11/29/2019
Noramco, Inc.	delta9-THC in Methanol Solution	Glass ampule: 1 mL	5/24/2019
Noramco, Inc.	Exo-Tetrahydrocannabinol in methanol solution	Glass ampule: 1 mL	11/29/2019
Nova Century Scientific, Inc.	DOA Urine Toxicology Control-Positive	Glass vial: 1-200 mL	12/16/2003
Nova Medical Solutions, Inc.	Nova-check Urine Toxicology Control-Positive	Glass vial: 1-200 mL	12/16/2003
o2si smart solutions	(-)-11-nor-9-Carboxy-Δ9-THC Solution, 1000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-Cannabidiol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-d8-Tetrahydrocannabinol (d8-THC) 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-d8-Tetrahydrocannabinol (d8-THC) 1000 mg/L in methanol	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-d8-Tetrahydrocannabinol (d8-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-d9-tetrahydrocannabinol (d9-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-Delta 8-THC Solution, 1,000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-Delta 8-THC Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-delta 9-THC Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	(-)-delta 9-THC Solution, 400 mg/L, 2 x 1 mL	Clamshell: 2 vials, 1 mL each	6/23/2017
o2si smart solutions	(-)-delta 9-THC, 10 mg/L, 10 mL	Amber round: 10 mL	6/23/2017
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 1,000 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 1,000 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ9-Tetrahydrocannabinol (Δ9-THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ9-Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-nor-9-carboxy-Δ9-THC-D3 Solution, 100 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	(±)-Amphetamine Solution, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	(±)-Amphetamine Solution, 400 mg/L, 2 x 1 ml	Glass ampules: 1 mL x 2	8/9/2017
o2si smart solutions	(±)-Amphetamine Solution, 400 mg/L, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	(±)-Amphetamine Solution, 400 mg/L, 4 x 1 ml	Glass ampules: 1 mL x 4	8/9/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 100 mg/l, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 400 mg/l, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	(±)-Amphetamine-D11 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D5 (deuterium label on ring) Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D5 (deuterium label on ring) Solution, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	(±)-Amphetamine-D5 (deuterium label on ring) Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D5 (deuterium label on ring) Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D5 (deuterium label on ring) Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D5 (deuterium label on ring) Solution, 5 x 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	(±)-Amphetamine-D6 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 100 mg/l, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 400 mg/l, 2 x 1 ml	Glass ampules: 1 mL x 2	8/9/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber ampule: 1 mL x 2	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	(±)-Amphetamine-D8 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	(±)-Cannabichromene Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(±)-Cannabichromene Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(±)-MDMA [(±)-3,4-Methylenedioxymethamphetamine] Solution, 400 mg/L, 3 x 1 mL	Clamshell: 3 vials, 1 mL each	6/15/2017
o2si smart solutions	(±)-Methadone Solution, 50 mg/L in P/T Methanol	Amber ampule: 1 mL	12/6/2018

o2si smart solutions	(±)-Methamphetamine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	(±)-Methamphetamine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine Solution, 400 mg/L, 2 x 1 ml in Methanol	Amber ampule: 1 ml x 2	8/18/2017
o2si smart solutions	(±)-Methamphetamine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 ml x 3	8/18/2017
o2si smart solutions	(±)-Methamphetamine Solution, 400 mg/L, 4 x 1 ml in Methanol	Amber ampule: 1 ml x 4	8/18/2017
o2si smart solutions	(±)-Methamphetamine-d11 Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine-d11 Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine-d11 Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	(±)-Methamphetamine-d11 Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine-d11 Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 ml x 3	8/18/2017
o2si smart solutions	(±)-Methamphetamine-d11 Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	(±)-Methamphetamine-D5 Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine-D5 Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine-D5 Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	(±)-Methamphetamine-D5 Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	(±)-Methamphetamine-D5 Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 ml x 3	8/18/2017
o2si smart solutions	(±)-Methamphetamine-D5 Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	*Custom App. IX 168 Mix Cal. Std (Second Source), 1,000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
o2si smart solutions	*Custom App. IX 168 Mix Cal. Std, 1,000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
o2si smart solutions	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	4-androstene-3,17-dione in MeOH Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	6-Acetylcodeine Solution, 400 mg/L, 2 x 1 ml	Glass ampules: 1 mL x 2	8/9/2017
o2si smart solutions	6-Acetylcodeine Solution, 400 mg/L, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	6-Acetylmorphine Solution, 100 mg/L, 1 ml	Amber ampule: 1 mL	8/9/2017
o2si smart solutions	6-Acetylmorphine Solution, 400 mg/L, 2 x 1 ml	Glass ampules: 1 mL x 2	8/9/2017
o2si smart solutions	6-Acetylmorphine Solution, 400 mg/L, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	6-Acetylmorphine Solution, 400 mg/L, 4 x 1 ml	Glass ampules: 1 mL x 4	8/9/2017
o2si smart solutions	6-Acetylmorphine-D3 Solution, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	6-Acetylmorphine-D3 Solution, 400 mg/L, 2 x 1 ml	Glass ampules: 1 mL x 2	8/9/2017
o2si smart solutions	6-Acetylmorphine-D3 Solution, 400 mg/L, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	6-Acetylmorphine-D6, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	8270 App. IX Second Source Solution 67-1, 100 /200/400/1,000 mg/L	Glass bottle: 10 mL	5/3/2017
o2si smart solutions	8270 App. IX Second Source Solution 70-1, 100 /200/400/1,000 mg/L	Glass bottle: 10 mL	5/3/2017
o2si smart solutions	8270 App. IX Solution 17-1, Minus Benzidine, 2,000 mg/L, 1 ml	Amber ampule: 1 mL	6/15/2017
o2si smart solutions	8270 Appendix IX Mix 1, 1,000 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	8270 Appendix IX Mix 2 55-6, 100 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in M-t-BE	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in M-t-BE	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1000 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 2,000 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	Alprazolam Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Alprazolam-D5 Solution, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	Aminorex Solution, 1,000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Aminorex Solution, 1,000 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Aminorex Solution, 100 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Aminorex Solution, 100 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Aminorex Solution, 400 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Aminorex Solution, 400 mg/L, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	Aminorex Solution, 400 mg/L, 3 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 3	9/1/2017
o2si smart solutions	Aminorex Solution, 400 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Amphetamine Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	Amphetamine Solution, 100 mg/L, 1 ml	Glass ampule: 1 mL	8/9/2017
o2si smart solutions	Amphetamine Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	Amphetamine Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	Amphetamine Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber ampule: 1 mL x 2	9/15/2017
o2si smart solutions	Amphetamine Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	Amphetamine Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	Anhydroecgonine methyl ester Solution, 400 mg/L, 2 x 1 mL	Glass ampules: 1 mL x 2	8/9/2017
o2si smart solutions	Benzoylecgonine Solution, 100 mg/L, 1 mL in Methanol	Amber Ampule: 1 ml	8/18/2017
o2si smart solutions	Benzoylecgonine Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Benzoylecgonine Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber Ampule: 1 ml x 3	8/18/2017
o2si smart solutions	Benzoylecgonine Solution, 400 mg/L, 4 x 1 mL in Methanol	Amber Ampule: 1 ml x 4	8/18/2017
o2si smart solutions	Boldenone Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022

o2si smart solutions	Boldenone Cypionate Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Bromazepam Solution, 10 mg/L, 5 x 1 mL in Methanol	Amber Ampule: 1 ml x 5	8/18/2017
o2si smart solutions	Bromazepam Solution, 100 mg/L, 1 mL in Methanol	Amber Ampule: 1 ml	8/18/2017
o2si smart solutions	Bromazepam Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Bromazepam Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber Ampule: 1 ml x 3	8/18/2017
o2si smart solutions	Bufotenine Solution, 1000 mg/L, 1 mL in Acetonitrile	Amber Ampule: 1 ml	8/18/2017
o2si smart solutions	Buprenorphine Solution, 100 mg/L, 1 mL in Methanol	Amber Ampule: 1 ml	8/18/2017
o2si smart solutions	Buprenorphine Solution, 400 mg/L, 2 x 1 mL	Clamshell: 2 vials, 1 mL each	6/23/2017
o2si smart solutions	Buprenorphine Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Buprenorphine Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Buprenorphine Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber Ampule: 1 ml x 3	8/18/2017
o2si smart solutions	Buprenorphine-D4 Solution, 100 mg/L, 1 mL in Methanol	Amber Ampule: 1 ml	8/18/2017
o2si smart solutions	Buprenorphine-D4 Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Butorphanol Tartrate Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Butorphanol Tartrate Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber Ampule: 1 ml x 2	8/18/2017
o2si smart solutions	Butorphanol Tartrate Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber Ampule: 1 ml x 3	8/18/2017
o2si smart solutions	Cannabidiol Solution, 1000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabidiol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabigerol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabigerol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabigerolic Acid (CBGA), 1000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabinoids Mixture 213 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/21/2020
o2si smart solutions	Cannabinol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Carisoprodol Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Chloral Hydrate 1000 µg/mL in methanol	Amber ampule: 1 mL	3/24/2021
o2si smart solutions	Cocaine Solution, 400 mg/L, 2 x 1 mL	Clamshell: 2 vials, 1 mL each	6/23/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Acetonitrile 1,000 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Acetonitrile Solution, 5,000 mg/L	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 1,000 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 1,000 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 100 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 100 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 400 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 400 mg/L, 3 x 1 mL	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	Codeine Monohydrate as Codeine in Methanol 400 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine monohydrate as codeine Solution, 2,000 mg/L- Parent Stock Solution- Not For Sale	Glass cryule: 2 mL	5/28/2021
o2si smart solutions	Codeine Solution in Methanol, 1,000 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Solution in Methanol, 1,000 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine Solution in Methanol, 100 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Solution in Methanol, 100 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine Solution in Methanol, 400 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Solution in Methanol, 400 mg/L, 3 x 1 mL	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	Codeine Solution in Methanol, 400 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber ampule: 1 mL x 2	10/10/2017
o2si smart solutions	Codeine Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	Codeine Solution, 400 mg/L, 4 x 1 mL in Methanol	Amber ampule: 1 mL x 4	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 1,000 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 100 mg/L, 5 mL in Methanol	Amber ampule: 5 mL	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	Codeine-D3 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine-D6 Solution in Methanol, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 1,000 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber ampule: 1 mL x 2	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	Codeine-D6 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	Custom (-)-Δ8-Tetrahydrocannabinol (Δ8-THC) 1000 ug/mL in Acetonitrile	Amber ampule: 1 mL	11/4/2020
o2si smart solutions	Custom (scheduled) PPCP Mix, 4 compounds, 5 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom (scheduled) PPCP Mix, 4 compounds, 5 mg/L, 10 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Cannabinoid Mixture 11-0361 500-10000 ug/ml 0.5 ml	Boston Round: 0.5 mL	8/18/2021
o2si smart solutions	Custom Cannabinoids Solution, 3-3994, 1000 µg/mL, 0.4 mL	Amber ampule: 0.4 mL	8/24/2020
o2si smart solutions	Custom CBD Mix, 14-0226, 50 mg/L, 1 ml	Amber ampule: 1 mL	6/3/2022
o2si smart solutions	Custom Drug Mix, 30-0094, Various Concntentration, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drug Mixture, 34-0092, Various Concentrations, 1 mL in Acetonitrile w/ 0.1% Formic Acid	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drug Standard, MDL level, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Standard, High Calibration, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Standard, Screening Level, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Standard, Various Concentrations, 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drug Standard, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Intermediate (SCH Cpds) Part 1 Mix, 11 components, 40 mg/L, 1 mL in Methanol:Acetonitrile 95:5	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Intermediate (SCH Cpds) Part 2 Mix, 3 components, 40 mg/L, 1 mL in MeOH:DMSO:Acetonitrile:Chloroform 75:15:5:5	Amber ampule: 1 mL	12/19/2018

o2si smart solutions	Custom Intermediate Part 1 Mix, 40 components, 40 mg/L, 1 mL in Methanol:Acetonitrile 95:5	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Intermediate Part 1 Mix, 40 components, 40 mg/L, 2 x 5 mL in Methanol:Acetonitrile 95:5	Amber ampule: 1 mL x 2	12/19/2018
o2si smart solutions	Custom Internal Standards Part 1 Mix, 11 components, 80 ug/L, 1 mL in Methanol:Acetonitrile 99:1	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Internal Standards Part 1 Mix, 11 components, 80 ug/L, 5 x 5 mL in Methanol:Acetonitrile 99:1	Amber ampule: 5 mL x 5	12/19/2018
o2si smart solutions	Custom Internal Standards Part 2 Mix, 10 components, 80 mg/L, 1 mL in Methanol:Acetonitrile 99:1	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Internal Standards Part 2 Mix, 10 components, 80 mg/L, 5 x 5 mL in Methanol:Acetonitrile 99:1	Amber ampule: 5 mL x 5	12/19/2018
o2si smart solutions	Custom Mix, 14-0096, Various Concentrations, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Pesticide 4434 Mix 2, 7-6419, Various Concentrations, 1 mL in Ethyl Acetate	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Custom Pesticide 4434 Mix 3, 6-6421, Various Concentrations, 1 mL in Ethyl Acetate	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Custom Pesticide Mix, 8-6843, 1000 mg/L, 1 ml in Acetone	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Custom Pharmacetuical Mixture CCV 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture CCV 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture CCV 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture ICV (second source), 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture ICV (second source), 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture ICV (second source), 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #1, 16-0260, 0.3 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #1, 16-0260, 0.3 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #1, 16-0260, 0.3 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #2, 16-0260, 1.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #2, 16-0260, 1.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #2, 16-0260, 1.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #3, 16-0260, 5.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #3, 16-0260, 5.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #3, 16-0260, 5.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #4, 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #4, 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #4, 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #5, 16-0260, 25.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #5, 16-0260, 25.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #5, 16-0260, 25.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #6, 16-0260, 50.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #6, 16-0260, 50.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #6, 16-0260, 50.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #7, 16-0260, 100.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #7, 16-0260, 100.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #7, 16-0260, 100.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #8, 16-0260, 250.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	3/1/2021
o2si smart solutions	Custom Pharmacetuical Mixture Level #8, 16-0260, 250.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	Custom Pharmacetuical Mixture Level #8, 16-0260, 250.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture 12300 8:100 ug/mL in Acetonitrile	5 Amber ampule x 1 mL	1/19/2023
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Kit 16-0260, (2 x G34 -140260-98)	1 kit; 26 amber ampules x 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Kit 16-0260, (2 x G34-140260-98)	1 kit; 26 amber ampules x 300 µL	3/1/2021
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Kit 16-0260, (2 x G34-140260-98)	1 kit; 26 amber ampules x 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Pack 16-0260, 13 x 1 ml	1 pack; 13 amber ampules x 300 µL	3/1/2021
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Pack 16-0260, 13 x 1 ml	1 pack; 13 amber ampules x 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Pack 16-0260, 13 x 1 ml	1 pack; 13 amber ampules x 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture CCV 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture ICV (Second Source), 16 -0260, 250.0 ug/mL, Intermediate Second Source Solution- NOT FOR SALE	Amber Ampule: 1 mL	6/3/2022
o2si smart solutions	Custom Pharmaceutical Mixture ICV (second source), 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture LCS, 16-0260, 10.0 ug/mL, 1 mL with a 2 ml Silanized Vial (ISO17034)	Amber ampule:1 mL	3/1/2021
o2si smart solutions	Custom Pharmaceutical Mixture LCS, 16-0260, 10.0 ug/mL, 1 mL with a 2 ml Silanized Vial (ISO17034)	Amber ampule:1 mL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture LCS, 16-0260, 10.0 ug/mL, 1 mL with a 2 ml Silanized Vial (ISO17034)	Amber ampule:1 mL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture LCS, 16-0260, 250.0 ug/mL, 1 mL with a 2 ml Silanized Vial (ISO17034)	Amber ampule: 1 mL	11/22/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #1, 16-0260, 0.3 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #2, 16-0260, 1.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #3, 16-0260, 5.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #4, 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #5, 16-0260, 25.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #6, 16-0260, 50.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #7, 16-0260, 100.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture Level #8, 16-0260, 250.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/13/2021
o2si smart solutions	Custom Pharmaceutical Mixture, 12-0370, 100 ug/mL, 5 x 1 mL (ISO 17034)	1 Package; 5 x 1 mL amber ampules	1/14/2022
o2si smart solutions	Custom Pharmaceutical Mixture, 13-0364, 100 µg/mL, 5 x 1 mL (ISO 17034)	5 Pack Amber ampules: 1 mL each	9/22/2021
o2si smart solutions	Custom Semi-Volatile Mix #3 (Second Source), 33-1811, 2000 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	Custom Semi-Volatile Mix #3 (Second Source), 33-1811, 2000 mg/L, 1 mL in M-t-BE:MeCl2 1:1	Amber Ampule: 1 ml	8/18/2017
o2si smart solutions	Custom Semi-Volatile Mix #3, 33-1811, 2000 mg/L, 1 ml in M-t-BE:MeCl2 1:1	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	Custom Semi-Volatile Mix, 18-7, 2,000 mg/L, 1 mL	Amber ampule: 1 mL	6/15/2017
o2si smart solutions	Custom Semi-Volatile Mix, 18-7, 2,000 mg/L, 5 x 1 ml	Clamshell: 5 vials, 1 mL each	6/15/2017
o2si smart solutions	Custom Semivolatile Mix, 29-5511, 20/50/200 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Semi-Volatile Mix, 4-2376, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/15/2017
o2si smart solutions	Custom Semi-Volatile Mix, 4-2376, 100 mg/L, 5 x 1 mL	Clamshell: 5 vials, 1 mL each	6/15/2017

o2si smart solutions	Custom Steroids and Mixed Pharmaceuticals Mix, 10 components, 200 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Steroids and Mixed Pharmaceuticals Mix, 10 components, 200 mg/L, 5 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	Custom tramadol hydrochloride Check Standard Solution 1000 ug/mL, 1 mL- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Custom Volatile Mix for GC-MS, 43-1768, 1000 mg/L, 1 mL	Amber ampule: 1 mL	6/15/2017
o2si smart solutions	Custom Volatile Mix for GC-MS, 43-1768, 1000 mg/L, 4 x 1 mL	Clamshell: 4 vials, 1 mL each	6/15/2017
o2si smart solutions	D9-tetrahydrocannabivarin (THCV) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-tetrahydrocannabivarin 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-tetrahydrocannabivarin 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-Tetrahydrocannabivarinic acid 100 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-Tetrahydrocannabivarinic acid 1000 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	Delta-8-Tetrahydrocannabinol Acid (D8THC) Solution, 1000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Diazepam Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	Diazepam Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	Diazepam Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	Diazepam Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/2/2017
o2si smart solutions	Diazepam Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	Diazepam Solution, 400 mg/L, 2 x 1 ml in Methanol	Amber ampule: 1 mL x 2	10/2/2017
o2si smart solutions	Diazepam Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/2/2017
o2si smart solutions	Diazepam Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/2/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 1,000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 1,000 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 100 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 100 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 400 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 400 mg/L, 3 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 3	9/1/2017
o2si smart solutions	Diethylpropion HCl as Diethylpropion Solution, 400 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 1,000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 1,000 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 100 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 100 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 400 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 400 mg/L, 3 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 3	9/1/2017
o2si smart solutions	Diethylpropion HCl Solution, 400 mg/L, 5 x 1 ml in Acetonitrile	Amber ampule: 1 mL x 5	9/1/2017
o2si smart solutions	EPA 8270 LCS Mix, 50:100:500 mg/L, 25 mL (RM, ISO GUIDE 34)	Glass bottle: 25 mL	5/3/2017
o2si smart solutions	Ethylmorphine Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Fingerprint Calibration Solution A1 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A10 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A11 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A2 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A3 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A4 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A5 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A6 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A7 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A8 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A9 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Internal Standard Solution A in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint QC Solution A - High in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint QC Solution A - Low in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint QC Solution A - Medium in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Flurazepam Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	Flurazepam Solution, 1,000 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	10/12/2017
o2si smart solutions	Flurazepam Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	Flurazepam Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	10/12/2017
o2si smart solutions	Flurazepam Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	Flurazepam Solution, 400 mg/L, 2 x 1 ml in Methanol	Amber ampule: 1 mL x 2	10/12/2017
o2si smart solutions	Flurazepam Solution, 400 mg/L, 2 x 1 ml in Methanol	Amber ampule: 1 mL x 2	10/12/2017
o2si smart solutions	Flurazepam Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	10/12/2017
o2si smart solutions	Flurazepam Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	10/12/2017
o2si smart solutions	Flurazepam Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	10/12/2017
o2si smart solutions	Heroin Solution, 2,000 mg/L- Parent Stock Solution- Not For Sale	Glass cryule: 2 mL	5/28/2021
o2si smart solutions	Hydrocodone (+)-bitartrate salt as hydrocodone Solution, 2,000 mg/L- Parent Stock Solution- Not For Sale	Glass cryule: 2 mL	5/28/2021
o2si smart solutions	hydrocodone Check Standard Solution, 600 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Hydrocodone hydrogen (+)-bitartrate as hydrocodone in acetonitrile Solution, 5,000 mg/L PARENT STOCK SOLUTION- NOT FOR SALE	Amber ampule: 1 mL	2/11/2022
o2si smart solutions	IFP Drug Panel #1 Stock Calibration Solution, 1 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock High QC, Various Concentrations, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock Low QC, Various Concentrations, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock Medium QC, Various Concentrations, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 - Custom Toxin/Poison Spiking Standard Mix, 45-46, 20 mg/L, 1 ml	Amber ampule: 1 mL	4/27/2018
o2si smart solutions	ISO 17034 - Custom Toxin/Poison Standard Kit, 45-46, 100 mg/L, 1 x 1 ml of Each Level (G34-140319-01, G34-140339-01, G34-140340-01)	Kit: 2 amber ampules, 1 mL each	5/28/2021
o2si smart solutions	ISO 17034 - Custom Toxin/Poison Standard Kit, 45-46, 100, 20, 1 mg/L, 1 x 1 ml of Each Level	Kit: 3 ampules, 1 mL each	4/27/2018
o2si smart solutions	ISO 17034 - Custom Toxin/Poison Stock Standard Mix, 45-46, 100 mg/L, 1 ml	Amber ampule: 1 mL	4/27/2018
o2si smart solutions	ISO 17034 - Custom Toxin/Poison Working Standard Mix, 45-46, 1 mg/L, 1 ml	Amber ampule: 1 mL	4/27/2018
o2si smart solutions	ISO 17034 (±)-Amphetamine-D11 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D11 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017

o2si smart solutions	ISO 17034 (±)-Amphetamine-D11 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D11 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D11 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D11 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D5 (deuterium label on ring) Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D5 (deuterium label on ring) Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D5 (deuterium label on ring) Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D5 (deuterium label on ring) Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D6 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D6 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D6 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D6 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D6 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D6 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber ampule: 1 mL x 2	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	ISO 17034 (±)-Amphetamine-D8 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in M-t-BE	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in M-t-BE	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in M-t-BE	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 Amphetamine Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 Amphetamine Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 Amphetamine Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 Amphetamine Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 Amphetamine Solution, 400 mg/L, 2 x 1 mL in Methanol	Amber ampule: 1 mL x 2	9/15/2017
o2si smart solutions	ISO 17034 Amphetamine Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	ISO 17034 Amphetamine Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Acetonitrile 1,000 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 1,000 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 1,000 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 100 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 100 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 400 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 400 mg/L, 3 x 1 mL	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	ISO 17034 Codeine Monohydrate as Codeine in Methanol 400 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 1,000 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 1,000 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 100 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 100 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 400 mg/L, 1 mL	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 400 mg/L, 3 x 1 mL	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	ISO 17034 Codeine Solution in Methanol, 400 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 1,000 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D3 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 1,000 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/10/2017
o2si smart solutions	ISO 17034 Codeine-D6 Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/10/2017
o2si smart solutions	ISO 17034 Custom Toxin/Poison Stock Standard Mix, 10-319, 100 mg/L, 1 mL	Amber ampule: 1 mL	5/28/2021

o2si smart solutions	ISO 17034 Custom Toxin/Poison Stock Standard Mix, 30-318, 100 mg/L, 1 mL	Amber ampule: 1 mL	7/21/2021
o2si smart solutions	ISO 17034 Custom Toxin/Poison Stock Standard Mix, 34-318, 100 mg/L, 1 mL	Amber ampule: 1 mL	5/28/2021
o2si smart solutions	ISO 17034 Custom Toxin/Poison Stock Standard Mix, 34-318, 100 mg/L, 1 mL	Amber ampule: 1 mL	4/26/2021
o2si smart solutions	ISO 17034 Custom Toxin/Poison Stock Standard Mix, 34-318, 100 mg/L, 1 mL	Amber ampule: 1 mL	5/27/2021
o2si smart solutions	ISO 17034 Diazepam Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	ISO 17034 Diazepam Solution, 100 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	ISO 17034 Diazepam Solution, 100 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/2/2017
o2si smart solutions	ISO 17034 Diazepam Solution, 400 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	10/2/2017
o2si smart solutions	ISO 17034 Diazepam Solution, 400 mg/L, 3 x 1 mL in Methanol	Amber ampule: 1 mL x 3	10/2/2017
o2si smart solutions	ISO 17034 Diazepam Solution, 400 mg/L, 5 x 1 mL in Methanol	Amber ampule: 1 mL x 5	10/2/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 1,000 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 400 mg/L, 2 x 1 ml in Methanol	Amber ampule: 1 mL x 2	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	10/12/2017
o2si smart solutions	ISO 17034 Flurazepam Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	10/12/2017
o2si smart solutions	ISO 17034 Phentermine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 S(+)-Amphetamine (dextro-Amphetamine) Solution, 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 S(+)-Amphetamine (dextro-Amphetamine) Solution, 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 S(+)-Amphetamine (dextro-Amphetamine) Solution, 100 mg/L, 5 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO 17034 S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	ISO 17034 S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 3 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	ISO 17034 S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 5 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	ISO Guide 34 – 8270 App. IX Solution, 20-880, 2000 mg/L	Clamshell: 2 vials, 1 mL each	5/3/2017
o2si smart solutions	ISO Guide 34 – Custom 8270 Standard #2B (Second Source), 27-1582, 1000/2000 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	ISO Guide 34 – Custom 8270 Standard #2B, 26-1582, 1000 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	Levorphanol (+)-tartrate salt dehydrate as levorphanol Solution, 2,000 mg/L- Parent Stock Solution- Not For Sale	Glass cryule: 2 mL	5/28/2021
o2si smart solutions	Lorazepam Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Meprobamate solution 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	7/30/2020
o2si smart solutions	Meprobate Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
o2si smart solutions	Mesterolone Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Methamphetamine HCl Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	Methamphetamine HCl Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Methamphetamine HCl Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	Methamphetamine HCl Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	Methamphetamine HCl Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	Methamphetamine HCl Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 ml x 3	8/18/2017
o2si smart solutions	Methamphetamine HCl Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	Methamphetamine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	Methamphetamine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	Methamphetamine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	Methamphetamine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	Methamphetamine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 ml x 3	8/18/2017
o2si smart solutions	Methamphetamine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	Methandrostenolone Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Methylandrostenediol Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Nandrolone Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Nitrazepam Solution, 100 mg/L	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	Norandrost-4-ene-3,17-dione Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Oxazepam Solution 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Oxazepam Solution 1000 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Oxycodone Solution, 2,000 mg/L- Parent Stock Solution- Not For Sale	Glass cryule: 2 mL	5/28/2021
o2si smart solutions	Oxycodone Solution, 400 mg/L, 3 x 1 mL	Clamshell: 3 vials, 1 mL each	6/15/2017
o2si smart solutions	Paraldehyde Solution (Second Source), 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	PCP Mix, 6-0087, 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	PCP Mix, 6-0087, 100 mg/L, 2 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 2	12/19/2018
o2si smart solutions	Pentazocine Solution, 2,000 mg/L- Parent Stock Solution	Glass cryule: 2 mL	5/28/2021
o2si smart solutions	Phentermine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	Phentermine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	Phentermine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	Phentermine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	Phentermine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	R(-)-Methamphetamine Solution 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	R(-)-Methamphetamine Solution 100 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	R(-)-Methamphetamine Solution 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	R(-)-Methamphetamine Solution 400 mg/L, 1 ml in Methanol	Amber ampule: 1 ml	8/18/2017
o2si smart solutions	R(-)-Methamphetamine Solution 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 ml x 3	8/18/2017
o2si smart solutions	R(-)-Methamphetamine Solution 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 ml x 5	8/18/2017
o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	9/15/2017

o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 100 mg/L, 5 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	9/15/2017
o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 3 x 1 ml	Glass ampules: 1 mL x 3	8/9/2017
o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 3 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 3	9/15/2017
o2si smart solutions	S(+)-Amphetamine (dextro-Amphetamine) Solution, 400 mg/L, 5 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 5	9/15/2017
o2si smart solutions	Sports Performance Supplement Internal Standard, 0.5-50 ug/mL, 1 mL	Amber Glass Ampule: 1 mL	9/12/2025
o2si smart solutions	Sports Performance Supplement Internal Standard, 10-100 ug/mL, 1 mL	Glass Ampule: 1 ml	8/12/2025
o2si smart solutions	Sports Supplement Adulterant Kit, 10 - 50 ug/mL, 1 mL G34-140492-Kit-2	Kit: 2 Ampules, 1 mL each	8/22/2025
o2si smart solutions	Sports Supplement Adulterant Kit, 100 ug/mL, 1 mL G34-140492-Kit	Kit: 2 Ampules, 1 mL each	8/22/2025
o2si smart solutions	Sports Supplement Adulterant Solution	Amber Glass, 1mL	10/29/2024
o2si smart solutions	Sports Supplement Adulterant Solution, 10 - 50 ug/mL, 1 mL G34-140492-02	Amber Ampule: 1 mL	8/22/2025
o2si smart solutions	Sports Supplement Adulterant Solution, 100 ug/mL, 1 mL G34-140492-03	Amber Ampule: 1 mL	8/22/2025
o2si smart solutions	Temazepam Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabiol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-Testosterone Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
o2si smart solutions	trans-Testosterone Solution, 100 mg/L, 1 mL	Amber ampule: 1 mL	6/23/2017
o2si smart solutions	Trenbolone 100 µg/mL in Acetonitrile, 1 ml	Amber ampule: 1 mL	7/30/2020
o2si smart solutions	Trenbolone enanthate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	3/8/2023
o2si smart solutions	Trichloroacetaldehyde Hydrate Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	UCMR 539 Solution, Various Concentrations	Amber ampule: 1 mL	5/3/2017
o2si smart solutions	Water Disinfection Contaminate Mix, 8-6843, 50 mg/L, 1 ml in Acetone	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Weight Loss Adulterant Solution	Amber Glass, 1mL	10/29/2024
o2si smart solutions	Weight Loss Adulterant Solution, 5, 10, and 20 ug/mL, 1 mL	Glass Ampule: 1 ml	8/12/2025
o2si smart solutions	Weight Loss Supplement Internal Standard, 10-200ug.mL, 1 ml	Amber ampule: 1 mL	4/28/2025
o2si smart solutions	Weight Loss Supplement Internal Standard, 10-200ug/mL, 1 ml	Amber Glass Ampule: 1 mL	9/12/2025
o2si smart solutions	Δ11-tetrahydrocannabinol (Δ11-THC) Check Standard Solution, 1000 mg/L- NOT FOR SALE	Amber ampule: 1 mL	6/9/2022
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL	Amber ampule: 1 mL	6/3/2022
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid a (THCA-A) Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid a (THCA-A) Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid a (THCA-A) Solution, 1000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
Oneworld Accuracy	LGC Chemistry/Immunoassay	Amber vial: 5 mL	7/20/2020
Oneworld Accuracy	Oneworld Accuracy BCHE	Amber vial: 5 mL	7/20/2020
Oneworld Accuracy	Oneworld Accuracy CCHM	Amber vial: 5 mL	7/20/2020
OraSure Technologies, Inc.	4-Methoxyamphetamine Stock Solution	Vial: 4 mL	10/18/2000
OraSure Technologies, Inc.	6-Monoacetylmorphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Alprazolam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Amobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Amphetamine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Aprobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Barbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Benzoylecgonine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Bromazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Butabarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Butalbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Chlordiazepoxide Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Clonazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Clorazepate Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Cocaine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Codeine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Dextropropoxyphene Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Diazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Ecgonine methyl ester Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Estazolam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Fenfluramine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Flurazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Heroin Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Hexobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Hydrocodone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Hydromorphone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	LAAM Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Levorphanol Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Lorazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	LSD Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Lysergic Acid Diethylamide Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	MDA Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	MDMA Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Medazepam Stock Solution	Vial: 4 mL	10/27/2000

OraSure Technologies, Inc.	Mephobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Methadone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Methamphetamine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Methaqualone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Midazolalam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Morphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Nalorphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Nitrazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Nordiazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Normorphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Oxazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Oxycodone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Oxymorphone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Pentobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phencyclidine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phendimetrazine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phenobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phentermine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Prazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Secobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Talbutal Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Temazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	THC Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Triazolam Stock Solution	Vial: 4 mL	10/27/2000
Organon Teknika Corp.	Owren's Veronal Buffer for FIBRIQUIK	Bottle: 37 mL	5/7/1980
Organon Teknika Corp.	Simplastin	Vial: 4.7 mL, 7.3 mL, and 16.5 mL	3/13/1972
Organon Teknika Corp.	Simplastin-A	Vial: 7.3 mL	3/13/1972
Ortho Clinical Diagnostics, Inc.	VITROS Immunodiagnostics Products Estradiol Reagent Pack	Plastic chamber: 13.3 mL	9/28/2012
Ortho Clinical Diagnostics, Inc.	VITROS Immunodiagnostics Products Testosterone Calibrators (1-3)	Box: 3 vials; 2 mL each	10/19/2012
Ortho Clinical Diagnostics, Inc.	VITROS Immunodiagnostics Products Testosterone Controls (1-3)	Box: 9 vials; 1 mL each	10/19/2012
Ortho Clinical Diagnostics, Inc.	VITROS Immunodiagnostics Products Testosterone Range Verifiers (Low and High)	Box: 4 vials; 1-1.5 mL each	10/19/2012
Ortho Clinical Diagnostics, Inc.	VITROS Immunodiagnostics Products Testosterone Reagent Pack	Plastic chamber: 8.4 mL	8/24/2012
Ortho Clinical Diagnostics, Inc.	VITROS Immunodiagnostics Products Total T4 Reagent Pack	Chamber: 18.3 mL	7/29/2014
Ortho-Clinical Diagnostics	Cal Kit 30	Bottle: 12 mL	8/1/2006
Ortho-Clinical Diagnostics	Calibrator Kit 26	Plastic bottle: 15 mL	5/8/2007
Ortho-Clinical Diagnostics	Calibrator Kit 30	Bottle: 20 mL	8/1/2006
Ortho-Clinical Diagnostics	HRP Conjugate Reagent	Bottle: 16.9 mL	7/1/1996
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier I, Catalog No. 680 2327	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier II, Catalog No. 680 2328	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier III, Catalog No. 680 2329	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier IV, Catalog No. 680 2330	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier V, Catalog No. 680 2331	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Calibrator Kit 26	Bottle: 14 mL	5/19/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Calibrator Kit 30	Bottle: 12 mL	8/1/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Calibrator Kit 30	Bottle: 20 mL	8/1/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Calibrator Kit 9	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: DT Control I	Vial: 3 mL, 5 mL; Kit: 24 vials	8/2/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: DT Control II	Vial: 3 mL, 5 mL; Kit: 24 vials	8/2/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: dTIBC Performance Verifier I	Vial: 3 mL, 5 mL; Kit: 12 vials	3/13/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: dTIBC Performance Verifier II	Vial: 3 mL, 5 mL; Kit: 12 vials	3/13/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Performance Verifier I	Vial: 3 mL, 5 mL; Kit: 24 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Performance Verifier II	Vial: 3 mL, 5 mL; Kit: 24 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: PHBR Slides	Cartridge: 18 slides; Box: 5 cartridges	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: TDM Performance Verifier I	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: TDM Performance Verifier II	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: TDM Performance Verifier III	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	Vitros Immunodiagnostic Products Total T4 Reagent Pack	Kit: 100 Tests	7/1/1996
Ortho-Clinical Diagnostics	Vitros Immunodiagnostic Products Total T4 Reagent Pack	Kit: 100 Tests	8/27/2009
Ortho-McNeil Pharmaceutical	Codeine-N-Oxide	Bottle: 2 mL	10/11/1995
OWA	BCHE-X	Amber vial: 5 mL	3/27/2017
OWA	CCHM-X	Amber vial: 5 mL	3/27/2017
OWA	ENDO-X	Amber vial: 5 mL	3/27/2017
OWA	SPCH-X	Amber vial: 5 mL	3/27/2017
OWA	TOXI-X	Amber vial: 5 mL	3/27/2017
Pantex	2nd Antiserum	Glass Bottle: 50 mL	8/3/2007
Pantex	Bulk 2nd Antiserum	Plastic vessel: 100 L	8/3/2007
Pantex	Immuno T3 Kit: (1)L-Triiodothyronine 125I (2)1st Antiserum (3)2nd Antiserum (4)Diluent (5)Standards	Kit Containing Bottle: (1)10 mL (2)10 mL (3)50 mL (4)5 mL (5)3 mL	1/4/1979
Pantex	Immuno-Digoxin Kit Containing: (1)Digoxin 125I (2)1st Antiserum (3) 2nd Antiserum (4)Diluent	Kit Containing Bottle: (1)10 mL (2)20 mL (3)50 mL (4)5 mL	1/4/1979
Pantex	Immuno-Estriol 125I Kit:2nd Antiserum	Bottle: 50 mL	1/4/1979
Pantex	Immuno-Estriol Kit: (1)Estriol 3H RIA (2)Estriol 3H Recovery (3)1st Antiserum (4)2nd Antiserum (5)Diluent (6)Buffer (7)Standards	Kit Containing Bottle: (1)10 mL (2)5 mL (3)10 mL (4)20 mL (5)100 mL (6)50 mL (7)5 mL	1/4/1979
Pantex	Immuno-T4 Kit: (1)Thyroxine 125I (2)1st Antiserum (3)2nd Antiserum (4)Diluent (5)Standards	Kit Containing Bottle: (1)100 mL, 1000 mL (2)50 mL (3)100 mL (4)5 mL (5)3 mL	1/4/1979
Pantex	Immuno-Testosterone 125I Kit: (1)Testosterone 125I (2)1st Antiserum (3)2nd Antiserum (4)Diluent (5)Standards	Kit Containing Bottle: (1)10 mL (2)10 mL (3)50 mL (4)100 mL (5)5 mL	1/4/1979
Pantex	T3 Uptake Kit: L-Triiodothyronine 125I	Bottle: 100 mL, 1000 mL	1/4/1979
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix - CCV	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix - ICV	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix CRM Calibration Standards and QC Reagent Pack, 13 vials	Pack: 13 vials x 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix CRM Calibration Standards and QC Reagent Kit, 26 vials	1 kit: 26 vials x 300 µL	12/15/2020

Perkin Elmer	ONE Potency420 16-Cannabinoid Mix Laboratory Control Spike (LCS) CRM, 1 vials	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L1	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L2	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L3	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L4	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L5	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L6	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L7	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L8	Amber ampule: 300 µL	12/15/2020
Perkin-Elmer Corporation	Amphetamine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Barbiturates Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Cocaine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Methadone Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Morphine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Opiates Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
PerkinElmer Life Sciences	(+)-Lysergic acid diethylamide, [N-methyl-3H]-, NET-638 (250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	(+)-Pentazocine, [ring-1,3-3H]- NET-1056 (25 µCi, 250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1,2,6,7-3H(N)]-, NET-469 (1 mCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1,2,6,7-3H(N)]-, NET-469 (250 µCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1b-3H(N)]-, NET-926 (1 mCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1b-3H(N)]-, NET-926 (250 µCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1b-3H(N)]-, NET-926 (5 mCi)	Vial: 5.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [4-14C]-, NET-136 (10 µCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [4-14C]-, NET-136 (50 µCi)	Vial: 5.0 mL	4/11/2006
PerkinElmer Life Sciences	Androstane-3a,17b-diol, 5a-[9,11-3H(N)]-, NET-806 (250 µCi)	Vial: 0.5 mL	4/11/2006
PerkinElmer Life Sciences	Cocaine, levo-[benzoyl-3,4-3H(N)]-, NET-510 (100 µCi, 250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	Diazepam, [methyl-3H]-, NET-564 (250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	Dihydrotestosterone, [1,2,4,5,6,7-3H(N)]-, NET-453 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Dihydrotestosterone, [1,2-3H(N)]-, NET-302 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Dihydrotestosterone, [4-14C]-, NEC-607 (10 µCi)	Nensure Vial: 5.0 mL	11/15/2002
PerkinElmer Life Sciences	Diprenorphine, [15,16-3H]-, NET-1121 (25 µCi, 250 µCi)	Nensure Vial: 0.5 mL	5/1/2001
PerkinElmer Life Sciences	Flunitrazepam, [methyl-3H]-, NET-567 (25 µCi, 250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Mazindol, [4'-3H], NET-816 (250 µCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Methyltrienolone, [17a-methyl-3H]-, NET-590 (1 mCi)	Vial: 5.0 mL	4/11/2006
PerkinElmer Life Sciences	Methyltrienolone, [17a-methyl-3H]-, NET-590 (250 µCi)	Vial: 0.5 mL	4/11/2006
PerkinElmer Life Sciences	Mibolerone, [17-α-methyl-3H], NET-919 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Mibolerone, NLP-024	Nensure Vial: 5 mL	11/15/2002
PerkinElmer Life Sciences	Morphine, [N-methyl-3H]-, NET-653 (250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	SteroidMix 1	Amber Vial: 326 mg	5/21/2010
PerkinElmer Life Sciences	SteroidMix 2	Amber Vial: 326 mg	5/21/2010
PerkinElmer Life Sciences	TCP, [piperidyl-3,4-3H(N)]-, NET-886 (25 µCi, 250 µCi, 1 mCi)	Nensure Vial: 0.5 mL, 5.0 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [1,2,6,7,16,17-3H(N)]-, NET-553 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [1,2,6,7-3H]-, NET-370 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [1-α, 2-α-3H]-, NET-387 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [4-14C]-, NEC-101 (10 µCi, 50 µCi, 250 µCi)	Nensure Vial: 1.5 mL, 5.0 mL; Combivial: 10 mL	11/15/2002
PerkinElmer, Inc.	AlphaLISA Testosterone (100 µM) AL324S 100% DMSO	Screw-cap Vial: 210 µL	5/28/2015
Pharmacia & Upjohn Co. LLC	AD-EX	Closed processing system	6/1/2006
Pharmacia & Upjohn Co. LLC	AD-F	Vessel: 10,000-15,000 L	6/1/2006
Pierce Biotechnology, Inc.	Cascadion SM Total Testosterone Internal Standard	Box: 8 bottles, 29 mL each	12/16/2016
Pierce Biotechnology, Inc.	Cascadion SM Total Testosterone Internal Standard Reagent	Box: 8 bottles, 29 mL each	8/26/2014
Pierce Biotechnology, Inc.	Cascadion SM Total Testosterone Internal Standard Reagent, Bulk Solution	Glass bottle: 8- 10 L	3/25/2015
Pierce Biotechnology, Inc.	Gold Standard, Cascadion SM Total Testosterone Internal Standard Reagent	Amber vial: 30 mL	3/25/2015
Pierce Biotechnology, Inc.	Testosterone Stock Solution (500 ng/g) in Methanol	Glass bottle: 2 L	3/25/2015
Prestwick Chemical Inc.	Prestwick Chemical Library	96 Microtube Plate	5/21/2001
Princeton Separations, Inc.	Panagel 16	Pouch: 1 slide	6/29/1987
Princeton Separations, Inc.	Panagel 8	Pouch: 1 slide	6/29/1987
Princeton Separations, Inc.	Panagel Electrobuffer	Fiber Drum: 25 kg	6/29/1987
Princeton Separations, Inc.	Panagel Electrode Buffer	Pouch: 18.3 gms	6/29/1987
Princeton Separations, Inc.	Panagel LD Isoenzyme Electrode Buffer	Pouch: 11.85 gms	6/29/1987
Princeton Separations, Inc.	Panagel LD Isoenzyme Slide	Pouch: 1 slide	6/29/1987
Purdue Pharma Manufacturing, L.P.	2,2-Bisnalmefene (0.10 mg/mL in 70% Acetonitrile/30% Water)	Screw top vial: 2 mL	9/16/2019
Purisys, LLC	Delta 9-Tetrahydrocannabinolic Acid (THCA) in Acetonitrile	Sealed ampule: 1 mL	8/17/2021
Purisys, LLC	Psilocybin in acetonitrile and water 50/50 (1000 µg/mL)	Sealed ampule: 1 mL	6/20/2022
Purisys, LLC	Psilocybin in methanol (1000 µg/mL)	Sealed ampule: 1 mL	6/20/2022
Purisys, LLC	Psilocyn in acetonitrile (1000 µg/mL)	Sealed ampule: 1 mL	6/20/2022
Purisys, LLC	Tetrahydrocannabinolic acid in dimethylsulfoxide (1 mg/mL)	Sealed ampule: 1 mL	8/30/2021
Purisys, LLC	Δ9-Tetrahydrocannabinol in dimethylsulfoxide (1 mg/mL)	Sealed ampule: 1 mL	8/30/2021
QMP-LS	Endocrine Material	Glass vial: 7 mL; Box (Flat): 140-200 vials	7/31/2003
Quality Assurance Service Corp.	Q.A. Toxicology Blood Controls	Vial: 6mL, 12 mL Plastic bottle: 60 mL, 90 mL, 250 mL, 625 mL; Glass bottle: 6-100 mL	1/23/1990
Quality Assurance Service Corp.	Q.A. Toxicology Serum Controls	Vial: 6mL, 12 mL Plastic bottle: 60 mL, 90 mL, 250 mL, 625 mL; Glass bottle: 6-100 mL	1/23/1990
Quality Assurance Service Corp.	Q.A. Toxicology Urine Controls	Vial: 6mL, 12 mL Plastic bottle: 60 mL, 90 mL, 250 mL, 625 mL; Glass bottle: 6-100 mL	1/23/1990
Quantimetrix	Quantimetrix Anticonvulsant Serum Drug Control, Liquid Level II Control No. 17-0303-2	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level I Control No. 17-0303-1	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level I Control No. 17-0305-1	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level II Control No. 17-0305-2	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Urine Drugs of Abuse Control Catalog No. 12-2411-1	Dropper Bottle: 15 mL	2/23/1987
Quantimetrix Corporation	C.f.a.s. DAT Qualitative Plus	Bottle: 5.5 mL; Box: 6 bottles	3/14/2002
Quantimetrix Corporation	Drugs of Abuse Urine Screen Control Level 2, Catalog # 1492-31	Bottle: 5 mL; Box: 3 bottles	12/27/2001

Quantimetrix Corporation	Drugs of Abuse Urine Screen Control Level 3/2000 Opiates, Catalog # 1494-31	Bottle: 5 mL; Box: 3 bottles	12/27/2001
Quantimetrix Corporation	Drugs of Abuse Urine Screen Control Level 3/300 Opiates, Catalog # 1493-31	Bottle: 5 mL; Box: 3 bottles	12/27/2001
Quantimetrix Corporation	PreciControl DAT Set 1 PreciPos and PreciNeg	Bottle: 10.5 mL; Box: 4 bottles	3/14/2002
Quantimetrix Corporation	PreciControl DAT Set 2 PreciPos and PreciNeg	Bottle: 10.5 mL; Box: 4 bottles	3/14/2002
Quantimetrix Corporation	PreciControl DAT Set 3 PreciPos and PreciNeg	Bottle: 10.5 mL; Box: 4 bottles	3/14/2002
Quantimetrix Corporation	Preciset DAT Plus Set 1 Level 1-6	Bottle: 5.5 mL; Box: 6 bottles	3/14/2002
Quantimetrix Corporation	Preciset DAT Plus Set 2 Level 1-6	Bottle: 5.5 mL; Box: 6 bottles	3/14/2002
Quest Diagnostics	High GC/MS Control	Glass vial: 30 mL	12/13/2002
Quidel Corporation	Triage TOX Drug Screen Control 2	Box: 5 vials, 0.25 mL each	7/3/2018
Quidel Corporation	Triage TOX Drug Screen, 94600 Control 2	Box: 5 vials, 0.25 mL each	5/1/2019
R&D Systems, Inc.	Testosterone Standard	Glass vial: 4 mL	3/11/2008
RCPA-AACB Chemical Pathology QAP	Endocrine Material	Glass vial: 15 mL; Box (Flat): 140-200 vials	7/31/2003
RCPAQAP	Compact Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
RCPAQAP	Condensed Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
RCPAQAP	Endocrine: Special Program	Glass Vial: 5 mL	6/19/2019
RCPAQAP	Endocrine: Special Program	Glass Vial: 3 mL	6/1/2020
RCPAQAP	General Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
Research Biochemicals International	Glutethimide in Ethylene Glycol	Bottle: 100 mL	2/21/1998
Research Triangle Institute	000189A, 102346A, 187789A, 192468A, 208316A, 248597A, 249323A, 249549A, 256647A, 274038A, 291593A, 313284A, 452357A, 459260A, 486650A, 490451A, 501673A, 507878A, 612969A, 626394A, 642417A, 746419A, 748550A, 758467A, 761741A, 775061A, 854858A, 871129A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	000246A, 038717A, 047561A, 062429A, 085487A, 116308A, 116439A, 137850A, 164262A, 180967A, 181626A, 203310A, 261516A, 267691A, 287940A, 317392A, 361203A, 365134A, 443570A, 469699A, 494588A, 532849A, 567404A, 607851A, 612624A, 626842A, 648569A, 804697A, 819146A, 838615A, 905408A, 910925A, 916404A, 967362A, 973855A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000417A, 046432A, 105281A, 110199A, 110369A, 149972A, 197596A, 198762A, 224998A, 282195A, 328224A, 344152A, 385796A, 405920A, 410977A, 526033A, 556083A, 587411A, 621619A, 634826A, 666191A, 672011A, 675132A, 696210A, 698567A, 699892A, 710814A, 738473A, 849455A, 876297A, 897484A, 922377A, 945176A, 955280A, 972199A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000510B, 024684B, 030499B, 042153B, 055989B, 062349B, 083382B, 111897B, 148824B, 155004B, 184804B, 197074B, 311984B, 354224B, 391748B, 435051B, 449027B, 450311B, 547555B, 588785B, 607650B, 629955B, 659866B, 685170B, 690224B, 704404B, 739818B, 755519B, 786768B, 840845B, 850706B, 867191B, 873675B, 881673B, 944697B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	000640B, 064567B, 086311B, 095720B, 102904B, 134619B, 147352B, 217703B, 222628B, 228176B, 228643B, 235125B, 253231B, 289961B, 332547B, 400521B, 476214B, 506386B, 510092B, 524681B, 552120B, 575410B, 620929B, 642031B, 685939B, 694154B, 695534B, 732818B, 779220B, 820323B, 854262B, 896441B, 928242B, 978980B, 999862B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000657A, 022289A, 040337A, 074371A, 143761A, 203789A, 286487A, 299016A, 305341A, 345376A, 360318A, 389381A, 442737A, 472512A, 486669A, 492052A, 525556A, 542021A, 588104A, 634446A, 659388A, 672245A, 676569A, 711602A, 714482A, 726349A, 737806A, 768110A, 841281A, 844289A, 898963A, 903923A, 922182A, 930116A, 989637A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000722B, 033907B, 072943B, 133352B, 161594B, 165846B, 219751B, 259603B, 344466B, 406383B, 409950B, 411507B, 454011B, 475594B, 504090B, 526972B, 536448B, 560901B, 599996B, 628112B, 642697B, 643338B, 695808B, 730571B, 756461B, 763558B, 783418B, 783619B, 799853B, 893821B, 942252B, 975808B, 977676B, 984020B, 997768B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000782A, 030198A, 053115A, 058353A, 101583A, 172466A, 179849A, 204209A, 229613A, 275449A, 311070A, 330482A, 338897A, 390577A, 415523A, 433005A, 468999A, 483586A, 524233A, 654874A, 679052A, 790445A, 792559A, 801754A, 803394A, 810872A, 827419A, 845058A, 854950A, 855458A, 870153A, 884916A, 908921A, 914859A, 963105A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000961A, 028507A, 122496A, 124939A, 146011A, 172880A, 199407A, 227676A, 252508A, 261015A, 273618A, 383859A, 401419A, 480710A, 541555A, 562713A, 566101A, 603052A, 634045A, 651890A, 663698A, 682928A, 709182A, 732034A, 751652A, 760159A, 800892A, 804976A, 851909A, 862613A, 866630A, 922818A, 924669A, 942014A, 966208A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	001001A, 010361A, 167711A, 171663A, 180149A, 275874A, 282830A, 290272A, 325992A, 355603A, 412142A, 427866A, 439676A, 540140A, 586841A, 587515A, 598493A, 644311A, 668297A, 727296A, 746342A, 750626A, 761671A, 767443A, 793290A, 804956A, 818898A, 826472A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	001231B, 002959B, 040381B, 040869B, 044175B, 050297B, 143187B, 177250B, 235129B, 282315B, 296716B, 300335B, 346213B, 375554B, 390893B, 411974B, 427578B, 434174B, 447010B, 448275B, 456050B, 548493B, 620365B, 701457B, 718422B, 724972B, 757131B, 792051B, 808523B, 817437B, 836320B, 906233B, 909966B, 935567B, 951667B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	001463B, 056161B, 107629B, 111602B, 126970B, 166567B, 175590B, 188240B, 198345B, 223752B, 237183B, 253762B, 255482B, 286257B, 326332B, 360906B, 377257B, 379111B, 404891B, 423558B, 433059B, 455486B, 461435B, 483519B, 502764B, 509234B, 547604B, 602800B, 614378B, 626714B, 631256B, 790344B, 829670B, 879115B, 885801B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	001606A, 034021A, 034890A, 065398A, 072182A, 081665A, 117541A, 148317A, 178942A, 190301A, 194056A, 232816A, 241897A, 250131A, 285050A, 359642A, 361879A, 405155A, 405282A, 427024A, 434271A, 446335A, 472385A, 491144A, 499887A, 524408A, 584798A, 668222A, 679493A, 754144A, 772642A, 805653A, 836473A, 962024A, 989289A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	001808A, 009747A, 042629A, 056069A, 058605A, 102298A, 150475A, 151076A, 169877A, 223108A, 283361A, 334415A, 394338A, 447480A, 468737A, 482200A, 494513A, 500297A, 508098A, 514991A, 588549A, 588574A, 695442A, 729631A, 743744A, 804845A, 807869A, 809801A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	001812A, 033286A, 073958A, 093621A, 127539A, 130602A, 140528A, 172757A, 241267A, 263864A, 277155A, 281352A, 306785A, 337162A, 364751A, 389135A, 395038A, 430939A, 473066A, 495071A, 524610A, 539842A, 556489A, 586851A, 597782A, 628021A, 630262A, 649211A, 651613A, 713961A, 770287A, 828153A, 919274A, 951653A, 967968A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	001882A, 003386A, 008001A, 036365A, 043476A, 049468A, 093011A, 121668A, 147157A, 159640A, 298865A, 300140A, 331164A, 373683A, 435558A, 458412A, 504018A, 521415A, 552735A, 557896A, 565233A, 597129A, 679583A, 686656A, 730842A, 738661A, 759583A, 762094A, 772188A, 796105A, 846506A, 850914A, 936439A, 953618A, 996794A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	001911A, 066956A, 101918A, 126757A, 128548A, 131445A, 145955A, 156293A, 182198A, 200877A, 213964A, 248426A, 282721A, 305999A, 347698A, 351236A, 358446A, 454083A, 474850A, 524878A, 538040A, 632371A, 645527A, 708701A, 753168A, 796829A, 809111A, 888059A, 893494A, 922040A, 930064A, 955369A, 959353A, 959516A, 964546A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	002219B, 028473B, 104541B, 118066B, 146472B, 261637B, 297755B, 311607B, 401280B, 409562B, 510408B, 516954B, 524966B, 532690B, 563471B, 569866B, 573730B, 580947B, 632296B, 652494B, 655970B, 657611B, 660633B, 669202B, 738766B, 776669B, 794560B, 827085B, 833638B, 871213B, 881384B, 892861B, 936378B, 942279B, 995053B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	002271A, 006932A, 034701A, 063234A, 070052A, 077996A, 161359A, 183352A, 185366A, 188546A, 229331A, 265737A, 274762A, 366296A, 456909A, 484934A, 510410A, 525645A, 583130A, 643906A, 655703A, 693170A, 799574A, 807918A, 824624A, 852276A, 852749A, 875049A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	002662A, 007667A, 093728A, 095918A, 117254A, 140907A, 161514A, 247302A, 265535A, 267989A, 272566A, 308305A, 416750A, 441301A, 450075A, 475447A, 487085A, 583354A, 624907A, 630094A, 676325A, 708166A, 724412A, 765422A, 776471A, 779698A, 792467A, 810477A, 813141A, 824838A, 887721A, 936618A, 942895A, 952395A, 969450A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	002724A, 039941A, 050348A, 166616A, 185878A, 274181A, 286141A, 330926A, 354320A, 398660A, 412819A, 439401A, 479297A, 494618A, 498442A, 511734A, 565677A, 567329A, 576118A, 591454A, 672057A, 716758A, 730500A, 763353A, 790762A, 793883A, 797344A, 821404A, 824840A, 866494A, 867293A, 914659A, 960234A, 991236A, 995385A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	002820A, 020574A, 042694A, 064202A, 064841A, 125352A, 128433A, 132951A, 152824A, 154434A, 162086A, 168850A, 230665A, 244051A, 252044A, 278779A, 390205A, 414488A, 541194A, 551092A, 577313A, 584456A, 631950A, 646172A, 654063A, 791554A, 806742A, 810955A, 819637A, 824243A, 864574A, 893580A, 898319A, 972673A, 989760A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	003047B, 053780B, 053881B, 089429B, 115639B, 172400B, 191944B, 206206B, 210675B, 233850B, 257671B, 295515B, 300551B, 321269B, 329891B, 395101B, 451374B, 473164B, 510579B, 535939B, 536383B, 559176B, 562497B, 564337B, 754510B, 758033B, 766088B, 848292B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	003361B, 034629B, 067012B, 124682B, 142773B, 167685B, 183666B, 195477B, 241017B, 271325B, 284980B, 313159B, 324894B, 369085B, 373076B, 402924B, 415700B, 441888B, 463448B, 485113B, 520479B, 527487B, 598224B, 601374B, 615440B, 621902B, 661723B, 676451B, 731610B, 754997B, 784073B, 812149B, 902699B, 928121B, 978887B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	003448B, 015003B, 033257B, 051607B, 076795B, 086721B, 140063B, 154580B, 173603B, 217900B, 241527B, 320381B, 339878B, 343712B, 364134B, 376127B, 398329B, 435004B, 443888B, 507663B, 526180B, 557663B, 567632B, 580102B, 596225B, 668846B, 712347B, 726102B, 742402B, 750051B, 776472B, 782223B, 824770B, 932935B, 976562B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	003477B, 021213B, 029416B, 063108B, 144244B, 169073B, 180618B, 211309B, 217683B, 266851B, 348589B, 350255B, 353399B, 371112B, 376309B, 382825B, 419889B, 419941B, 447328B, 452317B, 454553B, 464638B, 485267B, 485338B, 568545B, 596227B, 680296B, 697805B, 718313B, 743501B, 750689B, 773284B, 792778B, 913766B, 979629B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	003533B, 008287B, 046129B, 062333B, 072902B, 142349B, 144210B, 199930B, 211591B, 255299B, 394249B, 431280B, 532096B, 550142B, 554981B, 568317B, 640398B, 670108B, 690446B, 690746B, 721075B, 743078B, 748841B, 751417B, 797568B, 800381B, 845004B, 857782B, 885953B, 886402B, 900208B, 960854B, 970759B, 978238B, 996520B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	003537A, 035951A, 037190A, 038387A, 039776A, 059983A, 069603A, 077093A, 083238A, 101544A, 119578A, 285911A, 295504A, 350428A, 367614A, 372349A, 469481A, 552922A, 637840A, 660314A, 671271A, 672841A, 685685A, 748490A, 748613A, 837114A, 851187A, 864356A, 895861A, 916314A, 932130A, 961531A, 962466A, 965512A, 978053A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	003836A, 008650A, 066346A, 088739A, 122506A, 134583A, 151061A, 158867A, 245885A, 314660A, 351982A, 430862A, 433363A, 535891A, 554042A, 559957A, 590944A, 659691A, 667481A, 683411A, 728646A, 737812A, 786216A, 801669A, 814565A, 835881A, 844448A, 845417A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	004017B, 047256B, 115117B, 123438B, 223997B, 309633B, 370113B, 370404B, 398995B, 418960B, 429554B, 440592B, 454156B, 457051B, 458193B, 473482B, 513890B, 519130B, 542631B, 599754B, 639791B, 640526B, 693949B, 764263B, 780451B, 836846B, 840191B, 862663B, 879067B, 912868B, 949662B, 960003B, 987096B, 992634B, 997910B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	004080A, 064445A, 064860A, 078157A, 086465A, 133184A, 238585A, 241161A, 259861A, 270524A, 297082A, 299915A, 304437A, 380111A, 399941A, 462482A, 472999A, 521582A, 523775A, 558935A, 625543A, 627620A, 632948A, 660795A, 690615A, 738840A, 813354A, 825681A, 840691A, 901425A, 929903A, 940140A, 941745A, 946452A, 963765A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	004781B, 025474B, 038760B, 098179B, 125828B, 138228B, 148311B, 158078B, 165187B, 167536B, 182334B, 199685B, 234870B, 291032B, 325072B, 329115B, 329876B, 339681B, 382869B, 401131B, 499864B, 568274B, 591265B, 598594B, 659186B, 670316B, 672243B, 707932B, 805624B, 846570B, 861540B, 868009B, 880752B, 977720B, 989511B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	004864A, 046839A, 110054A, 116958A, 259124A, 283017A, 297944A, 308608A, 324485A, 326192A, 417126A, 446227A, 493902A, 516970A, 561260A, 572024A, 573414A, 610801A, 636623A, 670154A, 691720A, 692200A, 702836A, 734134A, 739110A, 778035A, 793732A, 832738A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	004890A, 058104A, 121215A, 122871A, 135795A, 214754A, 228693A, 233220A, 236799A, 241768A, 296282A, 347313A, 350988A, 412035A, 447457A, 466085A, 481989A, 490251A, 503520A, 509144A, 511433A, 580798A, 598153A, 606529A, 621818A, 635603A, 739814A, 772628A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	004989A, 013012A, 027562A, 044380A, 154098A, 154741A, 185768A, 202000A, 246871A, 265204A, 291552A, 306577A, 378455A, 507424A, 508991A, 524092A, 541563A, 600788A, 631655A, 648882A, 710877A, 746735A, 806986A, 825580A, 834352A, 849961A, 864935A, 889688A, 889828A, 895160A, 935366A, 944847A, 954723A, 986218A, 999914A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	005001B, 085984B, 121144B, 196328B, 233364B, 260299B, 296557B, 299662B, 341868B, 343975B, 355044B, 359131B, 360980B, 407009B, 472541B, 474968B, 544318B, 548903B, 575078B, 600548B, 610745B, 664562B, 684604B, 707419B, 777992B, 799583B, 837563B, 880739B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	005066A, 048812A, 243621A, 566237A, 581223A, 880021A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	005306B, 022155B, 026649B, 026742B, 032480B, 070164B, 077412B, 186051B, 192207B, 192642B, 235537B, 285192B, 287451B, 294932B, 328247B, 350454B, 392066B, 426765B, 438623B, 443893B, 447115B, 483581B, 484403B, 538111B, 558104B, 587578B, 713806B, 760507B, 798731B, 801403B, 851528B, 881775B, 910133B, 912386B, 967955B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	005315B, 088737B, 133447B, 134986B, 138498B, 264329B, 301439B, 304873B, 326234B, 330104B, 340076B, 400042B, 419868B, 458556B, 479112B, 489402B, 501455B, 502598B, 507757B, 532466B, 546529B, 552545B, 559012B, 598384B, 635803B, 641543B, 652391B, 658182B, 687555B, 707014B, 820357B, 859660B, 876517B, 898388B, 906900B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	005380A, 048336A, 054472A, 057392A, 071465A, 123643A, 168031A, 171703A, 184957A, 282527A, 303544A, 315979A, 316853A, 371739A, 403332A, 444883A, 490012A, 577399A, 577826A, 590032A, 678521A, 698558A, 710898A, 712851A, 713785A, 723539A, 760191A, 762766A, 821400A, 822827A, 847850A, 868025A, 877441A, 941592A, 963497A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	005439B, 011930B, 046166B, 197699B, 206789B, 248185B, 283679B, 285363B, 345812B, 374710B, 383701B, 388926B, 407067B, 420238B, 427842B, 440203B, 467272B, 482460B, 515969B, 621243B, 649488B, 651127B, 682891B, 706549B, 710331B, 770838B, 780409B, 831298B, 833173B, 834221B, 909138B, 939345B, 954694B, 963283B, 981590B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	005534B, 034612B, 050822B, 061710B, 066936B, 129198B, 140162B, 158361B, 205966B, 207281B, 210354B, 213531B, 274337B, 316781B, 323831B, 335994B, 356342B, 419173B, 423866B, 467755B, 534017B, 549415B, 555105B, 569315B, 602971B, 613596B, 648088B, 874239B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	005582A, 023213A, 036843A, 080613A, 164917A, 249157A, 265943A, 271039A, 278598A, 442209A, 458638A, 486237A, 620773A, 645031A, 669425A, 671535A, 674508A, 687002A, 722350A, 754489A, 802089A, 807712A, 808518A, 811683A, 830198A, 833309A, 874194A, 894828A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	005619A, 024286A, 081940A, 091389A, 097913A, 130169A, 132315A, 177009A, 207162A, 213851A, 285191A, 307078A, 345606A, 403017A, 434640A, 501275A, 505626A, 513554A, 533318A, 549914A, 560778A, 570218A, 604079A, 620161A, 665245A, 772995A, 774036A, 808413A, 822847A, 867131A, 891258A, 902480A, 922808A, 961979A, 987507A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	005723A, 010224A, 020000A, 033830A, 083801A, 122906A, 159113A, 217773A, 262678A, 270720A, 309089A, 337094A, 411674A, 414070A, 435026A, 440244A, 448082A, 458522A, 472864A, 475153A, 511058A, 559785A, 565367A, 598943A, 634227A, 670003A, 777915A, 783190A, 812998A, 822338A, 855236A, 922444A, 937688A, 938532A, 998637A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	006049A, 024128A, 104381A, 109664A, 157790A, 187985A, 210177A, 219348A, 231340A, 246208A, 377525A, 418420A, 438936A, 494332A, 525234A, 549651A, 591092A, 627958A, 650771A, 667800A, 675985A, 682882A, 728898A, 771549A, 783875A, 793585A, 822746A, 837436A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	006125A, 027334A, 045843A, 054494A, 081896A, 134715A, 212121A, 265427A, 275410A, 292644A, 334346A, 347827A, 441530A, 451521A, 460322A, 465862A, 479332A, 498288A, 511354A, 528901A, 573509A, 604992A, 620542A, 681228A, 691445A, 832120A, 832707A, 838291A	HDPE bottles: 35 mL	9/29/2020

Research Triangle Institute	006175B, 016509B, 019458B, 038681B, 047341B, 056450B, 097358B, 139776B, 147256B, 161968B, 170052B, 195486B, 212265B, 230270B, 273293B, 286289B, 297218B, 299441B, 415909B, 450600B, 454562B, 460496B, 469380B, 530771B, 557686B, 686580B, 702280B, 712255B, 724140B, 741034B, 771583B, 771925B, 793739B, 917213B, 968133B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	006266A, 009468A, 055566A, 056736A, 061293A, 091753A, 095485A, 127555A, 141731A, 184041A, 262192A, 271133A, 366532A, 396653A, 421566A, 472795A, 533791A, 545347A, 564327A, 607938A, 645133A, 661071A, 711267A, 724584A, 729090A, 747185A, 763381A, 787623A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	006430A, 013459A, 083240A, 119548A, 149300A, 169547A, 192832A, 225510A, 230645A, 264897A, 282867A, 290126A, 294426A, 296462A, 350660A, 381192A, 409139A, 410463A, 420783A, 430841A, 457188A, 459390A, 518144A, 563951A, 586542A, 636622A, 690317A, 730844A, 753255A, 801244A, 819956A, 877290A, 898991A, 995313A, 997081A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	006799A, 055981A, 057543A, 071526A, 089207A, 129220A, 142262A, 186853A, 295422A, 347016A, 351120A, 360595A, 428947A, 445660A, 475092A, 526619A, 559979A, 560985A, 674092A, 721082A, 724196A, 739649A, 790294A, 807141A, 830526A, 833917A, 837367A, 874190A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	006879B, 009972B, 012667B, 054797B, 075328B, 098345B, 134554B, 136667B, 167612B, 179524B, 186471B, 215151B, 235906B, 303492B, 305353B, 331557B, 342325B, 360990B, 364819B, 392707B, 414436B, 468654B, 492622B, 532754B, 544205B, 558235B, 616987B, 684423B, 704968B, 838395B, 896763B, 908346B, 927866B, 956663B, 987434B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	006920B, 020354B, 029319B, 031990B, 034822B, 042207B, 048107B, 055863B, 062980B, 180007B, 224273B, 231191B, 251500B, 394695B, 406299B, 412181B, 427366B, 441921B, 455861B, 483103B, 552056B, 556237B, 577736B, 581693B, 609637B, 634703B, 648347B, 650407B, 691524B, 706847B, 712961B, 716064B, 786421B, 886840B, 967471B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	007013B, 029665B, 077131B, 084117B, 207707B, 219369B, 226822B, 236412B, 264552B, 305802B, 362467B, 363118B, 378155B, 403329B, 458800B, 462530B, 519443B, 547861B, 549333B, 551294B, 572105B, 587099B, 610886B, 622350B, 705566B, 755270B, 758516B, 788962B, 815469B, 821224B, 880073B, 891005B, 900131B, 916817B, 978949B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	007575B, 010564B, 049417B, 056443B, 137748B, 149802B, 162773B, 210356B, 280059B, 319246B, 323927B, 384539B, 425487B, 435554B, 446009B, 508479B, 509725B, 578196B, 605592B, 644051B, 646818B, 647736B, 662660B, 669235B, 732556B, 775167B, 791834B, 852883B, 872952B, 910032B, 913848B, 933061B, 974170B, 979810B, 993544B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	007784B, 014508B, 028031B, 080858B, 085996B, 090901B, 095109B, 096064B, 122024B, 141066B, 155489B, 194479B, 212321B, 232486B, 249109B, 261871B, 267804B, 315752B, 343373B, 362472B, 366920B, 394840B, 399190B, 464303B, 487803B, 496956B, 547033B, 571357B, 603262B, 606421B, 754259B, 754685B, 792289B, 797949B, 818628B	HDPE bottle: 35 mL	8/31/2022
Research Triangle Institute	007888A, 050795A, 069787A, 086958A, 153683A, 185945A, 209492A, 209693A, 214788A, 220744A, 238399A, 257856A, 263040A, 396891A, 429298A, 443211A, 443690A, 535109A, 536428A, 585115A, 597393A, 601201A, 684287A, 750374A, 755395A, 805610A, 808685A, 810895A, 821892A, 830817A, 844339A, 875325A, 926105A, 958595A, 967906A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	007903B, 017985B, 031552B, 043262B, 057633B, 064564B, 089872B, 120384B, 126918B, 128428B, 153228B, 212323B, 286181B, 289422B, 346325B, 419167B, 461622B, 468811B, 501592B, 610538B, 637505B, 750393B, 799587B, 849634B, 865416B, 871040B, 889576B, 917871B, 939706B, 947843B, 961793B, 963374B, 979701B, 994785B, 999253B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	007966B, 018847B, 039939B, 095471B, 110292B, 114457B, 117979B, 144378B, 166137B, 242577B, 305329B, 349124B, 360756B, 365311B, 381130B, 395898B, 398260B, 405988B, 441536B, 449833B, 504060B, 548047B, 551608B, 557746B, 576124B, 594215B, 685062B, 695376B, 753560B, 767337B, 791575B, 866664B, 919256B, 953956B, 995220B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	008032B, 012738B, 052220B, 088599B, 093064B, 100286B, 139524B, 226299B, 227270B, 270718B, 293463B, 297771B, 309806B, 346141B, 354754B, 367972B, 371775B, 389472B, 446715B, 493432B, 503077B, 506978B, 582788B, 599737B, 606106B, 611349B, 623399B, 649389B, 679139B, 682140B, 689305B, 700957B, 732128B, 889627B, 894309B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	008179A, 017244A, 022035A, 043259A, 087680A, 103943A, 112291A, 127353A, 148902A, 178634A, 191290A, 226124A, 232639A, 270484A, 322208A, 324846A, 333266A, 343277A, 358488A, 395491A, 438614A, 491369A, 603806A, 604332A, 658594A, 706787A, 732723A, 750032A, 759566A, 784518A, 802898A, 910056A, 950921A, 972418A, 983288A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	008571A, 070024A, 091919A, 100911A, 130398A, 161925A, 199153A, 209306A, 215841A, 232053A, 266979A, 294330A, 330101A, 345673A, 375563A, 391042A, 414927A, 456849A, 460582A, 482918A, 499736A, 549627A, 615819A, 619423A, 662555A, 711237A, 737276A, 747990A, 756855A, 808378A, 896800A, 935486A, 949787A, 975519A, 991426A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	008631B, 023083B, 043754B, 066138B, 150229B, 169194B, 227915B, 249863B, 252429B, 286397B, 351990B, 394654B, 440317B, 473473B, 480349B, 504552B, 507791B, 537321B, 539239B, 550242B, 641204B, 672390B, 707658B, 707837B, 721330B, 766960B, 770825B, 837377B, 844329B, 873578B, 873818B, 893460B, 902900B, 911997B, 960424B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	008797B, 046465B, 059616B, 089326B, 093978B, 109040B, 141559B, 180596B, 244991B, 263612B, 270675B, 302352B, 334134B, 371266B, 408182B, 408305B, 443111B, 449055B, 465722B, 510706B, 568715B, 584170B, 589510B, 608707B, 636905B, 684608B, 700792B, 737627B, 794697B, 848588B, 854999B, 896757B, 963923B, 983789B, 997260B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	009143A, 015996A, 078142A, 095870A, 118345A, 151179A, 156516A, 173169A, 175916A, 190596A, 209203A, 288286A, 288890A, 343180A, 347813A, 363418A, 390678A, 432120A, 450923A, 532426A, 544398A, 554513A, 609044A, 661927A, 671221A, 735308A, 847434A, 851222A, 868823A, 887805A, 904442A, 931295A, 933778A, 938816A, 948526A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	009861B, 051162B, 058364B, 060854B, 123137B, 126667B, 132838B, 156989B, 186166B, 209541B, 250673B, 267485B, 314461B, 337760B, 343376B, 390470B, 428560B, 443914B, 491506B, 529061B, 550070B, 600713B, 622252B, 644048B, 695154B, 789900B, 801537B, 808435B, 824362B, 872377B, 948585B, 956411B, 961752B, 963664B, 964202B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	009883B, 051824B, 078676B, 090192B, 121828B, 154790B, 231033B, 233063B, 243180B, 243778B, 249200B, 359994B, 396108B, 421448B, 425017B, 425193B, 430826B, 437527B, 472636B, 518620B, 573677B, 605307B, 615343B, 626361B, 631285B, 636025B, 639460B, 643934B, 646465B, 657969B, 682934B, 704586B, 831358B, 842038B, 963148B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	009937A, 015923A, 050705A, 081256A, 100964A, 108168A, 120966A, 156469A, 188689A, 207981A, 275894A, 453028A, 471595A, 495221A, 583757A, 589400A, 593145A, 594479A, 598805A, 618975A, 630735A, 661590A, 666175A, 679992A, 680075A, 707077A, 842076A, 850528A, 856251A, 924518A, 945544A, 947282A, 952841A, 959426A, 965994A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	010007B, 033368B, 087758B, 136192B, 147414B, 153840B, 163308B, 176753B, 214988B, 232416B, 232947B, 234002B, 286701B, 290030B, 293428B, 396644B, 439914B, 486543B, 492499B, 523984B, 525209B, 586055B, 648953B, 685051B, 744894B, 786823B, 851241B, 868422B, 874067B, 877471B, 882180B, 911786B, 912695B, 988352B, 991402B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	010011A, 062707A, 070289A, 070717A, 109061A, 161951A, 188660A, 253088A, 327623A, 342276A, 356647A, 392578A, 419649A, 436058A, 464486A, 485447A, 493286A, 498406A, 519063A, 529162A, 584079A, 592184A, 623240A, 815074A, 865193A, 890151A, 891182A, 934337A, 949290A, 949318A, 969859A, 976279A, 984077A, 984415A, 986439A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	010629A, 047551A, 052155A, 059322A, 098927A, 119623A, 166596A, 208267A, 211411A, 215824A, 282424A, 326313A, 391724A, 459832A, 481545A, 486765A, 492565A, 518547A, 521108A, 539049A, 539858A, 569104A, 628205A, 656511A, 661177A, 703220A, 725851A, 754166A, 809419A, 827153A, 845980A, 882001A, 916725A, 919569A, 953658A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	010720B, 013282B, 015647B, 020340B, 030233B, 033054B, 084492B, 093181B, 136618B, 164298B, 188781B, 314923B, 332299B, 368263B, 373819B, 378824B, 380084B, 400086B, 401845B, 452374B, 528505B, 544160B, 548596B, 561241B, 577381B, 617241B, 659314B, 670912B, 685547B, 697650B, 717991B, 769062B, 851743B, 913012B, 948495B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	010840B, 017138B, 073886B, 076498B, 123327B, 163041B, 183750B, 187008B, 193091B, 227529B, 281847B, 307968B, 369741B, 421338B, 473993B, 514436B, 577474B, 604190B, 660810B, 673368B, 707145B, 761242B, 806362B, 808534B, 871776B, 874056B, 877561B, 878686B	HDPE bottles: 35 mL	12/10/2020

Research Triangle Institute	011022B, 088221B, 105045B, 121549B, 130874B, 157642B, 158649B, 169871B, 213417B, 358087B, 373967B, 448997B, 489558B, 491060B, 565288B, 570948B, 633973B, 687498B, 692157B, 713022B, 765067B, 766026B, 783453B, 785262B, 798521B, 818224B, 834146B, 864904B, 872245B, 906153B, 910283B, 920860B, 929480B, 954299B, 962249B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	011472B, 064251B, 097605B, 102256B, 154958B, 217983B, 346348B, 348548B, 349536B, 353599B, 360643B, 378144B, 499795B, 548635B, 560078B, 596930B, 618715B, 624505B, 625964B, 714902B, 720694B, 722487B, 748403B, 778831B, 787862B, 790376B, 805531B, 841680B, 868008B, 885341B, 887496B, 945796B, 953858B, 980975B, 993436B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	011696A, 086873A, 145276A, 172367A, 173091A, 229699A, 234355A, 243845A, 249485A, 251975A, 317591A, 343023A, 396975A, 403869A, 406609A, 436015A, 443290A, 477488A, 507019A, 573615A, 590345A, 717734A, 722405A, 743006A, 759328A, 778071A, 811273A, 830707A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	011855A, 061914A, 090030A, 147287A, 167574A, 174960A, 177157A, 253652A, 288045A, 299737A, 316597A, 320301A, 350780A, 356261A, 423202A, 432295A, 463234A, 497804A, 502215A, 527885A, 538080A, 554262A, 613772A, 672051A, 729254A, 739101A, 747954A, 754984A, 760342A, 761636A, 773292A, 806048A, 836943A, 917261A, 920085A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	011937A, 038737A, 094007A, 116844A, 168976A, 246213A, 345383A, 383104A, 383846A, 404435A, 411152A, 437964A, 443425A, 446106A, 448093A, 455244A, 476240A, 545533A, 552719A, 566046A, 582488A, 583533A, 618999A, 642520A, 664781A, 711010A, 712781A, 777260A, 834993A, 841693A, 850483A, 920736A, 938450A, 948518A, 981740A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	011938B, 040658B, 073363B, 118528B, 128147B, 196793B, 217801B, 316866B, 376300B, 535928B, 547694B, 558008B, 618741B, 644655B, 653650B, 654775B, 672007B, 830338B, 953644B, 953703B, 954020B, 954138B, 954142B, 954237B, 954326B, 954434B, 954486B, 954730B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	012070B, 024242B, 060641B, 063550B, 071377B, 146349B, 151752B, 156824B, 189419B, 208831B, 226714B, 252879B, 276992B, 291169B, 300610B, 312688B, 327866B, 422977B, 470242B, 505775B, 506044B, 538162B, 553340B, 657346B, 684241B, 710820B, 752741B, 754022B, 762641B, 838397B, 862850B, 956213B, 964599B, 983459B, 990186B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	012160B, 064255B, 105594B, 131691B, 133975B, 138158B, 150777B, 197643B, 198532B, 205752B, 245023B, 350103B, 402245B, 410628B, 412351B, 542749B, 597477B, 618159B, 644749B, 681352B, 734193B, 741378B, 758790B, 772787B, 798421B, 833693B, 855796B, 898725B, 900549B, 906940B, 920433B, 971632B, 976406B, 983870B, 994874B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	012302B, 022086B, 053331B, 098946B, 153403B, 183049B, 200409B, 206197B, 215295B, 216738B, 223390B, 264666B, 270417B, 277523B, 293349B, 303022B, 388142B, 468927B, 484953B, 494119B, 543703B, 559819B, 676887B, 697518B, 823188B, 836289B, 870366B, 889886B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	012313A, 019191A, 068213A, 111307A, 153295A, 160177A, 163029A, 171564A, 196577A, 211657A, 273825A, 276454A, 277125A, 292999A, 302047A, 309990A, 317329A, 439498A, 499269A, 564336A, 564555A, 602456A, 644332A, 664137A, 711792A, 712656A, 751871A, 758541A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	012349B, 116785B, 192650B, 224704B, 238801B, 241442B, 301126B, 314786B, 375398B, 412724B, 422220B, 447214B, 459794B, 525094B, 526969B, 528755B, 561172B, 566771B, 616161B, 640601B, 659718B, 671845B, 746970B, 822065B, 845133B, 894488B, 937598B, 951933B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	012466A, 073550A, 086048A, 095790A, 104115A, 105037A, 188078A, 266343A, 272335A, 286374A, 326714A, 405588A, 415887A, 427469A, 445587A, 454719A, 483573A, 501641A, 563478A, 568328A, 691883A, 732494A, 739846A, 747792A, 776314A, 779737A, 808440A, 921113A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	012663A, 030406A, 042029A, 134208A, 157170A, 264784A, 321385A, 341864A, 378750A, 380086A, 388894A, 406012A, 406888A, 422664A, 456872A, 476320A, 498092A, 558914A, 559101A, 562610A, 570348A, 584605A, 598903A, 722526A, 765330A, 778488A, 779472A, 804784A, 805500A, 824755A, 826474A, 843906A, 890144A, 897082A, 931671A	HDPE bottle: 35 mL	8/31/2022
Research Triangle Institute	012759B, 012825B, 018131B, 044154B, 053624B, 075131B, 100200B, 149331B, 162707B, 173497B, 269943B, 334022B, 354572B, 386910B, 428399B, 434442B, 447397B, 467759B, 497989B, 528885B, 545516B, 563483B, 580722B, 596493B, 641412B, 690544B, 718288B, 731848B, 822808B, 909338B, 926925B, 938056B, 963819B, 966472B, 981692B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	012816B, 016170B, 107615B, 122802B, 138822B, 157523B, 175586B, 186169B, 204090B, 206012B, 273759B, 313186B, 371665B, 386116B, 424162B, 440817B, 492445B, 492820B, 520979B, 564507B, 584107B, 589096B, 600511B, 645955B, 678287B, 680823B, 686748B, 694248B, 702457B, 739833B, 752473B, 790724B, 874161B, 947644B, 960702B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	012859A, 145663A, 146392A, 179687A, 230490A, 247853A, 307804A, 309720A, 360899A, 362199A, 375191A, 387414A, 396640A, 466187A, 476218A, 541838A, 549097A, 611835A, 639325A, 678898A, 683979A, 704717A, 712437A, 726573A, 784124A, 793542A, 813496A, 842790A, 867812A, 876670A, 932455A, 960950A, 970348A, 986346A, 993424A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	013485A, 038008A, 204339A, 222014A, 246406A, 258988A, 312673A, 321839A, 325063A, 351095A, 358770A, 364750A, 371671A, 413772A, 417613A, 464080A, 537087A, 605371A, 649083A, 649576A, 678255A, 683334A, 702885A, 705801A, 707043A, 722131A, 774230A, 784476A, 826652A, 852272A, 874313A, 900419A, 923068A, 962554A, 988074A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	014209B, 031933B, 070272B, 182847B, 184499B, 212785B, 266412B, 310094B, 314296B, 342287B, 361814B, 371125B, 373495B, 393894B, 403399B, 440241B, 454480B, 491354B, 513118B, 517092B, 581681B, 598607B, 613079B, 639608B, 703702B, 729756B, 732689B, 788018B, 860958B, 893845B, 927785B, 944083B, 979257B, 980490B, 995234B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	014674B, 057227B, 060756B, 064205B, 082056B, 096711B, 098407B, 114554B, 151073B, 158234B, 158725B, 196737B, 206504B, 301333B, 328739B, 385106B, 415009B, 420759B, 517869B, 610565B, 620877B, 647748B, 734028B, 744575B, 749927B, 827908B, 832214B, 844961B, 854662B, 905274B, 943381B, 965643B, 991851B, 994664B, 998946B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	014699B, 020401B, 020613B, 053169B, 089884B, 146588B, 200543B, 246367B, 260139B, 279610B, 298949B, 298978B, 311939B, 328885B, 373233B, 384502B, 423300B, 436888B, 449836B, 454497B, 476913B, 499046B, 501566B, 504889B, 552188B, 603046B, 607710B, 607957B, 706859B, 719495B, 724079B, 749773B, 909379B, 914018B, 965309B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	014704B, 032099B, 032767B, 035202B, 099294B, 099434B, 139582B, 173513B, 212410B, 256134B, 264609B, 268389B, 268520B, 279998B, 305913B, 337759B, 375065B, 399178B, 409664B, 456617B, 528978B, 532268B, 594059B, 622703B, 629190B, 643810B, 806952B, 834753B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	014995A, 017220A, 029775A, 087446A, 097886A, 126962A, 131249A, 147610A, 165773A, 166737A, 243334A, 258232A, 274546A, 323474A, 441640A, 442374A, 443652A, 486536A, 503069A, 560764A, 566313A, 592810A, 634191A, 659626A, 675278A, 692764A, 716081A, 756996A, 784417A, 828079A, 855790A, 911399A, 961376A, 978531A, 999010A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	015309B, 044514B, 051397B, 088627B, 092768B, 107796B, 146165B, 172789B, 218589B, 220923B, 270176B, 272635B, 288651B, 293091B, 299226B, 311151B, 336085B, 401340B, 407536B, 471010B, 484132B, 591481B, 665201B, 712745B, 724129B, 742624B, 751246B, 784058B, 797003B, 840817B, 844183B, 911916B, 922264B, 941318B, 946767B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	015432A, 352994A, 970578A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	015465A, 032779A, 041776A, 114353A, 174857A, 184365A, 198652A, 233739A, 306831A, 318493A, 328308A, 394345A, 406090A, 411118A, 423500A, 463529A, 464434A, 469023A, 493354A, 494412A, 544082A, 585438A, 611985A, 645802A, 659244A, 675348A, 758547A, 821616A, 841520A, 855285A, 880084A, 940922A, 960835A, 973833A, 988575A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	015736A, 019917A, 052073A, 063684A, 151600A, 249158A, 271985A, 384638A, 426106A, 426542A, 452645A, 516622A, 566419A, 603470A, 605423A, 638083A, 676028A, 688781A, 692793A, 718297A, 718798A, 737422A, 746739A, 768437A, 790425A, 791557A, 793934A, 825170A, 839013A, 843634A, 849079A, 883641A, 891927A, 960198A, 992829A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	016024B, 060477B, 099717B, 118069B, 120296B, 162639B, 169399B, 176534B, 181117B, 197067B, 220629B, 260205B, 306832B, 324164B, 370133B, 450041B, 474431B, 477904B, 527732B, 530223B, 539796B, 557822B, 559084B, 572292B, 638902B, 639030B, 649194B, 768863B, 774261B, 793884B, 844353B, 894000B, 909856B, 961472B, 978803B	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	016374B, 069517B, 070570B, 079954B, 181500B, 197270B, 214409B, 235559B, 251615B, 270798B, 336643B, 381124B, 456949B, 469073B, 498704B, 506912B, 514668B, 545858B, 562868B, 585122B, 607997B, 623803B, 629350B, 644282B, 655191B, 664785B, 722449B, 735871B, 799041B, 843312B, 888799B, 904792B, 931066B, 947323B, 986737B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	017422A, 033823A, 048226A, 148086A, 218948A, 228214A, 264414A, 296863A, 346049A, 353341A, 402876A, 472996A, 476952A, 500380A, 513129A, 539322A, 555092A, 571445A, 603561A, 605604A, 611475A, 708115A, 708563A, 742120A, 768128A, 795668A, 801691A, 820896A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	018495A, 057484A, 085837A, 089123A, 098492A, 144464A, 151961A, 208495A, 229063A, 238283A, 273040A, 277090A, 289578A, 312617A, 373194A, 393993A, 452673A, 460157A, 534452A, 540869A, 546002A, 576322A, 625385A, 662858A, 664640A, 668652A, 691666A, 704392A, 764116A, 841951A, 895811A, 908667A, 932222A, 943327A, 958950A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	018647B, 023471B, 056945B, 083696B, 090207B, 092054B, 201539B, 221710B, 255020B, 275669B, 313125B, 338552B, 344662B, 388016B, 432159B, 458676B, 548727B, 549839B, 604551B, 621961B, 654990B, 709969B, 715388B, 773915B, 812441B, 819380B, 858004B, 900873B, 904709B, 914319B, 914831B, 964677B, 972462B, 976978B, 995400B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	018691A, 055478A, 604500A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	018882A, 055212A, 075106A, 135406A, 204305A, 206234A, 210060A, 221146A, 363708A, 366861A, 425369A, 443983A, 451293A, 531889A, 537842A, 579185A, 614800A, 642005A, 675079A, 698931A, 760961A, 778605A, 786755A, 835129A, 836942A, 841321A, 844330A, 848670A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	019575A, 250677A, 395908A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	019817A, 026218A, 079998A, 097599A, 110872A, 165952A, 239551A, 258299A, 285698A, 292780A, 324280A, 336063A, 362058A, 368903A, 371192A, 463040A, 482462A, 520872A, 548866A, 562594A, 565866A, 686812A, 687144A, 723844A, 738584A, 785676A, 813181A, 827572A, 836693A, 860522A, 869241A, 871365A, 913135A, 920572A, 999353A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	019895B, 040504B, 093141B, 113379B, 241109B, 252101B, 279062B, 293537B, 368330B, 401098B, 407851B, 414860B, 418203B, 420116B, 422578B, 489342B, 525961B, 537158B, 557633B, 614910B, 645846B, 711196B, 733932B, 736246B, 778113B, 856413B, 877800B, 881321B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	019908A, 401439A, 837744A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	020578A, 062638A, 076894A, 092798A, 121935A, 149982A, 152068A, 167013A, 182740A, 259167A, 286865A, 300656A, 309666A, 327523A, 337510A, 393272A, 458973A, 558618A, 559226A, 573235A, 650693A, 706588A, 737826A, 774178A, 784852A, 815955A, 826069A, 843176A, 862642A, 923509A, 925038A, 936385A, 944703A, 946375A, 987996A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	020790A, 087729A, 169804A, 188603A, 195167A, 280407A, 298143A, 310142A, 316099A, 318433A, 331877A, 335859A, 337630A, 424745A, 426079A, 464249A, 505399A, 521413A, 541231A, 554133A, 583885A, 587931A, 611694A, 629678A, 662790A, 730595A, 751103A, 799215A, 833318A, 851459A, 874446A, 875952A, 901910A, 910805A, 928524A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	020973B, 041973B, 061350B, 062252B, 090053B, 185697B, 287081B, 294869B, 336768B, 347642B, 371366B, 379411B, 414320B, 415139B, 437972B, 506656B, 515995B, 533648B, 550124B, 559208B, 588392B, 630171B, 656560B, 660153B, 693242B, 719599B, 806424B, 820340B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	021049A, 033588A, 116216A, 131399A, 143498A, 157046A, 188377A, 215168A, 220883A, 248828A, 274298A, 279697A, 327040A, 329475A, 360715A, 436855A, 487801A, 553145A, 625674A, 690536A, 695335A, 708257A, 716256A, 723210A, 809359A, 829793A, 853569A, 898234A, 904215A, 917219A, 935142A, 966271A, 968798A, 969639A, 978260A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021127A, 026453A, 265019A, 469431A, 664885A, 957785A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	021402A, 544203A, 635042A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021934A, 028331A, 109409A, 127313A, 193048A, 205716A, 240724A, 289621A, 294894A, 302624A, 345074A, 375783A, 403049A, 459993A, 495572A, 502574A, 515858A, 552845A, 558741A, 560155A, 569000A, 624634A, 708961A, 730263A, 748628A, 762280A, 797503A, 799380A, 800273A, 803004A, 832776A, 868604A, 877086A, 942786A, 966619A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021959B, 029436B, 094674B, 133348B, 168401B, 188997B, 189180B, 203884B, 207329B, 245496B, 247798B, 248661B, 407490B, 432304B, 438231B, 440637B, 455079B, 485121B, 515137B, 524828B, 526928B, 536150B, 585993B, 662237B, 681456B, 703751B, 712689B, 723246B, 725890B, 756526B, 802232B, 823204B, 825434B, 851178B, 915734B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021986B, 089652B, 095413B, 125576B, 147625B, 150359B, 160019B, 190411B, 220035B, 322940B, 345836B, 387975B, 421367B, 432164B, 440847B, 452863B, 465177B, 499409B, 503793B, 524493B, 558840B, 684189B, 727026B, 735982B, 756767B, 774287B, 791334B, 800210B, 818711B, 837294B, 862724B, 923542B, 928312B, 955505B, 971564B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	022169B, 068945B, 090567B, 167785B, 185107B, 203284B, 271309B, 325738B, 332291B, 340408B, 385627B, 436047B, 445940B, 449424B, 450655B, 497983B, 532866B, 541881B, 594288B, 604446B, 616351B, 637504B, 643078B, 654947B, 657707B, 786709B, 805704B, 814864B, 850397B, 855787B, 856184B, 862151B, 910595B, 922997B, 931166B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	022283A, 355985A, 817766A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	022446A, 037643A, 046688A, 137735A, 157114A, 164723A, 166323A, 294848A, 298307A, 367175A, 407864A, 427220A, 553819A, 574914A, 597760A, 618559A, 626123A, 629296A, 649744A, 662498A, 675181A, 692130A, 736153A, 742458A, 782909A, 806043A, 830525A, 876720A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	022547A, 065400A, 126762A, 130898A, 220012A, 230463A, 257912A, 285053A, 291417A, 324782A, 380559A, 395822A, 405381A, 416243A, 449662A, 502356A, 512103A, 536482A, 613429A, 623503A, 653667A, 685944A, 785241A, 786130A, 844268A, 867143A, 871847A, 900082A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	022632B, 056213B, 118898B, 134345B, 166427B, 237067B, 246765B, 294953B, 297704B, 313989B, 320524B, 346181B, 362679B, 377667B, 398675B, 475315B, 488866B, 501574B, 521134B, 617738B, 620393B, 688614B, 712800B, 747944B, 769673B, 780092B, 806683B, 820334B, 826800B, 852310B, 957960B, 958677B, 958802B, 986544B, 987461B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	022656A, 027084A, 050528A, 077706A, 083927A, 087642A, 097226A, 103785A, 172159A, 183903A, 196215A, 204300A, 284263A, 286297A, 293289A, 302396A, 310393A, 330544A, 369756A, 383972A, 389647A, 433732A, 467992A, 496829A, 520609A, 594032A, 668203A, 733566A, 736972A, 768229A, 772316A, 774243A, 934401A, 936723A, 952858A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	022808A, 040620A, 076325A, 126699A, 154431A, 166852A, 176123A, 177249A, 195873A, 206199A, 217902A, 277826A, 335915A, 343719A, 413742A, 416084A, 440614A, 461082A, 480207A, 513341A, 520253A, 541777A, 570217A, 589927A, 593068A, 625807A, 655427A, 664591A, 727901A, 826102A, 842842A, 859299A, 860712A, 875286A, 890895A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	023290A, 031068A, 074113A, 125447A, 187424A, 191876A, 215541A, 218764A, 231664A, 233679A, 239062A, 247658A, 281440A, 286582A, 298963A, 324752A, 341150A, 355291A, 366501A, 367229A, 448037A, 565607A, 651328A, 703904A, 740505A, 775456A, 817705A, 826423A, 837223A, 862326A, 867355A, 873190A, 905177A, 938382A, 949435A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	023669A, 031619A, 033068A, 079396A, 089241A, 114019A, 127318A, 153617A, 164752A, 188783A, 208732A, 228725A, 280814A, 306275A, 315774A, 364769A, 375130A, 391406A, 402501A, 409654A, 441308A, 489991A, 529319A, 638805A, 665202A, 679716A, 688168A, 688947A, 689043A, 751917A, 799531A, 907717A, 921798A, 929437A, 981723A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	024208A, 026599A, 050552A, 055715A, 057602A, 061693A, 066803A, 165847A, 192872A, 201680A, 212189A, 235919A, 244067A, 271686A, 311044A, 317801A, 327983A, 335646A, 381122A, 390594A, 454487A, 459917A, 529517A, 531702A, 547037A, 681222A, 698107A, 735125A, 797409A, 801141A, 814996A, 863099A, 887771A, 949911A, 960562A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	025572B, 042733B, 066429B, 083478B, 088046B, 092695B, 106063B, 117662B, 148152B, 190582B, 229325B, 251483B, 256069B, 263096B, 308055B, 383047B, 425014B, 438707B, 503514B, 538889B, 585533B, 611066B, 634880B, 687653B, 716226B, 720481B, 813630B, 818761B	HDPE bottles: 35 mL	12/10/2020

Research Triangle Institute	0256, 4519, 0111, 3727, 6282, 0379, 3910, 1758, 6223, 6078, 5711, 2011, 5931, 8814, 9638, 5358, 3735, 5043, 2309, 7802, 5968, 4579, 2962, 0125, 2703, 5061, 9998, 3363	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	025612A, 026988A, 072627A, 094807A, 166511A, 181417A, 191700A, 192138A, 287009A, 315357A, 363846A, 401689A, 418136A, 450575A, 464284A, 546085A, 552587A, 572974A, 646413A, 686362A, 740018A, 743299A, 771278A, 798290A, 820856A, 831054A, 837963A, 840515A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	025789B, 073439B, 096224B, 096731B, 098505B, 121527B, 138481B, 159681B, 171540B, 231326B, 279857B, 366094B, 369006B, 392271B, 444197B, 448387B, 448738B, 518246B, 518249B, 552260B, 568792B, 599485B, 637890B, 672888B, 701961B, 713036B, 728027B, 740826B, 762860B, 788811B, 806492B, 841761B, 878723B, 897052B, 967897B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	025962A, 071005A, 086733A, 105209A, 132307A, 133119A, 140916A, 209185A, 226044A, 273430A, 274873A, 317356A, 355894A, 360219A, 366540A, 400371A, 437961A, 466971A, 511356A, 527410A, 614719A, 644358A, 746427A, 772011A, 795649A, 818819A, 829710A, 833242A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	026023A, 034356A, 059684A, 109118A, 217969A, 292339A, 329129A, 331282A, 372755A, 406983A, 424828A, 437342A, 468921A, 517829A, 552921A, 561071A, 561750A, 596027A, 644347A, 644381A, 652458A, 653560A, 708849A, 709136A, 736464A, 814653A, 817994A, 856508A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	026401B, 060466B, 120714B, 144215B, 159322B, 175215B, 201158B, 202133B, 203701B, 227808B, 333870B, 337830B, 362388B, 410297B, 433007B, 464137B, 473040B, 482723B, 529035B, 541530B, 543479B, 550152B, 564393B, 608784B, 613852B, 700929B, 731136B, 842997B, 853497B, 884339B, 932834B, 960811B, 968414B, 979573B, 984064B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	026939A, 104863A, 152027A, 195559A, 264912A, 272367A, 289836A, 311945A, 364931A, 370400A, 379010A, 447150A, 493585A, 499249A, 604804A, 611300A, 677628A, 680186A, 768352A, 784532A, 808944A, 813627A, 834136A, 836738A, 873714A, 917534A, 925735A, 930043A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	028455B, 090918B, 100953B, 101817B, 134029B, 139010B, 139481B, 159723B, 284572B, 350636B, 355513B, 360937B, 412882B, 423222B, 500265B, 515802B, 521023B, 532433B, 541068B, 549707B, 551780B, 631238B, 647462B, 695852B, 708946B, 751293B, 815867B, 820213B, 863541B, 868109B, 880519B, 890121B, 901790B, 954771B, 990962B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	029192B, 030759B, 053190B, 098716B, 164275B, 194122B, 197887B, 221746B, 266652B, 268923B, 292114B, 296583B, 320003B, 352484B, 411266B, 413436B, 451832B, 504047B, 633370B, 651295B, 657073B, 689117B, 726879B, 738490B, 741740B, 750540B, 751238B, 783304B, 786031B, 854160B, 880410B, 881084B, 899780B, 933166B, 975514B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	0296, 4381, 7396, 3898, 5723, 8275, 0641, 6062, 1735, 9752, 7881, 5841, 4644, 3369, 2517, 2384, 9780, 8001, 5661, 2396, 5384, 8594, 8683, 0086, 0904, 2015, 4706, 9938	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	0296, 4381, 7396, 3898, 5723, 8275, 0641, 6062, 1735, 9752, 7881, 5841, 4644, 3369, 2517, 2384, 9780, 8001, 5661, 2396, 5384, 8594, 8683, 0086, 0904, 2015, 4706, 9938	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	029617A, 053014A, 078828A, 108137A, 126088A, 145262A, 175149A, 177780A, 189741A, 230529A, 240653A, 279885A, 298096A, 332165A, 363119A, 376752A, 405469A, 437648A, 502612A, 637894A, 731015A, 737268A, 737611A, 741769A, 745663A, 787721A, 832532A, 853633A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	029752A, 059758A, 100898A, 145286A, 151157A, 251597A, 336739A, 374305A, 403453A, 416525A, 443402A, 478175A, 481081A, 604528A, 630140A, 638370A, 649025A, 695162A, 726526A, 737214A, 755322A, 783821A, 793285A, 817227A, 826860A, 849384A, 850220A, 861835A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	030100A, 038859A, 076643A, 081857A, 096610A, 109479A, 118605A, 122129A, 171098A, 233006A, 236469A, 269560A, 283775A, 298707A, 339509A, 397286A, 449740A, 470146A, 523424A, 580372A, 606260A, 663693A, 668655A, 715717A, 733825A, 794817A, 849620A, 906542A, 918136A, 923222A, 935484A, 940766A, 942606A, 972416A, 998640A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	030168B, 047308B, 055471B, 057851B, 161926B, 187584B, 228108B, 233242B, 264017B, 268345B, 292158B, 310065B, 315305B, 335230B, 339001B, 344914B, 471362B, 531432B, 532353B, 537102B, 568839B, 589324B, 609292B, 619817B, 626109B, 654314B, 656731B, 657222B, 668368B, 670229B, 677870B, 776167B, 838384B, 936812B, 954302B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	030607A, 032728A, 042288A, 069271A, 110779A, 135152A, 136158A, 165092A, 209863A, 221231A, 236519A, 258712A, 263629A, 319248A, 389490A, 395832A, 410831A, 450541A, 460348A, 499385A, 506664A, 585015A, 620691A, 646008A, 658043A, 666077A, 745915A, 824518A, 830796A, 869159A, 884280A, 938034A, 961801A, 970422A, 993067A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	030882A, 037898A, 052763A, 116268A, 119032A, 170291A, 219863A, 246102A, 286043A, 298934A, 315875A, 322490A, 343816A, 358685A, 421831A, 435394A, 444169A, 499226A, 499635A, 512707A, 551706A, 586903A, 600225A, 661103A, 669925A, 673423A, 686173A, 692221A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	031440A, 066088A, 066402A, 068476A, 078498A, 078841A, 091547A, 115367A, 185872A, 204619A, 214799A, 217479A, 234219A, 252621A, 280327A, 361376A, 410758A, 412942A, 422258A, 438819A, 478288A, 513514A, 626659A, 666700A, 769264A, 770142A, 778485A, 797176A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	031574A, 048660A, 058244A, 067070A, 069171A, 120673A, 124908A, 129060A, 158121A, 165678A, 171213A, 220762A, 259406A, 270260A, 277014A, 309203A, 342965A, 391752A, 414592A, 509568A, 535341A, 572938A, 613937A, 626181A, 677419A, 727884A, 750807A, 762397A, 788740A, 839431A, 875915A, 900980A, 913771A, 928278A, 968586A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	031805A, 049270A, 073495A, 076585A, 082137A, 112230A, 148246A, 159497A, 171743A, 194546A, 261194A, 266859A, 327479A, 478001A, 484363A, 490578A, 506526A, 535156A, 553278A, 578460A, 585871A, 613233A, 614502A, 680352A, 723957A, 742379A, 772394A, 793765A, 834022A, 927423A, 947657A, 975414A, 982854A, 997154A, 997469A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	032166B, 078568B, 086457B, 103415B, 107387B, 121092B, 122130B, 136050B, 144538B, 156050B, 159052B, 174050B, 221432B, 260776B, 265517B, 332958B, 411150B, 423364B, 448783B, 449197B, 479212B, 578349B, 583346B, 626596B, 685471B, 690968B, 692148B, 711972B, 787095B, 846726B, 871020B, 875105B, 941946B, 955201B, 958872B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	032179A, 067896A, 083089A, 104061A, 184551A, 216334A, 224793A, 295840A, 346351A, 352424A, 360903A, 371909A, 375068A, 384398A, 442279A, 527620A, 560070A, 595686A, 637716A, 656285A, 752038A, 766903A, 767102A, 810689A, 817732A, 832774A, 834320A, 884715A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	033199B, 036308B, 049594B, 051759B, 118013B, 128427B, 215915B, 234476B, 254521B, 272010B, 278267B, 290674B, 346334B, 401647B, 497641B, 508763B, 561622B, 599127B, 621025B, 655124B, 663996B, 674506B, 679123B, 692161B, 711485B, 751948B, 768302B, 797470B, 803713B, 817527B, 818773B, 841421B, 888140B, 970298B, 978960B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	033281A, 049799A, 060433A, 086143A, 104010A, 124634A, 187381A, 191484A, 192028A, 218455A, 310303A, 313967A, 339130A, 341582A, 350381A, 369948A, 371325A, 376147A, 395210A, 397285A, 465822A, 518070A, 521694A, 523339A, 580055A, 589483A, 615884A, 738177A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	033641A, 041621A, 044891A, 048572A, 095481A, 111903A, 143115A, 148369A, 196371A, 201731A, 205677A, 216369A, 240773A, 261111A, 293603A, 338722A, 380717A, 457081A, 505572A, 516009A, 577323A, 583216A, 603072A, 610584A, 626160A, 636949A, 695643A, 729840A, 804193A, 914367A, 916578A, 916626A, 947626A, 964483A, 982000A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	034015A, 102868A, 159325A, 166498A, 203016A, 349771A, 362558A, 364029A, 383016A, 396727A, 407841A, 425952A, 489321A, 521656A, 524789A, 529907A, 571867A, 578603A, 595905A, 599210A, 615726A, 620746A, 637749A, 643139A, 665048A, 668902A, 679640A, 694590A, 839128A, 853039A, 883367A, 911593A, 925352A, 980378A, 988356A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	034474A, 066818A, 071793A, 077325A, 081024A, 082102A, 093893A, 119510A, 145678A, 162364A, 193883A, 250652A, 250759A, 276382A, 321388A, 338539A, 351199A, 414447A, 420508A, 509535A, 540032A, 550088A, 665513A, 694879A, 726560A, 739351A, 788193A, 802104A	HDPE bottles: 35 mL	12/10/2020

Research Triangle Institute	034546B, 045495B, 046836B, 107402B, 137582B, 161536B, 162727B, 172565B, 174969B, 263442B, 342499B, 359591B, 377715B, 445886B, 478890B, 481634B, 482368B, 517692B, 518013B, 550657B, 551223B, 636401B, 646812B, 689972B, 712414B, 744504B, 758971B, 760698B, 778066B, 786947B, 812023B, 855361B, 856017B, 955893B, 980772B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	034910B, 061304B, 073474B, 085271B, 133608B, 211334B, 231923B, 247554B, 258901B, 317496B, 369971B, 383488B, 414173B, 431835B, 476665B, 478289B, 536171B, 540501B, 548940B, 557912B, 581834B, 604729B, 620678B, 654309B, 668617B, 705147B, 705783B, 780132B, 784260B, 799739B, 861730B, 887992B, 904481B, 942456B, 977440B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	035193A, 069474A, 070849A, 141015A, 157493A, 172802A, 173994A, 190007A, 192626A, 201121A, 246529A, 257617A, 354935A, 363104A, 432009A, 444871A, 448277A, 467806A, 469047A, 500177A, 509540A, 560080A, 568091A, 615431A, 619533A, 641527A, 643780A, 672993A, 674047A, 717969A, 788376A, 802520A, 842622A, 863278A, 983044A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	036227A, 044466A, 069970A, 092297A, 122722A, 132946A, 135184A, 143727A, 158976A, 262114A, 326306A, 346430A, 390956A, 399781A, 410709A, 426434A, 432210A, 507278A, 558087A, 581630A, 613540A, 641753A, 678312A, 683397A, 759961A, 763128A, 774293A, 774334A, 821742A, 851030A, 857805A, 946005A, 971005A, 973938A, 979729A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	036932A, 042015A, 045924A, 067081A, 078537A, 089475A, 194932A, 225516A, 241212A, 258950A, 293965A, 312846A, 414220A, 416645A, 443068A, 491912A, 499011A, 502119A, 593802A, 612936A, 696017A, 719037A, 727830A, 770007A, 777868A, 844185A, 844249A, 899274A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	037202A, 049224A, 119956A, 134374A, 139634A, 195451A, 206227A, 217960A, 236143A, 251827A, 304527A, 321851A, 383372A, 406374A, 422462A, 438217A, 452445A, 481511A, 514272A, 545360A, 548820A, 551678A, 554033A, 695357A, 733332A, 750845A, 756803A, 769869A, 783829A, 812540A, 853617A, 866255A, 910455A, 931519A, 946778A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	038532A, 044611A, 051823A, 065305A, 082543A, 092115A, 195471A, 251121A, 277803A, 279833A, 297529A, 304245A, 382835A, 386666A, 452482A, 476224A, 488416A, 495710A, 513383A, 560784A, 562958A, 616576A, 716262A, 747861A, 754363A, 763902A, 815364A, 820383A, 831011A, 891513A, 919496A, 946631A, 984297A, 991120A, 994081A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	039859A, 045183A, 063346A, 085444A, 109043A, 153572A, 189632A, 198485A, 216345A, 251012A, 266129A, 380638A, 382717A, 396944A, 438554A, 439165A, 458813A, 471756A, 478399A, 615334A, 684905A, 691893A, 700140A, 726882A, 743741A, 764757A, 767828A, 779222A, 829417A, 852304A, 862236A, 877450A, 885149A, 944896A, 973575A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	040085A, 058239A, 069904A, 073319A, 078516A, 110365A, 118454A, 145628A, 156680A, 163584A, 215339A, 234073A, 241229A, 249516A, 271992A, 286689A, 315452A, 329312A, 387343A, 462247A, 566798A, 575082A, 583901A, 655625A, 718961A, 742157A, 765145A, 766023A, 807522A, 846695A, 938652A, 940118A, 959165A, 968061A, 984738A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	041872A, 056764A, 103839A, 109733A, 129246A, 154352A, 179503A, 275386A, 426832A, 453054A, 460826A, 479764A, 525289A, 542471A, 547586A, 588443A, 591582A, 598385A, 653451A, 664576A, 675492A, 703662A, 718768A, 737248A, 764156A, 800711A, 859606A, 898221A, 904213A, 909808A, 925276A, 939247A, 950899A, 976241A, 997527A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	041917A, 078334A, 100984A, 145475A, 160522A, 168453A, 207321A, 211817A, 223620A, 262525A, 362588A, 368391A, 376607A, 453519A, 479849A, 481588A, 518913A, 526818A, 541292A, 550724A, 623049A, 625966A, 639050A, 648379A, 693860A, 705300A, 711941A, 874547A, 886132A, 909156A, 913167A, 926604A, 926997A, 930695A, 947845A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	042787A, 047665A, 072558A, 152698A, 206053A, 217476A, 230479A, 231452A, 260872A, 275700A, 348049A, 355507A, 369271A, 371699A, 402827A, 414113A, 441834A, 456017A, 497453A, 503329A, 523764A, 528528A, 552441A, 618509A, 686925A, 714761A, 738363A, 773615A, 802335A, 805271A, 856731A, 870103A, 916098A, 920231A, 946267A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	043469A, 062002A, 069496A, 093297A, 106890A, 108389A, 124644A, 137999A, 244865A, 245125A, 288902A, 340364A, 356185A, 419624A, 440916A, 445884A, 470956A, 482716A, 508349A, 509943A, 516790A, 552981A, 562084A, 563336A, 596809A, 600392A, 718165A, 779540A, 780607A, 793669A, 848761A, 853984A, 889128A, 976687A, 987007A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	045024A, 065024A, 074497A, 126224A, 140849A, 147299A, 157818A, 178334A, 218160A, 255517A, 263186A, 310311A, 341433A, 427420A, 480334A, 481813A, 486654A, 552580A, 576845A, 595862A, 613695A, 710533A, 726692A, 739341A, 784735A, 789013A, 791552A, 805546A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	045107A, 050714A, 084717A, 112162A, 149498A, 157212A, 210459A, 242004A, 243444A, 346909A, 386394A, 393507A, 412226A, 450142A, 453744A, 476802A, 488842A, 506377A, 537388A, 545618A, 618120A, 621802A, 659852A, 684509A, 720853A, 725716A, 793505A, 855467A, 858767A, 866173A, 867933A, 868344A, 908989A, 961006A, 980649A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	045424A, 184418A, 519509A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	045660B, 063895B, 127347B, 142193B, 151029B, 159827B, 199070B, 249991B, 276208B, 281696B, 323982B, 328523B, 352374B, 353154B, 389419B, 448196B, 466083B, 495632B, 552001B, 665190B, 692073B, 708410B, 730759B, 749128B, 832609B, 861349B, 863426B, 867742B, 876941B, 885700B, 901719B, 917653B, 917862B, 926977B, 940176B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	045897A, 053505A, 100424A, 106803A, 159580A, 165781A, 174535A, 209438A, 242595A, 280915A, 290380A, 292908A, 352817A, 388196A, 398498A, 400221A, 406528A, 408141A, 571660A, 636669A, 650109A, 655893A, 668772A, 669064A, 769651A, 777624A, 783316A, 879796A, 886745A, 894330A, 897075A, 912061A, 925007A, 950873A, 975835A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	047087B, 061038B, 070327B, 092956B, 099869B, 162385B, 170993B, 193876B, 282460B, 318397B, 321899B, 330327B, 370397B, 391915B, 428338B, 488520B, 499577B, 503810B, 605360B, 625325B, 667121B, 715861B, 737137B, 765542B, 822184B, 848057B, 853002B, 877854B, 917141B, 931594B, 939281B, 944156B, 974216B, 977999B, 982624	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	047134A, 095085A, 100690A, 121363A, 130780A, 169345A, 231162A, 247213A, 302166A, 306907A, 392897A, 395029A, 453710A, 477306A, 486339A, 495254A, 498295A, 513243A, 514150A, 562429A, 597567A, 661472A, 663838A, 713448A, 729152A, 802007A, 806836A, 843119A, 849799A, 870488A, 871674A, 874589A, 891306A, 953505A, 982050A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	047799A, 052404A, 058963A, 115702A, 127767A, 131006A, 161511A, 194873A, 231020A, 239594A, 249857A, 255997A, 256247A, 264455A, 297843A, 369415A, 388068A, 478955A, 510933A, 543269A, 587533A, 627007A, 642764A, 665541A, 670009A, 706051A, 708522A, 724977A, 761142A, 848400A, 853531A, 870922A, 893323A, 958475A, 975922A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	049722A, 311172A, 488938A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	050449A, 056574A, 064867A, 085858A, 087554A, 109292A, 210320A, 242288A, 265348A, 267357A, 311545A, 337844A, 342413A, 422199A, 430175A, 438690A, 467661A, 470007A, 472809A, 542622A, 599361A, 607843A, 629755A, 685557A, 714806A, 737431A, 772880A, 778552A, 781175A, 791007A, 803776A, 896581A, 908951A, 921493A, 946300A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	051617B, 137462B, 151005B, 210774B, 260336B, 264434B, 283539B, 294309B, 294982B, 315317B, 352731B, 354406B, 374073B, 429679B, 447705B, 458615B, 480203B, 528638B, 535984B, 545045B, 550410B, 551553B, 574889B, 579794B, 599975B, 625225B, 674160B, 716297B, 795671B, 805538B, 814576B, 867813B, 953526B, 979299B, 988921B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	051784B, 127779B, 130397B, 138691B, 216489B, 238036B, 269103B, 285114B, 317648B, 319324B, 355361B, 361686B, 402519B, 404383B, 416563B, 421126B, 443282B, 452020B, 475416B, 546525B, 585380B, 614778B, 628584B, 649786B, 650558B, 656200B, 696700B, 703199B, 715597B, 784614B, 796384B, 840326B, 883052B, 977920B, 996486B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	053451A, 062360A, 082390A, 096938A, 115363A, 159420A, 167736A, 172567A, 198266A, 241239A, 241606A, 255321A, 271976A, 287584A, 373598A, 448747A, 471770A, 496453A, 509718A, 575552A, 593508A, 608779A, 624439A, 702362A, 708622A, 708739A, 742210A, 759787A, 772377A, 831105A, 839871A, 898536A, 914148A, 961260A, 962882A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	054792B, 056573B, 063797B, 071680B, 095599B, 148124B, 182354B, 233578B, 244315B, 252467B, 294004B, 308054B, 354927B, 425418B, 471292B, 486641B, 495270B, 497273B, 510744B, 512040B, 582929B, 624606B, 684268B, 684534B, 686981B, 723080B, 758986B, 759613B, 781835B, 867179B, 905367B, 926198B, 948410B, 950726B, 985929B	HDPE bottles: 35 mL	8/31/2022

Research Triangle Institute	055009B, 068662B, 109890B, 138567B, 152636B, 183525B, 215435B, 253021B, 276264B, 301822B, 332249B, 386232B, 445096B, 448930B, 453688B, 564897B, 614692B, 667808B, 695175B, 697980B, 735927B, 740060B, 752083B, 752334B, 753608B, 769607B, 780331B, 790953B, 829690B, 839976B, 894771B, 940975B, 944763B, 953416B, 978962B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	056093A, 078330A, 085572A, 090449A, 099244A, 150384A, 166367A, 252680A, 279582A, 297003A, 324442A, 345368A, 360400A, 366430A, 373701A, 386937A, 468843A, 479978A, 542542A, 579244A, 609027A, 631302A, 650586A, 753003A, 757202A, 759422A, 814908A, 837569A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	057321B, 101475B, 168714B, 183117B, 183683B, 201419B, 201954B, 225019B, 334046B, 385552B, 433118B, 495579B, 528075B, 541791B, 588992B, 610992B, 650979B, 676140B, 676599B, 694912B, 715448B, 739506B, 745221B, 766468B, 769268B, 769555B, 775780B, 827742B, 845598B, 879975B, 886145B, 887195B, 908268B, 923406B, 939968B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	057932B, 085895B, 093192B, 110619B, 111563B, 113976B, 274062B, 291204B, 293274B, 305051B, 339589B, 346040B, 366415B, 376721B, 379592B, 381524B, 392562B, 408614B, 408798B, 421727B, 457066B, 496976B, 501959B, 526462B, 534071B, 561642B, 595349B, 596036B, 696912B, 698706B, 789423B, 891267B, 911936B, 981309B, 996068B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	057998A, 078191A, 088123A, 089209A, 113682A, 131667A, 132381A, 216930A, 231123A, 233602A, 245262A, 252938A, 320764A, 365348A, 373904A, 416797A, 417256A, 432533A, 465179A, 517264A, 585543A, 639314A, 730233A, 735279A, 753946A, 781743A, 782286A, 788641A, 807862A, 809648A, 842572A, 892415A, 914558A, 926795A, 965716A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	0584, 7232, 6089, 8785, 7227, 8588, 7541, 4336, 1817, 0737, 5340, 2985, 8470, 3501, 7362, 6850, 5497, 4097, 2479, 1536, 7431, 9541, 1585, 8534, 2113, 9789, 2482, 1013, 1483, 8092, 6365, 2209, 5434, 4035, 9222, 9674, 5622, 3806, 1798, 9820	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	059303A, 062576A, 065217A, 066735A, 067213A, 090037A, 096220A, 148406A, 154647A, 160079A, 212888A, 219226A, 308948A, 309485A, 313847A, 329616A, 452140A, 478254A, 554143A, 586126A, 629760A, 650989A, 699638A, 742225A, 799101A, 826111A, 860419A, 867204A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	060026A, 099165A, 375409A, 621283A, 664602A, 828729A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	060346A, 152550A, 158644A, 177612A, 179433A, 205591A, 243762A, 251230A, 291059A, 349865A, 367163A, 373327A, 588588A, 595808A, 597291A, 599248A, 603697A, 643932A, 654943A, 670850A, 688542A, 712369A, 755953A, 763946A, 784664A, 799362A, 806657A, 809349A, 849376A, 886748A, 899325A, 914294A, 945762A, 983101A, 997274A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	060903A, 066052A, 114124A, 117983A, 120937A, 176850A, 178740A, 205941A, 288053A, 332252A, 344224A, 360708A, 374198A, 422400A, 425437A, 433881A, 435267A, 441171A, 469798A, 490186A, 582615A, 588726A, 603400A, 614110A, 636301A, 647368A, 670612A, 712447A, 720119A, 750062A, 816568A, 825835A, 902046A, 926199A, 997658A	HDPE bottle: 35 mL	8/31/2022
Research Triangle Institute	063770B, 096634B, 177319B, 206691B, 239220B, 283761B, 295759B, 301477B, 342504B, 349019B, 352604B, 422688B, 423260B, 445947B, 450784B, 454576B, 516630B, 530995B, 569440B, 574917B, 601281B, 614108B, 648679B, 766211B, 772362B, 833299B, 846264B, 863815B, 874549B, 879911B, 947492B, 952623B, 979839B, 984586B, 987631B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	064350B, 111818B, 142093B, 150369B, 192825B, 206183B, 229911B, 232179B, 235916B, 250390B, 261504B, 270322B, 289380B, 383794B, 407718B, 419003B, 430346B, 439076B, 460164B, 495135B, 513014B, 523974B, 543513B, 587458B, 596226B, 726602B, 761275B, 821842B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	070656A, 305445A, 640404A, 461711A, 097722A, 591336A, 171617A, 500137A, 393854A, 837252A, 231882A, 735325A, 220209A, 110171A, 652579A, 627869A, 261468A, 421502A, 332751A, 384813A, 196435A	HDPE bottle: 35 mL	11/9/2023
Research Triangle Institute	072591A, 278838A, 375442A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	073424B, 089630B, 113738B, 147129B, 149203B, 155527B, 308999B, 375599B, 395923B, 404613B, 456664B, 472084B, 492144B, 519562B, 521431B, 563979B, 587346B, 587439B, 616084B, 624230B, 719212B, 737389B, 739310B, 778279B, 820447B, 821655B, 838299B, 844301B, 879781B, 916197B, 916473B, 945654B, 954362B, 978856B, 989396B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	078337A, 094655A, 171683A, 231500A, 242343A, 255358A, 259428A, 285164A, 350887A, 356235A, 357535A, 362983A, 423120A, 428327A, 520717A, 535649A, 597268A, 627447A, 632507A, 665825A, 677537A, 678793A, 781659A, 785374A, 807857A, 825731A, 847532A, 856414A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	079582B, 088534B, 161341B, 163202B, 235027B, 256254B, 275848B, 294978B, 350150B, 353710B, 406911B, 420311B, 466940B, 467734B, 470011B, 494151B, 524866B, 531590B, 557100B, 558670B, 573548B, 581454B, 647019B, 712923B, 715145B, 778497B, 786937B, 801216B, 834200B, 849461B, 855910B, 878609B, 928044B, 972777B, 998673B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	079738A, 096466A, 128309A, 142384A, 275960A, 292102A, 353862A, 382503A, 390449A, 394258A, 424520A, 437027A, 457166A, 462418A, 471533A, 501015A, 525775A, 528555A, 538347A, 556974A, 580809A, 641272A, 654382A, 665324A, 668923A, 721325A, 773903A, 779801A, 791095A, 792980A, 798843A, 811620A, 829479A, 901040A, 930728A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	085947B, 101534B, 207242B, 272650B, 307277B, 311076B, 371879B, 372646B, 377677B, 381096B, 414752B, 415862B, 420675B, 438158B, 480490B, 485430B, 532593B, 544253B, 551403B, 569804B, 605657B, 721833B, 732959B, 737790B, 743561B, 788855B, 800192B, 814187B, 814879B, 849073B, 865563B, 912962B, 954561B, 983055B, 996044B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	086387A, 091812A, 101377A, 135549A, 139005A, 174049A, 223716A, 240158A, 258738A, 262371A, 294375A, 336242A, 350542A, 360847A, 414209A, 474147A, 492327A, 495976A, 532911A, 569799A, 577298A, 595539A, 694617A, 714797A, 756271A, 816279A, 834696A, 843823A, 857589A, 874025A, 900079A, 917428A, 933361A, 959976A, 961602A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	090131A, 097354A, 138264A, 178556A, 188122A, 224836A, 275233A, 359780A, 373515A, 385159A, 449871A, 479516A, 488681A, 512630A, 517906A, 551095A, 553247A, 564444A, 567738A, 601099A, 602445A, 627105A, 644668A, 664389A, 678968A, 694271A, 695756A, 740821A, 755475A, 802906A, 880903A, 889880A, 905783A, 908234A, 963707A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	090789A, 095651A, 125683A, 129454A, 135041A, 153922A, 158173A, 224481A, 230242A, 268597A, 270159A, 315492A, 336858A, 367401A, 375696A, 392710A, 419376A, 470138A, 505082A, 521512A, 556844A, 559093A, 570037A, 590228A, 597481A, 656109A, 689495A, 828599A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	092668A, 547625A, 648748A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	096635A, 758482A, 887095A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	097620B, 126231B, 130645B, 140942B, 183863B, 211639B, 227565B, 296152B, 315862B, 397670B, 401339B, 413701B, 421646B, 441994B, 470019B, 495907B, 519876B, 571274B, 591979B, 603808B, 640006B, 707710B, 732958B, 754367B, 761483B, 798235B, 847702B, 850137B, 867981B, 886437B, 909518B, 934713B, 950118B, 951285B, 972965B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	098002A, 102381A, 124108A, 152851A, 177776A, 182901A, 196566A, 212602A, 231750A, 231973A, 258736A, 262333A, 288268A, 317072A, 321030A, 321563A, 335862A, 365411A, 368728A, 373247A, 390722A, 431486A, 511524A, 598758A, 620045A, 631589A, 654311A, 670320A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	101562B, 166440B, 180129B, 189270B, 192127B, 207800B, 219602B, 261013B, 306066B, 313000B, 338628B, 347605B, 355708B, 378507B, 417902B, 496349B, 510899B, 554520B, 621404B, 649518B, 667397B, 669450B, 683639B, 691723B, 833683B, 847988B, 849629B, 868176B, 876062B, 907224B, 911561B, 953896B, 964173B, 965464B, 988120B	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	102616A, 450013A, 946359A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	103297A, 140428A, 160243A, 190484A, 232682A, 321066A, 338095A, 350482A, 389177A, 406242A, 433873A, 486312A, 533144A, 539624A, 548067A, 551156A, 566668A, 574310A, 613822A, 618651A, 619009A, 624517A, 672896A, 675419A, 750686A, 753861A, 754854A, 817547A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	107729A, 313834A, 631923	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	107834A, 143875A, 172166A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	11-Nor-9-carboxy-delta-9 THC Blood Standards Kit.	Kit Containing: 18-21 mL Ampules; 1-5 mL Ampule	10/26/1981
Research Triangle Institute	11-Nor-9-carboxy-delta-9 THC Plasma Standards Kit.	Kit Containing: 18-21 mL Ampules; 1-5 mL Ampule	10/26/1981

Research Triangle Institute	12198-02-02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-01	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-24-03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-39-01	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-01	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-02	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-02	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-03	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-03	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-04	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-04	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-05	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-05	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-06	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-06	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-07	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-07	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-08	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-08	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-09	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-09	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-10	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-10	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-11	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-11	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-12	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-12	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-51-06	Glass tube: 10 mL	9/17/2020
Research Triangle Institute	12198-9-4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12514A, 252003A, 576163A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	126688A, 237853A, 846903A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	127229B, 128552B, 186751B, 245406B, 254308B, 267648B, 356600B, 364953B, 394628B, 428549B, 429095B, 465451B, 503385B, 519891B, 528673B, 585712B, 609765B, 612476B, 672603B, 690626B, 713802B, 716561B, 718555B, 755516B, 764329B, 803519B, 817059B, 819021B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	130762A, 154563A, 157257A, 159116A, 166529A, 177949A, 184449A, 251800A, 268475A, 281212A, 281322A, 296888A, 299371A, 333895A, 336620A, 390480A, 474434A, 495504A, 496123A, 510677A, 520200A, 569035A, 632096A, 651807A, 680550A, 683918A, 703451A, 755155A, 767449A, 857443A, 883387A, 930730A, 956868A, 966987A, 998960A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	133028A, 339095A, 479015A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	139918A, 187163A, 234674A, 510310A, 781715A, 966252A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	1528, 0163, 5031, 0794, 5451, 0162, 8278, 0591, 9198, 4523, 1291, 6754, 5320, 0707, 1631, 7307, 8879, 8286, 1357, 8197, 6745, 5369, 1120, 8671, 6318, 4291, 2069, 6628	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	1528, 0163, 5031, 0794, 5451, 0162, 8278, 0591, 9198, 4523, 1291, 6754, 5320, 0707, 1631, 7307, 8879, 8286, 1357, 8197, 6745, 5369, 1120, 8671, 6318, 4291, 2069, 6628	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	167835A, 171340A, 341164A, 389569A, 615839A, 751723A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	1863, 6097, 4548, 0522, 0770, 4471, 1926, 9137, 9900, 7602, 4357, 5713, 1735, 9959, 2090, 4143, 0065, 7610, 5720, 5862, 5445, 3509, 3946, 3097, 1667, 7634, 4320, 7875	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	1863, 6097, 4548, 0522, 0770, 4471, 1926, 9137, 9900, 7602, 4357, 5713, 1735, 9959, 2090, 4143, 0065, 7610, 5720, 5862, 5445, 3509, 3946, 3097, 1667, 7634, 4320, 7875	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	1875, 0491, 9689, 6538, 0079, 2442, 7757, 5509, 7884, 9194, 7788, 2314, 9220, 9754, 6764, 5178, 4395, 4660, 6515, 4421, 2335, 1403, 6991, 1506, 5575, 9413, 3548, 7003	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	188942A, 217551A, 900195A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	2019 PM-01	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-02	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-03	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-04	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-05	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-06	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-07	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-08	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-09	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-10	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-11	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-12	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-13	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-14	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-15	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-16	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-17	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-18	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-19	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-20	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-21	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-22	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-23	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-24	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-25	HDPE bottle: 65 mL	1/17/2019

Research Triangle Institute	2019 PM-26	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-27	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-28	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-29	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-30	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-31	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-32	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-33	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-34	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-35	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-36	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-37	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-38	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-39	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-40	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-41	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-42	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-43	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-44	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-45	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-46	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-47	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-48	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-49	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-50	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-51	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-52	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-53	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-54	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-55	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-56	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-57	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-58	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-59	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-60	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	220746A, 282236A, 320626A, 686777A, 832150A, 904511A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	221364B, 390675B, 507866B, 712211B, 712252B, 712345B, 712683B, 713190B, 810388B, 856569B, 868311B, 868699B, 868924B, 868980B, 870147B, 891514B, 891598B, 892082B, 892172B, 902446B, 902467B, 902503B, 902649B, 913028B, 913101B, 913984B, 914079B, 914231B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	227434A, 485738A, 635335A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	2445, 2418, 1531, 2593, 9097, 7685, 3929, 8959, 1880, 8365, 9868, 2275, 3939, 2634, 3006, 7911, 3613, 2241, 5147, 2992, 2858, 2538, 4683, 4151, 9963, 3178, 8988, 4316	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	262153A, 477682A, 521760A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	2834, 9226, 1515, 0232, 0644, 6076, 3899, 9010, 8571, 2123, 8396, 8289, 2998, 1364, 0146, 0458, 1889, 3789, 5592, 6742, 4331, 7614, 5948, 0194, 7417, 7946, 9578, 7574	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	2834, 9226, 1515, 0232, 0644, 6076, 3899, 9010, 8571, 2123, 8396, 8289, 2998, 1364, 0146, 0458, 1889, 3789, 5592, 6742, 4331, 7614, 5948, 0194, 7417, 7946, 9578, 7574	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	2873, 9921, 1910, 5451, 9674, 4055, 4201, 0728, 7321, 0802, 0444, 1871, 6745, 2850, 6439, 1011, 4630, 0574, 8294, 8286, 1270, 8908, 8845, 2075, 5843, 7391, 3817, 8272	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	3370, 1411, 5883, 5713, 8800, 3630, 8683, 4541, 8161, 0359, 9704, 2184, 0341, 2901, 0790, 6548, 3466, 0352, 5288, 8594, 0279, 8762, 3687, 2819, 8743, 7197, 5064, 0199, 1609, 8643, 6467, 2245, 0706, 0147, 6876, 3732, 9314, 1059, 8245, 8685	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	3552, 2343, 6236, 5804, 5532, 9189, 3854, 7941, 3218, 9182, 6637, 5477, 4561, 1511, 3373, 2738, 9878, 5081, 1459, 3020, 9236, 0319, 8178, 2341, 0488, 2609, 6457, 4025	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	3552, 2343, 6236, 5804, 5532, 9189, 3854, 7941, 3218, 9182, 6637, 5477, 4561, 1511, 3373, 2738, 9878, 5081, 1459, 3020, 9236, 0319, 8178, 2341, 0488, 2609, 6457, 4025	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	374245A, 533051A, 546156A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	3874, 7057, 3994, 9254, 3161, 9393, 9464, 6013, 8497, 0718, 5908, 0399, 0156, 1952, 0951, 4227, 7325, 5056, 8752, 4724, 6503, 4844, 9997, 8885, 2906, 9958, 9857, 6379	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	392034A, 523827A, 887757A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	4118, 3472, 9120, 3742, 9323, 4475, 5116, 7455, 3780, 9052, 4910, 2630, 6141, 9351, 5220, 2730, 6408, 3560, 4063, 0427, 0669, 8350, 9163, 6359, 0113, 1893, 4552, 2951, 1357, 8372, 9203, 3150, 9587, 9290, 4399, 2454, 2468, 7560, 6645, 8756	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	4409, 5323, 2740, 4133, 3318, 8028, 5110, 0750, 2229, 3845, 2202, 8276, 9748, 0469, 8799, 8805, 1945, 6877, 9978, 4463, 5518, 1748, 6945, 5315, 5807, 7406, 5321, 5467	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	4409, 5323, 2740, 4133, 3318, 8028, 5110, 0750, 2229, 3845, 2202, 8276, 9748, 0469, 8799, 8805, 1945, 6877, 9978, 4463, 5518, 1748, 6945, 5315, 5807, 7406, 5321, 5467	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	4761, 2869, 4267, 9207, 1568, 8723, 7042, 6810, 0605, 7181, 8624, 0015, 5050, 7046, 3626, 7515, 9023, 8821, 6767, 0861, 0689, 5934, 2105, 2006, 1040, 5645, 2749, 7908, 9154, 8450, 5251, 6608, 3152, 9027, 2731, 7530, 1329, 0320, 5833, 7580	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	4897, 4580, 7563, 5311, 6146, 3382, 5454, 1822, 0531, 5748, 5788, 2123, 5028, 3916, 4816, 8241, 1417, 1486, 6346, 9595, 9358, 7058, 5254, 9662, 7712, 6848, 1856, 2497	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	4946, 2135, 7589, 456, 2617, 2224, 5066, 4134, 9514, 0206, 2691, 2807, 1571, 2201, 0943, 6995, 1299, 3729, 9561, 2552, 1248, 7138, 1634, 0813, 6352, 3567, 2017, 6701, 6915, 4448, 1967, 3179, 2480, 5144, 8826, 5515, 0949, 6109, 4040, 8632	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	501410A, 716724A, 852982A	HDPE bottles: 35 mL	8/31/2022
Research Triangle Institute	5198, 2869, 0551, 2122, 7849, 9436, 9321, 5277, 1548, 5540, 9695, 9611, 5355, 8593, 1759, 3204, 6361, 8433, 0474, 1905, 8867, 1700, 3239, 9511, 8812, 1144, 5744, 1433	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	530509B, 530560B, 530633B, 530738B, 530779B, 531694B, 532493B, 532678B, 532723B, 532929B, 532987B, 533116B, 533365B, 533408B, 549296B, 549351B, 550014B, 550027B, 550444B, 550455B, 858931B, 859080B, 859592B, 859714B, 875852B, 876395B, 876520B, 876977B	HDPE bottles: 35 mL	12/10/2020

Research Triangle Institute	530871B, 530915B, 530967B, 531400B, 983004B, 983558B, 983611B, 984039B, 984260B, 984993B, 985092B, 985607B, 985788B, 985854B, 985861B, 986647B, 986945B, 987138B, 987391B, 987447B, 987664B, 987874B, 987888B, 987931B, 987968B, 988260B, 988974B, 989064B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	5385, 7935, 8044, 6617, 0660, 7506, 5313, 8997, 1265, 7682, 0129, 7688, 7462, 7221, 8472, 7748, 5556, 8788, 9335, 8764, 8986, 0564, 5094, 3025, 1195, 1314, 9226, 9676	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	5588, 6197, 3054, 9950, 6857, 5645, 3100, 6776, 2206, 2642, 4399, 5542, 3027, 4703, 1928, 5305, 9202, 6814, 9207, 8114, 0905, 3242, 3643, 3212, 4322, 8737, 4285, 7767	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5588, 6197, 3054, 9950, 6857, 5645, 3100, 6776, 2206, 2642, 4399, 5542, 3027, 4703, 1928, 5305, 9202, 6814, 9207, 8114, 0905, 3242, 3643, 3212, 4322, 8737, 4285, 7767	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5641, 5304, 8067, 5519, 8598, 4067, 6766, 5611, 9464, 6937, 2928, 5789, 2778, 0856, 8752, 1895, 6332, 9360, 6883, 5622, 8846, 6460, 6769, 1715, 2253, 2066, 0623, 5695	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5641, 5304, 8067, 5519, 8598, 4067, 6766, 5611, 9464, 6937, 2928, 5789, 2778, 0856, 8752, 1895, 6332, 9360, 6883, 5622, 8846, 6460, 6769, 1715, 2253, 2066, 0623, 5695	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5801, 4489, 1238, 4813, 5132, 8219, 2378, 6971, 5815, 1211, 3479, 6390, 2905, 1299, 6975, 1478, 2450, 0959, 6686, 1263, 8699, 2435, 2844, 6276, 3113, 7775, 0262, 8332	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	6029, 1473, 6352, 8580, 0229, 2357, 6333, 4787, 2168, 9168, 4497, 8584, 0601, 7771, 4038, 4708, 7157, 4701, 3308, 7803, 3857, 8179, 5032, 0282, 2071, 3995, 8316, 8123	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	6029, 1473, 6352, 8580, 0229, 2357, 6333, 4787, 2168, 9168, 4497, 8584, 0601, 7771, 4038, 4708, 7157, 4701, 3308, 7803, 3857, 8179, 5032, 0282, 2071, 3995, 8316, 8123	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	608381A, 713777A, 916068A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	6495, 5923, 8551, 3310, 3046, 2092, 9729, 6528, 4762, 2015, 0919, 9091, 9048, 1971, 5309, 6773, 6833, 3285, 1777, 9077, 3385, 9083, 8835, 8011, 6406, 5361, 9955, 7379	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	6673, 1920, 9080, 9040, 1769, 9824, 8015, 4813, 1535, 4285, 5824, 7430, 3338, 2989, 2743, 1537, 6009, 4808, 0243, 7097, 5533, 6638, 3414, 8238, 2573, 6806, 3959, 7896, 3448, 5652, 5273, 1341, 1063, 6664, 9471, 7136, 3571, 8916, 8617, 8946	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	7155, 9763, 5721, 5161, 0009, 8118, 7420, 0527, 4415, 6892, 6896, 8988, 6477, 9903, 6688, 0292, 9380, 4579, 9601, 7337, 1518, 2189, 8886, 8880, 6963, 9446, 7721, 9988, 7688, 2525, 4017, 6826, 3426, 4128, 6270, 4207, 0646, 5741, 6086, 0528	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	7322, 7253, 6646, 5388, 8638, 5975, 6577, 0760, 5561, 4996, 1448, 0705, 8499, 5222, 7301, 1341, 4432, 5586, 5254, 9270, 8381, 4021, 6184, 8922, 9916, 9222, 4696, 1615	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	7346, 6862, 4782, 4446, 5514, 0921, 7947, 4671, 1904, 1426, 2496, 0609, 4743, 1788, 4611, 3032, 5630, 4625, 8916, 1749, 5274, 5286, 1987, 0358, 0018, 1419, 4918, 2677	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	7418-177-33.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	7418-190-37.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	7418-190-37.7	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	7583, 4208, 5546, 1032, 5390, 7456, 6561, 4733, 5570, 5895, 0977, 6629, 8603, 1443, 9762, 3759, 1045, 8682, 9494, 5229, 6117, 1839, 6131, 9705, 7929, 6730, 6079, 2222	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	7769, 7319, 1480, 8959, 4621, 4187, 7636, 5294, 0396, 1530, 3064, 3661, 3580, 0289, 8810, 2742, 1554, 4291, 6238, 1831, 3624, 3100, 5461, 3134, 9352, 1094, 0186, 3121	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	7938, 8287, 2990, 7693, 6858, 5995, 1929, 3740, 4461, 0196, 4271, 9853, 5024, 6378, 3409, 2702, 7629, 6194, 4553, 2871, 0203, 4812, 7073, 0834, 2732, 1841, 9545, 5063, 5062, 6234, 0210, 9740, 9472, 9938, 5122, 8677, 3537, 5198, 5977, 8203	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	7996, 8303, 1324, 1019, 3911, 6054, 9488, 4919, 9975, 5040, 3645, 3829, 2644, 8464, 3810, 6728, 5831, 0209, 3733, 6965, 1435, 1836, 7966, 3783, 6798, 4609, 2437, 2690	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	8091, 5164, 2843, 4209, 9480, 0616, 4044, 5012, 9026, 9924, 2453, 4598, 3552, 8862, 2797, 5386, 6134, 8780, 5724, 7227, 4562, 8717, 2765, 9710, 5422, 3768, 6830, 9116	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	844299B, 844769B, 845146B, 845279B, 845835B, 846243B, 846605B, 846748B, 846854B, 846982B, 847147B, 847224B, 847501B, 848062B, 848114B, 848466B, 848504B, 848721B, 848726B, 848943B, 848970B, 849164B, 849342B, 849500B, 849613B, 849749B, 850004B, 850298B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	8497, 8384, 3406, 0324, 6930, 3165, 1564, 8858, 4968, 8840, 7836, 9412, 9009, 0109, 0695, 0923, 0912, 3228, 6855, 5103, 8580, 4499, 8347, 7831, 8420, 2875, 6778, 6680, 9098, 1987, 6813, 6572, 9943, 6165, 0958, 5884, 1843, 2991, 3191, 1151	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	850891B, 850911B, 850921B, 851175B, 851226B, 851239B, 851402B, 851575B, 851644B, 851759B, 851825B, 852081B, 852210B, 852529B, 853344B, 853512B, 853694B, 855472B, 855769B, 856287B, 856366B, 856438B, 856598B, 856910B, 857242B, 857329B, 857516B, 857719B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	859765B, 860000B, 860033B, 860560B, 860737B, 861046B, 861211B, 862013B, 862385B, 862739B, 862860B, 862982B, 863476B, 863504B, 863564B, 863655B, 863813B, 864160B, 864314B, 864521B, 864603B, 864669B, 864734B, 864795B, 865030B, 865254B, 865262B, 865888B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	8692, 1782, 5257, 4638, 0555, 2494, 2079, 4606, 5871, 8239, 3884, 6678, 2339, 6963, 9813, 0725, 7068, 8990, 5734, 4159, 5253, 8400, 1491, 7394, 8292, 6468, 7745, 8694	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	8692, 1782, 5257, 4638, 0555, 2494, 2079, 4606, 5871, 8239, 3884, 6678, 2339, 6963, 9813, 0725, 7068, 8990, 5734, 4159, 5253, 8400, 1491, 7394, 8292, 6468, 7745, 8694	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	869355B, 869378B, 869496B, 869576B, 869888B, 870276B, 870348B, 871126B, 871166B, 871339B, 871669B, 872120B, 872494B, 872694B, 872905B, 873059B, 873151B, 873168B, 873171B, 873614B, 873729B, 873750B, 873915B, 874305B, 874574B, 874869B, 874905B, 875078B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	8708, 6562, 0068, 3678, 9710, 1272, 0544, 1611, 9422, 4088, 9677, 4893, 7960, 5185, 0254, 3738, 4998, 1117, 5521, 9626, 1639, 2639, 0049, 4764, 4261, 0165, 4057, 8202	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	8708, 6562, 0068, 3678, 9710, 1272, 0544, 1611, 9422, 4088, 9677, 4893, 7960, 5185, 0254, 3738, 4998, 1117, 5521, 9626, 1639, 2639, 0049, 4764, 4261, 0165, 4057, 8202	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	877889B, 877910B, 877939B, 878115B, 878229B, 878418B, 878434B, 878445B, 878549B, 878652B, 878754B, 878994B, 879051B, 879151B, 879286B, 879582B, 879652B, 880007B, 880094B, 880333B, 880350B, 880546B, 880629B, 880783B, 880959B, 881402B, 881509B, 881531B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	883053B, 883147B, 883400B, 883645B, 883736B, 883859B, 883876B, 884322B, 885479B, 885652B, 885673B, 886221B, 886882B, 887385B, 887528B, 887535B, 887629B, 887735B, 887970B, 888190B, 889174B, 889237B, 889738B, 889757B, 889927B, 889966B, 889999B, 890533B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	8843, 9686, 7201, 3147, 0982, 8023, 4238, 0948, 5857, 7311, 7179, 3010, 0343, 4800, 2365, 4904, 7828, 4636, 7104, 9243, 7282, 7110, 6666, 6884, 5992, 4905, 7761, 6716	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	892454B, 892487B, 892666B, 892721B, 892825B, 892924B, 893002B, 893113B, 893341B, 893364B, 893405B, 893521B, 893710B, 894079B, 894701B, 894749B, 895087B, 895582B, 895652B, 897712B, 897751B, 898755B, 898791B, 899460B, 899512B, 900377B, 901215B, 901356B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	902905B, 903101B, 903114B, 903340B, 904224B, 904397B, 904664B, 904669B, 905009B, 905203B, 905312B, 905429B, 906111B, 906975B, 907360B, 907687B, 907782B, 908226B, 908578B, 908768B, 908955B, 909043B, 909188B, 909881B, 910457B, 910646B, 910867B, 911118B	HDPE bottles: 35 mL	9/29/2020

Research Triangle Institute	914375B, 914585B, 914767B, 914948B, 914997B, 915329B, 915369B, 915494B, 916001B, 916758B, 916796B, 917402B, 917417B, 917595B, 917681B, 917832B, 917963B, 918225B, 918263B, 918607B, 918779B, 918783B, 918942B, 919153B, 919629B, 919880B, 920343B, 920567B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	922380B, 922406B, 922745B, 922783B, 922831B, 923186B, 923208B, 924201B, 924626B, 925089B, 925263B, 925701B, 925958B, 925993B, 926214B, 926417B, 926545B, 926762B, 927625B, 927760B, 928062B, 928629B, 928972B, 929139B, 929301B, 929745B, 930473B, 930832B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	932326B, 932465B, 932565B, 932764B, 932770B, 932801B, 933033B, 933148B, 933743B, 934233B, 934517B, 934522B, 934712B, 935074B, 935220B, 935358B, 935598B, 935769B, 935852B, 935883B, 936802B, 937653B, 937799B, 938341B, 938534B, 938633B, 939226B, 939430B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	940535B, 940539B, 940625B, 940978B, 941983B, 942264B, 942354B, 942385B, 942536B, 942855B, 942856B, 943007B, 943221B, 943258B, 943438B, 943781B, 943931B, 944191B, 944559B, 944951B, 945348B, 946133B, 946355B, 946870B, 947157B, 947551B, 947746B, 947885B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	948400B, 948553B, 948607B, 948814B, 948888B, 948979B, 949115B, 949248B, 949304B, 949557B, 949628B, 949985B, 950374B, 950427B, 950918B, 951025B, 951096B, 951262B, 951324B, 951613B, 951665B, 951976B, 952306B, 952550B, 952621B, 952728B, 952741B, 953076B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	9493, 8564, 6768, 1670, 2733, 0560, 7822, 7495, 1290, 4534, 6583, 3937, 6596, 2599, 9164, 5702, 8328, 9643, 5747, 1923, 0976, 3416, 1445, 3834, 3069, 7609, 6580, 3945, 1726, 2891, 4325, 8970, 7248, 1981, 3906, 0989, 3648, 7769, 4122, 9050	HDPE tubes: 5 mL	3/11/2021
Research Triangle Institute	955359B, 955772B, 955838B, 956682B, 957065B, 957270B, 957447B, 957475B, 957624B, 957636B, 957766B, 957997B, 958018B, 958019B, 958036B, 958160B, 959068B, 959196B, 959437B, 959451B, 959531B, 959814B, 959876B, 959967B, 960205B, 960438B, 960597B, 960766B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	961787B, 961958B, 962317B, 962451B, 962597B, 963038B, 963414B, 963445B, 963536B, 963575B, 963602B, 964270B, 964311B, 964801B, 965160B, 965215B, 965728B, 966246B, 967036B, 967265B, 967492B, 967945B, 968042B, 968173B, 968216B, 968643B, 968957B, 969013B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	9657-115-37.10	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-115-68.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-75.03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-75.2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-75.4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-76.02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-77.06	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-144-84.16	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-157-14	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-161-16.41	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-167-3.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-167-3.4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-1	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-4.1	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-186-48	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-188-1	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-188-3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-188-4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-191-02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-191-03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-196-06	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-196-07	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-196-08	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-197-02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-199-05	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-199-06	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-32-47.2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	971535B, 971652B, 971703B, 971731B, 972037B, 972216B, 972448B, 972481B, 972563B, 972739B, 973014B, 973535B, 974088B, 974103B, 974205B, 974339B, 974465B, 974515B, 974520B, 975298B, 975302B, 975362B, 975561B, 975885B, 976304B, 976432B, 976509B, 976993B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	978234B, 978343B, 978368B, 978398B, 978461B, 978740B, 979021B, 979155B, 979183B, 979241B, 979289B, 979710B, 979819B, 979896B, 979933B, 980066B, 980323B, 980486B, 980506B, 980542B, 980865B, 980927B, 980977B, 981116B, 981271B, 981352B, 981577B, 981770B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	990749B, 990936B, 990982B, 991035B, 991594B, 991604B, 992053B, 992342B, 992613B, 992773B, 992880B, 993142B, 993236B, 993385B, 993481B, 993559B, 993956B, 994274B, 994561B, 994769B, 997071B, 997221B, 997247B, 997581B, 997629B, 997901B, 997999B, 998129B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	999013A, 312215A, 734432A, 262784A, 582502A, 123434A, 033560A, 223771A, 049840A, 721033A, 794610A, 252497A, 222402A, 241916A	HDPE bottle: 35 mL	11/9/2023
Research Triangle Institute	DC20-01	Polyethylene bottle: 50 mL	3/30/2020
Research Triangle Institute	DC20-02	Polyethylene bottle: 50 mL	3/30/2020
Research Triangle Institute	DC20-03	Polyethylene bottle: 50 mL	3/30/2020
Research Triangle Institute	Delta-9 THC Blood Standards Kit	Kit Containing: 16-2 mL Ampules; 1-5 mL Ampule	10/26/1981
Research Triangle Institute	Delta-9 THC Plasma Standards Kit	Kit Containing: 16-2 mL Ampules; 1-5 mL Ampule	11/2/1981
Research Triangle Institute	Iodine Kit for Radioimmunoassay of 11-Nor-9-carboxy-delta-9 THC in Blood	Kit Containing: 26-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	10/26/1981
Research Triangle Institute	Iodine Kit for Radioimmunoassay of 11-Nor-9-carboxy-delta-9 THC in Plasma	Kit Containing: 24-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	10/26/1981
Research Triangle Institute	Iodine Kit for Radioimmunoassay of Delta-9 THC	Kit Containing:20-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	10/20/1980
Research Triangle Institute	Iodine Kit for Radioimmunoassay of Delta-9 THC in Blood	Kit Containing: 22-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	7/10/1981
Research Triangle Institute	OF19-01	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-02	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-03	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-04	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-05	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-06	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-07	Amber vial: 3 mL	1/14/2019

Research Triangle Institute	OF19-08	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-09	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-10	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-11	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-12	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-13	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-14	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-15	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF20-01	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-02	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-03	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-04	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-05	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-06	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-07	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-08	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-09	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-10	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-11	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-12	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-13	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-14	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-15	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF21-01	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-02	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-03	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-04	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-05	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-06	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-07	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-08	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-09	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-10	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-11	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-12	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-13	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-14	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-15	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF23-01	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-02	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-03	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-04	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-05	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-06	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-07	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-08	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-09	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-10	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-11	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-12	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-13	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-14	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-15	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	PM_2023	HDPE Bottle: 2,200 mL	3/20/2023
Research Triangle Institute	Tritium Kit for Radioimmunoassay of Delta-9 THC	Kit Containing: 20-1 mL Ampules; 2- 20 mL Vials; 2- 250 mL Bottles	6/27/1980
Research Triangle Institute	U6653, U6645, U6202, U6631, U6279, U6870, U6744, U6095, U6950, U6245, U6007, U6416, U6040, U6881, U6269, U6036, U6748, U6819, U6525, U6982, U6766, U6087, U6160, U6013, U6139, U6849, U6810, U6308, U6390, U6156	HDPE bottles: 25 mL	5/6/2024
Research Triangle Institute	U7551, U7354, U7887, U7560, U7561, U7495, U7332, U7622, U7635, U7938, U7527, U7932, U7574, U7147, U7983, U7218, U7866, U7797, U7434, U7235, U7215, U7425, U7629, U7223, U7595, U7856, U7105, U7840, U7925, U7086	HDPE bottles: 25 mL	5/6/2024
Restek Corporation	(+/-) 11-nor-9-carboxy-delta-9-THC Standard	Glass ampule: 2 mL	6/26/2007
Restek Corporation	(+/-)-11-nor-9-carboxy-delta-9-THC Standard	Ampule: 1.3 mL	2/11/2014
Restek Corporation	(6aR, 9R)-Δ10-THC Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	+Methamphetamine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	11-nor-delta-9-THC-carboxylic acid	Ampule: 2 mL	1/8/1993
Restek Corporation	3,4-MDA HCl Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	3,4-MDEA HCl Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	3,4-MDMA HCl Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	8270 Supplemental Standard #1	Ampule: 2 mL	12/13/2012
Restek Corporation	9(S)- Δ6a, 10a-THC Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	9R-HHC Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	9S-HHC Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Alprazolam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Amobarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Amphetamine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Appendix IX Mix #1	Ampule: 2 mL	8/3/2000
Restek Corporation	Appendix IX Mix #1	Glass ampule: 2 mL	6/12/2007
Restek Corporation	Appendix IX Mix #1, Revised	Ampule: 2 mL	9/9/2011
Restek Corporation	Aprobarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Barbital Standard	Ampule: 2 mL	1/8/1993

Restek Corporation	Benzoylecgonine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Benzphetamine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Bromazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Butabarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Butalbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Cannabichromene Standard	Glass ampule: 2 mL	4/15/2011
Restek Corporation	Cannabidiol Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Cannabidiolic Acid (CBDA) Standard	Ampule: 1.3 mL	1/28/2014
Restek Corporation	Cannabidivarin (CBDV) Standard	Glass ampule: 1.3 mL	1/17/2019
Restek Corporation	Cannabidolic Acid (CBDA) Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	5/18/2018
Restek Corporation	Cannabigerol Standard	Glass ampule: 2 mL	4/15/2011
Restek Corporation	Cannabigerolic Acid (CBGA) Standard	Glass ampule: 1.3 mL	1/17/2019
Restek Corporation	Cannabinoids 11 (1000) standard	Glass Vial, 0.7 mL	5/15/2025
Restek Corporation	Cannabinoids 11 (1000) standard	Glass Vial, 0.5 mL	5/15/2025
Restek Corporation	Cannabinoids 11 (1000) standard	Glass Vial: 0.6 mL	5/15/2025
Restek Corporation	Cannabinoids 11 (250) Standard	Glass ampoule: 1.3 mL	1/30/2025
Restek Corporation	Cannabinoids Acids 7 Standard	Glass ampule: 1.3 mL	3/31/2021
Restek Corporation	Cannabinoids Acids 8 Standard	Glass ampule: 1.3 mL	7/1/2020
Restek Corporation	Cannabinoids Neutrals 8 Standard	Glass ampule: 1.3 mL	9/16/2020
Restek Corporation	Cannabinoids Neutrals 9 Standard	Glass Ampule: 1.3 mL	10/29/2019
Restek Corporation	Cannabinoids Standard, 1000 µg/mL	Glass ampule: 2 mL	12/20/2010
Restek Corporation	Cannabinol Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Chloral Hydrate, Cat. # 30609	Glass ampule: 2 mL	8/24/2004
Restek Corporation	Chlordiazepoxide Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Clobazam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Clonazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Cocaethylene Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	Cocaethylene Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Cocaine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Codeine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Custom LS2080 Mix #1	Glass ampule: 2 mL	8/20/2008
Restek Corporation	Custom 8270/625 Custom Mix #4, Cat. # 553473	Glass ampule: 2 mL	1/6/2003
Restek Corporation	Custom a,a-Dimethylphenethylamine Standard	Ampule: 2 mL	8/26/2011
Restek Corporation	Custom Acetate & Aldehyde Standard	Glass ampule: 1.3 mL	12/15/2021
Restek Corporation	Custom Appendix IX Standard #2	Glass ampule: 1.3 mL	11/24/2020
Restek Corporation	Custom Cannabinoids Acids 6 Standard	Custom Cannabinoids Acids 6 Standard	4/3/2024
Restek Corporation	Custom Chloral Hydrate Standard	Ampule: 2 mL	8/11/2011
Restek Corporation	Custom Chloral Hydrate Standard	Glass ampule: 1.3 mL	3/25/2019
Restek Corporation	Custom Controlled Substance Check Mix	Ampule: 2 mL	9/22/2008
Restek Corporation	Custom Controlled Substance Standard	Ampule: 2 mL	9/29/2008
Restek Corporation	Custom Controlled Substance Test Mix	Glass ampule: 2 mL	3/10/2010
Restek Corporation	Custom CPC Standard #2	Glass ampule: 1.3 mL	10/2/2019
Restek Corporation	Custom d-9-THC-TMS Derivative Standard, Catalog # 559938	Glass ampule: 2 mL	3/7/2006
Restek Corporation	Custom D-Methamphetamine Standard	Glass Ampule: 1.3 mL	4/15/2021
Restek Corporation	Custom Dromostanolone Propionate Standard	Ampule: 2 mL	7/10/2009
Restek Corporation	Custom Drug Test Mix	Glass ampule: 2 mL	4/21/2008
Restek Corporation	Custom Drug Test Mix	Glass ampule: 2 mL	8/13/2010
Restek Corporation	Custom EDC Standard #1 100 µg/mL	Glass ampule: 1.3 mL	4/19/2024
Restek Corporation	Custom EDC Standard #2 50 µg/mL	Glass ampule: 1.3 mL	4/19/2024
Restek Corporation	Custom Estazolam Standard	Ampule: 2 mL	9/15/2008
Restek Corporation	Custom Halogenated Nitriles Standard	Ampule: 1.3 mL	4/20/2018
Restek Corporation	Custom Heroin Standard	Glass ampule: 1.3 mL	3/8/2022
Restek Corporation	Custom Hormones #1 Standard	Glass ampoule: 1.3 mL	6/18/2024
Restek Corporation	Custom Instrument Calibration Standard	Ampule: 2 mL	3/3/2009
Restek Corporation	Custom LCMS Mix 1 & 2	Glass ampule: 2 mL	9/8/2010
Restek Corporation	Custom LS4434 Standard	Glass ampule: 2 mL	9/17/2009
Restek Corporation	Custom LS4434 Standard 1	Ampule: 2 mL	5/7/2012
Restek Corporation	Custom Meprobamate Standard	Glass Ampoule: 5 mL	8/14/2025
Restek Corporation	Custom Midazolam Standard	Ampule: 2 mL	9/15/2008
Restek Corporation	Custom Nandrolone Cypionate Standard	Ampule: 2 mL	7/10/2009
Restek Corporation	Custom NSF 401 Group #1.2 Standard	Glass ampule: 1.3 mL	12/14/2021
Restek Corporation	Custom Oxazepam Standard	Glass Ampule: 1.3 mL	11/14/2019
Restek Corporation	Custom Pesticide Standard #15	Glass Ampule: 1.3 mL	3/26/2020
Restek Corporation	Custom Pesticides Standard #1	Glass vial: 1.3 mL	5/22/2013
Restek Corporation	Custom Pharmaceuticals Standard #1	Glass ampule: 1.3 mL	9/29/2021
Restek Corporation	Custom Pharmaceuticals Standard #2	Glass ampule: 2 mL	11/19/2009
Restek Corporation	Custom Pharmaceuticals Standard #3	Glass ampule: 1.3 mL	8/30/2021
Restek Corporation	Custom Phenoxyacetic acid Herbs 1 Standard	Glass ampoule: 1.3 mL	9/27/2024
Restek Corporation	Custom Rev Appendix IX Kit/ Ampule 2	Ampule: 5.4 mL	7/1/2013
Restek Corporation	Custom Rev Appendix IX Kit/ Ampule 2	Glass ampule: 2 mL	3/10/2010
Restek Corporation	Custom Revised Appendix IX Add On Kit / Ampule #2	Glass ampule: 2 mL	5/30/2007
Restek Corporation	Custom Revised Appendix IX Mix #1	Glass vial: 1.3 mL	2/14/2013
Restek Corporation	Custom Testosterone Standard	Glass ampule: 2 mL	11/19/2009
Restek Corporation	Custom Testosterone-17B-cypionate Standard	Ampule: 2 mL	5/6/2009
Restek Corporation	Custom Tramadol HCl Standard 1000 µg/mL	Glass ampule: 1.3 mL	6/3/2024
Restek Corporation	Custom Trenbolone Acetate Standard	Ampule: 2 mL	7/10/2009
Restek Corporation	Delta-8-Tetrahydrocannabinol (THC) Standard	Glass ampule: 2 mL	4/15/2011
Restek Corporation	delta-8-Tetrahydrocannabinol (THC) Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Delta-9-THC Standard	Ampule: 1.3 mL	2/11/2014

Restek Corporation	Delta-9-THC Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Derivatised THC, Catalog # G1540-85010	Glass ampule: 2 mL	9/13/2006
Restek Corporation	Desmethyl Diazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Diazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	dl-Glutethimide Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	d-Propoxyphene Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Ecgonine HCl Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Ecgonine Methyl Ester Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Endoctrine Disruptors Standard #3	Ampule: 1.3 mL	4/9/2014
Restek Corporation	EPA 539 Calibration Stock Standard	Glass ampule: 2 mL	5/9/2011
Restek Corporation	EPA Exempt Mix #1	Ampule: 1.25 mL	3/18/1994
Restek Corporation	EPA Exempt Mix #1	Glass ampule: 2 mL	6/12/2007
Restek Corporation	EPA Exempt Mix #2	Ampule: 1.25 mL	3/18/1994
Restek Corporation	EPA Exempt Mix #3	Ampule: 1.25 mL	3/18/1994
Restek Corporation	Ethylmorphine HCl Standard	Ampule: 2 mL	8/9/2007
Restek Corporation	Exo-THC Standard (1000 µg/mL in Methanol)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Fenfluramine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Fentanyl Citrate Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Fentanyl Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Flunitrazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Flurazepam Dihydrochloride Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Forensic Drug Screen Internal Standard Solution 1 rev A	Glass ampule: 2 mL	6/12/2007
Restek Corporation	Forensic Drug Screen System Test Mixture 1 rev A	Glass ampule: 2 mL	6/12/2007
Restek Corporation	GHB Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Hexobarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Hormones Mix (Rev. 2)	Glass ampule: 1.3 mL	6/29/2018
Restek Corporation	HPLC 18 Component Drug Test Mix	Glass ampule: 2 mL	5/9/2011
Restek Corporation	Hydrocodone Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Hydromorphone HCl Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	LAMPA Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Levorphanol Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Lorazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	LS4434 Mix #1	Ampule: 2 mL	8/29/2007
Restek Corporation	LSD Standard, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	4/26/2007
Restek Corporation	LSD Standard, 25 µg/mL in Acetonitrile	Glass ampule: 2 mL	4/26/2007
Restek Corporation	Medazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Meperidine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Mephobarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Meprobamate Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Metabolomic Standard Mix #1	Ampule: 2 mL	1/4/2012
Restek Corporation	Methadone Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Methaqualone HCl Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	Methohexital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Methyprylon Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Morphine and Hydromorphone Standard	Ampule: 1.3 mL	11/15/2013
Restek Corporation	Morphine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Nitrazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	OF24-01	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-02	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-03	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-04	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-05	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-06	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-07	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-08	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-09	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-10	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-11	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-12	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-13	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-14	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-15	HDPE vials: 3 mL	1/31/2024
Restek Corporation	Oxazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Oxycodone HCl Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Oxymorphone Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	Pentazocine HCl Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Pentobarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Phencyclidine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Phendimetrazine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Phenmetrazine HCl Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Phenobarbital Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Phentermine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Prazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Product and Reactor Chloral Hydrate Standard	Glass ampule: 2.3 mL	11/11/2025
Restek Corporation	Product and Reactor Samples Standard	Ampule: 2 mL	10/12/2012
Restek Corporation	Product and Reactor Samples Standard - Rev 2	Glass vial: 0.8 mL	4/28/2025
Restek Corporation	Product and Reactor Samples Standard – Rev 2	Glass ampule: 2.3 mL	5/8/2025
Restek Corporation	Restek Corporation	Glass ampule: 1.3 mL	1/28/2020
Restek Corporation	Secobarbital Standard	Ampule: 2 mL	1/8/1993

Restek Corporation	Steroids and Mixed Pharmaceuticals Mix	Glass ampule: 2 mL	6/3/2010
Restek Corporation	Talbutal Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Temazepam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Tetrahydrocannabivarin (THCV) Standard (1000 µg/mL in Methanol)	Glass ampule: 1.3 mL	5/18/2018
Restek Corporation	Tetrahydrocannabivarin Acid (THCVA) Standard	Glass ampule: 1.3 mL	2/23/2023
Restek Corporation	THCA Standard, 1000 µg/mL	Glass ampule: 2 mL	12/20/2010
Restek Corporation	THCA-A Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	5/18/2018
Restek Corporation	Thebaine Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Thiamylal Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Thiopental Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	Triazolam Standard	Ampule: 2 mL	1/8/1993
Restek Corporation	UCMR3 Method 539 Calibration Standard	Ampule: 2 mL	9/14/2011
Restek Corporation	UCMR3 Method Calibration Standard	Ampule: 2 mL	3/30/2012
Restek Corporation	ustom Pharmaceuticals Standard #6	Glass ampule: 1.3 mL	8/30/2021
Restek Corporation	Δ8-THC-O-Acetate Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Δ8-THC-O-Acetate Standard (1000 µg/mL in Acetonitrile) #34155	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Δ9-THC-O-Acetate Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Δ9-THC-O-Acetate Standard (1000 µg/mL in Acetonitrile) #34154	Glass ampule: 1.3 mL	2/2/2024
Revvity	AlphaLISA Testosterone (100 µM) AL324S	Polypropylene micro tube: 0.21 mL	10/31/2023
Revvity	Androst-4-ene-3,17-dione, [1β-3H(N)] - Exempt Chemical Preparation, NET926250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Dihydrotestosterone, [1,2,4,5,6,7-3H(N)]- Exempt Chemical Preparation, NET453001MC (1 mCi)	Nensure Vial: 1.0 mL	10/31/2023
Revvity	Dihydrotestosterone, [1,2,4,5,6,7-3H(N)]- Exempt Chemical Preparation, NET453250MC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Dihydrotestosterone, [4-14C] - Exempt Chemical Preparation, NET1121250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Flunitrazepam, [methyl-3H]- Exempt Chemical Preparation, NET567250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Lysergic acid diethylamide, [N-methyl-3H]- Exempt Chemical Preparation, NET638250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Methyltrienolone, [17α-methyl-3H]-, (R1881) Exempt Chemical Preparation, NET590250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Pentazocine, [ring-1,3-3H]- Exempt Chemical Preparation, NET1056001MC (1 mCi)	Nensure Vial: 1.0 mL	10/31/2023
Revvity	Pentazocine, [ring-1,3-3H]- Exempt Chemical Preparation, NET1056250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	TCP, [piperidyl-3,4-3H(N)]- Exempt Chemical Preparation, NET886250UC (250 µCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Testosterone, [1,2,6,7-3H]- Exempt Chemical Preparation, NET370001MC (1 mCi)	Nensure Vial: 1.0 mL	10/31/2023
Revvity	Testosterone, [1,2,6,7-3H]- Exempt Chemical Preparation, NET370250UC (250 mCi)	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Testosterone, [4-14C]- Exempt Chemical Preparation, NEC101050UC (50 µCi)	Nensure Vial: 1.5 mL	10/31/2023
Roche Diagnostics	6-Acetylmorphine Control Set Ref# 08240213190	Kit: 4 dropper bottles; 15 mL each	7/27/2021
Roche Diagnostics	6-Acetylmorphine Qualitative Calibrator Set Ref# 08240205190	Dropper bottle: 5 mL	7/27/2021
Roche Diagnostics	6-Acetylmorphine Semi-Quantitative Calibrators Set Ref# 08240183190	Kit: 5 dropper bottles: 5 mL each	7/27/2021
Roche Diagnostics	Buprenorphine 10 Control Set Ref# 08239908190	Kit: 4 dropper bottles; 15 mL each	7/27/2021
Roche Diagnostics	Buprenorphine 10 Qualitative Calibrator Set Ref# 08239894190	Dropper bottle: 5 mL	7/27/2021
Roche Diagnostics	Buprenorphine 5 Control Set Ref# 08356670190	Kit: 4 dropper bottles; 15 mL each	7/27/2021
Roche Diagnostics	Buprenorphine 5 Qualitative Calibrator Set Ref# 08356661190	Dropper bottle: 5 mL	7/27/2021
Roche Diagnostics	Buprenorphine Semi-Quantitative Calibrators Set Ref# 08239886190	Kit: 6 dropper bottles: 5 mL each	7/27/2021
Roche Diagnostics	CalSet iTDMA cobas i	Plastic Reagent bottle: 2 bottles, 21 mL each	5/1/2024
Roche Diagnostics	CalSet iTDMA cobas I Ref 09590331160	HDPE Bottle: 16 bottles, 2.5 mL each	2/13/2025
Roche Diagnostics	Control Set iCSTDMA cobas I	HDPE Bottle: 16 bottles, 2.5 mL each	9/18/2024
Roche Diagnostics	ControlSet iCSTDMA cobas i Ref 09495495160	HDPE Bottles: 16 bottles, 2.5 mL each	2/13/2025
Roche Diagnostics	DAT Opiates Multi Control I Set Ref# 09330119190 Ref# 09330119190	Kit: 4 dropper bottles: 15 mL each	7/26/2021
Roche Diagnostics	Fentanyl Qualitative Calibrator Set Ref# 09330097190	Dropper bottle: 5 mL	7/26/2021
Roche Diagnostics	Hydrocodone 100 Control Set Ref# 08304742190	Kit: 4 dropper bottles; 15 mL each	7/27/2021
Roche Diagnostics	Hydrocodone 100 Qualitative Calibrator Set Ref# 08304734190	Dropper bottle: 5 mL	7/27/2021
Roche Diagnostics	Hydrocodone 100 Semi-Quantitative Calibrators Set Ref# 08304718190	Kit: 5 dropper bottles: 5 mL each	7/27/2021
Roche Diagnostics	Hydrocodone 300 Control Set Ref# 08239851190	Kit: 4 dropper bottles; 15 mL each	7/27/2021
Roche Diagnostics	Hydrocodone 300 Qualitative Calibrator Set Ref# 08239843190	Dropper bottle: 5 mL	7/27/2021
Roche Diagnostics	Hydrocodone 300 Semi-Quantitative Calibrators Set Ref# 08239827190	Kit: 5 dropper bottles: 5 mL each	7/27/2021
Roche Diagnostics	iAED2 Antiepileptic 2, Ref 09495495160	Glass bottle: 14.65 mL Plastic Reagent bottle: 2 bottles, 21 mL each	2/13/2025
Roche Diagnostics	iAED2 Antiepileptic 2, Ref 09495495529	Glass bottle: 14.65 mL	5/1/2024
Roche Diagnostics Corporation	0.25X Multi-Analyte 6 in 1 Standards, material no. 03385507001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	0.25X Multi-Analyte 6 in 1 Standards, Part # 001485400	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte 6 in 1 Standards, Part # 001485500	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte NIDA 5 Standards, Part # 001816100	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte NIDA 5 Standards, Part # 001816200	Bottle: 50 mL	9/19/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte NIDA 5 Standards, Part # 001816200	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte 6 in 1 Standards, material no. 03385523001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	0.5X Multi-Analyte 6 in 1 Standards, Part # 001485600	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte 6 in 1 Standards, Part # 001485700	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte NIDA 5 Standards, Part # 001816300	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte NIDA 5 Standards, Part # 001816400	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte 6 in 1 Standards, material no. 03385566001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	1.5X Multi-Analyte 6 in 1 Standards, Part # 001486000	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte 6 in 1 Standards, Part # 001486100	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte NIDA 5 Standards, Part # 001816700	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte NIDA 5 Standards, Part # 001816800	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte 6 in 1 Standards, material no. 03385540001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	1X Multi-Analyte 6 in 1 Standards, Part # 001485800	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte 6 in 1 Standards, Part # 001485900	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte NIDA 5 Standards, Part # 001816500	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte NIDA 5 Standards, Part # 001816600	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte 6 in 1 Standards, material no. 03385582001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	2X Multi-Analyte 6 in 1 Standards, Part # 001486200	Bottle: 50 mL	1/21/2000

Roche Diagnostics Corporation	2X Multi-Analyte 6 in 1 Standards, Part # 001486300	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte NIDA 5 Standards, Part # 001816900	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte NIDA 5 Standards, Part # 001817000	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Amphetamine	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Barbiturate	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Cannabinoids	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Cocaine Metabolite	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for LSD (Lysergic Acid Diethylamide)	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Methamphetamine (High Specificity)	Kit: 2 vials	5/27/1992
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Morphine	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Phencyclidine (PCP)	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen ONLINE Benzoylecgonine Microparticle Reagent	Bottle: 4.5 L	3/31/1994
Roche Diagnostics Corporation	ABUSCREEN Online C.f.a.s. DAT CAL Levels 5, 6, 7, 8	Kit: 4 vials/level; 3 mL each	8/5/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Calibration Pack	Kit: 8 vials	5/18/1992
Roche Diagnostics Corporation	Abuscreen ONLINE Calibrator Level 3	Pack: 6 vials	5/18/1992
Roche Diagnostics Corporation	Abuscreen OnLine Cannabinoids Cat# 3016650	Kit: 3 bottles	2/28/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Cannabinoids Microparticle Reagent	Bottle: 4.5 L	3/31/1994
Roche Diagnostics Corporation	Abuscreen ONLINE Cannabinoids THC Cat. No. 1986554	Bottle: 100 mL	9/1/1999
Roche Diagnostics Corporation	Abuscreen OnLine Cocaine Metabolite Cat# 3016692	Kit: 3 bottles	2/28/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Cocaine Metabolite Cat. No. 1986503	Bottle: 100 mL	9/1/1999
Roche Diagnostics Corporation	Abuscreen ONLINE for Cannabinoids-ES 50/100	Kit: 3 Vials; 1000 tests	6/27/1996
Roche Diagnostics Corporation	Abuscreen ONLINE for Cocaine Metabolite	Kit: 100, 1000, 8000 Tests	3/19/1991
Roche Diagnostics Corporation	Abuscreen ONLINE for Cocaine Metabolites, Cat# 1986040	Vial: 20 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen ONLINE for Cocaine Metabolites, Cat# 1986155	Vial: 70 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen ONLINE for LSD	Kit: 3 Vials; 1000 tests	6/27/1996
Roche Diagnostics Corporation	Abuscreen ONLINE for Opiates	Kit: 100, 1000, 8000 Tests	3/19/1991
Roche Diagnostics Corporation	Abuscreen ONLINE for THC	Vial: 100, 1000, 8000 Tests	3/19/1991
Roche Diagnostics Corporation	Abuscreen ONLINE for THC, Cat# 1986031	Vial: 20 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen ONLINE for THC, Cat# 1986147	Vial: 70 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen OnLine II for Opiates 300/2000	Kit: 90 & 720 mL	2/5/1998
Roche Diagnostics Corporation	Abuscreen OnLine LSD Calibration/Control Pack	Kit: 3 vials, 10 mL each	4/23/1998
Roche Diagnostics Corporation	Abuscreen OnLine LSD Calibration/Control Pack Cat. # 0766356	Kit: 5 vials, 10 mL each	11/7/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone 911/912 Kit 1986511	Bottle: 50 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone 917 Kit 1986104	Bottle: 70 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone 917 Universal Kit 1986007	Bottle: 20 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Conjugate Part #003311700	Bottle: 1, 2, 5, 10, or 20 L	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone DAT Module Kit 3016714	Bottle: 330 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone H717/AU800 Kit 43444	Bottle: 200 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone H747/AU5200 Kit 43570	Bottle: 1600 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Integra 400/700 Cassette 0738034	Bottle: 12.5 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Mira/Fara Kit 43443	Bottle: 4 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Stock Latex Part #003311800	Plastic vessel: 5, 10, 20, 45, 50, 60, 115, 200, 400, 800 or 1200 L	7/25/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Negative Control Cat. #42321	Vial: 5 mL; Box: 6 vials	9/21/2000
Roche Diagnostics Corporation	Abuscreen OnLine NIDA 5 Benzodiazepine 300 ng/mL Calibrator; Cat.# 43442	Bottle: 54 mL	7/19/2000
Roche Diagnostics Corporation	Abuscreen Online Opiates 20 mL Kit, Cat# 1985990	Bottle: 20 mL; 140 Test Kits	7/6/1999
Roche Diagnostics Corporation	Abuscreen Online Opiates 70 mL Kit, Cat# 1986082	Bottle: 70 mL; 300 Test Kits	7/6/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Calibration Pack	Box: 6 vials; 7 mL each	6/2/1999
Roche Diagnostics Corporation	ABUSCREEN Online Opiates Calibration Pack (Levels 1, 2, 3, 4, 5, 6)	Kit: 6 vials; 3 mL each	8/18/1999
Roche Diagnostics Corporation	Abuscreen OnLine Opiates Cat# 3016749	Kit: 2 bottles	2/28/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Cat. No. 1986520	Bottle: 50 mL	9/1/1999
Roche Diagnostics Corporation	ABUSCREEN Online Opiates Control Pack	Kit: 6 vials; 4 mL each	8/19/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Control Pack	Box: 6 vials; 10 mL each	6/2/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Microparticle Reagent	Bottle: 4.5 L	3/31/1994
Roche Diagnostics Corporation	Abuscreen ONLINE Positive Control	Pack: 6 vials	5/18/1992
Roche Diagnostics Corporation	Abuscreen Online Preciset DAT I Cal Pack	Vial: 5 mL; Kit: 8 vials	12/29/1998
Roche Diagnostics Corporation	Abuscreen Online Preciset DAT II Cal Pack	Vial: 5 mL; Kit: 4 vials	12/29/1998
Roche Diagnostics Corporation	Abuscreen ONLINE Serum Barbiturates Calibrators	Box: 5 vials; 5 mL each	6/2/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Serum Benzodiazepine Calibrators	Box: 5 vials; 5 mL each	6/2/1999
Roche Diagnostics Corporation	Abuscreen ONLINE THC Positive Control	Kit: 6 vials; 4 mL/vial	3/22/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Amphetamine	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Amphetamine Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Barbiturate	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Barbiturates Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Benzodiazepines	Kit: 50 Tests, 100 Tests	5/3/1991
Roche Diagnostics Corporation	Abuscreen ONTRAK Cocaine Metabolite	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Cocaine Metabolite Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK for Benzodiazepines Positive Control	Vial: 4 mL	3/22/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Methadone	Kits: 50, 100 Tests	9/8/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Methadone Positive Reference Control	Vial: 4 mL	9/8/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Morphine	Kits: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Morphine Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Multianalyte Positive Control	Kit: 1 Vial, 8 mL	9/18/1995
Roche Diagnostics Corporation	Abuscreen ONTRAK Phencyclidine (PCP)	Kit: 50 tests, 100 tests	11/22/1989
Roche Diagnostics Corporation	Abuscreen ONTRAK Phencyclidine (PCP) Positive Control	Vial: 4 mL	11/22/1989
Roche Diagnostics Corporation	Abuscreen ONTRAK THC (100 ng/mL)	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK THC (50 ng/mL)	Kit: 50 tests, 100 tests	5/3/1991
Roche Diagnostics Corporation	Abuscreen ONTRAK THC Positive Control	Vial: 4 ML	3/14/1988
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Amphetamine High Specificity	Kit: 100 tests, 2500 tests	9/13/1985
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Barbiturates	Kit: 100 tests, 2500 tests	2/15/1983

Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Benzodiazepines	Kit: 100 tests, 2500 tests	3/6/1987
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Cannabinoids	Kit: 100 tests, 2500 tests	8/14/1981
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Cocaine Metabolite	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for LSD (Lysergic Acid Diethylamide)	Kit: 100 tests, 2500 tests	1/28/1986
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Methamphetamine High Specificity	Kit: 100 tests, 2500 tests	3/1/1989
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Methaqualone	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Morphine	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Phencyclidine (PCP)	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Reference Controls and Calibrators for LSD	Box: 3 vials; 100 mL each	5/10/1999
Roche Diagnostics Corporation	ABUSCREENOnTrak Multianalyte Positive Control	Vial: 3 mL	8/5/1999
Roche Diagnostics Corporation	Amphetamine Standards (100 µg/mL, and 250, 500 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Amphetamine/Methamphetamine Standards (50/80, 100/150, 250/250, 500/500, 1000/1000 ng/mL)	Glass flask: 50 mL	3/24/2004
Roche Diagnostics Corporation	Barbiturate 100 ng/mL Part # 003659300	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 100 ng/mL, #002004100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 100 ng/mL, #002004100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 160 ng/mL Part # 003659400	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 160 ng/mL, #002004200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 160 ng/mL, #002004200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 200 ng/mL Part # 003659500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 200 ng/mL, #002004300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 200 ng/mL, #002004300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 2000 ng/mL, #001821400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Barbiturate 2000 ng/mL, #001821400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 240 ng/mL Part # 003659600	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 240 ng/mL, #002004400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 240 ng/mL, #002004400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 300 ng/mL Part # 003659700	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 300 ng/mL, #002004500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 300 ng/mL, #002004500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 3000 ng/mL, #001821500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 3000 ng/mL. #001821500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Barbiturate 40 ng/mL Part # 003659200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 40 ng/mL, #002007300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 40 ng/mL, #002007300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 400 ng/mL Part # 003659800	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 400 ng/mL, #002004600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 400 ng/mL, #002004600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 50 ng/mL Part # 003661200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 50 ng/mL, #002004000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 50 ng/mL, #002004000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 600 ng/mL, #001821300	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Barbiturate 600 ng/mL, #001821300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 100 ng/mL, material no. 03403262001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 200 ng/mL, material no. 03403297001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 300 ng/mL, material no. 03403327001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 400 ng/mL, material no. 03403335001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 50 ng/mL, material no. 03403254001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II 100 ng/mL Part # 003661900	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 100 ng/mL, # 002008400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 100 ng/mL, # 002008400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 200 ng/mL Part # 003662000	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 200 ng/mL, # 002008300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 200 ng/mL, # 002008300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 25 ng/mL Part # 003606500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 25 ng/mL, # 002009600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 25 ng/mL, # 002009600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 300 ng/mL Part # 003662100	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 300 ng/mL, # 002008200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 300 ng/mL, # 002008200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 400 ng/mL Part # 003662200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 400 ng/mL, # 002008100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 400 ng/mL, # 002008100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 50 ng/mL Part # 003661800	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 50 ng/mL, # 002008500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 50 ng/mL, # 002008500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 100 ng/mL, material no. 03403696001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 200 ng/mL, material no. 03403688001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 25 ng/mL, material no. 03403734001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 300 ng/mL, material no. 03403670001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 400 ng/mL, material no. 03403661001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 50 ng/mL, material no. 03403700001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepines Internal Reference Standard Solution (20 ng/mL), Material No. 002005900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepines Internal Reference Standard Solution (450 ng/mL), Material No. 002006000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepines Internal Reference Standard Solution (600 ng/mL), Material No. 002006100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzoylecgonine Standards (100 µg/mL, and 25, 50, 100, 200, 250, 500, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Benzoylecgonine, 30,000 ng/mL; # 003660301	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Benzoylecgonine, 75,000 ng/mL; # 003664900	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	C.f.a.s. DAT Amphetamine, Catalog No. 3510824	Glass bottle: 5.5 mL; Box: 3 bottles	2/11/2003
Roche Diagnostics Corporation	C.f.a.s. DAT Plus, #03304698	Glass bottle: 5.5 mL; Box: 6 bottles	12/13/2001

Roche Diagnostics Corporation	CAL PACK Abuscreen ONLINE THC Calibration Pack, Cat. No. 42349	Bottle: 5 mL; Box: 5 bottles	11/1/2000
Roche Diagnostics Corporation	CEDIA Core TDM Multi-Cal; Cat. # 1815253	Bottle: 10 mL; Box: 4 bottles	1/4/2002
Roche Diagnostics Corporation	Cfas DAT Qualitative Calibrator Cat. # 1986376	Pack: 6 vials	11/7/2000
Roche Diagnostics Corporation	Cobas Cocaine Microparticle Reagent Dispensed Bottles, # 003684901	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Cocaine Microparticle Reagent Dispensed Bottles, # 003686200	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	COBAS FP Phenobarbital Calibrators	Kit: 6 Vials	11/13/1984
Roche Diagnostics Corporation	COBAS FP Reagents for Phenobarbital	Kit: 100 tests	11/13/1984
Roche Diagnostics Corporation	COBAS FP TDM Controls	Kit: 6 Vials	11/13/1984
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for Cannabinoids	Kit: 3 Vials	9/27/1995
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for Cocaine Metabolite	Kit: 3 Vials	9/27/1995
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for LSD	Cassette: 3 vials (200 tests)	9/12/1997
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for Opiates	Kit: 3 Vials	9/27/1995
Roche Diagnostics Corporation	Cobas LSD Microparticle Reagent Dispensed Bottles, # 003467300	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Methadone Microparticle Reagent Dispensed Bottles, # 003593900	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Methadone Microparticle Reagent Dispensed Bottles, # 003594500	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Opiate Microparticle Reagent Dispensed Bottles, # 003423400	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Opiate Microparticle Reagent Dispensed Bottles, # 003563000	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	cobas PHENOBARB/100 Material No. 04490924190	Plastic bottles: 20 mL Cassette: 2 bottles	7/9/2007
Roche Diagnostics Corporation	cobas PHENOBARB/200 Material No. 05027446190	Plastic Bottles: 1x40 mL, 1x70 mL Cassette: 2 bottles	7/9/2007
Roche Diagnostics Corporation	Cobas THC Microparticle Reagent Dispensed Bottles, # 003816800	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	Cobas THC Microparticle Reagent Dispensed Bottles, # 003818100	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001104200	Plastic bottle: 100 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001492300	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001494900	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001514800	Plastic bottle: 720 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001727401	Plastic bottle: 25 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 003488100	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 003489500	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Cocaine 1000 ng/mL, #001824600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 1000 ng/mL, #001824600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 120 ng/mL, #001824400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 120 ng/mL, #001824400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 150 ng/mL Part # 003650200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 150 ng/mL, #001656400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 150 ng/mL, #001656400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 180 ng/mL, #001824500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 180 ng/mL, #001824500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 240 ng/mL Part # 003650300	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 240 ng/mL, #001656500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 240 ng/mL, #001656500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 30 ng/mL Part # 003650000	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 30 ng/mL, #001656200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 30 ng/mL, #001656200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 300 ng/mL Part # 003650400	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 300 ng/mL, #001656600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 300 ng/mL, #001656600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 3000 ng/mL, #001824700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 3000 ng/mL, #001824700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 360 ng/mL Part # 003650500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 360 ng/mL, #001656700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 360 ng/mL, #001656700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 4000 ng/mL, #001824800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 4000 ng/mL, #001824800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 450 ng/mL Part # 003650600	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 450 ng/mL, #001656800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 450 ng/mL, #001656800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 5000 ng/mL, #001824900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 5000 ng/mL, #001824900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 60 ng/mL Part # 003664500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 600 ng/mL Part # 003650700	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 600 ng/mL, #001656900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 600 ng/mL, #001656900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 75 ng/mL Part # 003650100	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 75 ng/mL, #001656300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 75 ng/mL, #001656300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 8000 ng/mL, #001825000	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 8000 ng/mL, #001825000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine II Integra 400/700/800 Cassette, # 03800130	HDPE Bottle: one-12 mL, one-25 mL; Kit: 2 bottles	2/13/2002
Roche Diagnostics Corporation	Cocaine Internal Reference Standard 3000 ng/mL, material no. 03400620001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Cocaine Internal Reference Standard 450 ng/mL, material no. 03388166001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Cocaine Internal Reference Standard Solution (60 ng/mL), Material No. 002007100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine Test Strip	Strip: 0.5 cm x 3.0 cm	6/1/1995
Roche Diagnostics Corporation	Control Set Amphetamine 1000, Catalog No. 3510867	Glass bottle: 5.5 mL; Box: 4 bottles	2/11/2003
Roche Diagnostics Corporation	Control Set Amphetamine 500, Catalog No. 3510859	Glass bottle: 5.5 mL; Box: 4 bottles	2/11/2003
Roche Diagnostics Corporation	Control Set DAT 1 PreciNeg and PreciPos, #03312950	Glass bottle: 10.5 mL; Box: 4 bottles	12/13/2001
Roche Diagnostics Corporation	Control Set DAT 2 PreciNeg and PreciPos, #03312968	Glass bottle: 10.5 mL; Box: 4 bottles	12/13/2001
Roche Diagnostics Corporation	Control Set DAT 3 PreciNeg and PreciPos, #03312976	Glass bottle: 10.5 mL; Box: 4 bottles	12/13/2001
Roche Diagnostics Corporation	d,l-Amphetamine 1000 ng/mL Part # 003652400	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 1000 ng/mL, # 001658800	Plastic bottle: 100 mL	4/2/2003

Roche Diagnostics Corporation	d,l-Amphetamine 1000 ng/mL, # 001658800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 1500 ng/mL Part # 003652500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 1500 ng/mL, # 001658900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 1500 ng/mL, # 001658900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 2000 ng/mL Part # 003652600	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 2000 ng/mL, # 001659000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 2000 ng/mL, # 001659000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 250 ng/mL Part # 003652200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 250 ng/mL, # 001658600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 250 ng/mL, # 001658600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 500 ng/mL Part # 003652300	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 500 ng/mL, # 001658700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 500 ng/mL, # 001658700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amph Internal Reference Standard Solution (200 ng/mL), Material No. 002007200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 100 ng/mL Part # 003650800	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 100 ng/mL, #001657100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 100 ng/mL, #001657100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 1000 ng/mL Part # 003651200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 1000 ng/mL, #001657500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1000 ng/mL, #001657500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 1200 ng/mL, #001511100	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 1200 ng/mL, #001511100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 150 ng/mL, #001826200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 150 ng/mL, #001826200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1500 ng/mL Part # 003651300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 1500 ng/mL, #001657600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1500 ng/mL, #001657600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 200 ng/mL Part # 003664600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 2000 ng/mL Part # 003651400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 2000 ng/mL, #001657700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 2000 ng/mL, #001657700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 240 ng/mL, #001826300	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 240 ng/mL, #001826300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 250 ng/mL Part # 003650900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 250 ng/mL, #001657200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 250 ng/mL, #001657200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 300 ng/mL, #001826400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 300 ng/mL, #001826400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 3000 ng/mL, #001827100	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 3000 ng/mL, #001827100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 360 ng/mL, #001826500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 360 ng/mL, #001826500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 400 ng/mL, #001826600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 400 ng/mL, #001826600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 450 ng/mL, #001826700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 450 ng/mL, #001826700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 500 ng/mL Part # 003651000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 500 ng/mL, #001657300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 500 ng/mL, #001657300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 5000 ng/mL, #001827200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 5000 ng/mL, #001827200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 60 ng/mL, #001817200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 60 ng/mL, #001817200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 600 ng/mL, #001826800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 600 ng/mL, #001826800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 750 ng/mL, #001826900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 750 ng/mL, #001826900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 800 ng/mL Part # 003651100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 800 ng/mL, #001657400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 800 ng/mL, #001657400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine sulfate, 50,000 ng/mL; #003659901	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/250 ng/mL, #001828500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/250 ng/mL, #001828500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/400 ng/mL, #001522900	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/400 ng/mL, #001522900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/500 ng/mL, #001523000	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/500 ng/mL, #001523000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 200/500 ng/mL Part # 003652100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 200/500 ng/mL, #001658400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 200/500 ng/mL, #001658400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/250 ng/mL, #001828700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/250 ng/mL, #001828700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/500 ng/mL, #001523100	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/500 ng/mL, #001523100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/1000 ng/mL Part # 003651900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/1000 ng/mL, #001658200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/1000 ng/mL, #001658200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/250 ng/mL, #001828600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/250 ng/mL, #001828600	Plastic bottle: 100 mL	4/2/2003

Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/100 ng/mL Part # 003651800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/100 ng/mL, #001658100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/100 ng/mL, #001658100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL Part # 003652000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL, #001658300	Plastic bottle: 100 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL, #001658300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL, #001658300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 800/250 ng/mL, #001828800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 800/250 ng/mL, #001828800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	DISP 70 ML R1 HAPT/CONJ PHENOBARBITAL Material No. 03510638001	Plastic bottle: 70 mL	7/9/2007
Roche Diagnostics Corporation	DISP BTL 1 HAPT/CONJ PHENOBARBITAL Material No. 03424561001	Plastic bottle: 20 mL	7/9/2007
Roche Diagnostics Corporation	DISP C.f.a.s. DAT Qual Plus Clinical Material No. 04590872001	Glass bottle: 7 mL	5/14/2009
Roche Diagnostics Corporation	DISP PreciNeg Control Set DAT Clinical Material No. 04590791001	Glass bottle: 12 mL	5/14/2009
Roche Diagnostics Corporation	DISP PreciPos Control Set DAT Clinical Material No. 04590767001	Glass bottle: 12 mL	5/14/2009
Roche Diagnostics Corporation	Disp Preciset DAT THC - 20 ng/mL, Manufacturing No. 03753867001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC - 50 ng/mL, Manufacturing No. 03753883001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 100 ng/mL, Manufacturing No. 03753891001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 10 ng/mL, Manufacturing No. 03753859001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 100 ng/mL, Manufacturing No. 03758869001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 20 ng/mL, Manufacturing No. 03758842001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 40 ng/mL, Manufacturing No. 03753875001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 200 ng/mL, Manufacturing No. 03753905001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 300 ng/mL, Manufacturing No. 03753913001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	DISP R1 PHENOBARB/100 cobas c501 Material No. 04712803001	Plastic Bottle: 20 mL	7/9/2007
Roche Diagnostics Corporation	DISP R1 PHENOBARB/200 cobas c501 Material No. 05028779001	Plastic bottle: 40 mL	7/9/2007
Roche Diagnostics Corporation	Disp TDM I Level B, Manufacturing No. 03516784002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level C, Manufacturing No. 03516792002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level D, Manufacturing No. 03516806002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level E, Manufacturing No. 03516814002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level F, Manufacturing No. 03516822002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp THC II Conj Integra; #001853800	HDPE bottle: 25 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 911/912/917/P; #001854000	HDPE bottle: 20 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 917/P; #001854200	HDPE bottle: 70 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 Mod D; #001854600	HDPE bottle: 720 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 Mod P; #001854400	HDPE bottle: 290 mL	5/10/2002
Roche Diagnostics Corporation	Disp. C.f.a.s. DAT Amphetamine, Material No. 03632032001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. C.f.a.s. DAT Qualitative Plus, Material No. 03632407001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 1000, PreciNeg, Material No. 03632121001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 1000, PreciPos, Material No. 03632113001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 500, PreciNeg, Material No. 03632083001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 500, PreciPos, Material No. 03632075001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciNeg, Material No. 03607615001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciNeg, Material No. 03632423001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciPos, Material No. 03606643001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciPos, Material No. 03632415001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciNeg, Material No. 03611086001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciNeg, Material No. 03631834001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciPos, Material No. 03610926001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciPos, Material No. 03631826001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciNeg, Material No. 03612007001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciNeg, Material No. 03631885001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciPos, Material No. 03611582001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciPos, Material No. 03631877001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Phenobarbital II Hapten/Conjugate Reagent, #001121400	HDPE bottle: 20 mL	12/9/2002
Roche Diagnostics Corporation	Disp. Phenobarbital II Hapten/Conjugate Reagent, #03510638001	HDPE bottle: 70 mL	12/9/2002
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 2, Material No. 03631966001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 3, Material No. 03631974001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 4, Material No. 03631982001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 5, Material No. 03632008001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 6, Material No. 03632016001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 2, Material No. 03603555001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 3, Material No. 03603563001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 4, Material No. 03603571001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 5, Material No. 03603580001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 6, Material No. 03603598001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 2, Material No. 03630862001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 3, Material No. 03630889001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 4, Material No. 03631770001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 5, Material No. 03631788001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 6, Material No. 03631796001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Dispensed Cocaine II Conj Integra, #001853100	HDPE Bottle: 25 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 911/912/917/P, #001852300	HDPE Bottle: 20 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 917/P, #001852500	HDPE Bottle: 70 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 Mod D, #001852900	HDPE Bottle: 720 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 Mod P, #001852700	HDPE Bottle: 290 mL	2/13/2002
Roche Diagnostics Corporation	dl-Amphetamine sulfate, 250,000 ng/mL; # 003660901	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Methamphetamine 100 ng/mL, #001521300	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 100 ng/mL, #001521300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 1000 ng/mL, #001827800	Plastic bottle: 60 mL	11/7/2000

Roche Diagnostics Corporation	d-Methamphetamine 1000 ng/mL, #001827800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 1200 ng/mL, #001522300	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 1200 ng/mL, #001522300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 150 ng/mL, #001521400	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 150 ng/mL, #001521400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 1500 ng/mL, #001522400	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 1500 ng/mL, #001522400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 200,000 ng/mL Part # 003651600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 200,000 ng/mL, #001657900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 200,000 ng/mL, #001657900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Methamphetamine 2000 ng/mL, #001522500	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 2000 ng/mL, #001522500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 240 ng/mL, #001521500	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 240 ng/mL, #001521500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 250 ng/mL, #001521600	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 250 ng/mL, #001521600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 300 ng/mL, #001827700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 300 ng/mL, #001827700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 3000 ng/mL, #001827900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 3000 ng/mL, #001827900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 360 ng/mL, #001521700	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 360 ng/mL, #001521700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 400 ng/mL, #001521800	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 400 ng/mL, #001521800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 450 ng/mL, #001521900	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 450 ng/mL, #001521900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 500 ng/mL Part # 003651500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 500 ng/mL, #001657800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 500 ng/mL, #001657800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Methamphetamine 5000 ng/mL, #001828000	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 5000 ng/mL, #001828000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 60 ng/mL, #001523300	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 60 ng/mL, #001523300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 600 ng/mL, #001522000	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 600 ng/mL, #001522000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 750 ng/mL, #001522100	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 750 ng/mL, #001522100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 800 ng/mL, #001522200	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 800 ng/mL, #001522200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine HCl, 125,000 ng/mL; # 003665000	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Methamphetamine HCl, 50,000 ng/mL; # 003660001	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Propoxyphene HCl, 60,000 ng/mL; # 003660801	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001103600	Plastic bottle: 100 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001492000	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001494600	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001513400	Plastic bottle: 330 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 003427500	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 003685300	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001103900	Plastic bottle: 50 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001490800	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001493400	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001513700	Plastic bottle: 330 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 003427800	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 003594200	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Opiate Microparticle Reagent Dispensed Bottles, # 003428100	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Opiate Microparticle Reagent Dispensed Bottles, # 003563300	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001105000	Plastic bottle: 100 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001491700	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001494300	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001514600	Plastic bottle: 330 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 003428700	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 003817200	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Immunizing Preparation No. 1, 2, 3, 4, 5, 6, 7, or 8.	Vial: 10, 20, 50, or 100 mL	1/25/1983
Roche Diagnostics Corporation	Immunizing Preparation No. 11	Vial: 10, 20, 50 or 100 mL	5/3/2001
Roche Diagnostics Corporation	Immunizing Preparation No. 11A	Vial: 10, 20, 50 or 100 mL	5/3/2001
Roche Diagnostics Corporation	Immunizing Preparation No. 9	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	7/24/1984
Roche Diagnostics Corporation	Immunizing Preparation No. 9A	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	7/24/1984
Roche Diagnostics Corporation	Immunizing Preparation No.10	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	4/2/1986
Roche Diagnostics Corporation	Immunizing Preparation No.10A	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	4/2/1986
Roche Diagnostics Corporation	Immunizing Preparations No. 1A, 2A, 3A, 4A, 5A, 6A, 7A, or 8A.	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	7/12/1983
Roche Diagnostics Corporation	LSD 0.25 ng/mL Part # 003658700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 0.25 ng/mL, #002003400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 0.25 ng/mL, #002003400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 0.50 ng/mL Part # 003658800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 0.50 ng/mL, #002003500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 0.50 ng/mL, #002003500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 0.75 ng/mL Part # 003658900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 0.75 ng/mL, #002003600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 0.75 ng/mL, #002003600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998

Roche Diagnostics Corporation	LSD 1 ng/mL Part # 003659000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 1 ng/mL, #002003700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 1 ng/mL, #002003700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 1.5 ng/mL, # 001817500	Bottle: 60 mL, 480 mL	11/16/2000
Roche Diagnostics Corporation	LSD 1.5 ng/mL, # 001817500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 10 ng/mL, #001829400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	LSD 10 ng/mL, #001829400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 2 ng/mL Part # 003659100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 2 ng/mL, #002003800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 2 ng/mL, #002003800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 3 ng/mL, #001829200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	LSD 3 ng/mL, #001829200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 5 ng/mL, #001829300	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	LSD 5 ng/mL, #001829300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD hemitartrate, 1,000 ng/mL; # 00366100, 003841601	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	LSD Microparticle Reagent	Vial: 50 mL	6/27/1996
Roche Diagnostics Corporation	Methadone 150 ng/mL Part # 003653800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 150 ng/mL, #001660400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 150 ng/mL, #001660400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 1500 ng/mL, #001829900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Methadone 1500 ng/mL, #001829900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 2000 ng/mL, #001830000	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Methadone 2000 ng/mL, #001830000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 240 ng/mL Part # 003653900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 240 ng/mL, #001661500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 240 ng/mL, #001661500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 300 ng/mL Part # 003654000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 300 ng/mL, #001661600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 300 ng/mL, #001661600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 360 ng/mL Part # 003654100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 360 ng/mL, #001661700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 360 ng/mL, #001661700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 450 ng/mL Part # 003654200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 450 ng/mL, #001661800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 450 ng/mL, #001661800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 60 ng/mL Part # 003653700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 60 ng/mL, #001660300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 60 ng/mL, #001660300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 600 ng/mL Part # 003654300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 600 ng/mL, #001661900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 600 ng/mL, #001661900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone HCl, 60,000 ng/mL; # 003660401	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Methadone Standards (100 µg/mL, and 50, 100, 200, 300, 400, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Methamphetamine Standards (100 µg/mL, and 250, 500 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Methaqualone 150 ng/mL Part # 003657400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 150 ng/mL, # 002001900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 150 ng/mL, # 002001900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 240 ng/mL Part # 003657500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 240 ng/mL, # 002002000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 240 ng/mL, # 002002000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 300 ng/mL Part # 003657600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 300 ng/mL, # 002002100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 300 ng/mL, # 002002100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 360 ng/mL Part # 003657700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 360 ng/mL, # 002002200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 360 ng/mL, # 002002200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 450 ng/mL Part # 003657800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 450 ng/mL, # 002002300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 450 ng/mL, # 002002300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 60 ng/mL Part # 003657300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 60 ng/mL, # 002001800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 60 ng/mL, # 002001800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 600 ng/mL Part # 003657900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 600 ng/mL, # 002002400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 600 ng/mL, # 002002400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone HCl, 60,000 ng/mL; # 003660701	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Methaqualone Standards (100 µg/mL, and 50, 100, 200, 300, 400, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Morphine Standards (100 µg/mL, and 50, 100, 300, 500, 800 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Morphine sulfate pentahydrate, 60,000 ng/mL; # 003660501	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Morphine Test Strip	Strip: 0.5 cm x 3.0 cm	6/1/1995
Roche Diagnostics Corporation	Multianalyte-6 0.25X Part # 001484700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 0.5X Part # 001484800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 1.5X Part # 001485000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 1X Part # 001484900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 2X Part # 001485100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 0.25x, #001831500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 0.25x, #001831500/#001834800	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 0.5x, #001831900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 0.5x, #001831900/#001834900	Plastic bottle: 60 mL, 480 mL	11/7/2000

Roche Diagnostics Corporation	Multiclinical 6 1.0x, #001832000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 1.0x, #001832000/#001835100	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 1.5x, #001832500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 1.5x, #001832500/#001835200	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 2.0x, #001834600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 2.0x, #001834600/#001835300	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 0.25X, material no. 03401065001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 0.5X, material no. 03401073001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 1.5X, material no. 03401120001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 1X, material no. 03401081001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 2X, material no. 03401197001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Nordiazepam 100 ng/mL Part # 003653000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 100 ng/mL, #001659500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 100 ng/mL, #001659500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 1000 ng/mL, #001820800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 1000 ng/mL, #001820800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 120 ng/mL Part # 003653100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 120 ng/mL, #001659600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 120 ng/mL, #001659600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 150 ng/mL Part # 003653200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 150 ng/mL, #001659700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 150 ng/mL, #001659700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 160 ng/mL, #001820700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 160 ng/mL, #001820700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 20 ng/mL Part # 003663600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 200 ng/mL Part # 003653300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 200 ng/mL, #001659800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 200 ng/mL, #001659800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 240 ng/mL Part # 003653400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 240 ng/mL, #001659900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 240 ng/mL, #001659900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 25 ng/mL Part # 003652700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 25 ng/mL, #001659200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 25 ng/mL, #001659200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 300 ng/mL Part # 003653500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 300 ng/mL, #001660000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 300 ng/mL, #001660000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 3000 ng/mL, #001820900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 3000 ng/mL, #001820900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 360 ng/mL Part # 003653600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 360 ng/mL, #001660100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 360 ng/mL, #001660100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 450 ng/mL Part # 003663700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 50 ng/mL Part # 003652800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 50 ng/mL, #001659300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 50 ng/mL, #001659300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 600 ng/mL Part # 003663800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 80 ng/mL Part # 003652900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 80 ng/mL, #001659400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 80 ng/mL, #001659400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam Standards (100 µg/mL, and 25, 50, 100, 200, 300 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Nordiazepam, 20,000 ng/mL; # 003660201	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Nordiazepam, 30,000 ng/mL; # 001101501	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	ONLINE Cocaine Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE Cocaine Stock Latex 1.0%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	ONLINE LSD Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE LSD Stock Latex 1.0%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	ONLINE Morphine Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE Morphine Stock Latex 1.0%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	ONLINE Stock Opiate 2000 Conjugate; Part# 003484300	Bottle: 1000 L	8/30/2000
Roche Diagnostics Corporation	ONLINE THC Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE THC Stock Latex 1.0% Part #003817400	Container: 30-300 L	11/7/2000
Roche Diagnostics Corporation	ONLINE THC Stock Latex 1.5%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	OnTrak Cocaine Conjugate Part# 001751000	Conical Tube: 15 mL	1/18/2000
Roche Diagnostics Corporation	ONTRAK Special Control for Cocaine/THC Assays	Glass bottle: 60 mL	1/2/2002
Roche Diagnostics Corporation	OnTrak TesTcard 9 Evaluation Specimens, Samples A - J	Glass bottle: 2 mL; Box: up to 10 bottles	1/10/2003
Roche Diagnostics Corporation	OnTrak TesTcup 5 Collection/Urinalysis Panel for Amphetamine, Cocaine, Morphine, PCP and THC	Kit: 25 cups	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTcup 5 M2K Collection/Urinalysis Panel for Amphetamines, Cocaine, Morphine 2000, PCP and THC, Cat# 1118501	Kit: 25 cups	7/6/1999
Roche Diagnostics Corporation	OnTrak TesTcup Collection/Urinalysis for Amphetamines, Cocaine, THC and Morphine	Kit: 25 cups	6/18/1999
Roche Diagnostics Corporation	OnTrak TesTcup Collection/Urinalysis Panel for Amphetamine, Cocaine, THC, Morphine 2000 and Methamphetamine Cat. #3016641	Kit: 25 cups	1/28/2000
Roche Diagnostics Corporation	OnTrak TesTcup Collection/Urinalysis Panel for Amphetamine, Cocaine, THC, Morphine and Methamphetamine Cat. #3016633	Kit: 25 cups	1/28/2000
Roche Diagnostics Corporation	OnTrak TesTCup Collection/Urinalysis Panel for Amphetamines, Barbiturates, Benzodiazepines, Cocaine and Morphine, Cat# 1117718	Kit: 25 cups	7/6/1999
Roche Diagnostics Corporation	OnTrak TesTcup er M2K Collection/Urinalysis Panel for Amphetamines, Barbiturates, Benzodiazepines, Cocaine and Morphine 2000, Cat# 1118528	Kit: 25 cups	9/1/1999
Roche Diagnostics Corporation	OnTrak TesTcup M2K Collection/Urinalysis Panel for Amphetamines, Cocaine, Morphine 2000 and THC, Cat# 1118498	Kit: 25 cups	7/6/1999
Roche Diagnostics Corporation	OnTrak Testcup/Testik Positive M2K Control	Kit: 6 vials; Vial: 15 mL	4/6/2000
Roche Diagnostics Corporation	OnTrak Testcup/Teststik Positive Control	Kit: 6 vials; 15 mL each	8/23/1999

Roche Diagnostics Corporation	OnTrak TesTcupPro 5 Collection/Urinalysis Panel for Benzodiazepines, Cocaine, Methamphetamine, Morphine and THC	Kit: 16 cups	4/4/2000
Roche Diagnostics Corporation	OnTrak TesTstick for Amphetamines	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik 2 for Cocaine/THC Cat. # 1118579	Kit: 100 tests	1/20/2000
Roche Diagnostics Corporation	OnTrak TesTstik 3 for Cocaine/THC/Morphine Cat. # 1118595	Kit: 100 tests	1/20/2000
Roche Diagnostics Corporation	OnTrak TesTstik for Cocaine	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik for Methamphetamine Cat. # 1986686	Kit: 50 tests	2/3/2000
Roche Diagnostics Corporation	OnTrak TesTstik for Morphine	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik for Morphine 2000 (M2K) Cat# 1118563	Kit: 50 tests	9/1/1999
Roche Diagnostics Corporation	OnTrak TesTstik for PCP Cat. # 0766542	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik for THC	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrakTesTCup M2K Collection/Urinalysis Panel	Kit: 12 vials; 15 mL each	5/28/1999
Roche Diagnostics Corporation	OnTrakTesTCup M2K Positive Control	Vial: 15 mL	5/28/1999
Roche Diagnostics Corporation	Opiate 1000 ng/mL Part # 003655100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 1000 ng/mL, # 001663400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 1000 ng/mL, # 001663400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 150 ng/mL Part # 003654500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 150 ng/mL, # 001662200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 150 ng/mL, # 001662200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 1600 ng/mL Part # 003664700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 2000 ng/mL Part # 003655200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 2000 ng/mL, # 001663500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 2000 ng/mL, # 001663500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 240 ng/mL Part # 003654600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 240 ng/mL, # 001662300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 240 ng/mL, # 001662300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 2400 ng/mL Part # 003664800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 300 ng/mL Part # 003654700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 300 ng/mL, # 001663000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 300 ng/mL, # 001663000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 3000 ng/mL Part # 003664300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 360 ng/mL Part # 003654800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 360 ng/mL, # 001663100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 360 ng/mL, # 001663100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 4000 ng/mL Part # 003664200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 4000 ng/mL, # 001666600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 4000 ng/mL, # 001666600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 450 ng/mL Part # 003654900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 450 ng/mL, # 001663200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 450 ng/mL, # 001663200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 500 ng/mL Part # 003664100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 60 ng/mL Part # 003664000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 600 ng/mL Part # 003655000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 600 ng/mL, # 001663300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 600 ng/mL, # 001663300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 75 ng/mL Part # 003654400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 75 ng/mL, # 001662100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 75 ng/mL, # 001662100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 8000 ng/mL Part # 003664400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 8000 ng/mL, # 002007000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 8000 ng/mL, # 002007000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate Internal Reference Standard 1000 ng/mL, material no. 03388727001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 2000 ng/mL, material no. 03388735001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 3000 ng/mL, material no. 03388751001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 4000 ng/mL, material no. 03388743001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 450 ng/mL, material no. 03388697001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 500 ng/mL, material no. 03388760001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (1600 ng/mL), Material No. 001668500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (2400 ng/mL), Material No. 001668600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (3000 ng/mL), Material No. 001666700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (500 ng/mL), Material No. 001666800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (60 ng/mL), Material No. 002006400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	OPIATES II 300/2000 Integra	Cassette: 200 kits; 2 vials: 12 mL, 25 mL	6/18/1999
Roche Diagnostics Corporation	Oxazepam Standards (100 µg/mL, and 25, 50, 100, 200, 300 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Oxazepam, 20,000 ng/mL; # 001765001	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Oxazepam, 25,000 ng/mL; # 003665100	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	PCP 12.5 ng/mL Part # 003655400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 12.5 ng/mL, #001717900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 12.5 ng/mL, #001717900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 20 ng/mL Part # 003655500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 20 ng/mL, #001718000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 20 ng/mL, #001718000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 225 ng/mL, #001823600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	PCP 225 ng/mL, #001823600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 25 ng/mL Part # 003655600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 25 ng/mL, #001718200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 25 ng/mL, #001718200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 30 ng/mL Part # 003655700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 30 ng/mL, #002000000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 30 ng/mL, #002000000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998

Roche Diagnostics Corporation	PCP 37.5 ng/mL Part # 003655800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 37.5 ng/mL, #002000100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 37.5 ng/mL, #002000100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 5 ng/mL Part # 003663900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 50 ng/mL Part # 003655900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 50 ng/mL, #002000200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 50 ng/mL, #002000200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 6.25 ng/mL Part # 003655300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 6.25 ng/mL, #001717800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 6.25 ng/mL, #001717800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 75 ng/mL, #001823500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	PCP 75 ng/mL, #001823500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP Internal Reference Standard Solution (5 ng/mL), Material No. 002006200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Phencyclidine HCl, 5,000 ng/mL; # 003660601	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Phencyclidine Standards (100, 10 µg/mL, and 5, 10, 15, 20, 30, 50, 80 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Phenobarbital II (911/912/917/P), #3016757	HDPE bottle: 20 mL; Kit: 4 bottles	12/9/2002
Roche Diagnostics Corporation	Phenobarbital II (912/917/P) Material No. 03016757190	Plastic bottles: 20 mL Kit: 4 bottles	7/9/2007
Roche Diagnostics Corporation	Phenobarbital II (917/P) Material No. 03510620190	Plastic bottles: 70 mL Kit: 2 bottles	7/9/2007
Roche Diagnostics Corporation	Phenobarbital II (917/P), #3510620	HDPE bottle: 70 mL; Kit: 2 bottles	12/9/2002
Roche Diagnostics Corporation	Phenobarbital USP Calibrator Set, Material Number 3515923	Glass bottle: 6 mL; Box: 6 bottles	1/14/2003
Roche Diagnostics Corporation	PPX 150 ng/mL Part # 003658100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 150 ng/mL, #002002700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 150 ng/mL, #002002700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 2000 ng/mL, #001829600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	PPX 2000 ng/mL, #001829600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 240 ng/mL Part # 003658200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 240 ng/mL, #002002800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 240 ng/mL, #002002800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 300 ng/mL Part # 003658300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 300 ng/mL, #002002900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 300 ng/mL, #002002900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 360 ng/mL Part # 003658400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 360 ng/mL, #002003000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 360 ng/mL, #002003000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 450 ng/mL Part # 003658500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 450 ng/mL, #002003100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 450 ng/mL, #002003100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 60 ng/mL Part # 003658000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 60 ng/mL, #002002600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 60 ng/mL, #002002600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 600 ng/mL Part # 003658600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX Internal Reference Standard Solution (600 ng/mL), Material No. 002003200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Preciset DAT Amphetamine, Catalog No. 3510832	Glass bottle: 5.5 mL; Box: 6 bottles	2/11/2003
Roche Diagnostics Corporation	Preciset DAT Plus 1 Levels 1-6, #03304671	Glass bottle: 5.5 mL; Box: 6 bottles	12/13/2001
Roche Diagnostics Corporation	Preciset DAT Plus 2 Levels 1-6, #03304680	Glass bottle: 5.5 mL; Box: 6 bottles	12/13/2001
Roche Diagnostics Corporation	Preciset DAT THC 20, Catalog No. 3753972	Glass bottle: 7 mL; Box: 5 bottles	9/26/2003
Roche Diagnostics Corporation	Preciset DAT THC, Catalog No. 3753964	Glass bottle: 7 mL; Box: 6 bottles	9/26/2003
Roche Diagnostics Corporation	Preciset MDMA Calibrator (Levels 1, 2, 3, 4)	Kit: 4 vials; 4 mL each	8/24/1999
Roche Diagnostics Corporation	Preciset MDMA Control (Levels 1, 2, 3, 4)	Kit: 4 vials; 4 mL each	8/26/1999
Roche Diagnostics Corporation	Preciset TDM I, Cat. No. 3375790190	Plastic bottle: 6 x 7.5 mL, 1 x 12.5 mL; Box: 7 bottles	4/1/2003
Roche Diagnostics Corporation	Propoxyphene Standards (100 µg/mL, and 50, 100, 200, 300, 400, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine Amphetamine Special Controls	Glass vial: 5 mL; Kit: 6 vials	10/20/2003
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine Benzodiazepine Special Controls	Glass vial: 5 mL; Kit: 6 vials	10/20/2003
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine MDMA Control Pack	Glass vial: 5 mL; Kit: 4 vials	10/20/2003
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine Preciset MDMA Control Calibrator	Glass vial: 5 mL; Kit: 8 vials	10/20/2003
Roche Diagnostics Corporation	Roche Amphetamine Special Controls Levels 1 and 2	Kit: 6 vials; 3 mL each	6/1/1999
Roche Diagnostics Corporation	Roche Benzodiazepine Special Controls Levels 1, 2 and 3	Kit: 2 vials/level; 3 mL each	6/1/1999
Roche Diagnostics Corporation	Roche Preciset DAT II Cal Levels 5, 6, 7, 8	Kit: 4 vials; 3 mL each	5/28/1999
Roche Diagnostics Corporation	Secobarbital Standards (100 µg/mL, and 25, 50, 100, 200, 250, 400 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	SimpleChek AMP Test Card, Cat. #3356981	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek BAR Test Card, Cat. #3358631	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek BNZ Test Card, Cat. #3358623	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek COC Test Card, Cat. #3356965	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek MET Test Card, Cat. #3358615	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek MOR Test Card, Cat. #3356973	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC Test Card, Cat. #3356957	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC Test Card, Cat. #3356990	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/AMP Test Card, Cat. #3358577	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/M2K/AMP/PCP Test Card, Cat. #3358607	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MET Test Card, Cat. #3358569	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR Test Card, Cat. #3357007	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/AMP Test Card, Cat. #3357015	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/AMP/MET Test Card, Cat. #3357023	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/AMP/PCP Test Card, Cat. #3358593	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/MET Test Card, Cat. #3358585	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	Sodium secobarbital, 40,000 ng/mL; # 003660101	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	TesTcard 9 Panel	Foil pouch: 1 card; Kit: 25 cards	4/18/2001
Roche Diagnostics Corporation	THC 10 ng/mL, #001821900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 100 ng/mL Part # 003656900	Bottles: 0.1-10 L	11/7/2000

Roche Diagnostics Corporation	THC 100 ng/mL, #001100100	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 100 ng/mL, #001100100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 12.5 ng/mL Part # 003656000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 12.5 ng/mL, #001768100	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 12.5 ng/mL, #001768100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 120 ng/mL Part # 003657000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 150 ng/mL Part # 003657100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 16 ng/mL, #001823100	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 20 ng/mL Part # 003656100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 200 ng/mL, #001812600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 25 ng/mL Part # 003656200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 25 ng/mL, #001768300	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 25 ng/mL, #001768300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 30 ng/mL Part # 003656300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 300 ng/mL, #001823200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 40 ng/mL Part # 003656400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 50 ng/mL Part # 003656500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 50 ng/mL, #001806000	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 50 ng/mL, #001806000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 60 ng/mL Part # 003656600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 75 ng/mL Part # 003656700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 75 ng/mL, #001806200	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 75 ng/mL, #001806200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 80 ng/mL Part # 003656800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC CAL PACK 20, Abuscreen ONLINE Cannabinoids Calibration Pack 20	Kit: 4 vials	9/11/1991
Roche Diagnostics Corporation	THC Conjugate Lyophilized; #001817600	Plastic vessel: 10-200 mL	5/10/2002
Roche Diagnostics Corporation	THC II 911/912/917/P Module Kit; #03046761	HDPE bottle: 20 mL; Kit: 4 bottles	5/10/2002
Roche Diagnostics Corporation	THC II 917/P Module Kit; #03800105	HDPE bottle: 70 mL; Kit: 2 bottles	5/10/2002
Roche Diagnostics Corporation	THC II DAT2400 Module Kit; #03800121	HDPE bottle: three-330 mL, three-720 mL; Kit: 6 bottles	5/10/2002
Roche Diagnostics Corporation	THC II Integra 400/700/800 Cassette; #03046753	HDPE bottle: one-12 mL, one-25 mL; Kit: 2 bottles	5/10/2002
Roche Diagnostics Corporation	THC II P Module Kit; #03064948	HDPE bottle: one-130 mL, one-290 mL; Kit: 2 bottles	5/10/2002
Roche Diagnostics Corporation	THC Microparticle Reagent	Vial: 80 mL	6/27/1996
Roche Diagnostics Corporation	THC Reference Standard 75 ng/mL, material no. 03402967001	Glass bottle: 60 mL	4/13/2005
Roche Diagnostics Corporation	THC Standards (10 µg/mL, and 5, 10, 20, 50, 80 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	THC Test Strip	Strip: 0.5 cm x 3.0 cm	6/1/1995
Roche Diagnostics Corporation	USP SBARB Calibrator Kal. B - E	Container: 5 mL	5/14/2009
Roche Diagnostics Corporation	Varian Barbiturates Standards, material no. 04590503160	Kit: 6 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Benzodiazepine II Standards, material no. 04590511160	Kit: 7 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Clinical-6 Standard Kit, material no. 04590520160	Kit: 6 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Cocaine Standards, material no. 04590538160	Kit: 8 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Multi-6 Standard Kit, material no. 04590546160	Kit: 6 bottles; bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	Varian Opiates Standards, material no. 04590554160	Kit: 7 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian THC Standard, material no. 04590490160	Kit: 10 bottles; bottle: 60 mL	4/13/2005
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qual Plus Clinical Catalog No. 04590856190	Glass bottle: 7 mL	5/14/2009
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 2, Disp. material No. 04502680001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 3, Disp. material No. 04502698001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 4, Disp. material No. 04502701001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 5, Disp. material No. 04502710001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Catalog No. 04500865160	Glass bottle: 7 mL; Box: 10 bottles	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Plus, Catalog No. 03304698190	Glass bottle: 7 mL, Kit: 6 bottles	12/20/2005
Roche Diagnostics Operations, Inc.	cobas c systems PHNO2 Online TDM Phenobarbital, #05842131190	Plastic bottles: 24 mL Cassette: 2 bottles	2/7/2011
Roche Diagnostics Operations, Inc.	cobas Cocaine/200 Cassette, Catalog No. 04490827190	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	cobas Cocaine/200 Dispensed AMD-Conjugate Reagent, Material No. 04559622001	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	Cobas FP T-Uptake Calibrator, Catalog No. 20762059322	Glass bottles: 5 mL; Box: 4 bottles	12/6/2005
Roche Diagnostics Operations, Inc.	Cobas Integra Total T4 (Thyroxine), Catalog No. 20739006322	HDPE bottles: 2x12 mL, 1x25 mL; Cassette: 3 bottles	12/6/2005
Roche Diagnostics Operations, Inc.	Cobas Integra T-Uptake, Catalog No. 20739014322	HDPE bottles: 2x12 mL, 1x25 mL; Cassette: 3 bottles	12/6/2005
Roche Diagnostics Operations, Inc.	cobas Opiates/200 Cassette, Catalog No. 04490894190	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	cobas Opiates/200 Dispensed Hapten/Conjugate Reagent, Material No. 04559754001	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	cobas THC/200, Catalog No. 01191009190	HDPE bottles: 60 mL, 20 mL	4/28/2006
Roche Diagnostics Operations, Inc.	Cocaine II 911/912/917/P Module Kit, # 03800148190	HDPE Bottle: 20 mL; Kit: 4 bottles	2/13/2002
Roche Diagnostics Operations, Inc.	Cocaine II 917/P Module Kit, # 03800156190	HDPE Bottle: 70 mL; Kit: 2 bottles	2/13/2002
Roche Diagnostics Operations, Inc.	Cocaine II DAT2400 Module Kit, # 03800172	HDPE Bottle: three-330 mL, three-720 mL; Kit: 6 bottles	2/13/2002
Roche Diagnostics Operations, Inc.	Cocaine II P Module Kit, # 03064956	HDPE Bottle: one-130 mL, one-290 mL; Kit: 2 bottles	2/13/2002
Roche Diagnostics Operations, Inc.	Control Set DAT Clinical Catalog No. 04500873190	Set: 2 bottles; Bottle: 12 mL	5/14/2009
Roche Diagnostics Operations, Inc.	Control Set DAT I, Catalog No. 03312950190	Glass bottle: 12 mL; Box: 4 bottles	3/24/2004
Roche Diagnostics Operations, Inc.	Control Set DAT II, Catalog No. 03312968190	Glass bottle: 12 mL; Box: 4 bottles	3/24/2004
Roche Diagnostics Operations, Inc.	Control Set DAT III, Catalog No. 03312976190	Glass bottle: 12 mL; Box: 4 bottles	3/24/2004
Roche Diagnostics Operations, Inc.	DISP C.f.a.s. DAT QUAL PLUS, Material No. 04644425001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	Disp cobas 200 THC R1 Conjugate, Material No. 04559894001	HDPE bottle: 60 mL	4/28/2006
Roche Diagnostics Operations, Inc.	Disp LSD High/Positive Control, Material No. 03405214001	Glass bottle: 10 mL	4/28/2006
Roche Diagnostics Operations, Inc.	Disp LSD Low/Neg Control, Material No. 03405346001	Glass bottle: 10 mL	4/28/2006
Roche Diagnostics Operations, Inc.	Disp LSD Mid/Cal Control, Material No. 03405206001	Glass bottle: 10 mL	4/28/2006
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 2, Material No. 04644107001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 3, Material No. 04644115001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 4, Material No. 04644123001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 5, Material No. 04644140001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 6, Material No. 04644158001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 2, Material No. 04644271001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 3, Material No. 04644301001	Glass bottle: 7 mL	12/20/2005

Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 4, Material No. 04644310001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 5, Material No. 04644328001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 6, Material No. 04644336001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	Disp. MDEA 1000 ng/mL Std, Material No. 04954831001	Glass bottle: 12 mL	10/13/2006
Roche Diagnostics Operations, Inc.	Disp. MDEA 300 ng/mL Std, Material No. 04954815001	Glass bottle: 12 mL	10/13/2006
Roche Diagnostics Operations, Inc.	Disp. MDEA 500 ng/mL Std, Material No. 04954823001	Glass bottle: 12 mL	10/13/2006
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Cal A Levels 1-5	Glass vial: 5 mL	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Cal A (Levels 1-5)	Glass vial: 7 mL	3/11/2010
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Cal B Levels 1-5	Glass vial: 5 mL	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Cal B (Levels 1-5)	Glass vial: 7 mL	3/11/2010
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Control Set A Material No. 05473390190	Box of 6 vials, 10 mL each	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Control Set A Material No. 05473390190	Box of 6 vials, 12 mL each	3/11/2010
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Control Set B Material No. 05473411190	Box of 6 vials, 10 mL each	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Control Set B Material No. 05473411190	Box of 6 vials, 12 mL each	3/11/2010
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Qual Cal Material No. 05475929190	Box of 4 vials, 5 mL each	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT Qual Cal Material No. 05475929190	Box of 4 vials, 7 mL each	3/11/2010
Roche Diagnostics Operations, Inc.	Oral Fluid DAT SQ Cal A Material No. 05475872190	Box of 6 vials, 5 mL each	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT SQ Cal A Material No. 05475872190	Box of 6 vials, 7 mL each	3/11/2010
Roche Diagnostics Operations, Inc.	Oral Fluid DAT SQ Cal B Material No. 05475899190	Box of 6 vials, 5 mL each	3/1/2012
Roche Diagnostics Operations, Inc.	Oral Fluid DAT SQ Cal B Material No. 05475899190	Box of 6 vials, 7 mL each	3/11/2010
Roche Diagnostics Operations, Inc.	PRECISET DAT Plus I, Catalog No. 03304671190	Glass bottle: 7 mL, Kit: 6 bottles	12/20/2005
Roche Diagnostics Operations, Inc.	PRECISET DAT Plus II, Catalog No. 03304680190	Glass bottle: 7 mL, Kit: 6 bottles	12/20/2005
Roche Diagnostics Operations, Inc.	TDM Control Set, Catalog No. 04521536190	LDPE bottle: 6 mL, Box: 6 bottles	1/13/2006
Rowley Biochemical Institute,Inc.	Aldehyde Fuchsin Solution	Bottle: Pint, Quart, Gallon	2/2/1984
Rowley Biochemical Institute,Inc.	Aldehyde Thionin Solution	Bottle: Pint, Quart, Gallon	2/2/1984
Rowley Biochemical Institute,Inc.	Mayer's Hematoxylin Solution	Bottle: Pint, Quart, Gallon	2/2/1984
RTI	2021 FTC-01	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-03	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-04	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-07	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-08	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-12	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-13	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-14	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-15	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 NOB-01	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-02	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-04	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-05	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-06	Amber vial: 15 mL	9/14/2020
RTI	2021 SCDD-01	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-02	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-03	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-04	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-05	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-06	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	RTI Spike Urine 48117	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48118	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48119	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48120	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48121	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48122	HDPE vial: 35 mL	7/26/2023
RTI International	000382B, 030449B, 033498B, 038922B, 039862B, 090400B, 146079B, 192053B, 212337B, 241168B, 287670B, 304327B, 332636B, 396817B, 410327B, 427256B, 527123B, 543000B, 544988B, 571072B, 601995B, 645346B, 664574B, 729585B, 739504B, 757277B, 781245B, 814526B, 826771B, 849913B, 868482B, 882423B, 887997B, 920198B, 934293B	HDPE bottles: 35 mL	9/14/2021
RTI International	001355A, 056755A, 093169A, 096514A, 104752A, 132047A, 135710A, 141093A, 207832A, 250956A, 262210A, 322090A, 349735A, 370117A, 373438A, 373948A, 375489A, 401306A, 479905A, 502837A, 525072A, 525354A, 541420A, 622732A, 622814A, 655269A, 673741A, 724033A, 728462A, 869506A, 872401A, 920170A, 931178A, 936593A, 953848A	HDPE bottles: 35 mL	9/14/2021
RTI International	001958A, 046335A, 069934A, 092611A, 112555A, 116892A, 179368A, 224648A, 255451A, 303476A, 343649A, 346062A, 354928A, 359963A, 412328A, 432376A, 469355A, 475498A, 550297A, 561828A, 614670A, 624432A, 692509A, 694975A, 746438A, 758056A, 770349A, 802258A, 812576A, 845134A, 861996A, 878216A, 902796A, 941346A, 999907A	HDPE bottles: 35 mL	9/14/2021
RTI International	002486B, 008180B, 022758B, 027643B, 145609B, 158337B, 168213B, 227304B, 261497B, 262097B, 263064B, 314163B, 332587B, 346651B, 387628B, 390939B, 398197B, 440632B, 493412B, 513759B, 520774B, 557176B, 609772B, 655570B, 699746B, 744019B, 758457B, 779150B, 805269B, 808954B, 849694B, 894370B, 895477B, 902468B, 927162B	HDPE bottles: 35 mL	9/14/2021
RTI International	003264B, 010287B, 035050B, 035622B, 040399B, 069082B, 102598B, 105202B, 106703B, 120072B, 142646B, 213000B, 276154B, 421458B, 433910B, 436945B, 439209B, 448564B, 457453B, 463715B, 468656B, 483876B, 498189B, 572052B, 604943B, 632692B, 659105B, 734338B, 769839B, 823524B, 829407B, 851991B, 855055B, 883713B, 916719B	HDPE bottles: 35 mL	9/14/2021
RTI International	003522B, 007454B, 018485B, 042182B, 048162B, 075318B, 096155B, 152285B, 152570B, 171928B, 256062B, 304943B, 308786B, 332949B, 352716B, 358489B, 375524B, 422817B, 439811B, 452078B, 485177B, 568025B, 588777B, 600043B, 621012B, 635185B, 666624B, 688732B, 716344B, 821267B, 823185B, 849553B, 863451B, 873366B, 975222B	HDPE bottles: 35 mL	9/14/2021
RTI International	004284B, 009205B, 022363B, 023926B, 027669B, 077712B, 097976B, 117096B, 137137B, 155082B, 201475B, 222722B, 240934B, 310859B, 319055B, 325185B, 325313B, 344538B, 357780B, 360156B, 393298B, 400502B, 423723B, 442087B, 464507B, 514765B, 529072B, 542637B, 584034B, 666101B, 689479B, 748393B, 767049B, 957241B, 980290B	HDPE bottles: 35 mL	9/14/2021
RTI International	006033B, 017000B, 082761B, 101519B, 131337B, 170167B, 171246B, 184779B, 205725B, 256627B, 257633B, 281194B, 303533B, 309737B, 318283B, 347633B, 378444B, 427078B, 463032B, 466703B, 511146B, 523997B, 539975B, 540992B, 556413B, 613166B, 638296B, 642311B, 654881B, 731704B, 773012B, 804742B, 825219B, 977515B, 995991B	HDPE bottles: 35 mL	9/14/2021
RTI International	006072A, 027577A, 067890A, 125064A, 137302A, 142698A, 246456A, 251595A, 275283A, 282815A, 319753A, 337678A, 338177A, 355955A, 391553A, 437636A, 462629A, 469539A, 498444A, 539865A, 543326A, 570273A, 588331A, 591648A, 670321A, 714662A, 774840A, 824851A, 838577A, 856823A, 914204A, 917209A, 919321A, 933637A, 986872A919321A, 933637A, 986872A	HDPE bottles: 35 mL	9/14/2021

RTI International	006746B, 021551B, 023268B, 058678B, 062270B, 065266B, 093869B, 152084B, 162960B, 181899B, 263318B, 291279B, 316416B, 332734B, 338411B, 357942B, 387507B, 408151B, 504393B, 505918B, 505953B, 555730B, 641988B, 735892B, 799695B, 807383B, 821232B, 829503B, 839477B, 868868B, 871654B, 892253B, 901341B, 919795B, 921691B	HDPE bottles: 35 mL	9/14/2021
RTI International	007066A, 018010A, 077641A, 080843A, 103467A, 131933A, 150657A, 176069A, 199131A, 211523A, 273880A, 305340A, 309199A, 318340A, 417682A, 423962A, 461182A, 543968A, 551300A, 562930A, 563032A, 563085A, 574724A, 576446A, 653108A, 657079A, 662399A, 741331A, 832676A, 846018A, 855641A, 864557A, 866863A, 935341A, 940847A	HDPE bottles: 35 mL	9/14/2021
RTI International	007345A, 023974A, 063528A, 118425A, 138846A, 153511A, 168437A, 169265A, 225700A, 237092A, 376724A, 393402A, 397902A, 409713A, 495584A, 541626A, 571065A, 603541A, 615438A, 624687A, 654283A, 657412A, 673819A, 693302A, 739853A, 760294A, 777216A, 810352A, 851992A, 914898A, 929153A, 956075A, 964678A, 980935A, 992838A	HDPE bottles: 35 mL	9/14/2021
RTI International	007736B, 011172B, 114812B, 117495B, 120995B, 143574B, 162860B, 180412B, 262498B, 268018B, 279722B, 316516B, 336594B, 362841B, 383168B, 421968B, 443271B, 567403B, 626548B, 682862B, 683790B, 684524B, 724353B, 766530B, 802102B, 837643B, 856625B, 870279B, 886218B, 918043B, 935354B, 939602B, 946825B, 963857B, 966161B	HDPE bottles: 35 mL	9/14/2021
RTI International	007805B, 011746B, 040665B, 063782B, 114545B, 201389B, 224334B, 230165B, 245660B, 257727B, 287269B, 306855B, 367522B, 387596B, 394756B, 420864B, 425386B, 426467B, 442507B, 461004B, 536423B, 579190B, 582644B, 583948B, 587223B, 609372B, 666559B, 692905B, 741818B, 750892B, 767701B, 838455B, 862636B, 909870B, 967255B	HDPE bottles: 35 mL	9/14/2021
RTI International	007990B, 060463B, 072768B, 167809B, 257829B, 278338B, 305472B, 309358B, 317182B, 323102B, 357375B, 397415B, 422241B, 448463B, 458704B, 483464B, 497949B, 532944B, 557160B, 642544B, 649674B, 667600B, 711326B, 711400B, 758154B, 777493B, 803735B, 856376B, 856403B, 873832B, 885101B, 900687B, 917442B, 928609B, 978459B	HDPE bottles: 35 mL	9/14/2021
RTI International	008249B, 017005B, 023025B, 045053B, 047289B, 210248B, 213179B, 242611B, 324279B, 343336B, 352904B, 357536B, 436704B, 444440B, 482065B, 497633B, 524663B, 645614B, 649427B, 704335B, 722142B, 727368B, 742926B, 753947B, 754736B, 756471B, 761898B, 818387B, 839416B, 849068B, 861448B, 890162B, 919661B, 984959B, 995320B	HDPE bottles: 35 mL	9/14/2021
RTI International	008378A, 020285A, 070609A, 126965A, 161603A, 221890A, 222561A, 224448A, 229304A, 236314A, 296755A, 309735A, 312792A, 314688A, 340252A, 379329A, 391445A, 401701A, 556508A, 610582A, 628117A, 680391A, 702425A, 732151A, 745048A, 796290A, 802487A, 805069A, 827957A, 838700A, 880289A, 883826A, 889585A, 909590A, 956702A	HDPE bottles: 35 mL	9/14/2021
RTI International	008485B, 039768B, 055877B, 094384B, 143908B, 146833B, 152530B, 154757B, 157678B, 163169B, 259398B, 279357B, 340363B, 360253B, 380907B, 392903B, 395158B, 414641B, 436901B, 465886B, 553767B, 609916B, 616836B, 624654B, 701737B, 709371B, 759588B, 786244B, 794360B, 819416B, 834904B, 840809B, 845870B, 871646B, 969211B	HDPE bottles: 35 mL	9/14/2021
RTI International	008725A, 021166A, 043867A, 059687A, 103195A, 121198A, 139425A, 175863A, 214459A, 216324A, 231260A, 244567A, 250219A, 277343A, 279936A, 362415A, 363655A, 391984A, 449776A, 451230A, 516253A, 613700A, 618257A, 681553A, 710915A, 776155A, 778654A, 784580A, 803158A, 821472A, 834095A, 847531A, 849058A, 901946A, 931093A	HDPE bottles: 35 mL	9/14/2021
RTI International	009318B, 011683B, 025480B, 025671B, 087852B, 099813B, 124045B, 129342B, 137642B, 163514B, 167958B, 252112B, 255896B, 270051B, 310931B, 332711B, 353730B, 367155B, 431266B, 535150B, 547017B, 556833B, 574302B, 688932B, 735439B, 746642B, 791922B, 853560B, 906394B, 911032B, 913500B, 934016B, 963042B, 975726B, 995686B	HDPE bottles: 35 mL	9/14/2021
RTI International	010174B, 010219B, 041899B, 042321B, 047906B, 092518B, 106457B, 127038B, 133134B, 192443B, 210331B, 215233B, 227917B, 272210B, 282011B, 312582B, 333795B, 335310B, 346511B, 375873B, 393763B, 393959B, 409613B, 431610B, 435804B, 451635B, 457274B, 470563B, 529829B, 586786B, 697722B, 708873B, 794324B, 854826B, 913778B	HDPE bottles: 35 mL	9/14/2021
RTI International	010965A, 030741A, 046791A, 058365A, 062541A, 114995A, 122977A, 134512A, 161666A, 172845A, 205566A, 208520A, 221838A, 342285A, 342560A, 346057A, 400632A, 425916A, 431972A, 459933A, 511894A, 512258A, 545877A, 553662A, 560292A, 705320A, 719419A, 746067A, 755012A, 775851A, 813219A, 920260A, 952656A, 955244A, 962405A	HDPE bottles: 35 mL	9/14/2021
RTI International	011426B, 021161B, 058570B, 069449B, 072872B, 103885B, 139082B, 158982B, 178375B, 181825B, 191073B, 209439B, 243326B, 245104B, 258066B, 292927B, 297156B, 298788B, 325388B, 395817B, 443939B, 467104B, 518611B, 541536B, 561414B, 592512B, 654235B, 666333B, 673963B, 723376B, 795032B, 798503B, 849736B, 949896B, 978640B	HDPE bottles: 35 mL	9/14/2021
RTI International	011526A, 015399A, 026322A, 050763A, 083985A, 104236A, 104573A, 143233A, 149811A, 181164A, 213711A, 277402A, 281796A, 322947A, 357155A, 406218A, 439526A, 475066A, 510445A, 546596A, 568298A, 641216A, 660474A, 772730A, 809283A, 861325A, 861483A, 894226A, 914574A, 920382A, 937401A, 952179A, 960287A, 978108A, 989514A	HDPE bottles: 35 mL	9/14/2021
RTI International	011700B, 012578B, 087444B, 098261B, 128878B, 139764B, 174711B, 196224B, 208585B, 214675B, 276119B, 287699B, 391044B, 409892B, 417778B, 449857B, 462580B, 473774B, 529943B, 538354B, 558326B, 594198B, 604966B, 635361B, 660369B, 678549B, 681594B, 766084B, 788764B, 829711B, 856884B, 889708B, 927244B, 927328B, 963752B	HDPE bottles: 35 mL	9/14/2021
RTI International	011813A, 048951A, 110558A, 224844A, 282790A, 308411A, 351924A, 451956A, 455520A, 471589A, 484961A, 495755A, 540110A, 557046A, 565964A, 576151A, 580361A, 601157A, 615300A, 623892A, 634508A, 681430A, 699057A, 758877A, 822810A, 844038A, 844084A, 897647A, 897662A, 901091A, 907693A, 943038A, 954056A, 968376A, 977245A	HDPE bottles: 35 mL	9/14/2021
RTI International	012300A, 046442A, 140584A, 177420A, 204489A, 204557A, 223210A, 223908A, 278944A, 280062A, 282930A, 295960A, 315809A, 316011A, 368543A, 376448A, 438807A, 458240A, 463709A, 520300A, 529416A, 531808A, 641824A, 644216A, 656352A, 693588A, 724613A, 771083A, 797041A, 815934A, 833846A, 858504A, 869954A, 888657A, 941175A	HDPE bottles: 35 mL	9/14/2021
RTI International	013093A, 088130A, 092515A, 144177A, 145776A, 146186A, 167589A, 230580A, 233580A, 239463A, 249482A, 265270A, 277950A, 343285A, 404454A, 411265A, 437591A, 473045A, 476664A, 505605A, 507609A, 524534A, 636725A, 681003A, 726944A, 750420A, 786454A, 786777A, 788800A, 810868A, 833721A, 916783A, 958498A, 984921A, 996684A	HDPE bottles: 35 mL	9/14/2021
RTI International	013468A, 044442A, 051511A, 080096A, 085361A, 155745A, 156379A, 183152A, 197624A, 208401A, 227088A, 266951A, 307566A, 312104A, 406314A, 467036A, 475292A, 494123A, 498736A, 509727A, 510981A, 568926A, 582709A, 629522A, 658131A, 664396A, 667372A, 681993A, 691385A, 692015A, 697668A, 786732A, 845830A, 879929A, 917923A	HDPE bottles: 35 mL	9/14/2021
RTI International	013840A, 041967A, 120223A, 164066A, 166335A, 214931A, 252276A, 263438A, 273280A, 274254A, 278555A, 303048A, 342953A, 368214A, 376310A, 380951A, 386162A, 440370A, 468453A, 491212A, 496804A, 559244A, 577944A, 592849A, 653738A, 693786A, 714969A, 742553A, 760944A, 763099A, 773619A, 865955A, 926802A, 945505A, 974977A	HDPE bottles: 35 mL	9/14/2021
RTI International	013910A, 017092A, 051952A, 062357A, 100264A, 118711A, 158003A, 236749A, 257929A, 322690A, 354583A, 376398A, 378950A, 420641A, 444061A, 444746A, 460486A, 515360A, 574203A, 585770A, 588984A, 735988A, 762323A, 834473A, 842293A, 879212A, 882312A, 895374A, 901968A, 911943A, 915480A, 917154A, 938011A, 972772A, 974621A	HDPE bottles: 35 mL	9/14/2021
RTI International	015940A, 039927A, 042116A, 071608A, 108890A, 120345A, 137448A, 148090A, 161528A, 199727A, 220165A, 291463A, 339223A, 345775A, 365899A, 403920A, 404150A, 417972A, 436618A, 493617A, 498658A, 504051A, 513743A, 589229A, 606349A, 614641A, 624754A, 640951A, 716445A, 741699A, 779507A, 911839A, 943747A, 963513A, 970431A	HDPE bottles: 35 mL	9/14/2021
RTI International	016624A, 078074A, 086167A, 101947A, 107160A, 116066A, 130437A, 164162A, 189318A, 229706A, 245387A, 279941A, 315220A, 316445A, 328107A, 359447A, 383964A, 399394A, 407726A, 490289A, 531249A, 537743A, 542550A, 545626A, 583231A, 599934A, 605189A, 624255A, 671324A, 673149A, 763229A, 803159A, 908718A, 909348A, 994863A	HDPE bottles: 35 mL	9/14/2021
RTI International	017730A, 119864A, 171018A, 188883A, 188929A, 199991A, 200435A, 206128A, 223581A, 365346A, 368049A, 385038A, 390328A, 402991A, 407549A, 412778A, 426647A, 444727A, 464296A, 488709A, 506307A, 512500A, 521523A, 542832A, 559006A, 596895A, 653516A, 671321A, 698372A, 713773A, 782425A, 848371A, 857517A, 863862A, 972195A	HDPE bottles: 35 mL	9/14/2021
RTI International	017870A, 062046A, 068630A, 089015A, 094929A, 100395A, 108613A, 157007A, 157186A, 169910A, 196388A, 227251A, 268142A, 341492A, 377483A, 545113A, 619003A, 626831A, 664128A, 664239A, 684240A, 708925A, 742825A, 763995A, 766282A, 800855A, 803573A, 824338A, 868498A, 897481A, 914043A, 960467A, 973520A, 980100A, 985987A	HDPE bottles: 35 mL	9/14/2021

RTI International	018074B, 051240B, 073998B, 114202B, 127629B, 162868B, 166985B, 171374B, 218778B, 350128B, 390030B, 417830B, 463893B, 467586B, 491500B, 576836B, 631251B, 642331B, 650703B, 652497B, 707179B, 716603B, 788466B, 789387B, 807934B, 817252B, 818176B, 839039B, 855015B, 886344B, 888233B, 896549B, 908061B, 936912B, 989534B	HDPE bottles: 35 mL	9/14/2021
RTI International	019677A, 034645A, 065065A, 107217A, 142094A, 200029A, 228779A, 238012A, 256338A, 262674A, 270370A, 296287A, 299248A, 327468A, 347682A, 395285A, 403259A, 441123A, 471182A, 546403A, 590341A, 596455A, 645571A, 653977A, 656203A, 706251A, 706784A, 749478A, 754205A, 762474A, 861418A, 898837A, 929540A, 973123A, 976670A	HDPE bottles: 35 mL	9/14/2021
RTI International	020517A, 037741A, 113659A, 252081A, 276931A, 298651A, 323790A, 397338A, 402369A, 402780A, 435215A, 457169A, 478964A, 495824A, 502568A, 515559A, 549342A, 656805A, 666954A, 671886A, 745668A, 747906A, 796167A, 829252A, 831939A, 834971A, 835698A, 855989A, 910978A, 913231A, 913442A, 951085A, 973834A, 974727A, 982337A	HDPE bottles: 35 mL	9/14/2021
RTI International	020980B, 041480B, 068463B, 081440B, 102656B, 107474B, 123252B, 126634B, 156669B, 158154B, 172667B, 177534B, 180088B, 190263B, 222400B, 308319B, 365985B, 389228B, 486622B, 505807B, 517986B, 528278B, 554724B, 578021B, 732651B, 747795B, 772431B, 796780B, 801149B, 818195B, 855572B, 895905B, 912215B, 931990B, 942593B	HDPE bottles: 35 mL	9/14/2021
RTI International	022679A, 023750A, 037873A, 068246A, 089803A, 120569A, 124405A, 210636A, 319033A, 366721A, 387037A, 404960A, 405393A, 408999A, 413612A, 420919A, 422609A, 494405A, 520177A, 658584A, 675251A, 675643A, 692660A, 693815A, 694514A, 698266A, 751139A, 758845A, 774143A, 827592A, 837301A, 842986A, 863672A, 915351A, 933293A	HDPE bottles: 35 mL	9/14/2021
RTI International	023097A, 058667A, 061122A, 071991A, 080178A, 082571A, 089258A, 091377A, 127069A, 167719A, 213775A, 263552A, 285450A, 308685A, 374795A, 411196A, 423929A, 474257A, 501797A, 512278A, 527083A, 588635A, 663142A, 672142A, 709179A, 733778A, 797930A, 898357A, 907571A, 929710A, 929764A, 938980A, 942131A, 963227A, 978625A	HDPE bottles: 35 mL	9/14/2021
RTI International	023396B, 025827B, 040707B, 086841B, 087811B, 180485B, 183531B, 203079B, 206510B, 215783B, 223466B, 313246B, 317698B, 348791B, 380884B, 407787B, 433446B, 441053B, 480510B, 492350B, 584055B, 620528B, 625932B, 636368B, 639136B, 640634B, 767440B, 805640B, 827266B, 847539B, 860297B, 882279B, 891523B, 959315B, 980670B	HDPE bottles: 35 mL	9/14/2021
RTI International	025118B, 038688B, 070965B, 088460B, 107650B, 152109B, 181324B, 188695B, 214132B, 226945B, 233130B, 233622B, 274003B, 279646B, 373798B, 401860B, 430945B, 440003B, 485409B, 485750B, 492345B, 518290B, 534980B, 553475B, 570751B, 589675B, 627677B, 716276B, 740766B, 771276B, 773467B, 778429B, 834962B, 959534B, 967938B	HDPE bottles: 35 mL	9/14/2021
RTI International	026483B, 037412B, 149032B, 152913B, 160504B, 186619B, 202810B, 208710B, 246788B, 249267B, 281097B, 349643B, 387130B, 450174B, 452950B, 507650B, 552783B, 573337B, 594255B, 611745B, 612430B, 624473B, 625115B, 625454B, 628509B, 725528B, 729910B, 799055B, 823555B, 857505B, 868406B, 885829B, 897418B, 931824B, 946099B	HDPE bottles: 35 mL	9/14/2021
RTI International	026694B, 048848B, 086986B, 146664B, 158129B, 162657B, 178854B, 190605B, 197436B, 225959B, 247210B, 277562B, 319647B, 324532B, 438064B, 460376B, 501902B, 511745B, 513157B, 538194B, 546125B, 610027B, 642563B, 661317B, 663078B, 685479B, 698409B, 706765B, 754643B, 806527B, 809763B, 875138B, 906265B, 967985B, 997093B	HDPE bottles: 35 mL	9/14/2021
RTI International	027015B, 049679B, 051603B, 053950B, 089127B, 135386B, 138280B, 164130B, 186455B, 192521B, 224641B, 228271B, 257168B, 287249B, 291626B, 357962B, 505516B, 535676B, 536543B, 543665B, 544641B, 665930B, 703520B, 744721B, 785845B, 791676B, 798397B, 802479B, 857042B, 870358B, 881425B, 910819B, 940288B, 959350B, 982403B	HDPE bottles: 35 mL	9/14/2021
RTI International	029083B, 040983B, 118320B, 149752B, 150611B, 166917B, 211066B, 270151B, 282538B, 285886B, 293121B, 299276B, 322798B, 355106B, 371381B, 412996B, 413225B, 451485B, 454841B, 547699B, 581070B, 611090B, 616632B, 622406B, 636503B, 643970B, 721610B, 764571B, 772528B, 794589B, 847035B, 899005B, 961663B, 981464B, 994581B	HDPE bottles: 35 mL	9/14/2021
RTI International	031030A, 033441A, 035719A, 082275A, 106016A, 139825A, 163960A, 168309A, 178326A, 196972A, 254229A, 334665A, 370371A, 421421A, 432085A, 491052A, 511826A, 511871A, 520636A, 559074A, 597622A, 656661A, 669546A, 716388A, 718948A, 744410A, 802562A, 841556A, 845171A, 845272A, 855000A, 866218A, 922067A, 946436A, 964547A	HDPE bottles: 35 mL	9/14/2021
RTI International	033761B, 053598B, 084451B, 085494B, 199713B, 203902B, 252784B, 283309B, 329315B, 344038B, 367228B, 405169B, 413059B, 455485B, 459343B, 485793B, 564918B, 592560B, 616168B, 625196B, 659340B, 688873B, 699287B, 713834B, 731184B, 749101B, 753792B, 779934B, 799913B, 825946B, 826204B, 850686B, 862674B, 872677B, 955622B	HDPE bottles: 35 mL	9/14/2021
RTI International	033790A, 067755A, 069599A, 079210A, 099827A, 101769A, 115501A, 132600A, 192520A, 195620A, 247338A, 328557A, 346384A, 361907A, 369310A, 391092A, 396101A, 515313A, 542894A, 563017A, 566144A, 603641A, 637930A, 679878A, 688648A, 707052A, 721825A, 730865A, 775183A, 793839A, 822548A, 900752A, 926542A, 944248A, 968813A	HDPE bottles: 35 mL	9/14/2021
RTI International	034094A, 040523A, 049848A, 055661A, 072357A, 091114A, 125036A, 135869A, 147474A, 155846A, 166954A, 186292A, 193606A, 199099A, 262568A, 277608A, 282907A, 313026A, 410505A, 418482A, 424765A, 424990A, 432845A, 474405A, 498897A, 521359A, 555546A, 601144A, 703627A, 703778A, 783638A, 793945A, 862044A, 927412A, 978145A	HDPE bottles: 35 mL	9/14/2021
RTI International	034266B, 044317B, 068168B, 074042B, 118136B, 145010B, 146472B, 226639B, 279638B, 291730B, 297755B, 313476B, 382992B, 390596B, 401280B, 409562B, 458367B, 537833B, 578203B, 592033B, 657611B, 660633B, 682368B, 699401B, 711443B, 732829B, 737003B, 790217B, 794337B, 848219B, 875736B, 876228B, 889667B, 936378B, 954809B	HDPE bottles: 35 mL	9/14/2021
RTI International	034512A, 075860A, 101228A, 110642A, 111830A, 149431A, 166111A, 175421A, 207130A, 278988A, 292385A, 293413A, 300113A, 315127A, 372451A, 417218A, 435889A, 436710A, 476371A, 616083A, 635545A, 669466A, 720372A, 745666A, 746719A, 757971A, 815553A, 820735A, 832160A, 832488A, 848607A, 881546A, 936215A, 937514A, 952053A	HDPE bottles: 35 mL	9/14/2021
RTI International	036476A, 051499A, 053986A, 071277A, 082252A, 134277A, 167600A, 178723A, 268399A, 348366A, 350602A, 386798A, 423173A, 526788A, 539056A, 541260A, 559542A, 603211A, 623687A, 637698A, 640017A, 673022A, 764963A, 767836A, 786722A, 795592A, 799191A, 800519A, 838596A, 853207A, 865450A, 865988A, 897667A, 926947A, 956640A	HDPE bottles: 35 mL	9/14/2021
RTI International	036708A, 083917A, 086818A, 090508A, 117782A, 130406A, 181561A, 186031A, 210865A, 279177A, 331075A, 337842A, 349274A, 364105A, 388395A, 399693A, 413944A, 423517A, 444331A, 471261A, 511329A, 534798A, 593399A, 602528A, 689274A, 739266A, 744836A, 769335A, 839026A, 857684A, 867603A, 871987A, 903149A, 918302A, 940248A	HDPE bottles: 35 mL	9/14/2021
RTI International	042088B, 046141B, 067980B, 133103B, 138387B, 149484B, 276844B, 325135B, 339339B, 375126B, 382666B, 472034B, 484718B, 490099B, 496164B, 511180B, 541279B, 579545B, 710946B, 722071B, 741717B, 757104B, 783154B, 793047B, 807929B, 815180B, 848861B, 866113B, 869387B, 890531B, 927577B, 944639B, 945980B, 971607B, 975342B	HDPE bottles: 35 mL	9/14/2021
RTI International	042524B, 067153B, 085207B, 088481B, 118799B, 148645B, 158902B, 193209B, 194198B, 195783B, 200930B, 242588B, 262816B, 283122B, 298710B, 314258B, 328764B, 392087B, 411819B, 412332B, 421330B, 423825B, 595536B, 608878B, 636067B, 660454B, 668853B, 687245B, 726202B, 851088B, 865715B, 877142B, 883310B, 897515B, 968626B	HDPE bottles: 35 mL	9/14/2021
RTI International	043753B, 048283B, 071802B, 106158B, 134797B, 178448B, 229508B, 242088B, 361933B, 364662B, 367499B, 394688B, 411437B, 432337B, 432823B, 503986B, 511558B, 538096B, 542940B, 559479B, 600773B, 617563B, 630555B, 695256B, 731127B, 749462B, 778163B, 779093B, 790234B, 821069B, 858339B, 913258B, 950488B, 952987B, 965699B	HDPE bottles: 35 mL	9/14/2021
RTI International	044568B, 078173B, 088626B, 106025B, 165161B, 191599B, 201838B, 217733B, 222892B, 272217B, 283064B, 285329B, 334762B, 346523B, 399639B, 497926B, 512804B, 581610B, 599676B, 631931B, 646633B, 657337B, 707009B, 707692B, 750240B, 810383B, 824209B, 844453B, 854936B, 857896B, 883515B, 886769B, 905094B, 905984B, 982936B	HDPE bottles: 35 mL	9/14/2021
RTI International	045036A, 088691A, 095294A, 127609A, 134573A, 138033A, 161813A, 187420A, 195072A, 239592A, 247165A, 261412A, 274130A, 300096A, 305456A, 323348A, 383136A, 383885A, 403934A, 429258A, 512120A, 588720A, 621290A, 633441A, 638055A, 728684A, 788050A, 793492A, 885177A, 902668A, 903443A, 936700A, 944183A, 983810A, 995947A	HDPE bottles: 35 mL	9/14/2021
RTI International	047122A, 063183A, 078325A, 114577A, 151124A, 170284A, 181357A, 192257A, 208662A, 221125A, 226855A, 324733A, 328016A, 376347A, 395163A, 458271A, 465651A, 537296A, 565727A, 607658A, 628639A, 629538A, 725657A, 728884A, 791726A, 793302A, 808679A, 813463A, 838683A, 842777A, 881627A, 904222A, 926750A, 941507A, 966187A	HDPE bottles: 35 mL	9/14/2021
RTI International	049152A, 406437A, 409610A, 470241A, 685527A, 772816A	HDPE bottles: 35 mL	9/14/2021

RTI International	051575B, 055881B, 069961B, 091730B, 118125B, 163000B, 199267B, 266402B, 273083B, 299528B, 455919B, 478332B, 485972B, 501916B, 512620B, 516085B, 524178B, 541091B, 613750B, 703484B, 746025B, 777755B, 779895B, 793904B, 845477B, 847357B, 848131B, 861091B, 914661B, 966425B, 977047B, 977211B, 977497B, 997084B, 998144B	HDPE bottles: 35 mL	9/14/2021
RTI International	054660A, 096758A, 306853A, 701781A, 825995A, 860534A	HDPE bottles: 35 mL	9/14/2021
RTI International	055511B, 107279B, 126577B, 134031B, 153482B, 181565B, 200785B, 222352B, 285529B, 336801B, 355886B, 405525B, 462089B, 472956B, 477421B, 494872B, 499895B, 511995B, 519990B, 524963B, 530923B, 557653B, 583610B, 610524B, 694578B, 716394B, 729930B, 748221B, 750579B, 767771B, 787294B, 874000B, 933411B, 961294B, 978546B	HDPE bottles: 35 mL	9/14/2021
RTI International	061338A, 093079A, 093984A, 103102A, 112885A, 137651A, 167643A, 170617A, 178820A, 207911A, 284122A, 314088A, 316008A, 331130A, 336962A, 384338A, 395142A, 405441A, 416604A, 419130A, 439941A, 496655A, 514774A, 531054A, 578870A, 584698A, 631879A, 637438A, 653044A, 796888A, 851885A, 883611A, 901253A, 934607A, 963689A	HDPE bottles: 35 mL	9/14/2021
RTI International	067148B, 084154B, 123136B, 171952B, 189776B, 198985B, 240779B, 296047B, 331408B, 346926B, 349043B, 377267B, 392493B, 415562B, 446444B, 455140B, 566660B, 572790B, 598654B, 599399B, 602105B, 607520B, 616169B, 629812B, 708589B, 740894B, 749926B, 752010B, 771969B, 783438B, 826364B, 865463B, 888158B, 916648B, 953466B	HDPE bottles: 35 mL	9/14/2021
RTI International	067219A, 075336A, 115543A, 124843A, 148815A, 176294A, 248673A, 257985A, 274411A, 342381A, 356595A, 370689A, 396961A, 407712A, 442211A, 446296A, 446876A, 504924A, 548982A, 554793A, 602352A, 667819A, 682091A, 698888A, 714376A, 717453A, 718201A, 724474A, 728606A, 734234A, 746773A, 755284A, 902157A, 956813A, 969226A	HDPE bottles: 35 mL	9/14/2021
RTI International	067530B, 112579B, 117617B, 119138B, 158200B, 158348B, 177597B, 211999B, 216463B, 220805B, 267092B, 320209B, 341040B, 342282B, 366176B, 406725B, 411349B, 480111B, 488710B, 513640B, 526772B, 530577B, 589238B, 611386B, 648800B, 662283B, 670365B, 700479B, 714963B, 715250B, 727714B, 796467B, 804222B, 944566B, 997783B	HDPE bottles: 35 mL	9/14/2021
RTI International	083375B, 093920B, 101122B, 127621B, 146680B, 173394B, 181774B, 256751B, 277951B, 342274B, 382283B, 407571B, 414872B, 445466B, 503903B, 509664B, 549767B, 559437B, 567878B, 578803B, 602058B, 631496B, 674419B, 715980B, 775937B, 790278B, 796515B, 814400B, 831869B, 883733B, 898323B, 922549B, 940875B, 963979B, 969582B	HDPE bottles: 35 mL	9/14/2021
RTI International	086234A, 134886A, 234646A, 562489A, 661831A, 674781A	HDPE bottles: 35 mL	9/14/2021
RTI International	098169A, 161057A, 173427A, 241526A, 264674A, 374229A, 410011A, 411043A, 414388A, 419030A, 455995A, 456354A, 467926A, 481812A, 484158A, 589107A, 605603A, 610712A, 627981A, 639089A, 644638A, 650014A, 651506A, 651777A, 671809A, 687028A, 721256A, 773684A, 815239A, 902580A, 925559A, 938931A, 946746A, 956139A, 982838A	HDPE bottles: 35 mL	9/14/2021
RTI International	119100A, 279532A, 439085A, 466615A, 563819A, 981418A	HDPE bottles: 35 mL	9/14/2021
RTI International	12198-62-06	Glass tube: 7 mL	3/1/2022
RTI International	145074A, 163970A, 176045A, 215129A, 225392A, 235273A, 248657A, 271067A, 308576A, 311993A, 321160A, 363272A, 378254A, 382246A, 451805A, 470383A, 500607A, 534405A, 551494A, 578227A, 591070A, 742302A, 743822A, 750765A, 765628A, 833310A, 837447A, 916631A, 927130A, 932140A, 950031A, 963081A, 972458A, 985786A, 995411A	HDPE bottles: 35 mL	9/14/2021
RTI International	197765A, 428493A, 455083A, 790360A, 792562A, 961635A	HDPE bottles: 35 mL	9/14/2021
RTI International	2021 FTC-02	HDPE screw top Bottle: 20 mL	9/24/2020
RTI International	2021 NOB-03	Amber vial: 15 mL	9/24/2020
RTI International	2023 DMPM-01	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 DMPM-02	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 DMPM-03	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 DMPM-05	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 DMPM-06	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 DMPM-07	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 FTC-02	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-03	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-05	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-06	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-07	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-09	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-10	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-11	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-13	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-14	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 FTC-15	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 Occ 1 Sample 1	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 1 Sample 2	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 1 Sample 3	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 1 Sample 5	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 1	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 3	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 4	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 5	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 6	HDPE vial: 5 mL	3/3/2023
RTI International	2023 OFD-01	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-02	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-03	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-04	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-05	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-06	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-07	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-08	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-10	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-11	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-12	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-13	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-14	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-15	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-16	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-17	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-18	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-19	Vial: 2 mL	3/30/2022
RTI International	2023 OFD-20	Vial: 2 mL	3/30/2022

RTI International	2023 T-02	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-03	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-04	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-05	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 T-06	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-07	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-08	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-11	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-12	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 T-14	HDPE Bottle: 20 mL	3/30/2022
RTI International	2023 THCB-01	Vial: 10 mL	3/30/2022
RTI International	2023 THCB-02	Vial: 10 mL	3/30/2022
RTI International	2023 THCB-03	Vial: 10 mL	3/30/2022
RTI International	2023 THCB-04	Vial: 10 mL	3/30/2022
RTI International	2023 THCB-05	Vial: 10 mL	3/30/2022
RTI International	2023 THCB-06	Vial: 10 mL	3/30/2022
RTI International	2023 UDS-01	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-02	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-03	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-04	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-05	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-06	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-07	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-08	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-09	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-10	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-11	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-12	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-13	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-14	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UDS-15	HDPE Bottle: 10 mL	3/30/2022
RTI International	2023 UT-01	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-02	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-03	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-05	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-06	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-07	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-08	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-09	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-10	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-11	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-12	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-13	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-14	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UT-15	HDPE Bottle: 50 mL	3/30/2022
RTI International	2023 UTCO-01	HDPE Bottle: 40 mL	3/30/2022
RTI International	2023 ZE-01	Vial: 5 mL	3/30/2022
RTI International	2023 ZE-02	Vial: 5 mL	3/30/2022
RTI International	2023 ZE-03	Vial: 5 mL	3/30/2022
RTI International	2023 ZE-04	Vial: 5 mL	3/30/2022
RTI International	2023 ZE-05	Vial: 5 mL	3/30/2022
RTI International	2023 ZE-06	Vial: 5 mL	3/30/2022
RTI International	2023-OFD-09	Vial: 2 mL	3/30/2022
RTI International	361580A, 438138A, 634629A, 690620A, 760765A, 863003A	HDPE bottles: 35 mL	9/14/2021
RTI International	EQAP Round: RTI-#22-2 Matrix: Plasma #2 Date: 10/18/2022 Sample P2	HDPE bottles: 60 mL	6/30/2022
RTI International	EQAP Round: RTI-#22-2 Matrix: Plasma #2 Date: 10/18/2022 Sample P3	HDPE bottles: 60 mL	6/30/2022
RTI International	EQAP Round: RTI-#22-2 Matrix: Plasma #2 Date: 10/18/2022 Sample U2	HDPE bottles: 60 mL	6/30/2022
RTI International	EQAP Round: RTI-#22-2 Matrix: Plasma #2 Date: 10/18/2022 Sample U3	HDPE bottles: 60 mL	6/30/2022
RTI International	EQAP Round: RTI-#22-2 Matrix: Plasma #2 Date: 10/18/2022 Sample U4	HDPE bottles: 60 mL	6/30/2022
RTI International	EQAP Round: RTI-#22-2 Matrix: Urine #1 Date: 10/18/2022 Sample U1	HDPE bottles: 60 mL	6/30/2022
RTI International	EQAP Round: RTI-#25-4 Sample: S13042	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13115	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13129	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13139	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13147	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13174	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13219	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13238	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13265	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13268	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13274	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13315	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13393	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13396	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13440	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13471	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13576	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13642	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13657	HDPE bottles: 25 mL each	4/16/2025

RTI International	EQAP Round: RTI-#25-4 Sample: S13658	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13707	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13709	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13739	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13752	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13837	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13853	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13886	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13896	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13917	HDPE bottles: 25 mL each	4/16/2025
RTI International	EQAP Round: RTI-#25-4 Sample: S13981	HDPE bottles: 25 mL each	4/16/2025
RTI International	Occasion 1 Sample 1	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 2	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 3	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 4	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 5	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 6	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 2	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 3	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 4	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 5	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 6	HDPE vial: 5 mL	7/16/2024
RTI International	PM_2019-2020	Nalgene™ Narrow-Mouth HDPE IP2 Bottle: 2000 mL	7/8/2019
RTI International	Sample 1 Matrix: Urine	HDPE tubes: 5 mL	3/7/2022
RTI International	Sample 10 Matrix: Urine	HDPE tubes: 5 mL	6/13/2022
RTI International	Sample 11 Matrix: Urine	HDPE tubes: 5 mL	6/13/2022
RTI International	Sample 2 Matrix: Urine	HDPE tubes: 5 mL	3/7/2022
RTI International	Sample 3 Matrix: Plasma	HDPE tubes: 5 mL	3/7/2022
RTI International	Sample 4 Matrix: Urine	HDPE tubes: 5 mL	3/7/2022
RTI International	Sample 6 Matrix: Whole Blood	HDPE tubes: 5 mL	3/7/2022
RTI International	Sample 7 Matrix: Urine	HDPE tubes: 5 mL	6/13/2022
RTI International	Sample 8 Matrix: Urine	HDPE tubes: 5 mL	6/13/2022
RTI International	Sample 9 Matrix: Urine	HDPE tubes: 5 mL	6/13/2022
SAFC Biosciences	HH-4 Cell Culture Medium	Bag: 1L, 200L, 500L; Bottle: 1L, 2L	12/20/2011
SAFC Biosciences	HH-4 Cell Culture Medium	Bag: 20 L, 100L, 1,000 L	2/28/2012
Salimetrics, LLC	Expanded Range Salivary Testosterone Enzyme Immunoassay Kit, Cat. # 1-2312	Plastic vial: 1.5 mL; Kit: 3 vials	1/16/2006
Salimetrics, LLC	Expanded Range Salivary Testosterone Enzyme Immunoassay Kit, Cat. # 1-2402/1-2412	Plastic vial: 1.5 mL; Kit: 3 vials	1/16/2006
Salimetrics, LLC	Salivary Testosterone Control Set, Cat. # 4-T001	Plastic vial: 1.5 mL; Set: 6 vials	3/8/2004
Salimetrics, LLC	Testosterone Standard (Component of Kit(s), Cat. # 1-1402/1-1412)	Plastic vial: 1.5 mL; Kit: 1 vial	3/8/2004
Salimetrics, LLC	Testosterone Standard (Component of Kit(s), Cat. # 1-2402/1-2412 and 1-2312)	Plastic vial: 1.5 mL	1/16/2006
Schering Corp.	Hepaquik	Vial: 9 Dram and Plate	7/16/1972
SDade Behring Inc.	TU E Buffer Solution Bulk	Plastic tank: 5-20 L; Plastic bottle: 1 L	9/26/2002
SDade Behring Inc.	TU E Buffer Solution Bulk	Plastic tank: 5-20 L; Plastic bottle: 1 L	9/26/2002
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAB Special Chemistry Survey Material	Vial: 10 mL	2/12/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAB Therapeutic Drug Monitoring Survey Material	Vial: 10 mL	5/7/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAB Urine Drug Screening Survey Material	Vial: 20 mL	9/29/1995
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Athletic Drug Testing Survey Material	Bottle: 125 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Forensic Toxicology Survey Material	Vial: 10, 30, 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Forensic Urine Drug Testing Confirmatory Survey Material	Vial: 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Forensic Urine Drug Testing Screening Survey Material	Vial: 15 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 10, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 15, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 20, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 21, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 5, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT Special Chem, Level 1	Glass vial: 7 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	ACA Toxicology Urine Survey	Bottle: 15-60 mL	9/29/1995
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CAP Reference Material for Delta-9-THC in Urine	Vial: 30 mL	1/9/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CAP Toxicology Survey Material	Vial: 30, 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CAP Urine Toxicology Survey Material	Vial: 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CONFORMANCE MCC Ligand Control Levels 1, 2 and 3	Vial: 15 mL; Box: 9 vials	6/23/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Drugs of Abuse Control Level 2	Vial: 7 mL	5/11/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Drugs of Abuse Control Set	Kit: 6 vials; Vial: 7 mL	5/11/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Drugs of Abuse, Urine	Vial: 20 mL	1/9/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Ligand Plus (Levels 1, 2, 3)	Vial: 7 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	MCC LiquiChem CONFORMANCE Unassayed Chemistry Control Levels 1 and 2	Vial: 10 mL, Set: 6 (3 of each level); 15 vials each level	1/24/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	NFL Drug Control	Vial: 15 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	OPUS TDM Controls Levels 1, 2 and 3	Vial: 10 mL, Set: 9 vials	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	QCS (Levels 1, 2, 3)	Vial: 15 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Qualitrol DHP Immunoassay Control Levels 1, 2 and 3	Vial: 15 mL; Kit: 9 vials	6/23/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Qualitrol Immunoassay Plus Control (Levels 1, 2, and 3)	Glass vial: 7 mL	8/31/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	QUICKCHECK Unassayed Chemistry Control Level 1	Vial: 5 mL	5/7/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	QUICKCHECK Unassayed Chemistry Control Level 2	Vial: 5 mL	5/7/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Rapid Drug Screen Controls	Glass vial: 7 mL	8/16/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Reference Material for Amphetamine and Methamphetamine in Human Urine	Vial: 15 mL; Kit: 4 vials	5/30/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Reference Material for Phencyclidine in Human Urine	Vial: 15 mL; Kit: 4 vials	5/30/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Reproductive Endochrinology: Calibration Verification Linearity (Levels 1-5)	Vial: 7 mL	5/15/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Serum Chemistry	Vial: 10 mL	1/9/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Basic Chemistry/TDM Control-Assayed, Levels 1, 2, and 3	Glass vial: 7 mL	1/14/2000

SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Basic Chemistry/TDM Control-Unassayed, Levels 1, 2, and 3	Glass vial: 15 mL, 25 mL, 40 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Complete Chemistry/TDM Control-Assayed, Levels 1, 2, and 3	Glass vial: 15 mL, 25 mL, 40 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Complete Chemistry/TDM Control-Unassayed, Levels 1, 2, and 3	Glass vial: 15 mL, 25 mL, 40 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Immunoassay Control, Levels 1, 2 and 3	Glass vial: 7 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Therapeutic Drug Monitoring Calibration Verification Linearity (Levels 1-5)	Vial: 7 mL	5/15/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Chemistry Controls, Levels 1 and 2 (10 mL fill)	Glass vial: 15 mL	8/16/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Chemistry Controls, Levels 1 and 2 (25 mL fill)	Glass vial: 40 mL	8/16/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Control	Vial: 15 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Drug Control/Screen 25% Human Urine Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Drug Control/Screen Synthetic Urine Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Drug Screening Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Multi-analyte Drugs of Abuse Control	Vial: 40 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Toxicology, 25% Human Urine Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
Seradyn, Inc.	Antibody Reagent, Phenobarbital Reagent Test Kit	Plastic bottle: 14.5 mL; Carboy: 20 L	4/21/2000
Seradyn, Inc.	INNOFLUOR Phenobarbital Calibrator Set: A,B,C,D,E,F	Bottle: 3 mL	4/10/1996
Seradyn, Inc.	INNOFLUOR Phenobarbital Reagent Set	Set: 3 Bottles; 6mL each	4/10/1996
Seradyn, Inc.	MULTIGENT Cannabinoids 100 Cal (3L41-03)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 125 Control (3L41-16)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 20 Cal (3L41-01)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 200 Cal (3L41-04)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 40 Control (3L41-10)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 50 Cal (3L41-02)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 60 Control (3L41-12)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 75 Control (3L41-14)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 1 (3L43-01)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 2 (3L43-02)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 3 (3L43-03)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 4 (3L43-04)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Control Set (3L43-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC II Control Set (3L42-10)	Kit: 4 glass bottles; Glass bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 1000 Cal (3L42-04)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 250 Cal (3L42-01)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 500 Cal (3L42-02)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 750 Cal (3L42-03)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 1000 Cal (3L34-04)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 150 Cal (3L34-01)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 300 Cal (3L34-02)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 500 Cal (3L34-03)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates Low Control Set (3L34-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	10/6/2005
Seradyn, Inc.	Phenobarbital Stock Tracer	Vial: 5 mL	9/23/1987
Siemans Healthcare Diagnostics, Inc.	Advia Chemistry Toxicology Calibrator 1	Kit: 1 vial, 5 mL	12/23/2024
Siemans Healthcare Diagnostics, Inc.	Advia Chemistry Toxicology Calibrator 2	Kit: 1 vial, 5 mL	12/23/2024
Siemans Healthcare Diagnostics, Inc.	Advia Chemistry Toxicology Calibrator 3	Kit: 1 vial, 5 mL	12/23/2024
Siemans Healthcare Diagnostics, Inc.	Advia Chemistry Toxicology Calibrator 4	Kit: 1 vial, 5 mL	12/23/2024
Siemens Healthcare Diagnostics Inc.	6-AM Control Lvls 1-2 Bulk	Bulk Container: 4 mL - 100 L	3/20/2011
Siemens Healthcare Diagnostics Inc.	6-AM Control Lvls 1-2 FC	Vial: 15 mL	10/13/2009
Siemens Healthcare Diagnostics Inc.	6-AM/Ecstasy Cal/Ctrl Lvls 1-4 Bulk	Bulk Container: 4 mL - 100 L	3/20/2011
Siemens Healthcare Diagnostics Inc.	ACS Cal E LO Bulk	Plastic bottle/tank: 0.5 L – 500 L	4/26/2017
Siemens Healthcare Diagnostics Inc.	ACS EPHNB L/R BULK	Plastic tank: 0.5- 1400 L	5/31/2017
Siemens Healthcare Diagnostics Inc.	ACS: 180 FT4 Solid Phase	Plastic Bottle: 35 mL	2/7/2008
Siemens Healthcare Diagnostics Inc.	ACS: 180 FT4 Solid Phase	Plastic Bottle: 35 mL	2/7/2008
Siemens Healthcare Diagnostics Inc.	ACS: ET3 Solid Phase Bulk	Steel Tank: 1400-6000L	5/21/2008
Siemens Healthcare Diagnostics Inc.	ACS: ET3 Solid Phase Bulk	Steel Tank: 1400-6000L	5/21/2008
Siemens Healthcare Diagnostics Inc.	ACS: T3 Light Reagent Bulk	Steel Tank: 500-6000L	5/21/2008
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur ANDRO	Kit: 2 vials; 2 mL each	7/16/2019
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur Calibrator 30 (2PK)	Kit: 2 vials per level, 4 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur Calibrator 30 (6PK)	Kit: 6 vials per level, 12 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur Calibrator E (2PK)	Kit: 2 vials per level, 4 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur Calibrator E (6PK)	Kit: 6 vials per level, 12 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FER (250 Test Kit)	Kit: 5 packs, 22.5 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FER (50 Test Kit)	Kit: 1 pack, 22.5 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FER ReadyPack	Plastic pack: 22.5 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FT4 (250 test kit)	Kit: 5 pack	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FT4 (50 test kit)	Kit: 1 pack	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FT4 ReadyPack	Plastic pack: 44 mL solid phase reagent; 16.0 mL lite reagent	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FT4 Readypack	Plastic Bottle: 44 mL	2/7/2008
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur MCM ANDRO	Kit: 4 vials; 1 mL each	7/16/2019
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur MCM Testosterone (Kit)	Kit: 7 vials, 1 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur MCM TSTII (Kit)	Kit: 7 vials, 1 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur PHNB (50 Test Kit)	Kit: 1 pack, 2.5 mL	9/18/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur PHNB Calibrator	Kit: 4 vials, 2 mL each	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur PHNB ReadyPack	Plastic pack: 2.5 mL	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur SMT Multi-Probe Check	Plastic pack: 44 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T3 (400 Test Kit)	Kit: 5 packs	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T3 (80 Test Kit)	Kit: 1 pack	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T3 ReadyPack	Plastic pack: 24 mL solid phase, 8 mL lite reagent	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T3 Readypack	Kit: 2 Plastic Bottles: 16mL-44mL	5/21/2008
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T4 (100 test kits)	Kit: 1 pack	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T4 (500 test kits)	Kit: 5 packs	5/31/2017

Siemens Healthcare Diagnostics Inc.	ADVIA Centaur T4 ReadyPack	Plastic pack: 44 mL solid phase, 16 mL lite reagent	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur TSTII (100 Test Kit)	Kit: 2 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur TSTII (500 Test Kit)	Kit: 4 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur TSTO (250 Test Kit)	Kit: 5 packs, 5 mL each	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur TSTO (50 Test Kit)	Kit: 1 pack, 5 mL	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur TSTO REL	Plastic pack: 5 mL	5/31/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL 1	Carton: 10 vials; 3 ml each	4/9/2012
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL 1, Level 2	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL 1, Level 3	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL 1, Level 4	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL 1, Level 5	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL I	Glass vial: 3 mL	11/16/2009
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL I, Level 2	Glass vial: 3 mL	11/16/2009
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL I, Level 3	Glass vial: 3 mL	11/16/2009
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL I, Level 4	Glass vial: 3 mL	11/16/2009
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry Drug CAL I, Level 5	Glass vial: 3 mL	11/16/2009
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry MULTI-DRUG CONTROLS	Box: 6 Bottles, 5 mL	5/26/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry TDM CAL	Kit: 6 vials x 3 mL each	3/6/2023
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry TOX CAL 1	Box: 1 Bottle, 5 mL	5/22/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry TOX CAL 2	Box: 1 Bottle, 5 mL	5/22/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry TOX CAL 3	Box: 1 Bottle, 5 mL	5/22/2017
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry TOX CAL 4	Box: 1 Bottle, 5 mL	5/22/2017
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard S2	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard S3	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard S4	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard S5	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard S6	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard S7	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO Gold Standard Set	1 Set; 7 vials x 1 mL each	11/14/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS S2	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS S3	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS S4	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS S5	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS S6	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS S7	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MC STDS SET	1 Set; 7 vials x 1 mL each	10/28/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MCM S2	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MCM S3	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MCM S4	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MCM S5	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	ANDRO MDP Set	5 Vials; 1.0 mL each	10/14/2019
Siemens Healthcare Diagnostics Inc.	Andro Stock A 10 µg/mL	Glass volumetric flask: 50 mL	9/6/2019
Siemens Healthcare Diagnostics Inc.	ANDROMDP 1	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	ANDROMDP 2	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	ANDROMDP 3	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	ANDROMDP 4	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	ANDROMDP 5	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	Atellica CH Drug Cal	Vial: 3 mL	3/21/2017
Siemens Healthcare Diagnostics Inc.	Atellica CH MULTIDRUG QC	Carton: 6 vials, 5 mL each	8/18/2017
Siemens Healthcare Diagnostics Inc.	Atellica CH TDM CAL	Kit: 6 vials x 3 mL each	3/6/2023
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO	Kit: 2 vials; 2 mL each	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO CAL (CAL H)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO CAL (CAL L)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO MCM	Kit: 4 vials; 1 mL each	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO MCM 2	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO MCM 3	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO MCM 4	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM ANDRO MCM 5	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal 30 (2PK)	Kit: 2 vials per level, 4 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal 30 (6PK)	Kit: 6 vials per level, 12 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal 30 H	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal 30 L	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal E (2PK)	Kit: 2 vials per level, 4 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal E (6PK)	Kit: 6 vials per level, 12 vials per kit	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal E H	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Cal E L	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Fer (450 Test Kit)	Kit: 5 packs, 22.5 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Fer (90 Test Kit)	Kit: 1 pack, 22.5 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM Fer ReadyPack	Plastic pack: 22.5 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM FT4	Kit: 25 packs	7/14/2020
Siemens Healthcare Diagnostics Inc.	Atellica IM FT4 (250 test kit)	Kit: 5 packs	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM FT4 (50 test kit)	Kit: 1 pack	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM FT4 ReadyPack	Plastic pack: 44 mL solid phase reagent; 16.0 mL lite reagent	4/26/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM System Monitoring Test Multi-Probe Check	Kit: 5 Packs	10/31/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM System Monitoring Test Multi-Probe Check ReadyPack	Plastic pack: 44 mL	10/31/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM T3 (120 Test Kit)	Kit: 1 pack	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM T3 (600 Test Kit)	Kit: 5 packs	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM T3 ReadyPack	Plastic pack: 24 mL solid phase, 8 mL lite reagent	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM T4 (150 Test Kit)	Kit: 1 pack	5/31/2017

Siemens Healthcare Diagnostics Inc.	Atellica IM T4 (750 Test Kit)	Kit: 5 packs	5/31/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM T4 ReadyPack	Plastic pack: 44 mL solid phase, 16 mL lite reagent	5/31/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM TSTII (100 Test Kit)	Kit: 2 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM TSTII (500 Test Kit)	Kit: 4 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM TSTII CAL H	Glass vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM TSTII CAL L	Glass vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM TSTII MCM (Kit)	Kit: 7 vials, 1 mL each	5/30/2017
Siemens Healthcare Diagnostics Inc.	Atellica IM TSTII MCM, Levels 2-7	Glass vial: 1 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	Bk E2P Multidrug Cal 1	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bk E2P Multidrug Cal 2	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bk E2P Multidrug Cal 3	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bk E2P Multidrug Cal 4	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bk E2P Multidrug Cal 5	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	BK EII THC100 CI 75ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK EII THC100 CII 125ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK EII THC20 CI 15ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK EII THC20 CII 25ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK EII THC50 CI 37.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK EII THC50 CI 37.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK EII THC50 CII 62.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	BK Emit II Plus Oxycodone Negative Control 100	Bulk Container: 1 L - 50 L Bulk Container: 1 L – 50 L	8/23/2016
Siemens Healthcare Diagnostics Inc.	BK Emit II Plus Oxycodone Negative Control 300	Bulk Container: 1 L – 15 L	6/5/2017
Siemens Healthcare Diagnostics Inc.	BK Emit II Plus Oxycodone Positive Control 100	Bulk Container: 1 L – 30 L	6/5/2017
Siemens Healthcare Diagnostics Inc.	BK Emit II Plus Oxycodone Positive Control 300	Bulk Container: 1 L – 10 L	6/5/2017
Siemens Healthcare Diagnostics Inc.	BK Emit II Plus Specialty Multi Drug Calibrator/Control LVL 1	Bulk Container: 1 L – 20 L	6/5/2017
Siemens Healthcare Diagnostics Inc.	BK Emit Specialty Drug Calibrator/Control LVL 1	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	BK Emit Specialty Drug Calibrator/Control LVL 2	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	BK Emit Specialty Drug Calibrator/Control LVL 3	Bulk Container: 10 L – 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	BK Emit Specialty Drug Calibrator/Control LVL 4	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	BK Emit Specialty Drug Control Negative	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	BK Emit Specialty Drug Control Positive	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	Bulk AED Cal 1	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk AED Cal 2	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk AED Cal 3	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk AED Cal 4	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk AED Cal 5	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk D-Amph Cntrl 1250 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Amph Cntrl 225 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Amph Cntrl 375 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Amph Cntrl 625 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Amph Cntrl 750 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk DAU Detection Calib	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk Det Calib D-Methamph	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk D-Meth Cntrl 1250 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Meth Cntrl 225 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Meth Cntrl 375 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Meth Cntrl 625 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk D-Meth Cntrl 750 ng/mL	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2K PHNO Cal 10	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk E2K PHNO Cal 20	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk E2K PHNO Cal 40	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk E2K PHNO Cal 5	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk E2K PHNO Cal 80	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cal 1000	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cal 150	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cal 300	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cal 500	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cntl 225	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cntl 375	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk E2P Ecstasy Cntl 625	Bulk Container: 4 mL - 100 L	3/23/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 1	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 2	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 3	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 4	Bulk Container: 4 mL - 100 L	3/7/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 7	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus Control 8	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC CAL 2 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC CAL 3 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC CAL 4 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC CAL 5 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC Control 1 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC Control 2 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC Control 3 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC Control 4 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC Control 5 ML	Bulk Container: 4 mL- 100 L	7/29/2011
Siemens Healthcare Diagnostics Inc.	Bulk EII Plus THC Control 6 ML	Bulk Container: 4 mL- 100 L	7/29/2011

Siemens Healthcare Diagnostics Inc.	Bulk EII Set A Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk EII Set A Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk EII Set B Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk EII Set B Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk Emit Cal A Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Emit Cal A Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Emit Cal B Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk Emit Cal B Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 10-50 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk Emit LSD Cont Lvl I	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Emit LSD Cont Lvl II	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Gen THC (D9) 100 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 50-80 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Gen THC (D9) 20 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Gen THC (D9) 200 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-25 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Gen THC (D9) 50 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-130 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk Liq Amph Cutoff Cal	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk Liq Amph High Cal	Bulk Container: 4 mL - 100 L	3/3/2011
Siemens Healthcare Diagnostics Inc.	Bulk LSD Cal 0.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk LSD Cal 1.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk LSD Cal 2.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Siemens Healthcare Diagnostics Inc.	Bulk STU Detet Cal	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Siemens Healthcare Diagnostics Inc.	Bulk THC Liq 100 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Siemens Healthcare Diagnostics Inc.	Bulk THC Liq 200 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Siemens Healthcare Diagnostics Inc.	Bulk THC Liq 50 Cal	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	3/12/2007
Siemens Healthcare Diagnostics Inc.	Bulk Tox Serum Low Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	Bulk Tox Serum Med Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Siemens Healthcare Diagnostics Inc.	CAL 30 High	Amber Vials: 2 mL, 10 mL	2/8/2010
Siemens Healthcare Diagnostics Inc.	CAL 30 Low	Amber Vials: 2 mL, 10 mL	2/8/2010
Siemens Healthcare Diagnostics Inc.	CAL ANDRO (CAL H)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	CAL ANDRO (CAL L)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	CAL PHNB H	Glass vial: 2 mL	5/31/2017
Siemens Healthcare Diagnostics Inc.	CAL PHNB L	Glass vial: 2 mL	5/31/2017
Siemens Healthcare Diagnostics Inc.	CAL TSTII L	Glass vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	CAL TSTII H	Glass vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	Calibrator 30 H	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Calibrator 30 L	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Calibrator ANDRO HI	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Calibrator ANDRO LO	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	Calibrator E H	Glass vial: 10 mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	Calibrator E L	Glass vial: 10mL	4/26/2017
Siemens Healthcare Diagnostics Inc.	CEN ANDRO CAL HI BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO CAL HI BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO CAL LO BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO CAL LO BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS BULKSET 2	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS BULKSET 3	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS BULKSET 4	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS BULKSET 5	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS BULKSET 6	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS BULKSET 7	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO GOLD STDS Stock	Carboys: 18-2,400 mL	11/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MC STDS BULKET 4	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MC STDS BULKSET 2	Carboys: 18-14,000 Ml	10/28/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MC STDS BULKSET 3	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MC STDS BULKSET 5	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MC STDS BULKSET 6	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MC STDS BULKSET 7	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MCM BULKSET 2	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MCM BULKSET 3	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MCM BULKSET 4	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MCM BULKSET 5	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MDP 1 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MDP 2 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MDP 3 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MDP 4 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO MDP 5 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO STOCK	Carboys: 18-2400 mL	9/6/2019
Siemens Healthcare Diagnostics Inc.	CEN ANDRO STOCK MDP Stock	Plastic Bottle: 50 mL	10/14/2019
Siemens Healthcare Diagnostics Inc.	Cen Cal 30 LO Bulk	Bulk Container: 0.5 L – 500 L	4/26/2017
Siemens Healthcare Diagnostics Inc.	CEN TSTII CAL LO BULK	Plastic bottle/tank: 0.5- 500 L	5/30/2017
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 10	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 4	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 5	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 6	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 7	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 8	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MC STDS BULKSET 9	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MDP 2 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MDP 3 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	CENT TSTII MDP 4 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020

Siemens Healthcare Diagnostics Inc.	CENT TSTII MDP 5 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics Inc.	Dade CA System Buffer	Bottle: 500 mL Pack: 4 bottles, 500 mL ea	9/12/2008
Siemens Healthcare Diagnostics Inc.	Dade Fibrinogen Determination Reagents Cat# B4233-15SY	Kit: 50 tests	1/22/1999
Siemens Healthcare Diagnostics Inc.	Dimension Drug Calibrator, Level 2	Vial: 2.5 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Drug Calibrator, Level 3	Vial: 2.5 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Drug Calibrator, Level 4	Vial: 2.5 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Drug Calibrator, Level 5	Vial: 2.5 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Clinical Chemistry System DRUG Calibrator	Carton: 10 vials; 2.5 ml each	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Drugs of Abuse Calibrator	Bottle: 5 mL	1/11/1995
Siemens Healthcare Diagnostics Inc.	Dimension Drugs of Abuse Negative Control	Glass vials: 5 mL; Carton: 6 vials;	1/11/1995
Siemens Healthcare Diagnostics Inc.	Dimension Vista Drug 1 CAL Pilot, Level B	Plastic test tube: 15 mL	12/3/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista DRUG 1 CAL, B	Vial: 2.5 mL	6/19/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista Drug 4 CAL, Level B	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista Drug 4 CAL, Level C	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista Drug 4 CAL, Level D	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista Drug 4 CAL, Level E	Vial: 3 mL	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista E2 Flex Reagent Cartridge	Cartridge: 40 mL	10/22/2008
Siemens Healthcare Diagnostics Inc.	Dimension Vista E2 Flex Reagent Kit	Carton: 2 Cartridges	10/22/2008
Siemens Healthcare Diagnostics Inc.	Dimension Vista LOCI 8 CAL	Box of 10 vials; Vial: 2.5 mL	3/1/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista LOCI 8 CAL	Box: 10 vials; Vials: 2.5 mL	12/3/2009
Siemens Healthcare Diagnostics Inc.	Dimension Vista LOCI 8 CAL Vial Levels A-E	Vial: 3 mL	4/20/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista LOCI 9 CAL Levels A-E	Vial: 1.5 mL	8/26/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista System DRUG 1 CAL	Carton: 6 vials; 2.5 mL each	6/19/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista System Drug 4 CAL	Carton: 10 vials; 3 ml each	4/9/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista System LOCI 8 CAL	Box: 10 vials; Vial: 3 mL	4/20/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista System LOCI 9 Calibrator	Box of 10 vials; Vial: 1.5 mL	8/26/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista System TTST CAL	Box: 12 vials; 1 ml each	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista TSTP CAL	Box of 12 vials, 1 mL each	6/6/2013
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL	Box of 12 vials, 1 mL each	6/6/2013
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL A	Vial: 1 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL B	Vial: 1 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL C	Vial: 1 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL D	Vial: 1 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL E	Vial: 1 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista TTST CAL F	Vial: 1 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	7/29/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	11/26/2019
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL B	Glass vial: 3 mL	11/26/2019
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL Bulk, Level B	Bulk Container: 20 L - 25L	2/14/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL Pilot, Level B	Pilot Container: 2 mL- 125 mL	2/14/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT Cal Pilot, Level B	Pilot Container 1 mL-250 mL	11/26/2019
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL, Level B	Glass vial: 3 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Drug 1 CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Drug 1 CAL Bulk, Level B	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/11/2006
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Drug 1 CAL, Level B	Glass vial: 3 mL	7/11/2006
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Drug 1 Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	6/25/2003
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Ecstasy CAL Bulk, Level B	Plastic container: 10-250 mL, 0.5-50 L	7/11/2006
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Ecstasy Calibrator B	Plastic bottle: 10-250 mL; Plastic container: 0.5-50 L; Glass vial: 3 mL	12/6/2005
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ EXTC CAL	Glass vial: 3 mL; Carton: 6 vials	3/23/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ EXTC CAL B	Glass vial: 3 mL	3/23/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Integrated System Drug 1 CAL	Carton: 6 vials; Glass vial: 3 mL	6/25/2003
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Integrated System Drug 1 CAL, Level H	Glass vial: 3 mL	6/25/2003
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Integrated System UDAT CAL	Carton: 6 vials; Glass vial: 3 mL	7/2/2004
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Integrated System UDAT CAL, Level H	Glass vial: 3 mL	7/2/2004
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ Thyronine Uptake (TU) Flex® reagent cartridge	Plastic cartridge: 4.7 mL (100 tests)	7/26/2005
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ UDAT CAL B	Glass vial: 3 mL; Carton: 3 vials	10/25/2004
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ UDAT Calibrator B - Bulk	Plastic bottle: 0.5-50 L; Plastic container: 10-125 mL	10/25/2004
Siemens Healthcare Diagnostics Inc.	Dimension Vista™ UDAT Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/2/2004
Siemens Healthcare Diagnostics Inc.	DM/TU Saturating Reagent	Plastic bottle: 1 L, 10 L, 20 L	2/22/1989
Siemens Healthcare Diagnostics Inc.	Drug Cal 2	Vial: 3 mL	3/21/2017
Siemens Healthcare Diagnostics Inc.	Drug Cal 3	Vial: 3 mL	3/21/2017
Siemens Healthcare Diagnostics Inc.	Drug Cal 4	Vial: 3 mL	3/21/2017
Siemens Healthcare Diagnostics Inc.	Drug Cal 5	Vial: 3 mL	3/21/2017
Siemens Healthcare Diagnostics Inc.	Drug Calibrator (DC22B)	Vial: 3 mL; Carton: 10 vials	5/11/2001
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 2	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 2	Plastic container: 4-100 L; Plastic tube: 15 mL	7/16/2009
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 3	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 3	Plastic container: 4-100 L; Plastic tube: 15 mL	7/26/2009
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 4	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 4	Plastic container: 4-100 L; Plastic tube: 15 mL	7/26/2009
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 5	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Siemens Healthcare Diagnostics Inc.	Drug Calibrator Bulk, Level 5	Plastic container: 4-100 L; Plastic tube: 15 mL	7/26/2009
Siemens Healthcare Diagnostics Inc.	Drug Calibrator-A (levels 1-5)	Vial: 6 mL, Box: 10 vials	9/28/1990
Siemens Healthcare Diagnostics Inc.	E2 BioAb Reagent/Liquid	Plastic Containers: 15 mL-50 L	10/22/2008
Siemens Healthcare Diagnostics Inc.	Ecstasy Cal 1000 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Ecstasy Cal 150 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Ecstasy Cal 300 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Ecstasy Cal 500 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Ecstasy Ctl 225 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004

Siemens Healthcare Diagnostics Inc.	Ecstasy Ctl 375 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Ecstasy Ctl 625 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Emit 2000 Phenobarbital Calibrators (5, 10, 20, 40, 80)	Kit: 5 vials	1/29/2007
Siemens Healthcare Diagnostics Inc.	Emit 5B3 THC Calibrator 100	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit 5B3 THC Calibrator 200	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit 5B3 THC Calibrator 50	Plastic vial: 15 mL, Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit Antiepileptic (AED) Drug Calibrators (1,2,3,4,5)	Kit: 5 vials	2/14/2007
Siemens Healthcare Diagnostics Inc.	Emit Antileptic Drug Calibrators	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Emit Antileptic Drug Calibrators 1	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Emit Antileptic Drug Calibrators 2	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Emit Antileptic Drug Calibrators 3	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Emit Antileptic Drug Calibrators 4	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Emit Antileptic Drug Calibrators 5	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Emit Calibrator A Level 1 (cutoff)	Vial: 5 mL	2/20/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator A Level 2 (high)	Vial: 5 mL	2/20/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator B Level 1 (cutoff)	Bottle: 5 mL	2/20/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator B Level 2 (high)	Bottle: 5 mL	2/20/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator/Control Level 1	Bottle: 15 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator/Control Level 2	Bottle: 15 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator/Control Level 3	Bottle: 15 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator/Control Level 4	Bottle: 15 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit Calibrator/Control Level 5	Bottle: 15 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit II Plus Ecstasy Calibrator/Control Level 1	Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Emit II Plus Ecstasy Calibrator/Control Level 2	Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Emit II Plus Ecstasy Calibrator/Control Level 3	Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Emit II Plus Ecstasy Calibrator/Control Level 4	Plastic vial: 15 mL	3/18/2004
Siemens Healthcare Diagnostics Inc.	Emit II Plus Multi-Drug Calibrator 5	Plastic bottle: 1 L	8/22/2006
Siemens Healthcare Diagnostics Inc.	Emit II Plus Oxycodone Negative Control 100	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Oxycodone Negative Control 300	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Oxycodone Positive Control 100	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Oxycodone Positive Control 300	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Drug Calibrator/Control Level 1	Vial: 10 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Drug Calibrator/Control Level 2	Vial: 10 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Drug Calibrator/Control Level 3	Vial: 10 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Drug Calibrator/Control Level 4	Vial: 10 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Drug Control Negative	Vial: 10 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Drug Control Positive	Vial: 10 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Multi Drug Calibrator/Control Level 1	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Multi Drug Calibrator/Control Level 2	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Multi Drug Calibrator/Control Level 3	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit II Plus Specialty Multi Drug Calibrator/Control Level 4	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Emit LSD 0.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Siemens Healthcare Diagnostics Inc.	Emit LSD 1.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Siemens Healthcare Diagnostics Inc.	Emit LSD 2.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Siemens Healthcare Diagnostics Inc.	Emit LSD Control Level 1	Bottle: 25 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit LSD Control Level 2	Bottle: 25 mL	2/5/2007
Siemens Healthcare Diagnostics Inc.	Emit THC Liq Control 1 ML	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit THC Liq Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit THC Liq Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit THC Liq Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Siemens Healthcare Diagnostics Inc.	Emit tox Serum Calibrator Kit Containing: (1) Emit tox Serum Low Calibrator and (1) Emit tox Serum Medium Calibrator	Bottle: 3 mL	2/14/2007
Siemens Healthcare Diagnostics Inc.	Emit Δ9 Cannabinoid 100 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Siemens Healthcare Diagnostics Inc.	Emit Δ9 Cannabinoid 20 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Siemens Healthcare Diagnostics Inc.	Emit Δ9 Cannabinoid 200 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Siemens Healthcare Diagnostics Inc.	Emit Δ9 Cannabinoid 50 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Siemens Healthcare Diagnostics Inc.	Emit® II Plus 6-AM/ Ecstasy Calibrator/Control Levels 1-4	Vial: 15 mL	10/13/2009
Siemens Healthcare Diagnostics Inc.	Emit® tox Serum Calibrators	Carton: 3 vials	5/25/2018
Siemens Healthcare Diagnostics Inc.	Emit® tox Serum Low Calibrator	Vial: 3 mL	5/25/2018
Siemens Healthcare Diagnostics Inc.	Emit® tox Serum Medium Calibrator	Vial: 3 mL	5/25/2018
Siemens Healthcare Diagnostics Inc.	Estradiol Diluent	Plastic container: 0.5L- 1.0L	11/14/2012
Siemens Healthcare Diagnostics Inc.	ET3 SP/LR	Plastic pack: 24 mL solid phase, 8 mL lite reagent	5/30/2017
Siemens Healthcare Diagnostics Inc.	FC D-Amph ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Amph ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Amph ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Amph ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Amph ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC DAU MD Detect Cal	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC DAU ST Det Cal	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC Detcal d-Meth for MAMA	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Meth ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Meth ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Meth ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Meth ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC D-Meth ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy Cal 1000	Plastic vial: 15 mL	3/2/2007
Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy Cal 150	Plastic vial: 15 mL	3/2/2007
Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy Cal 300	Plastic vial: 15 mL	3/2/2007
Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy Cal 500	Plastic vial: 15 mL	3/2/2007
Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy ML Cntl225	Plastic vial: 15 mL	3/2/2007

Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy ML Cntl375	Plastic vial: 15 mL	3/2/2007
Siemens Healthcare Diagnostics Inc.	FC E2P Ecstasy ML Cntl625	Plastic vial: 15 mL	3/2/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 1	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 2	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 3	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 4	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 5	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 6	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 7	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus ML Control 8	Plastic vial: 15 mL	3/21/2007
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC CAL 2 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC CAL 3 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC CAL 4 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC CAL 5 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC Control 1 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC Control 2 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC Control 3 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC Control 4 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC Control 5 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Plus THC Control 6 ML	Plastic vial: 15 mL	7/29/2011
Siemens Healthcare Diagnostics Inc.	FC EII Set A Cont I (75%)	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC EII Set A Cont II (125%)	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC EII Set B Cont I (75%)	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC EII Set B Cont II (125%)	Glass vial: 15 mL	3/28/2007
Siemens Healthcare Diagnostics Inc.	FC Emit Amph Cal Level 1	Plastic vial: 15 mL	4/3/2007
Siemens Healthcare Diagnostics Inc.	FC Emit Amph Cal Level 2	Plastic vial: 15 mL	4/3/2007
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Oxycodone Negative Control 100	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Oxycodone Negative Control 300	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Oxycodone Positive Control 100	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Oxycodone Positive Control 300	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Specialty Multi Drug Calibrator/Control Level 1	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Specialty Multi Drug Calibrator/Control Level 2	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Specialty Multi Drug Calibrator/Control Level 3	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FC Emit II Plus Specialty Multi Drug Calibrator/Control Level 4	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	FT4 Solid Phase Bulk	Plastic Vessel: 500L-1400L	2/7/2008
Siemens Healthcare Diagnostics Inc.	FT4 SP/LR	Plastic pack: 44 mL solid phase reagent; 16.0 mL lite reagent	4/26/2017
Siemens Healthcare Diagnostics Inc.	IM TSTII CAL H	Glass vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	IM TSTII CAL L	Glass vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	MCM ANDRO 2	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	MCM ANDRO 3	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	MCM ANDRO 4	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	MCM ANDRO 5	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics Inc.	MCM TSTII, Levels 2-7	Glass vial: 1 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	MCM TSTO, Levels 2-7	Glass vial: 1 mL	5/30/2017
Siemens Healthcare Diagnostics Inc.	MP 6-AM Cal Lvls 1-4 Bulk	Bulk Container: 4 mL - 100 L	3/20/2011
Siemens Healthcare Diagnostics Inc.	MP 6-AM Cal Lvls 1-4 FC	Vial: 15 mL	10/13/2009
Siemens Healthcare Diagnostics Inc.	MP BK Emit Specialty Drug Calibrator/Control LVL 1	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP BK Emit Specialty Drug Calibrator/Control LVL 2	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP BK Emit Specialty Drug Calibrator/Control LVL 3	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP BK Emit Specialty Drug Calibrator/Control LVL 4	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP BK Emit Specialty Drug Control Negative	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP BK Emit Specialty Drug Control Positive	Bulk Container: 10 L- 50 L	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Oxycodone Negative Control 100	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Oxycodone Negative Control 300	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Oxycodone Positive Control 100	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Oxycodone Positive Control 300	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Drug Calibrator/Control LVL 1	Vial: 15 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Drug Calibrator/Control LVL 2	Vial: 15 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Drug Calibrator/Control LVL 3	Vial: 15 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Drug Calibrator/Control LVL 4	Vial: 15 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Drug Control Negative	Vial: 15 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Drug Control Positive	Vial: 15 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Multi Drug Calibrator/Control LVL 1	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Multi Drug Calibrator/Control LVL 2	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Multi Drug Calibrator/Control LVL 3	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP FC Emit Specialty Multi Drug Calibrator/Control LVL 4	Vial: 10 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	MP LOCI 8 TTST Cal Lvls 1-7 FC	Vial: 1- 5 mL	4/20/2011
Siemens Healthcare Diagnostics Inc.	MP LOCI 8 TTST Lvls 1-7 Bulk	Bulk container: 4 mL- 100 L	4/20/2011
Siemens Healthcare Diagnostics Inc.	MP LOCI 9 TTST Cal Lvl 1-7 FC	Vial: 1- 5 mL	8/26/2011
Siemens Healthcare Diagnostics Inc.	MP LOCI 9 TTST Lvl 1-7 Bulk	Bulk container: 4 mL- 100 L	8/26/2011
Siemens Healthcare Diagnostics Inc.	MP Pilot Emit Specialty Drug Calibrator/Control LVL 1	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP Pilot Emit Specialty Drug Calibrator/Control LVL 2	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP Pilot Emit Specialty Drug Calibrator/Control LVL 3	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP Pilot Emit Specialty Drug Calibrator/Control LVL 4	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP Pilot Emit Specialty Drug Control Negative	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP Pilot Emit Specialty Drug Control Positive	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	MP TTST CAL Lvl 1 FC	Vial: 1-5 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST CAL Lvl 2 FC	Vial: 1-5 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST CAL Lvl 3 FC	Vial: 1-5 mL	7/26/2012

Siemens Healthcare Diagnostics Inc.	MP TTST CAL Lvl 4 FC	Vial: 1 mL- 5 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST CAL Lvl 5 FC	Vial: 1 mL- 5 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST CAL Lvl 6 FC	Vial: 1 mL- 5 mL	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST Lvl 1 Bulk	Bulk container: 4 mL– 20 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST Lvl 2 Bulk	Bulk container: 4 mL– 20 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST Lvl 3 Bulk	Bulk container: 4 mL– 20 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST Lvl 4 Bulk	Bulk container: 4 mL– 20 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST Lvl 5 Bulk	Bulk container: 4 mL- 20 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	MP TTST Lvl 6 Bulk	Bulk container: 4 mL- 20 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	MULTIDRUG QC, CONTROL 1	Vial: 5 mL	8/18/2017
Siemens Healthcare Diagnostics Inc.	MULTIDRUG QC, CONTROL 2	Vial: 5 mL	8/18/2017
Siemens Healthcare Diagnostics Inc.	Owren's Veronal Buffer Cat # B4234-25	Bottle: 18 mL	8/16/1971
Siemens Healthcare Diagnostics Inc.	Pentobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Siemens Healthcare Diagnostics Inc.	Phenobarbital (PHNO) Flex Reagent Cartridge	Cartridge: Plastic	5/26/1994
Siemens Healthcare Diagnostics Inc.	Phenobarbital Master Pool, Level 1	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Siemens Healthcare Diagnostics Inc.	Phenobarbital Master Pool, Level 2	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Siemens Healthcare Diagnostics Inc.	Phenobarbital Master Pool, Level 3	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Siemens Healthcare Diagnostics Inc.	Phenobarbital Master Pool, Level 4	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Siemens Healthcare Diagnostics Inc.	Phenobarbital Master Pool, Level 5	Plastic bottle: 500 mL, Glass vial: 5 mL	11/18/2002
Siemens Healthcare Diagnostics Inc.	Phenobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Siemens Healthcare Diagnostics Inc.	PHNB SP/LR	Plastic pack: 2.5 mL	9/18/2017
Siemens Healthcare Diagnostics Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 1	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 2	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 3	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 4	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvls 1-4	Pilot Container: 5-200 mL	10/13/2009
Siemens Healthcare Diagnostics Inc.	Pilot AED Cal 1	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Pilot AED Cal 2	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Pilot AED Cal 3	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Pilot AED Cal 4	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Pilot AED Cal 5	Vial: 3 mL	6/11/2018
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Oxycodone Negative Control 100	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Oxycodone Negative Control 300	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Oxycodone Positive Control 100	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Oxycodone Positive Control 300	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Specialty Multi Drug Calibrator/Control LVL 1	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Specialty Multi Drug Calibrator/Control LVL 2	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Specialty Multi Drug Calibrator/Control LVL 3	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit II Plus Specialty Multi Drug Calibrator/Control LVL 4	Pilot container: 4 mL – 200 mL	8/23/2016
Siemens Healthcare Diagnostics Inc.	Pilot Emit Specialty Drug Calibrator/Control LVL 1	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Pilot Emit Specialty Drug Calibrator/Control LVL 2	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Pilot Emit Specialty Drug Calibrator/Control LVL 3	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Pilot Emit Specialty Drug Calibrator/Control LVL 4	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Pilot Emit Specialty Drug Control Negative	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Pilot Emit Specialty Drug Control Positive	Pilot Container: 4 mL- 200 mL	6/7/2013
Siemens Healthcare Diagnostics Inc.	Pilot Tox Serum Low Cal	Bottle/Tube: 4 mL – 250 mL	5/25/2018
Siemens Healthcare Diagnostics Inc.	Pilot Tox Serum Med Cal	Bottle/Tube: 4 mL – 250 mL	5/25/2018
Siemens Healthcare Diagnostics Inc.	Semi-Finished AED Cal 1	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished AED Cal 2	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished AED Cal 3	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished AED Cal 4	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished AED Cal 5	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished Tox Serum Low Cal	Glass Vial: 3 mL liquid or lyophilized solid	6/14/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished Tox Serum Low Cal	Tray: 1-350 vials; 3 mL each	6/14/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished Tox Serum Med Cal	Glass Vial: 3 mL liquid or lyophilized solid	6/14/2019
Siemens Healthcare Diagnostics Inc.	Semi-Finished Tox Serum Med Cal	Tray: 1-350 vials; 3 mL each	6/14/2019
Siemens Healthcare Diagnostics Inc.	System Monitoring Test 5 pk Box	Kit: 5 Pack	4/26/2017
Siemens Healthcare Diagnostics Inc.	Thyronine (TU) Uptake Flex(r) Reagent Cartridge	Plastic container: 2.3 mL (20 tests)	4/28/1986
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S10	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S4	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S5	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S6	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S7	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S8	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MC STD S9	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MDP 2	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MDP 3	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MDP 4	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTII MDP 5	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics Inc.	TSTO Releasing Agent	Plastic pack: 32 mL	11/8/2017
Siemens Healthcare Diagnostics Inc.	TTST Stock S (Bulk)	Stock container: 50 mL- 1 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	TTST Stock T (Bulk)	Stock container: 50 mL- 1 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	TTST Stock X (Bulk)	Stock container: 50 mL- 1 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS Drug 1 Cal Bulk Soln, Level B	Bulk container: 2 mL – 1 L	6/19/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL Vial Level D	Vial: 2.5 mL	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL BULK SOLN Level 2	Bulk container: 4 mL- 100 L	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL BULK SOLN Level 3	Bulk container: 4 mL- 100 L	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL BULK SOLN Level 4	Bulk container: 4 mL- 100 L	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL BULK SOLN Level 5	Bulk container: 4 mL- 100 L	3/1/2012

Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL BULK SOLN Levels 1-5	Bulk container: 4 mL- 100 L	4/20/2011
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL Vial Level E	Vial: 2.5 mL	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL Vial Level B	Vial: 2.5 mL	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 8 CAL Vial Level C	Vial: 2.5 mL	3/1/2012
Siemens Healthcare Diagnostics Inc.	VS LOCI 9 CAL BULK SOLN Levels 1-5	Bulk container: 4 mL- 100 L	8/26/2011
Siemens Healthcare Diagnostics Inc.	VS TSTP CAL Vial Level A	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TSTP CAL Vial Level B	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TSTP CAL Vial Level C	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TSTP CAL Vial Level D	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TSTP CAL Vial Level E	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TSTP CAL Vial Level F	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TTST Cal Bulk Soln Level 1	Bulk container: 4 mL- 100 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS TTST Cal Bulk Soln Level 2	Bulk container: 4 mL- 100 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS TTST Cal Bulk Soln Level 3	Bulk container: 4 mL- 100 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS TTST Cal Bulk Soln Level 4	Bulk container: 4 mL- 100 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS TTST Cal Bulk Soln Level 5	Bulk container: 4 mL- 100 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS TTST Cal Bulk Soln Level 6	Bulk container: 4 mL- 100 L	7/26/2012
Siemens Healthcare Diagnostics Inc.	VS TTST CAL Vial Level A	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TTST CAL Vial Level B	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TTST CAL Vial Level C	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TTST CAL Vial Level D	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TTST CAL Vial Level E	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.	VS TTST CAL Vial Level F	Vial: 1 mL	6/6/2013
Siemens Healthcare Diagnostics Inc.-DE	6-AM Control Level 1- Level 2	Containers: 0.5-75 L; Bottle: 50-500 mL; Vial 15 mL	3/3/2009
Siemens Healthcare Diagnostics Inc.-DE	6-AM/Ecstasy Cal/Control Level 1-Level 6	Containers: 0.5-75 L; Bottle: 50-500 mL; Vial 15 mL	3/3/2009
Siemens Healthcare Diagnostics Inc.-DE	ACS: T3 Light Reagent Bulk	Steel Tank: 500-6000L	5/21/2008
Siemens Healthcare Diagnostics Inc.-DE	Dimension Vista Drug 4 CAL Levels B, C, D & E	Glass vial: 3 mL	5/29/2009
Siemens Healthcare Diagnostics Inc.-DE	Dimension Vista LOCI 8 Calibrator	Kit: 10 vials; Vial: 2.5 mL	11/14/2008
Siemens Healthcare Diagnostics Inc.-DE	Dimension Vista LOCI 8 Calibrator	Box: 10 vials; Vials: 2.5 mL	7/1/2009
Siemens Healthcare Diagnostics Inc.-DE	Dimension Vista System Drug 4 Calibrator	Carton: 10 vials; Glass vials: 3 mL	5/29/2009
Siemens Healthcare Diagnostics Inc.-DE	Drug Calibrator Bulk Levels 2-5	Containers: 4-100 L; Plastic tube: 15 mL	5/29/2009
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems AND Androstenedione	Kit (200 test kit size)	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems E2 Adjustor L	Amber vial: 2 mL	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems E2 Estradiol	Kit (200 test kit size)	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems E2 Estradiol	Kit (600 test kit size)	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems PHE Phenobarbital	Kit (200 test kit size)	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems TES Adjustor L	Amber vial: 4 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems TES Total Testosterone	Kit (200 test kit size)	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE 2000 Systems TES Total Testosterone	Kit (600 test kit size)	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems AND Adjustor H	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems AND Adjustor L	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems AND Calibration Verification Material (CVM) Androstenedione	Kit: 4 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems AND CVM 2	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems AND CVM 3	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems AND CVM 4	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 Adjustor H	Amber vial: 2 mL	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 Calibration Verification Material (CVM) Estradiol	Kit: 4 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 Control 1	Glass vial: 2 mL	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 Control Estradiol	Kit: 1 vial, 2 mL	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 CVM 2	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 CVM 3	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems E2 CVM 4	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems K9CON Control	Kit: 2 vials, 2 mL each	11/27/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems PHE Adjustor H	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems PHE Adjustor L	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems SDC Control 1	Amber vial: 337 mg	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems SDC Control 2	Amber vial: 337 mg	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems SDC Control Serum Drug Control Module	Kit: 2 vials, 337 mg each	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems TES Adjustor H	Amber vial: 4 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems TES Calibration Verification Material (CVM) Total Testosterone	Kit: 4 vials, 2 mL each	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems TES CVM 2	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems TES CVM 3	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE Systems TES CVM 4	Amber vial: 2 mL	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE/ IMMULITE 1000 Systems AND Androstenedione	Kit (100 test kit size)	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE/ IMMULITE 1000 Systems E2 Estradiol	Kit (100 test kit size)	5/31/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE/ IMMULITE 1000 Systems PHE Phenobarbital	Kit (100 test kit size)	5/30/2017
Siemens Healthcare Diagnostics Products Limited	IMMULITE/ IMMULITE 1000 Systems TES Total Testosterone	Kit (100 test kit size)	5/30/2017
Sigma Aldrich	Allopregnanolone-2,2,3,4,4-d5 solution	Glass vial: 1 mL	2/10/2020
Sigma Chemical Co.	(-) Deoxyephedrine, D-7258	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+)Deoxyephedrine-d5 HCl #D-5914	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	(+/-) 2,5-Dimethoxy-4-bromo-amphetamine Hydrobromide, D-7633	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+/-) 2,5-Dimethoxy-4-methyl-amphetamine HCl, D-7883	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+/-) Deoxyephedrine HCl, D-7508	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+/-)-(2 Methylamino)propiophenone Hydrochloride	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	11-Hydroxy-delta 9 Tetrahydrocannabinol Cat. No. H3879	Ampule: 2 mL	11/6/1991
Sigma Chemical Co.	11-nor-delta-9-Tetrahyrocannabinol, 9-carboxylic .05 mg/mL acid, No. N-5642	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	11-nor-delta-9THC-9-Carboxylic Acid #N-6893	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	11β-Hydroxytestosterone, H-4646	Vial: 2 mL	2/4/1994
Sigma Chemical Co.	15B-Hydroxytestosterone Drug Standard, H-4150	Vial: 4 mL	11/21/1997

Sigma Chemical Co.	17α-Methyltestosterone, Product #M8783	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	19-Nortesterone 17-Phenylpropionate, N 2771	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	19-Nortesterone 17-Propionate, N 2896	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	19-Nortestosterone 17-Decanoate, N 3021	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	19-Nortestosterone, Product #N1269	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	1-Dehydrotestosterone, Product #D5791	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	1-Tetrahydrocannabinol, Product No. T4764	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	3,4 Methylenedioxymethamphetamine 1 mg/mL, No. M-5029	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	3,4-Methylenedioxyamphetamine, No. M-3272	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	3-Methylfentanyl HCl, M-6255	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	5,5-Diallylbarbituric Acid, Product No. D-6013	Ampule: 1 mL	6/30/1977
Sigma Chemical Co.	5-Androstene-3β, 17β-Diol, Product #A0684	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	5-α-Androstan-17β-ol-3-one Benzoate, A 9768	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	6-Tetrahydrocannabinol, Product No. T-4889	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Acid Hematoxylin Solution, No. 285-2	Bulk: 1000 L	5/4/1993
Sigma Chemical Co.	Acid Hematoxylin Solution, No.285-2	Bottle: 25 mL, 100 mL	8/6/1973
Sigma Chemical Co.	Adenosine Phosphate Substrate, Product No. 675-1	Bottle: 4 oz.	7/25/1983
Sigma Chemical Co.	Alkaline Phosphatase Isoenzymes # 710-A	Plastic jar: 30 mL; Glass bottles: 4 oz; Kit: 3 containers	12/8/1998
Sigma Chemical Co.	Allylcyclopentylbarbituric Acid (A-7787)	Sealed Ampule:1 mL	4/10/1985
Sigma Chemical Co.	Allylisobutylbarbituric Acid (A-1038)	Sealed Ampule:1 mL	4/10/1985
Sigma Chemical Co.	Alphaprodine Hydrochloride (A-1537)	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Alphenal (A-1163)	Ampule: 1 mL	4/10/1985
Sigma Chemical Co.	Alprazolam .25 mg/mL, No. A-5052	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Alprazolam-d5 #A-7055	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Ammonia in Plasma Kit	Kit: 100 tests, 30 tests	12/13/1977
Sigma Chemical Co.	Ammonia Reagent Kit, Stock No. 170-10	Kit: 10 Vials	2/17/1977
Sigma Chemical Co.	Ammonia Reagent Stock No. 170-10	Vial: 30 mL	12/13/1977
Sigma Chemical Co.	Ammonia Reagent, Stock No. 170-10	Vial: 10 mL	2/17/1977
Sigma Chemical Co.	Amobarbital Sodium Salt, Product No. A-7441	Ampule: 1 mL	5/13/1993
Sigma Chemical Co.	Amobarbital, Product No. A-5142	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Antibody Sensitized Sheep Erythrocytes (EA7S)	Vials: 2 mL and 5X 2 mL	4/2/1986
Sigma Chemical Co.	Aprobarbital, Product No. A-7023	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	AST Reagent A, Stock No.56-2	Vial: 10 mL	6/27/1979
Sigma Chemical Co.	Barbital Buffer 5X Concentrate Electrophoresis Reagent Cat. No. B-3506	Bottle: 200 mL	11/14/1991
Sigma Chemical Co.	Barbital Buffer with Albumin Stock No. 880-3	Vial: 20 mL	7/11/1980
Sigma Chemical Co.	Barbital Buffer, Product No. B-6632	Polyethylene Vial: 30 mL	5/11/1977
Sigma Chemical Co.	Barbital, Product No. B-8632	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Benzoylecgonine 1 mg/mL, No. B-8900	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Benzoylecgonine-d3 #B-3277	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Benzphetamine Hydrochloride, Product No. B-8765	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Bolasterone, Product #B3404	Ampule: 1 mL	1/30/1992
Sigma Chemical Co.	Bromazepam #B-5402	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Bufotenine Monooxalate, Product No. B-8757	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Bulk CA/Amelung Systems Buffer # J6347	SS tank: 650 gal	12/8/1998
Sigma Chemical Co.	Bulk LDH Electrophoresis Buffer # 705-1	Plastic vessel: 5 gal	12/8/1998
Sigma Chemical Co.	Bulk Owren's Buffer # O5880	Plastic or SS tank: 30, 55 gal	12/8/1998
Sigma Chemical Co.	Bulk Trizmol Barbital Buffer # 710-1	Plastic vessel: 5 gal	12/8/1998
Sigma Chemical Co.	Buprenorphine Hydrochloride	Vial: 2 mL	9/12/1994
Sigma Chemical Co.	Butabarbital, Product No. B-8882	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Butalbital, Product No. B-5514	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Butethal (B-7516)	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	Cannabidiol, Product No. C-6395	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Cannabinol, Product No. C-6520	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Chloral Hydrate, Product #C9954	Ampule: 1 mL	5/10/1995
Sigma Chemical Co.	Chloral Hydrate, Product No. C-6516	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Chlorazepam Dipotassium Salt, (C-9531)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Chlordiazepoxide (C-4782)	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	Chlordiazepoxide Hydrochloride Acetonitrile Drug Standard #C-9547	Ampule: 2 mL	6/26/1990
Sigma Chemical Co.	Chlordiazepoxide-d5 #C-5047	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Clobazam, No. C-6667	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Clonazepam, Product No. C-4404	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Cocaethylene, #C-8205	Ampule: 1 mL	10/9/1995
Sigma Chemical Co.	Cocaethylene, C-7313	Vial: 2 mL	2/4/1994
Sigma Chemical Co.	Cocaethylene-D5, #C-7073	Ampule: 1 mL	10/9/1995
Sigma Chemical Co.	Cocaine Hydrochloride Product No. C-1528	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Cocaine-d3 #C-3547	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Codeine.Product No. C-1653	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Codeine-d3 HCl #C-3672	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	D-Amphetamine Sulfate, Product No. A-3278	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	d-Amphetamine-d3 Sulfate #A-7180	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Delorazepam #D-5789	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	delta-9-tetrahydrocannabinol-d3 #T-8783	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Desmethyldiazepam 1 mg/mL, No. D-3162	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Desmethyldiazepam-d5 #D-6039	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Diazepam, Product No. D-9900	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Diazepam-d5 #D-5664	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Diethylpropion Hydrochloride, Product No. D-7274	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Diphenoxylate HCl, Product #D0780	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	DL-Amphetamine HCl, Product No. A-5017	Sealed Ampule: 1 mL	6/30/1977

Sigma Chemical Co.	dl-Amphetamine, A-2262	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	d-Lysergic Acid Cat. No. L-9752	Ampule: 2 mL	11/6/1991
Sigma Chemical Co.	D-Propoxyphene Hydrochloride, P-1550	Ampule: 1 mL	9/27/1984
Sigma Chemical Co.	d-Propoxyphene-d7 HCl #P-4179	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Drug Standard Mix 1, D-3155	Ampule: 2 mL	4/18/1986
Sigma Chemical Co.	Drug Standard Mix 2, D-3030	Ampule: 2 mL	4/18/1986
Sigma Chemical Co.	Ecgonine Hydrochloride 1 mg/mL, No. E-9762	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Ecgonine-d3 HCl #E-2014	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Ecgonine-d3 Methyl Ester HCl #E-2139	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Estazolam #E-1139	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Ethinamate (E-8508)	Ampule: 1 mL	4/10/1985
Sigma Chemical Co.	Ethylmorphine, E-3377	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	Fencamfamine Hydrochloride	Vial: 2 mL	9/12/1994
Sigma Chemical Co.	Fenfluramine Hydrochloride, Product No. F-1884	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Fenproporex Hydrochloride, No. F-7261	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Fentanyl Citrate, No. F-5886	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Fentanyl-d5 Citrate #F-2520	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Flunitrazepam No. F-8763	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Fluoxymesterone, Product #F6891	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Flurazepam Dihydrochloride Product # F9134	Vial: 1 mL	10/20/1989
Sigma Chemical Co.	Gelatin Veronal Buffer (GVB2+) No. G-6514	Vial: 50 mL, 250 mL	9/15/1986
Sigma Chemical Co.	Gelatin Veronal Buffer-EDTA, No. G-9660	Bottle: 500 mL, Vial: 50 mL, Box: 5 vials	11/6/1996
Sigma Chemical Co.	Glutethimide, Product No. G-3134	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Glycerophosphate Substrate, Product No. 675-2	Bottle: 4 oz.	7/25/1983
Sigma Chemical Co.	Heroin Hydrochloride .1 mg/mL, No. H-5144	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Hexobarbital, Product No. H-2007	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Hydrocodone Bitartrate, No. H-2269	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Hydromorphone Hydrochloride No. H-7141	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Hydroxytestosterone, Product #H9901	Vial: 0.5 mL	5/10/1995
Sigma Chemical Co.	Ibogaine HCl, Product No. I-4630	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	l-Amphetamine, A-9136	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	LDH Electrophoresis Buffer, Stock No. 705-1	Bottle: 30 mL	1/4/1977
Sigma Chemical Co.	LDH Isoenzymes # 705-A	Plastic jar: 30 mL; Glass vials: 30 mL, 50 mL; Kit: 8 containers	12/8/1998
Sigma Chemical Co.	LDH-P Reagent No. 125-100	Vial: 100 mL	5/29/1973
Sigma Chemical Co.	Levorphanol Tartrate 1 mg/mL, No. L-0896	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Lorazepam (L-0140)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Lormetazepam, No. 8145	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Lysergic Acid Diethylamide #L-8147	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Lysergic Acid Diethylamide, Drug Standard No. L-5406	Ampule: 1 mL	8/17/1994
Sigma Chemical Co.	Lysergic Acid, Product No. L-5881	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Mayer's Hematoxylin Solution, MHS-1, MHS-16, MHS-32, MHS-80, MHS-128	Bottle: 3 mL, 6 mL, 25 mL, 100 mL, 225 mL, 500 mL, 1.0 L, 2.5 L, 4.0 L	8/6/1973
Sigma Chemical Co.	Mayer's Hematoxylin Solution, No. MHS-1	Bulk: 1000 L	5/4/1993
Sigma Chemical Co.	Mebutamate (M-3772)	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	Medazepam (M-7646)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Meperidine Hydrochloride (M-1020)	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Mephobarbital, Product No. M-3514	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Meprobamate (M-0271)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Mescaline HCl, Product No. M-5153	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Mesterolone, Product #M8283	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Methadone Hydrochloride, Product No. M-3268	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Methadone-d3 #M-4781	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Methamphetamine HCl, Product No. M-5260	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Methandrostenolone, Product #M6910	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Methaqualone Hydrochloride, Product No. M-3393	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Methaqualone-d4 #M-5406	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Methylphenidate Hydrochloride (M-1145)	Ampule: 1 mL	10/31/1984
Sigma Chemical Co.	Methyprylon, Product No. M-1769	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Morphine Sulfate, No. M-9524	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Morphine-3-B-D Glucuronide, Product No. M-4266	Ampule: 1 mL	10/21/1982
Sigma Chemical Co.	Morphine-d3 HCl, M-6380	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	N,N-Diethyltryptamine, Product No. D-0392	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	N,N-Dimethyltryptamine, Product No. D-6263	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Nalorphine Hydrochloride	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Nitrazepam, N-3397	Ampule: 1 mL	9/8/1993
Sigma Chemical Co.	Norcodeine Hydrochloride, No. N-3017	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Normorphine HCl #N-7393	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Noroxymorphone #N-7018	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Owren's Buffer, No. 05880	Bottle: 500 mL; Vial: 20 mL; Box: 5 vials	4/5/1989
Sigma Chemical Co.	Oxazepam, No. O-1755	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Oxazepam-d5 #O-1381	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Oxazolam, No. O-8005	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Oxycodone Hydrochloride, Product No. O-2628	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Oxymetholone, Product #O4006	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Paraldehyde, Product No. P-3778	Ampule: 1 mL	10/21/1982
Sigma Chemical Co.	Pemoline, Product No. P-3518	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Pentazocine Hydrochloride, Product No. P-7530	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Pentobarbital, Product No. P-3393	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Phencyclidine HCl, Product #P7043	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Phencyclidine-d5 HCl #P-6054	Ampule: 2 mL	8/28/1990

Sigma Chemical Co.	Phendimetrazine Bitartrate, Product #P3524	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Phenobarbital FPIA Calibrator Set Cat. No. P9051	Kit: 6 vials	11/21/1989
Sigma Chemical Co.	Phenobarbital FPIA Calibrator: A-No.P8301, B-No.P8426, C-No.P8551, D-No.P8676, E-No.P8801, F-NO.P8926	Vial: 2.5 mL	11/21/1989
Sigma Chemical Co.	Phenobarbital Primary Stock Solution No. Z-5419	Bottle: 10 L, 5 L, 1 L, 500 mL, 100 mL	2/1/1991
Sigma Chemical Co.	Phenobarbital, Prod. No.P-3643	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Phentermine Hydrochloride, Product No. P-7655	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Phenylacetone, Product #P3958	Ampule: 1 mL	5/10/1995
Sigma Chemical Co.	Phenylacetone, Product No. P-2024	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	p-Methoxyamphetamine HCl #M-4656	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Prazepam, No. P-7168	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Psilocin #P-4054	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Secobarbital, Product No. S-4006	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Secobarbital-d5, S-4628	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	SIA Cocaine Metabolites	Kit: 96 Tests	7/11/1991
Sigma Chemical Co.	SIA Conjugate Cocaine Metabolites	Bottle: 75 mL	7/11/1991
Sigma Chemical Co.	SIA Positive Reference Cocaine Metabolites	Vial: 1 mL	7/11/1991
Sigma Chemical Co.	Stanozolol, Product #S7649	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Stanozolol-d3, Product #S7774	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Temazepam, No. T-4903	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Tenocyclidine HCl, T-3507	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	Testosterone 17β-Cypionate, T 3415	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	Testosterone Acetate, Product #T5661	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Testosterone Benzoate, Product #T1913	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Testosterone Enanthate, T 3540	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	Testosterone Propionate, T 3665	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	Testosterone, Product #T5411	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Testosterone-d3, Product #T5536	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Thebaine, Product No. T-5270	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Thiamylal Sodium, Product No. T-6896	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Thiopental (T-1022)	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Triazolam #T-7658	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Trizma-Barbital Buffer, Stock No. 710-1	Bottle: 30 mL	1/4/1977
Sigma Chemical Co.	Tropacocaine HCl, Product #T4576	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Z9999, Field Test Sample PSEUDOnarcotics Marihuana Formulation	Vial: 400 mL	3/14/1991
Sigma Chemical Co.	α-Ethyltryptamine Acetate, Product #E1392	Vial: 2 mL	2/4/1994
Sigma Diagnostics	Accutrol Chemistry Control Abnormal, Unassayed, A5088	Vial: 10 mL; Box: 20 vials Box 20 vials	12/4/1997
Sigma Diagnostics	Accutrol Chemistry Control Normal, Unassayed, A4088	Vial: 10 mL; Box: 20 vials Box: 20 vials	12/4/1997
Sigma Diagnostics	Amelung Systems Buffer	Box: 6 Vials; Bottle: 25 mL	2/8/1996
Sigma Diagnostics	CA System Buffer	Bottle: 500 mL	9/9/1993
Sigma Diagnostics Corporation	Accumark liquid DM/Thyroid Control, Levels 1,2, and 3	Vial: 5 mL; Kit: 3 or 15 vials	1/25/1999
Sigma-Aldrich, Co.	4-Androstene-3,17-dione-2,3,4-13C3 solution (0.1 mg/mL in methanol)	Glass ampule: 2 mL	5/28/2015
Sigma-Aldrich, Co.	Dihydrotestosterone-2,3,4-13C3 solution (0.1 mg/mL in methanol)	Glass ampule: 2 mL	5/28/2015
Sigma-Aldrich, Co.	Testosterone-2,3,4-13C3 solution (0.1 mg/mL in methanol)	Glass ampule: 2 mL	5/28/2015
Sigma-Aldrich, Inc.	Barbital Buffer, Product # B5934	Vial: 30 mL; Package: 12 vials	2/5/2003
SMC Biosolutions	CAP (BMV2)	Amber vial: 5 mL	12/5/2019
SMC Biosolutions	CAP (CHM)	Amber vial: 5 mL	12/5/2019
SMC Biosolutions	CAP (CZQ)	Amber vial: 5 mL	12/5/2019
SmithKline Beecham	Benzo/PCP QC	Bottle: 10 mL	7/31/1995
SmithKline Beecham	GC/MS 1	Bottle: 50 mL	7/31/1995
SmithKline Beecham	NIDA LODQC	Bottle: 50 mL	7/31/1995
SmithKline Beecham	SAP LODQC	Bottle: 50 mL	7/31/1995
SmithKline Beecham	SB50N	Bottle: 10, 25, 50 mL	7/31/1995
SmithKline Beecham	SB50P	Bottle: 10, 25, 50 mL	7/31/1995
SmithKline Beecham	Urine Drug Standards Pool A,B,C,D,E,F,G	Bottle: 25 mL	7/31/1995
SPEX CertiPrep Group, LLC	(-)-11-nor-9-Carboxy-delta9-THC, 100 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	(-)-11-nor-9-Carboxy-delta9-THC, 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	(-)-delta8-THC, 1000 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(-)-delta9-THC, 1000 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(-)-delta9-THC-D3, 100 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(-)-delta9-THC-D3, 1000 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(±)-11-Hydroxy-delta9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(±)-11-nor-9-Carboxy-delta9-THC, 100 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	(±)-11-nor-9-Carboxy-delta9-THC, 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	(±)-11-nor-9-Carboxy-delta9-THC-D3, 100 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(±)-11-nor-9-Carboxy-delta9-THC-D3, 1000 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(±)-11-nor-9-Carboxy-delta9-THC-D9, 100 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	(±)-11-nor-9-Carboxy-delta9-THC-D9, 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	(±)-delta8-THC (Qualitative use only), 100 µg/mL in Heptane	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	(±)-delta9-THC (Qualitative use only), 100 µg/mL in Heptane	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	Amphetamine, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Androstedienone, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	beta Trenbolone, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Boldione, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Bromazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Butabarbital, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Butalbital, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Cannabichromene (CBC), 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016

SPEX CertiPrep Group, LLC	Cannabichromenic Acid (CBCA), 1000 µg/ml in acetonitrile	Glass ampule: 2 mL	3/31/2017
SPEX CertiPrep Group, LLC	Cannabidiol, 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabidiol-D3, 100 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabidivarin (CBDV), 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabidivarinic Acid (CBDVA), 1000 µg/ml in acetonitrile	Glass ampule: 2 mL	3/31/2017
SPEX CertiPrep Group, LLC	Cannabidolic acid (CBDA), 1000 µg/ml in acetonitrile	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabigerol (CBG), 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabigerolic acid (CBGA), 1000 µg/ml in acetonitrile	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabinol, 1000 µg/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Cannabinol-D3, 100 ug/ml in methanol	Glass ampule: 2 mL	4/4/2016
SPEX CertiPrep Group, LLC	Clonazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Codeine, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Delorazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Diazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	exo-THC, 1000 µg/mL in Methanol	Glass ampule: 2 mL	2/25/2016
SPEX CertiPrep Group, LLC	Flunitrazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Flurazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Halazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Hydromorphone, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Ketamine, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Lorazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Lormetazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Modafinil, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Morphine, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Nitrazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Nordazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Oxazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Oxymorphone, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Pemoline, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Pentazocine, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Phenobarbital, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Temazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Tetrahydrocannabidivarin (THCV), 1000 µg/ml in methanol	Glass ampule: 2 mL	3/31/2017
SPEX CertiPrep Group, LLC	Tetrahydrocannabidivarinic Acid (THCVA), 1000 µg/ml in acetonitrile	Glass ampule: 2 mL	3/31/2017
SPEX CertiPrep Group, LLC	Tetrahydrocannabinolic Acid (THCA), 1000 µg/ml in acetonitrile	Glass ampule: 2 mL	3/31/2017
SPEX CertiPrep Group, LLC	Thiopental, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
SPEX CertiPrep Group, LLC	Zolazepam, 50 µg/mL in LC/MS grade Methanol	Glass ampule: 2 mL	2/4/2019
Sterling Diagnostics Inc.	Sterling Abnormal Control Level 2 Cat# 1003-A	Bottle: 10 mL; Kit: 6 Bottles	6/9/1997
Sterling Diagnostics Inc.	Sterling Normal Control Level 1 Cat# 1003-N	Bottle: 10 mL; Kit: 6 Bottles	6/9/1997
Supelco, Inc.	8270B Base-Neutrals Mix, Product No. 48195	Ampule: 1 mL	10/1/1997
Supelco, Inc.	a,a-Dimethylphenethylamine 2000 µg/mL in methylene chloride	Glass vial: 1 mL	8/15/2013
Supelco, Inc.	Chloral Hydrate 1000 µg/mL in Acetonitrile	Glass ampule: 1 mL	4/8/2013
Supelco, Inc.	Chloral Hydrate Kit, Product # 4-8112	Kit: 19 Vials; 2 mL each	9/6/1994
Supelco, Inc.	Chloral Hydrate, Product No. 47335-U	Ampule: 1 mL	10/1/1997
Supelco, Inc.	Chloral Hydrate, Product# 4-7335	Ampule: 2 mL	9/15/1995
Supelco, Inc.	Custom Mix Product No. 20195489	Ampule: 2 mL	5/16/2001
Supelco, Inc.	Custom Mix, 0.2-163.2 µg/mL in Methanol	Glass ampule: 1 mL	6/14/2012
Supelco, Inc.	Custom Mix, Cat. # 20195489	Glass ampule: 2 mL	5/25/2001
Supelco, Inc.	Custom Mix, Supelco Product No.: 20910302	Glass ampule: 1 mL	9/21/2007
Supelco, Inc.	Custom Mix, Supelco Product No.: 21012921	Glass ampule: 1 mL	6/25/2008
Supelco, Inc.	Custom Mix, Supelco Product No.: 21030642	Glass ampule: 1 mL	8/12/2008
Supelco, Inc.	EPA 8270 Base/Neutrals Mix B, Product # 4-8195	Vial: 2 mL	8/31/1994
Supelco, Inc.	Equity 8270 Appendix IX Supplemental Mix 2 Cat # 86-1141	Ampule: 2 mL	6/16/1998
Supelco, Inc.	Equity Chloral Hydrate	Vial: 1 mL	8/14/1997
Supelco, Inc.	LS4434 Mix 2	Ampule: 1 mL	9/25/2009
Supelco, Inc.	LS4434-Mix 1_15, 0.019- 2.375 µg/mL in Methanol	Glass ampule: 1 mL	4/2/2015
Supelco, Inc.	Performance Check	Ampule: 2 mL	5/7/2010
Supelco, Inc.	SPL-8270 Spike Mix	Glass ampule: 25 mL	11/20/2008
Supelco, Inc.	Stanolone, 1000 µg/mL in 1,2-Dimethoxyethane	Ampule: 1 mL	12/9/2010
Supelco, Inc.	Testosterone Undecanoate, 1000 µg/mL in 1,2-dimethoxyethane	Glass ampule: 1 mL	2/18/2011
Supelco, Inc.	Testosterone Undecanoate, 1000 µg/mL in 1,2-Dimethoxyethane	Glass ampule: 1 mL	2/18/2011
Supelco, Inc.	Titan C18 Batch Test 1 Mix	Glass ampule: 1 mL	2/28/2013
Supelco, Inc.	Titan C18 Batch Test 2 Mix	Glass ampule: 1 mL	3/1/2013
Supelco, Inc.	α, α-Dimethylphenethylamine	Ampule: 2 mL	2/7/1995
Supelco, Inc.	α, α-Dimethylphenethylamine Cat# 47448-U	Ampule: 2 mL	5/26/1998
Supelco, Inc.	α, α-Dimethylphenethylamine Product No. 48377	Ampule: 1 mL	10/1/1997
Supelco, Inc.	α, α-Dimethylphenethylamine Product No. 4-8377	Vial: 2 mL	8/31/1994
Sure-Tech Diagnostic Associates, Inc.	3,4-Methylenedioxyamphetamine in Urine Matrix; Prod 928	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	3,4-Methylenedioxymethylamphetamine in Urine Matrix; Prod 929	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	9-Carboxyl-11 Nor-A-9-THC in Urine MAtrix; Prod 923	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Alprazolam in Urine Matrix; Prod. 920	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Benzoylecgonine in Urine Matrix; Prod 922	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Codeine in Urine Matrix; Prod 924	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	D-Amphetamine in Urine Matrix; Prod. 921	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	D-Methamphetamine/D-Amphetamine in Urine Matrix; Prod 926	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	D-Propoxyphene in Urine Matrix; Prod 936	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Amphetamine Kit No. ST 904, Vial No. 904-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Cocaine & Marijuana Kit No. ST 903	Kit: 2 vials	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Cocaine, Kit No. ST 901, Vial No. 901-P	Vial: 4 mL Kit: 1 vial	5/11/1990

Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Marijuana, Kit No. ST 902, Vial No. 902-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Opiates Kit No. ST 905, Vial No. 905-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Phencyclidine Kit No. ST 906, Vial No. 906-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Codeine No. 907-P	Vial: 20 mL; Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Methadone NNo. 908-P	Vial: 20 mL; Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Methamphetamine No. 909-P	Vial: 20 mL; Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Methaqualone No. 913-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Oxazepam No. 910-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Propoxyphene No. 911-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Secobarbital No. 912-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Meperidine in Urine Matrix; Prod 930	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Methadone in Urine Matrix; Prod 925	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Methaqualone in Urine Matrix; Prod 927	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Morphine-3-Glucuronide in Urine Matrix; Prod 931	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Nordiazepam in Urine Matrix; Prod 932	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Normeperidine in Urine Matrix; Prod 933	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Oxazepam in Urine Matrix; Prod 934	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Phencyclidine in Urine Matrix; Prod 935	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Secobarbital in Urine Matrix; Prod 937	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Temazepam in Urine Matrix; Prod 938	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Triazolam in Urine Matrix; Prod 939	Vial: 20 mL	4/24/1992
Syva Company	Emit 2000 Phenobarbital Calibrators (5,10,20,40,80)	Bottle: 6 mL	7/31/1997
Syva Company	Emit 2000 Phenobarbital Calibrators (5,10,20,40,80)	Kit: 5 vials	6/18/1997
Syva Company	Emit 5B3 THC; Calibrators: 0 ng/mL, 50 ng/mL, 100 ng/mL, 200 ng/mL	Vial: 10 mL	12/14/1995
Syva Company	Emit AED-No. 1 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 2 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 3 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 4 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 5 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit Antiepileptic (AED) Drug Calibrators (1,2,3,4,5)	Kit: 5 vials	6/18/1997
Syva Company	Emit Calibrator B Level 2 (high)	Kit: 5 mL, 25 mL; Bottle: 5 mL, 25 mL	3/28/1997
Syva Company	Emit Calibrator B Level I (cutoff)	Kit: 5 mL, 25 mL; Bottle: 5 mL, 25 mL	3/28/1997
Syva Company	EMIT Calibrator/Control Level I	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level II	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level III	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level IV	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level V	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Class Amphetamine Level I (Cutoff)	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Class Amphetamine Level II (High)	Bottle: 15 mL	6/4/1999
Syva Company	Emit Convenience Pack: Thyroxine Assay Enzyme Reagent B	Cassette: 8 mL	7/31/1997
Syva Company	Emit Convenience Pack: T-Uptake Assay (Thyroid Hormone Binding Ratio)	Cassette: 16 mL, Kit: 100 tests Kit: 100 tests	7/31/1997
Syva Company	Emit d.a.u. Low Calibrator A	Vial: 5 mL	6/30/1989
Syva Company	Emit d.a.u. Low Calibrator A, Cat# 3C579	Vial: 5 mL	10/6/1988
Syva Company	Emit d.a.u. Low Calibrator B	Bottle: 5 mL	7/31/1997
Syva Company	Emit d.a.u. Medium Calibrator A	Vial: 5 mL	6/30/1989
Syva Company	Emit d.a.u. Medium Calibrator A, Cat# 3C569	Vial: 5 mL	10/6/1988
Syva Company	Emit d.a.u. Medium Calibrator B	Bottle: 5 mL	7/31/1997
Syva Company	Emit Delta 9 Cannabinoid 20 ng/mL Calibrator/Control	Vial: 3 mL	8/22/1989
Syva Company	Emit Delta 9 Cannabinoid 50 ng/mL Calibrator/Control	Vial: 3 mL	8/22/1989
Syva Company	Emit delta9 Cannabinoid 100 ng/mL Calibrator Control	Vial: 3 mL	6/18/1997
Syva Company	Emit delta9 Cannabinoid 400 ng/mL Calibrator Control	Vial: 3 mL	6/18/1997
Syva Company	Emit II Calibrator A Level 1 (cutoff)	Vial: 5 mL, 25 mL	6/18/1997
Syva Company	Emit II Calibrator A Level 2 (high)	Vial: 5 mL, 25 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 100 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 20 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 200 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 50 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit LSD Calibrator; 0.5 ng/mL, 1.5 ng/mL, 2.5 ng/mL	Bottle: 10 mL, 25 mL	2/22/1996
Syva Company	Emit LSD Control, Level I and Level II	Bottle: 25 mL	2/22/1996
Syva Company	Emit st Serum Calibrator	Vial: 3 mL	6/18/1997
Syva Company	Emit st Serum Controls	Vial: 3 mL; Kit: 2 vials	6/18/1997
Syva Company	Emit st Urine Calibrator A	Vial: 3 mL	7/31/1997
Syva Company	Emit st Urine Control Set A	Vial: 3 mL, Kit: 2 vials Kit: 2 vials	7/31/1997
Syva Company	Emit st Urine Opiate Assay	Vial: 3 mL; Kit: 80 vials	6/18/1997
Syva Company	Emit THC Calibrators; 0 ng/mL, 50 ng/mL, 100 ng/mL, 200 ng/mL	Vial: 10 mL	10/11/1993
Syva Company	Emit Thyroxine Assay	Kit: 500 tests	6/18/1997
Syva Company	Emit Thyroxine Assay	Kit: 1300 tests	6/18/1997
Syva Company	Emit Thyroxine Bulk Powder Reagent B	Bottle: 1000 mL	7/31/1997
Syva Company	Emit Thyroxine Bulk Powder Reagent B Satellite	Bottle: 4 oz	7/31/1997
Syva Company	Emit tox Serum Calibrator Kit Containing: (1) Emit tox Serum Low Calibrator and (1) Emit tox Serum Medium Calibrator	Bottle: 3 mL	6/18/1997
Syva Company	Emit T-Uptake Assay	Bottle: 4 oz, Kit: 500 tests Kit: 500 tests	7/31/1997
Syva Company	Emit T-Uptake Bulk Powder Reagent A	Bottle: 1000 mL	7/31/1997
Syva Company	Emit T-Uptake Bulk Powder Reagent A Satellite	Bottle: 4 oz	7/31/1997
Syva Company	Emit-st Cannabinoid Calibrator	Vial: 3 mL, 2 vials/kit	7/10/1981
Syva Company	Emit-st Cannabinoid Controls	Vial: 3 mL, 2 vials/kit	7/10/1981
Syva Company	Emit-st Urine Methaqualone Calibrator	Vial: 3 mL	4/27/1982

Syva Company	Emit-st Urine Methaqualone Controls	Vial: 3 mL	4/27/1982
Syva Company, Dade Behring, Inc.	EII Plus Control 10	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 11	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 12	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 13	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 14	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 15	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 16	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 17	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 18	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 9	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EMIT Calibrator B Level 1 (cutoff)	Vial: 15 mL, 63 mL	10/16/2002
Syva Company, Dade Behring, Inc.	EMIT Calibrator B Level 2 (high)	Vial: 15 mL, 63 mL	10/16/2002
Syva Company, Dade Behring, Inc.	EMIT II Control	Bottle: 15 mL	2/23/1998
Syva Company, Dade Behring, Inc.	EMIT II Plus Calibrator/Control	Bottle: 1000 mL	2/23/1998
Technopath Clinical Diagnostics	Multichem MS TDMs Level 1	Plastic bottle: 12 bottles, 4.5 mL each	2/25/2025
Technopath Clinical Diagnostics	Multichem MS TDMS Level 1 Ref 09922571529	HDPE Bottle: 16 bottles, 2.5 mL each	5/1/2024
Technopath Clinical Diagnostics	Multichem MS TDMs Level 2	Plastic bottle: 12 bottles, 4.5 mL each	2/25/2025
Technopath Clinical Diagnostics	Multichem MS TDMS Level 2 09922580529	Plastic Bottle: 12 bottles, 4.5 mL each	9/18/2024
The Binding Site, Inc.	Buffer Powder, SR021	Sachet: 18.2 g	10/30/2001
The Binding Site, Inc.	I.F.E. Buffer	Plastic bottle: 125 mL	12/5/1991
The Binding Site, Inc.	Immunofixation (IFE) Kit	Bottle: 150 mL	5/17/2010
The Binding Site, Inc.	Immunofixation (IFE) Kit	Sachet: 18.39 g	5/17/2010
The Binding Site, Inc.	Immunofixation Kit	Kit: 125 mL plastic bottle	12/5/1991
The Binding Site, Inc.	Serum Protein Electrophoresis (SPE) Kit	Bottle: 150 mL	5/17/2010
The Binding Site, Inc.	Serum Protein Electrophoresis (SPE) Kit	Sachet: 18.39 g	5/17/2010
The Upjohn Company	DDHQ Spent Oxidant	Fiber Drum: 30 gallons	12/19/1994
Thermo Fisher Scientific	Alinity Anti-Tg Calibrators J09P3401/ 09P3401	Kit: 6 HDPE Plastic Vials, 3 mL each	10/10/2024
Thermo Fisher Scientific	Alinity Anti-Tg Control Kit J02K46-10/ 02K46-10	Kit: 2 LDPE Plastic Vials, 4 mL each	10/10/2024
Thermo Fisher Scientific	Alinity Anti-Tg Control Kit J09P3410/ 09P3410	Kit: 2 LDPE Plastic Vials, 4 mL each	10/10/2024
Thermo Fisher Scientific	Alinity Anti-TPO Calibrators J09P3501 / 09P35-01	Kit: 6 HDPE Plastic Vials, 3 mL each	10/10/2024
Thermo Fisher Scientific	Alinity Anti-TPO Control Kit J09P3510/ 09P3510	Kit: 2 HDPE Plastic Vials, 4 mL each	10/10/2024
Thermo Fisher Scientific	Alinity BRAHMS PCT Calibrator J01R1801/ 01R1801	HDPE Bottle: 2.0 mL	10/10/2024
Thermo Fisher Scientific	Anti-Tg Master Calibrators JY2K46(A-F)95	Kit: 6 LDPE Plastic Vials, 4 mL each	10/15/2024
Thermo Fisher Scientific	Anti-Tg Panel 1, 2, 3 and 6 JY2K46P195 JY2K46P295 JY2K46P395 JY2K46P695	Kit: 4 Polypropylene Vials, 1 mL each	10/15/2024
Thermo Fisher Scientific	Anti-TPO Master Calibrators JY2K47(A-F)95	Kit: 6 LDPE Plastic Vials, 4 mL each	10/15/2024
Thermo Fisher Scientific	Anti-TPO Panel 1, 2 and 3 JY2K47P195 JY2K47P295 JY2K47P395	Kit: 3 Polypropylene Vials, 1 mL each	10/15/2024
Thermo Fisher Scientific	Architect Anti-Tg Calibrators J02K46-01/ 02K46-01	Kit: 6 LDPE Plastic Vials, 4 mL each	10/10/2024
Thermo Fisher Scientific	Architect Anti-Tg Control Kit J02K46-10 / 02K46-10	Kit: 2 LDPE Plastic Vials, 4 mL each	11/7/2024
Thermo Fisher Scientific	Architect Anti-TPO Calibrators J02K47-01/ 02K47-01	Kit: 6 LDPE Plastic Vials, 4 mL each	10/10/2024
Thermo Fisher Scientific	Architect Anti-TPO Control Kit J02K47-10/ 02K47-10	Kit: 2 LDPE Plastic Vials, 4 mL each	10/10/2024
Thermo Fisher Scientific	Architect PCT Calibrators J06P22-01/ 06P22-01	Kit: 6 LDPE Plastic Vials, 2 mL each	10/10/2024
Thermo Fisher Scientific	Cascadion SM Antiepileptics Internal Standard	Box: 6 vials, 29 mL each	3/24/2022
Thermo Fisher Scientific	Cascadion SM Total Testosterone Internal Standard	Box: 8 bottles, 29 mL each	8/16/2018
Thermo Fisher Scientific	CK-MB Panel 1 and 2 JY2K42P195 JY2K42P295	Kit: 2 Polypropylene Vials, 1 mL each	10/15/2024
Thermo Fisher Scientific	Kontact Pool J250312	PETG Vial, 10 mL	10/15/2024
Thermo Fisher Scientific	Kontact J250312	PETG Vial, 10 mL	11/7/2024
Thermo Fisher Scientific	Kontact (JC300312)	PETG Vial, 10 mL	12/17/2024
Thermo Fisher Scientific	PCT Panel 1, 3, 4 and 5 JY6P22P195 JY6P22P395 JY6P22P495 JY6P22P595	Kit: 4 Polypropylene Vials, 1 mL each	10/15/2024
Thermo Fisher Scientific	PCT Primary Calibrator A JY6P22A95	Kit: 81 LDPE Bottles, 4 mL each	10/15/2024
Toronto Research Chemicals Inc.	Δ1-Testosterone (1.0/mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014

Toronto Research Chemicals Inc.	10-Oxo Morphine (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	17α-Methyl Testosterone (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	1-Butyl-3-(1-naphthoyl)indole JWH-073 (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	1-Pentyl-3-(1-naphthoyl)indole JWH 018 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	2-(Methylamino)-3',4'-(methylenedioxy)valerophenone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	2-Methyl Methcathinone Hydrochloride (1 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	2-Naphthyl Pyrovalerone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	3,4,5-Trimethoxyphenethylamine, Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	3-Fluoroephedrone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	4-Fluoroephedrone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	6-Acetyl Morphine (100 µ /mL in Acetonitrile)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	6-Acetyl Morphine-d3 (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	6β-Naltrexol (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	6β-Naltrexol-d4 (1.0 mg/ml in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Aminorex (1 mg/mL in Acetonitrile)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Amobarbital (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Androstanolone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Androstanolone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Androstenedione (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Benzoyl Ecgonine (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Benzoyl Ecgonine (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Benzoyl Ecgonine-d3 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Boldenone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Bromazepam (1 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Bromazepam (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Buphedrone (1 mg/mL in Methanol, as free base)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Buprenorphine β-D-Glucuronide (100 ug/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Butabarbital (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Butalbital (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Chlordiazepoxide-d5 (100 ug/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Clonazepam-d4 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Cocaine-d3 (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Cocaine-d3 (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Codeine (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Codeine-d3 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Delorazepam (100 ug/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desmethyl Diazepam (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desmethyl Diazepam-d5 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desmethyl Pyrovalerone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desmethyl Pyrovalerone-d8 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desomorphine (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desomorphine (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Desomorphine-d3 (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Diazepam (1 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Diethylpropion Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Dihydromorphine-d3 (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Drostanolone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Ethyl Morphine (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Ethylone (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Ethylone-d5 (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Furazabol (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Heroin (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	HU 210 (100µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Hydrocodone (1.0 mg/ml in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Hydrocodone-d6 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Ketamine Hydrochloride (1.0 mg/ml in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Ketamine-d4 (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Meperidine Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Mephedrone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Mephedrone-d3 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Meprobamate (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Meprobamate-d3 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Methcathinone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Methylenedioxy Pyrovalerone Hydrochloride (1 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Methylenedioxy Pyrovalerone-d8 Hydrochloride (0.5 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Methylenedioxy Pyrovalerone-d8 Hydrochloride (0.5 mg/mL in Methanol)	Glass vial: 1 mL	8/29/2014
Toronto Research Chemicals Inc.	Methylone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Methylone-d3 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Methylphenidate Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Mibolerone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Midazolam (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine 3-β-D-Glucuronide (0.1 mg/mL in Methanol/Water 1:1)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine 3-β-D-Glucuronide (1.0 mg/mL in Methanol w/ 0.05% NaOH)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine 6-β-D-Glucuronide (1.0 mg/mL in Water:Methanol 80:20)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine 6-β-D-Glucuronide (100 µg/mL in Methanol:Water)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine N-Oxide (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine-d3 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine-d3 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014

Toronto Research Chemicals Inc.	Morphine-d3 3-β-D-Glucuronide (100 µg/mL in Methanol w/0.05% NaOH)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Morphine-d3 6-β-D-Glucuronide (100 µg/mL Methanol:Water 1:1)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Morphine-d6 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Nabilone (1.0 mg/ml in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Naloxone N-Oxide (100 µg/mL in 1:1 Acetonitrile and water solution)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Naloxone N-Oxide (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Nandrolone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	N-Benzylpiperazine Dihydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Nimetazepam (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Nitrazepam (1.0 mg/ml in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Nitrazepam (100 µg/ml in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Nitrazepam-d5 (100µg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Norbuprenorphine (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Norclostebol (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Norcocaine Hydrochloride (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Norcocaine-d3 Hydrochloride (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	nor-Flurazepam (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Noroxycodone-d3 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Oxandrolone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Oxazepam (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Oxazepam (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Oxazepam-d5 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Oxazepam-d5 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Oxymorphone-d3 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Phencyclidine Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Phencyclidine-d5 Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Phencyclidine-d5 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Phenobarbital (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Phenobarbital-d5 (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Phenobarbital-d5 (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Pipradrol Hydrochloride (1.0 mg/ml in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Propoxyphene Hydrochloride (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Propoxyphene Hydrochloride (100 µg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Pyrovalerone Hydrochloride (1mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	rac Amphetamine Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	rac Amphetamine Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	rac Diethypropion-d10 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	rac Methadone Hydrochloride (1 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	rac Methadone-d3 Hydrochloride (100 ug/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	rac-Amphetamine-d6 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	rac-N-Ethyl-4-methyl-Cathinone Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Stanozolol (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Synthetic Cannabinoid Mixture 2 (mixture of AM2201, JWH 019, JWH 081, and JWH 122, 100 µg/mL of each component in Acetonitrile)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Temazepam (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Temazepam (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Testosterone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Testosterone Benzoate (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Testosterone-d3 (100 µg/mL in 1,2-Dimethoxyethane)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Thebaine-N-(methyl-d3) (1.0 mg/ml in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Tilidine Hydrochloride (1.0 mg/mL in Methanol)	Glass vial: 1 mL	7/11/2014
Toronto Research Chemicals Inc.	Tilidine-d6 Hydrochloride (100 µg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Trenbolone (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Zolpidem (1.0 mg/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Zolpidem-d6 (100 ug/mL in Methanol)	Glass vial: 1 mL	6/26/2014
Toronto Research Chemicals Inc.	Δ1-Androstenedione (1.0 mg/mL in Acetonitrile)	Glass vial: 1 mL	6/26/2014
U.S. Pharmacopeial Convention Inc.	Delta-9-Tetrahydrocannabinol 1 mL (1 mg/mL)	Glass ampule: 1 mL	7/19/2022
U.S. Pharmacopeial Convention Inc.	Methylphenidate Hydrochloride Erythro Isomer Solution 0.5 mL	Amber ampule: 2 mL (sealed)	4/20/2022
U.S. Pharmacopeial Convention Inc.	USP Cannabinoid Acids Mixture RS	Glass Ampule: 1 mL	12/11/2019
U.S. Pharmacopeial Convention Inc.	USP Levomethorphan Reference Standard	Amber ampule: 1.2 mL	1/19/2015
Ultra Scientific	[d]-Amphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Lysergic Acid Diethylamide Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Lysergic Acid N-[methylpropyl]amide Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Methamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Propoxyphene Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[dl]-Alphaprodine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[dl]-Methadone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[dl]-N-Ethylamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[l]-Amphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[l]-Cocaine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[l]-Methamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	2,3-MDA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	2,3-MDMA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	3,4-MDA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	3,4-MDE Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	3,4-MDMA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Bromo-2,5-Dimethoxyphenethylamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Chlorotestosterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Methoxyamphetamine Solution	Ampule: 2 mL	5/21/2003

Ultra Scientific	4-Methylaminorex Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	6-Acetylcodeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	6-Monoacetylmorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	a,a-Dimethylphenethylamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	a,a-Dimethylphenethylamine Solution	Ampule: 2 mL	4/21/2008
Ultra Scientific	Allobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Alphenal Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Alprazolam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Amobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Appendix IX Calibration Standard	Ampule: 2 mL	4/21/2008
Ultra Scientific	Aprobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Barbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Base/Neutrals Mixture #3	Ampule: 2 mL	5/21/2003
Ultra Scientific	Benzoylecgonine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Benzphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Boldenone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Bromazapam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Butabarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Butalbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Butethal Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Calibration Test Mixture	Ampule: 2 mL	12/6/2010
Ultra Scientific	Cannabinol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Cannnabidiol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Chloral Hydrate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clobazam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clonazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clorazepate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clostebol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Cocaethylene Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Codeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Custom Controlled Substance Calibration Standard	Glass ampule: 5 mL	3/24/2011
Ultra Scientific	Custom Paraldehyde Standard	Glass ampule: 2 mL	1/17/2011
Ultra Scientific	Cyclopentobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Diacetylmorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Diazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Dihydrocodeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Diphenoxylate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Drostanolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ecgonine Methyl Ester Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ecgonine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ethinamate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ethylmorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Fenfluramine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Fentanyl Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Flunitrazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Flurazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	GC-MS Toxicology Checkout Mix	Ampule: 2 mL	9/9/2009
Ultra Scientific	Glutethimide Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Halazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Hexobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Hydrocodone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Hydromorphone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ketamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	LC/MS Toxicology Test Mixture	Ampule: 2 mL	11/2/2009
Ultra Scientific	Levorphanol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Lorazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Medazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Meperidine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Mephobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Meprobamate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Mescaline Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Mesterolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methandriol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methandrostenolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methaqualone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Metharbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methohexital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methylphenidate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methyltestosterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methyprylon Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Midazolam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Morphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	N,N-Dimethyltryptamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nalorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nandrolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	N-Hydroxy-MDA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nitrazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Norcocaine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Norcodeine Solution	Ampule: 2 mL	5/21/2003

Ultra Scientific	Nordiazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Norethandrolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Normeperidine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Normorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxandrolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxycodone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxymesterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxymetholone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxymorphone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Pentazocine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Pentobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phencyclidine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phendimetrazine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phenmetrazine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phenobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phentermine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Prazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Propylbenzoylecgonine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Psilocybin Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Psilocyn Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Secobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Semi-Volatiles Mixture #3	Ampule: 2 mL	5/21/2003
Ultra Scientific	Semi-Volatiles Mixture SVM-140	Ampule: 2 mL	3/3/2008
Ultra Scientific	Stanozolol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Talbutal Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Temazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Testosterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Thebaine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Thiopental Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Triazolam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	ULTRAcheck WS Chloral Hydrate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific, Inc.	Custom Standard –Quote# 032116-099	Glass ampule: 5 mL	3/29/2016
Ultra Scientific, Inc.	DSA Detection Cocaine HCl Standard	Amber ampule: 1 mL	9/21/2011
Ultra Scientific, Inc.	GE–Ion Track 100 ng/µL TNT/Cocaine HCl Standard Rev. 1	Amber ampule: 10 mL	9/21/2011
Ultra Scientific, Inc.	GE–Ion Track 100 ng/µL TNT/Cocaine HCl Standard Rev. 1	Glass bottle: 100 mL	9/21/2011
Ultra Scientific, Inc.	Phenobarbital (625 µg/mL)	Amber ampule: 1 mL	4/3/2012
Ultra Scientific, Inc.	Phenobarbital (6400 µg/mL)	Amber ampule: 1 mL	4/3/2012
Ultra Scientific, Inc.	Ultracheck WS Chloral Hydrate Sample	Glass ampule: 2 mL	9/21/2011
Universal Reagents, Inc.	Drug Monitoring & Toxicology No. DM 90-5, DM-62	Bottle: 10 mL	10/9/1990
USP	Cannabinoid Mixture	Glass Ampule: 1 mL	12/11/2019
USP	Cannabinoids Mixture	Glass ampule: 1 mL	8/12/2019
USP	Delta-9-tetrahydrocannabinol	Glass ampule: 2 mL	11/9/2005
USP	Exo-tetrahydrocannabinol	Glass ampule: 2 mL	11/9/2005
USP	USP Cannabinoid Acids Mixture	Glass ampule: 1 mL	8/12/2019
USP	USP Cannabinoid Acids Mixture RS		12/11/2019
USP	USP Levomethorphan Solution Reference Standard	Box: 3 vials, 1.2 mL each	1/19/2015
USP	USP Levomethorphan Solution Reference Standard	Box: 3 vials, 1.2 mL each	9/13/2016
Utak Laboratories	Toxicology Control-High Range Anticonvulsants No. 71910	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-High Range Barbiturates No. 71916	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-High Range Hypnotic Plus Acetaminophem, No. 71918	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-High Range Hypnotic Plus Salicylate, No. 71920	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Anticonvulsants No. 71911	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Barbiturates No. 71917	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Hypnotic Plus Acetaminophem, No. 71919	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Hypnotic Plus Salicylate, No. 71921	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Serum Control Dried #88112	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Serum Control Dried #88113	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Serum Control Dried #88120	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Serum Control-Dried Catalog Nos. 44610, 44612, 44632, 44635, 44636, 44637, 44642, 44645, 44646, 44647, 44658.	In Bottles	5/24/1976
Utak Laboratories	Toxicology Urine Control Dried #88100	Bottle: 20 mL	7/29/1982
Utak Laboratories	Toxicology Urine Control Dried #88121	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Urine Control-Dried Catalog Nos. 44650, 44651, 44652, 44653	Bottle: 1 oz.	5/24/1976
UTAK Laboratories, Inc.	AED II HR Serum Control, Ref: 72740	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	AED II MR Serum Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	AED II MR Serum Control, Ref: 72741	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Amphetamines Panel Level 1 Urine Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Amphetamines Panel Level 2 Urine Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Benzodiazepines 2 Serum Control HR, Ref: 22615	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Benzodiazepines 2 Serum Control MR, Ref: 22616	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Benzodiazepines Hydrolysis QC Urine Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Benzodiazepines Plus 100 ng/mL Urine Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Benzodiazepines Plus 100 ng/mL Whole Blood Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Benzodiazepines Plus 100 Urine Control, Ref: 12090	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Benzodiazepines Plus 100 Whole Blood Control, Ref: 12092	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Benzodiazepines Plus 400 ng/mL Urine Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Benzodiazepines Plus 400 ng/mL Urine Control, Ref: 12091	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Clonazepam Serum Control HR, Ref: 22610	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	Clonazepam Serum Control MR, Ref: 22611	Carton: 5 bottles, 5 mL each	12/27/2016

UTAK Laboratories, Inc.	DAU High Cutoff 1 Urine Control	Kit: 4 bottles, 10 mL each	4/16/2021
UTAK Laboratories, Inc.	DAU High Cutoff 2 Urine Control	Kit: 4 bottles, 10 mL each	4/16/2021
UTAK Laboratories, Inc.	DAU IA 1 Urine Control	Kit: 4 bottles, 10 mL each	11/20/2020
UTAK Laboratories, Inc.	DAU IA 2 Urine Control	Kit: 4 bottles, 10 mL each	11/20/2020
UTAK Laboratories, Inc.	DAU IA 3 Urine Control	Kit: 4 bottles, 10 mL each	11/20/2020
UTAK Laboratories, Inc.	DAU IA 4 Urine Control	Kit: 4 bottles, 10 mL each	11/20/2020
UTAK Laboratories, Inc.	DAU IA 5 Urine Control	Kit: 4 bottles, 10 mL each	11/20/2020
UTAK Laboratories, Inc.	DAU Low Cutoff 1 Urine Control	Kit: 4 bottles, 10 mL each	4/16/2021
UTAK Laboratories, Inc.	DAU Low Cutoff 2 Urine Control	Kit: 4 bottles, 10 mL each	4/16/2021
UTAK Laboratories, Inc.	DHEA Plus High Serum Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	DHEA Plus High Serum Control, Ref: 51411	Carton: 5 bottles, 3 mL each	12/27/2016
UTAK Laboratories, Inc.	DHEA Plus Low Serum Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	DHEA Plus Low Serum Control, Ref: 51410	Carton: 5 bottles, 3 mL each	12/27/2016
UTAK Laboratories, Inc.	Drugs of Abuse 200% Cutoff SMX Oral Fluid Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Drugs of Abuse 50% Cutoff SMX Oral Fluid Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Drugs of Abuse Cutoff SMX Oral Fluid Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Drugs of Abuse Level 1 Whole Blood Control	Kit: 5 bottles, 5 mL each	4/16/2021
UTAK Laboratories, Inc.	Drugs of Abuse Level 2 Whole Blood Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Fentanyl Analogues 2 NG/ML Whole Blood Control	Kit: 5 bottles, 3 mL each	4/16/2021
UTAK Laboratories, Inc.	Fentanyl Analogues 5 NG/ML Urine Control	Kit: 5 bottles, 3 mL each	4/16/2021
UTAK Laboratories, Inc.	Miscellaneous Panel Level 1 Urine Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Miscellaneous Panel Level 2 Urine Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Opiates Hydrolysis QC Urine Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Pentobarbital Serum Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Pentobarbital Serum Control, Ref: 66319	Carton: 5 bottles, 5 mL each	12/27/2016
UTAK Laboratories, Inc.	PM 100 Urine Control	Kit: 5 bottles, 5 mL each	4/16/2021
UTAK Laboratories, Inc.	PM 100 Whole Blood Control	Kit: 5 bottles, 5 mL each	4/16/2021
UTAK Laboratories, Inc.	PM Plus High Urine Control	Kit: 5 bottles, 5 mL each	4/16/2021
UTAK Laboratories, Inc.	PM Plus Low Urine Control	Kit: 5 bottles, 5 mL each	4/16/2021
UTAK Laboratories, Inc.	SAMHSA Confirm Level 1 SMX Oral Fluid Control	Kit: 5 bottles, 3 mL each	4/16/2021
UTAK Laboratories, Inc.	SAMHSA Confirm Level 2 SMX Oral Fluid Control	Kit: 5 bottles, 3 mL each	4/16/2021
UTAK Laboratories, Inc.	STABBS Negative Serum Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	STABBS Positive Serum Control	Kit: 5 bottles, 5 mL each	11/20/2020
UTAK Laboratories, Inc.	Steroids Level 1 SMX Serum Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Steroids Level 1 SMx Serum Control, Ref: 51401	Carton: 5 bottles, 3 mL each	12/27/2016
UTAK Laboratories, Inc.	Steroids Level 2 SMX Serum Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Steroids Level 2 SMx Serum Control, Ref: 51402	Carton: 5 bottles, 3 mL each	12/27/2016
UTAK Laboratories, Inc.	Steroids Level 3 SMX Serum Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Steroids Level 3 SMx Serum Control, Ref: 51403	Carton: 5 bottles, 3 mL each	12/27/2016
UTAK Laboratories, Inc.	Steroids Level 4 SMX Serum Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Steroids Level 4 SMx Serum Control, Ref: 51404	Carton: 5 bottles, 3 mL each	12/27/2016
UTAK Laboratories, Inc.	Tapentadol Hydrolysis QC Urine Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Urine Drug Screen Urine Control	Kit: 5 bottles, 10 mL each	11/20/2020
UTAK Laboratories, Inc.	Z Drugs Plus Level 1 Urine Control	Kit: 5 bottles, 3 mL each	11/20/2020
UTAK Laboratories, Inc.	Z Drugs Plus Level 2 Urine Control	Kit: 5 bottles, 3 mL each	11/20/2020
Varian, Inc.	OnSite CupKit	Kit: 50 cards	9/15/2003
Varian, Inc.	OnSite CupKit 4	Kit: 50 cards	9/29/2004
Varian, Inc.	OnSite CupKit 5	Kit: 50 cards	12/14/2005
Varian, Inc.	OnSite CupKit 501	Kit: 50 cards	9/15/2003
Varian, Inc.	OnSite CupKit M2K	Kit: 50 cards	9/15/2003
Varian, Inc.	OnSite CupKit Pro 5	Kit: 50 cards	9/29/2004
Varian, Inc.	OnSite CupKit Pro 5-AS	Kit: 50 cards	12/14/2005
Varian, Inc.	OnTrak TesTcard™	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 3AMP	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 3MET	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 4	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 401	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 501	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 6	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 9	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcup 4	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup 5	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup 5 M2K	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup 501	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup II	Kit: 25 devices	3/22/2004
Varian, Inc.	OnTrak TesTcup II 5	Kit: 25 devices	2/17/2004
Varian, Inc.	OnTrak TesTcup II 501	Kit: 25 devices	3/22/2004
Varian, Inc.	OnTrak TesTcup II M2K	Kit: 25 devices	2/17/2004
Varian, Inc.	OnTrak TesTcup II Pro 5	Kit: 25 devices	2/17/2004
Varian, Inc.	OnTrak TesTcup II Pro 5-AS	Kit: 25 devices	12/14/2005
Varian, Inc.	OnTrak TesTcup Pro-5	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTstik 2 COC/THC	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik 3 COC/MOR/THC	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik COC	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik MOR	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik THC	Kit: 50 tests	8/20/2003
Varian, Inc.	OraLab Synthetic Saliva Standard, 0.25X	Glass bottle- 500 mL	11/16/2009
Varian, Inc.	OraLab Synthetic Saliva Standard, 0.50X	Glass bottle- 500 mL	11/16/2009
Varian, Inc.	OraLab Synthetic Saliva Standard, 0.75X	Glass bottle- 500 mL	11/16/2009

Varian, Inc.	OraLab Synthetic Saliva Standard, 1.0X	Glass bottle- 500 mL	11/16/2009
Varian, Inc.	OraLab Synthetic Saliva Standard, 1.25X	Glass bottle- 500 mL	11/16/2009
Varian, Inc.	OraLab Synthetic Saliva Standard, 1.5X	Glass bottle- 500 mL	11/16/2009
Varian, Inc.	OraLab Synthetic Saliva Standard, 2.0X	Glass bottle- 500 mL	11/16/2009
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Benzodiazepines: Hydrolysis Procedure	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Benzoylecgonine	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Morphine and Hydromorphone: Differentiation	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Opiate	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Sympathomimetic amines: Differentiation	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Standard LTD Opiate TOXI-DISCS; 1,2, or 3 drugs	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Standard TOXI-DISCS; 1, 2, or 3 drugs	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-CONTROL LTD FM	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 19	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 2	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 3	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 5	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL THC	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-DISCS A-1	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS A-2	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS A-3	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS A-4	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-1	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-2	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-3	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-4	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS LTD HD	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS LTD OP	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS LTD OPI	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS THC	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-GRAMS A	Glass jar: 100 Chromatograms	9/2/2003
Varian, Inc.	TOXI-GRAMS B	Glass jar: 100 Chromatograms	9/2/2003
Varian, Inc.	TOXI-LAB Proficiency Sample	Plastic bottle: 2 oz.	9/2/2003
VHG Labs dba LGC Standards	(-)-Cannabidiol 1.0 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	(-)-delta9-THC (Dronabinol) 0.1 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	(-)-delta9-THC (Dronabinol) 1.0 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	Cannabinol 1.0 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	trans-11-Hydroxy-delta9-THC 0.1 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	trans-11-Hydroxy-delta9-THC 1.0 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	trans-11-Hydroxy-delta9-THC-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	trans-11-Nor-9-carboxy-delta9-THC 0.1 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	trans-11-Nor-9-carboxy-delta9-THC-D3 0.1 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
VHG Labs dba LGC Standards	trans-11-Nor-9-carboxy-delta9-THC-D3 1.0 mg/mL in Methanol	Glass vial: 1 mL	5/10/2017
Wisconsin State Laboratory Hygiene	Special Chemistry	Glass vial: 7 mL	12/5/2002
Wisconsin State Laboratory Hygiene	Urine Drug Screen (UD0X)	Glass vial: 15 mL	10/2/2002
WSLH	(WSLH) Chem/Endo/TDM	Amber vial: 5 mL	8/25/2022
WSLH	(WSLH) Chemistry-Waived	Amber vial: 5 mL	8/25/2022
WSLH	Chem/ENDO/TDM	Amber vial: 5 mL	3/27/2017
WSLH	Chemistry-Waived	Amber vial: 5 mL	3/27/2017
WSLH	Immunoassay Chemistry	Amber vial: 5 mL	3/27/2017
WSLH Proficiency Testing	PCAPTT-QQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCCAPTT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJACT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJACT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJCPT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJCPT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJLR-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJLR-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJPT-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCJPT-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCPRO-AQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
WSLH Proficiency Testing	PCPRO-NQ	Bag: 250- 750 tubes; 0.5 mL each	9/12/2013
Xvivo Perfusion, Inc.	Supplemented XVIVO Heart Solution (SXHS)	Glass vial: 10 mL	9/11/2020
Xvivo Perfusion, Inc.	XVIVO Heart Perfusion System (XHPS)	Kit: Heart Box, Disposable, Supplemented Soln.	9/11/2020
Zoetis	Carysta® Phenobarbital	Box: 6 or 12 test kits	4/6/2018
Zoetis	Heska® Element COAG Phenobarbital Test	Box: 6 or 12 test kits	4/6/2018
Zoetis	QuickVet® Phenobarbital	Box: 6 or 12 test kits	4/6/2018